

**THE HYDROLOGICAL IMPACT OF THE
REWATERING OF THE GEMSBOKFONTEIN
DOLOMITIC COMPARTMENT ON THE
WONDERFONTEINSPRUIT**

By

Karen de Roer (BSc Hon, Geology)

November 2004

**Dissertation presented in partial fulfilment of the requirements for the Degree
of Masters in Environmental Management, Faculty of Natural Science, North-
West University.**

**Supervisor:
Prof. I. J. van der Walt**

ABSTRACT

Water is an essential resource for any life on earth but water is also the most poorly managed of all resources. Many countries are facing a water crisis and South Africa is no exception. The dolomitic groundwater compartments of the West Rand and Far West Rand are one of the most important aquifers in South Africa. The problem is that the area houses some of the richest gold mines and most of the compartments have been dewatered resulting from the mining activities. The Gemsbokfontein Dolomitic Groundwater Compartment is one of the five regional groundwater compartments and North Shaft, Harmony Gold Ltd is situated within the compartment. The mine has reached its life span in 2002 and there is a possibility that the mine can be flooded. This will result in the Gemsbokfontein Compartment being flooded and will eventually decant into the Wonderfonteinspruit. The objectives of this study was to determine the rate of recharge of the compartment and the volume of discharge at the decant point. The results showed that the compartment would take between 5.8 years and 46.19 years to flood and that the flooding rates are sensitive to the effective porosity of the zones modelled. Once the compartment is filled, it will start to decant at the original 14 mL/day and flow into the Wonderfonteinspruit. Once the compartment starts to flood, the model will have to be redefined with the measured parameters.

OPSOMMING

Water is 'n baie belangrike natuurlike hulpbron vir lewe op aarde, maar is die hulpbron wat die swakste bestuur word. Daar is baie lande wat 'n water krisis in die gesig staar en Suid - Afrika is geen uitsondering nie. Die dolomitiese grondwater kompartemente van die Wes Rand en Vêre Wes Rand is een van die belangrikste waterdraers in Suid Afrika. Die probleem is dat van die rykste goudmyne in die land hier geleë is en dat die mynbou aktiwiteite die meeste van die kompartemente ontwater het. Die Gemsbokfontein dolomitiese grondwater kompartement is een van die vyf regionale grondwater kompartemente en Harmony Gold Ltd se Noord Skag is in die kompartement geleë. Teen 2002 het die myn die einde van sy produksie leeftyd bereik, en die moontlikheid bestaan nou dat die myn oorvloei kan word. Dit sal tot gevolg hê dat die Gemsbokfontein kompartement herwater word en die water metter tyd sal uitvloei in die Wonderfonteinspruit.

Die doel van hierdie studie was om vas te stel wat die tempo van herwatering in die kompartement sal wees, en wat die volume van die vloei by die oorvloei punt sal wees. Die studie het getoon dat die kompartement tussen 5.8 en 46.19 jaar sal neem om te herwater, afhangend van die effektiewe porositeit van die sones wat gemodelleer is. Die oorvloei volume is aangeneem om die selfde te wees as die oorspronklike volume van 14 mL/dag. Namate die kompartement herwater word, sal die model verfyn kan word sodat die oorvloedatum en volume met groter akkuraatheid voorspel sal kan word.

ACKNOWLEDGEMENTS

I would like to thank my supervisor Prof. I.J. van der Walt for all his advice and criticism during my previous drafts of the text. It is greatly appreciated. Special thanks must go to Clive Parsons, Kobus Schwartz and Koos Viviers for all their time, help and patience given to me during the course of the write up. The moral support from my friends and family must also be mentioned. Opinions expressed in this work or the conclusions drawn are mine and not to be attributed to any particular institution.

CONTENTS

List of Figures	viii
List of Tables	x

Chapter 1. INTRODUCTION

1.1 Introduction	1
1.2 Water in South Africa	1
1.3 Gold mining's affect on water	2
1.4 The study framework	2
1.4.1 Locality	2
1.4.2 Study Origin and Objectives	3
1.4.3 Methodology	4
1.5 Previous work	4
1.5.1 Far Western Basin. Groundwater Modelling Exercise	5
1.5.2 Predicted Rate of Rewatering of the Gemsbokfontein Groundwater Compartment	5
1.5.3 Post Mining Impacts of Gold Mining on the Far West Rand and West Wits Line	6
1.5.4 Shortcomings of Previous Investigations	6

Chapter 2. THE STUDY AREA BACKGROUND INFORMATION

2.1 Boundaries	8
2.2 Topography	11
2.3 Physiography	12
2.3.1 Climate	12
2.3.2 Land use	12
2.3.3 Vegetation	12
2.3.4 Drainage	14

Chapter 3. GEOLOGY OF THE STUDY AREA

3.1 Regional Setting	16
3.2 Regional Stratigraphy	17
3.3 Regional Structure	26
3.3.1. Structure of the Witwatersrand Basin	26
3.3.2. Structure of the West Rand Goldfields	27
3.4 Local Stratigraphy	27
3.5 Local Structure	29

Chapter 4. GEOHYDROLOGY

4.1 Geohydrology	37
4.2 General Geohydrological considerations	40
4.3 North Shaft, Harmony Gold Ltd	43
4.3.1 Shaft History	43
4.3.2 Reef bands mined at North Shaft	44
4.3.3 History of the Mine Leading to Dewatering	45
4.3.3.1 Pre-inflow Period	45
4.3.3.2 Water inflow Period	45
4.3.3.3 Dewatering Period	46
4.3.3.4 Rewatering Period	47
4.3.4 North Shaft's Pumping Infrastructure	47
4.4 Current Potentiometric levels at North Shaft	51

Chapter 5. GROUNDWATER MODELLING

5.1 Introduction	52
5.2 Aim of the Groundwater model	52
5.3 Conceptual Model	52
5.3.1 Boundary conditions of the aquifer	53
5.3.2 Thickness of all the aquifers and the confining layers	53
5.3.3 Groundwater Balance	55
5.3.4 Mined out volume for North Shaft	57

5.3.5 Controlling factors for the Gemsbokfontein Western Sub Compartment Model	58
5.4 Mathematical Model for the Gemsbokfontein Western Sub Compartment	59
5.5 Analytical Model	60
5.6 Model Results	61
 Chapter 6. SYNTHESIS	
6.1 Conclusion	63
6.2 Recommendations	64
 REFERENCES	65
 ANNEXURES	71

List of Figures

Figure 1. Locality of North Shaft, Harmony Gold Ltd	3
Figure 2. Major Ground Water Compartments of the West Rand	9
Figure 3. Gembokfontein Compartmental Boundaries	10
Figure 4. Land use map for the Johannesburg area	13
Figure 5. Vegetation map of the Johannesburg area	13
Figure 6. Main Catchment areas of the Johannesburg area	15
Figure 7. Surface geology of the West and Central Rand	16
Figure 8. Surface Rock Types of the Johannesburg area	18
Figure 9. West Rand Stratigraphy	20
Figure 10. Surface Geology of the North Shaft area	21
Figure 11. North Shaft Stratigraphic Column	28
Figure 12. Diagrammatic west-east section showing the convergence of reefs and the middling problem at North Shaft	29
Figure 13. Major structural features of the West Rand and the economic reef horizons being mined	31
Figure 14. Surface geology of the Gembokfontein Dolomitic groundwater compartment	34
Figure 15. Surface geology of the eastern inliers and location of the sinkholes	36
Figure 16. Diagrammatic section showing North Shaft as well as cavern formation	37
Figure 17. A diagrammatic sequence illustrating sinkhole development following dewatering of dolomites	41
Figure 18. Typical Karst topography	42
Figure 19. Cross-section through North Shaft showing the Pretoria Series as the surface layer	44
Figure 20. North Shaft underground pumping infrastructure	49
Figure 21. Surface pumping infrastructure	50
Figure 22. Three- dimensional box model for the Gembokfontein Western Sub Compartment showing the boundary conditions	53
Figure 23. Horizontal levels of the Gembokfontein Western Sub Compartment Conceptual model	54
Figure 24. Groundwater balance for the Gembokfontein Western Sub Compartment	57

Figure 25. The flooding rates for the Gemsbokfontein Western Sub
Compartment

61

List of Tables

Table 1. Summary of water quality (mg/L) of the various dams along the Wonderfonteinspruit.	14
Table 2. Gemsbokfontein Compartment average groundwater balance.	56
Table 3. Model Parameters (effective porosity)	61

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

Water is an essential resource for any life on earth and without water of adequate quality and quantity, life as we know on earth would cease to exist and sustainable development cannot take place (Bartram & Ballance, 1996:1). Water is also considered to be the most poorly managed of all resources (Miller, 2002:296).

Water is a finite resource and the quality of water has a direct effect on the quality of life (Atkinson, 1997: 273). Water quality is a consequence of the natural physical and chemical state of the water as well as any alterations that may have occurred as a result of human activities (Fetter, 2001:385).

Many countries are facing a water crisis and water demands are close approaching the natural limits of the resource (Bandyopadhyay et al, 2002:1). However, most countries water problems arise from inefficient and unsustainable use of water (Water, nd: 6).

1.2 WATER IN SOUTH AFRICA

South Africa is a water stressed country due to the country's unpredictable rainfall, high evaporation rates and low conversion to runoff and rate of demand is close to the rate of supply (SOER, NW, 2002: (10) 1). Water resources in South Africa are also unevenly distributed due to South Africa's topography and rainfall distribution. Most of South Africa is underlain by hard rock formations and do not contain much groundwater (Steyl, 1999:1).

South Africa is a semi-arid country with an average rainfall of 450mm per year while the world average rainfall is 860mm per year. South Africa's major rivers are shared with neighbouring countries. Eleven of the nineteen water management areas in

South Africa are facing a water deficit and the water demand exceeds the availability of water (SOER, NW, 2002: (10) 1).

South Africa is still experiencing a population growth that is forecasting growth rates that the country is growing too fast for its limited resources, water being one of the major resources (SOER, NW, 2002: (10) 2).

The growing demand for water whether it is for industry, mining and agriculture has had a direct impact on the surface water quality and quantity. For this reason, groundwater has become a source of water and the dolomites are thought to be the most productive water bearing rock type in South Africa (Barnard, 2000:1).

1.3 GOLD MINING'S EFFECT ON WATER

The dolomitic aquifers in the West and Far West Rand are one of the most important aquifers in South Africa. The problem in this area is that it also houses some of the richest gold mines and other important industries, which has had an adverse effect on the groundwater levels and groundwater quality (Usher & Scott. 2001:(5) 1).

A major effect that mining has had on the aquifers of the West Rand is on the water quantity as most of these compartments have been dewatered to some degree. In some instances, the compartmental forming dykes have been mined through (Usher & Scott. 2001:(5) 1).

1.4 THE STUDY FRAMEWORK

1.4.1 Locality

The Gemsbokfontein Dolomitic Groundwater Compartment is situated 15km due south of Randfontein and is one of the five regional dolomitic groundwater compartments of the West Rand. It is a trapezium shaped with a surface area of 114.7km², extending eastwards from the Randfontein/Vereeniging road to the Lenz/Lawley road and southwards from the Donaldson Dam to Placer Dome's South Shaft.

The compartment is flanked to the north by the Zuurbekom Compartment and to the west by the dewatered Venterspost Compartment. The mine that is of concern and having an effect on the study area is North Shaft, Harmony Gold Ltd and is situated within the concerned groundwater compartment (Figure 1).




Figure 1. Locality of North Shaft, Harmony Gold Ltd (Tregoning and Barton, 1990:602).

1.4.2 Study Origin and Objectives

Harmony's North Shaft has reached its life span and possible closure is looming. There is a possibility that pumping will be stopped when North Shaft closes and the possible effects of this process need to be considered. If pumping ceases on North Shaft, the mine will flood and the end result will be that the Gemsbokfontein Groundwater Compartment will be rewatered. This will be the first dolomitic compartment that will be rewatered after mining and the possible effects on water

quantity need to be considered, as this water could find its way into the Wonderfonteinspruit River system.

The objectives of the study are to determine:

- the rate of recharge of the compartment, and
- the volume of water discharge at the decant point.

Although water quality impacts will also need to be considered when a dolomitic compartment is flooded, its falls beyond the scope of this study.

1.4.3 Methodology

A literature research will be conducted to find historical data on the compartment. Existing information from published and unpublished reports, unpublished and published maps and plans as well as various unpublished shaft records will be obtained for a background summary of the study area.

A brief overview of the area under investigation in terms of climate, geology, geomorphology and Geohydrology will be given. The current situation will also be discussed with the main emphasis on the geohydrological environment as far as rewatering is concerned.

A conceptual model will be drawn up using the historical data and shaft records. A mathematical model will then be developed based on the conceptual model. Once the mathematical model is developed, an analytical model will be developed using an Excel spreadsheet. The end result of the analytical model will be the expected flooding rate of the Gemsbokfontein dolomitic compartment.

1.5 PREVIOUS WORK

Many studies have been done with respect to dewatering for example: Water ingress via surface boreholes, Dolomitic Raise Project, Gully drilling project, Surface Drilling Scheme and Grout Blanket and Barrier Scheme (Smith, 1994: 142).

“Rison Consulting” has done two projects, one to build a groundwater model for the Gemsbokfontein Compartment and the other to try and assess the rate of rewatering. The project reports are summarised below:

1.5.1 Far Western Basin Groundwater Modelling Exercise, Rison Consulting, August 1999.

The report was the first attempt in modelling the Far Western Basin. Rison developed a conceptual groundwater model and this model formed the basis for all subsequent flow modelling in their report. The model was built upon previous work, geological and geophysical surveys and historical monitoring data.

A water balance was developed for the Gemsbokfontein Dolomitic Groundwater Compartment. A total recharge volume of 70.5 ML/day was calculated with rainfall recharge being 51%, inter compartmental flow of 27%, recirculation being 18% and artificial recharge being 4%.

A 2 layered MODFLOW ground water model was developed whereby the upper layer consists of the shallow weathered dolomitic aquifer and the underlying layer consists of the fresher, fractured dolomites. A sensitivity analysis has shown that the critical factors affecting the model are recharge to the compartment and the permeability of the conduits between the underground workings and the overlying dolomites.

1.5.2 Predicted Rate of Rewatering the Gemsbokfontein Groundwater Compartment, Rison Consulting, November 2001

The report was an update and an improvement on the first report. The groundwater recovery was divided into two components namely, the dolomitic groundwater compartment and the mine void. A 3-D model of the mine void was established. This was done by using the electronic peg database of the mine. Stope pegs were used and slices of 10m intervals were made of the mine void. This allowed for more accurate modeling of the water level rises between the pumping stations on 50,41

and 33 Level. Based on the results obtained from this model, Rison calculated that the mine void would take 12 months to flood if no pumping takes place.

The recovery levels for the dolomite aquifer were determined with the aid of the groundwater model. The model calculated that the groundwater levels in the dolomitic aquifer will continue to decrease while the mine void fills and will only increase once the mine void is full. The groundwater levels in the aquifer will reach the decant level of 1559 mamsl will at various intervals of 7-79 months. Full recovery of both the mine void and the dolomitic aquifer will take approximately 7.5yrs.

1.5.3 Post Mining Impacts of Gold Mining on the Far West Rand and West Wits Line.

Usher and Scott (2001)

The main aim of the report was on the predictive techniques and preventative measures for post mining operations. The report's main focus was on the impacts of underground mining on the quantity and quality of the ground water compartments.

Modelling was done for the surface water pollution of the West Rand, modelling of the Bank Compartment and then modeling pollution due to rewatering. A two-dimensional finite element model was developed using AquaMod for Windows to model possible surface pollution distributions. A three-dimensional model was developed for modelling the Bank Compartment.

1.5.4. Shortcomings of Previous Investigations.

All three reports had uncertainties in the models.

A problem encountered with the Rison first report was that the aquifer was only divided into a two-layered model, grouping the dolomites (both fractured and shallow weathered dolomites) above the mine void into one group. The two-dolomite layers are different in character and one can expect that their characteristic would be different. When the dolomitic layers are modelled, these characteristics would need to be taken into consideration and modeled accordingly. No rate of recharge was modeled in the report.

A problem with the recharge model that Rison Consulting developed is the parameters used, as there is limited information available on flooding rates and the exact characteristics of the aquifer. The aquifer was only divided into the mine void (artificial aquifer) and the dolomites (natural aquifer). No consideration was made in the model for the differences in aquifer characteristics between the deeply weathered dolomites and fractured dolomites. The surface area of the aquifer was defined as a 15 km by 15km area, which included the Pretoria series, even though only a small portion of the area contains Dolomitic inliers and they are hydraulically connected to the main aquifer.

With the third report there are knowledge gaps, which have an influence on the models such as where the holes are in the dykes, which mines are hydraulically connected, where mining has encroached on dykes so that mining has induced fractures which could allow leakage. The lack of measurements and known parameters have an influence on the various model results. However, none of the models covered the Gemsbokfontein Ground Water Compartment, which is unique as it can be defined as a confined aquifer. The other compartments are defined as unconfined aquifers as the compartmentalising forming dykes have been mined through. The parameters used are also estimates and would need to be redefined once flooding commences.

All the models were built using complex models even though the information that is available to develop the models are limited and mostly unknown variables were used. A simplistic analytical approach is needed to test and verify the order of magnitude of these complex numerical models.

CHAPTER 2

STUDY AREA BACKGROUND INFORMATION

2.1 BOUNDARIES

Alkaline and mafic-alkaline dykes of the Pilanesburg age trending north south were emplaced in major vertical northerly to north-northeast orientated tension faults and fractures transecting the full sequence of volcanic and sedimentary rocks. The dykes divide the Transvaal Sequence rocks and specifically the dolomites into several ground water compartments along the West Rand (Parsons et al, 1988:5). The groundwater compartments from east to west are as follows (Parsons, 1986a: 25):

- Gemsbokfontein
- Zuurberkom,
- Venterspost
- Bank
- Oberholzer
- Turfontein Compartments (Figure 2).




Figure 2. Major Ground Water Compartments of the West Rand (Parsons et al, 1988: 3).

Each of these compartments has their own water table elevation. There is a point of overflow in each compartment, which is situated at the lowest topographic point in each compartment. This is referred to as the eye (Usher & Scott, 2001:(5) 24). The eye in the Gembokfontein Compartment is situated approximately 7km northwest of North Shaft (Rison, 2001:25).

The Gembokfontein Dolomitic Ground water compartmental boundaries (see Figure 3) are as follows (SRK, 1985:4)

- Panvlakte dyke to the north (forming the boundary between the Zuurbekom and the Gembokfontein Compartments)
- Gembokfontein dyke to the west (separating the Venterspost and Gembokfontein compartments)

-

The Magazine dyke, a mafic intrusion (see Figure 3), further divides the compartment into an eastern and western sub compartment (Parsons, 1986a: 25).

10

could indicate that the dyke has a low permeability and indicates a south-westerly flow towards the dyke. The Magazine dyke is thought to have a low permeability (SRK, 1985: 4).

Dolomitic outliers were mapped to the south of Gatsrand by Parsons (1986a: 7 & 1989: 16). Parsons (1986a: 16) concluded that these outliers were hydraulically connected with the main compartment since the dolomites are continuous beneath a syncline of overlying Timeball Hill rocks. Parsons (1986a: 15) mapped a number of faults such as Waterpan and Jachtfontein faults, which have the potential to be groundwater conduits connecting the main compartment to these southern outliers. The faults are important as the faults connect the main dolomitic compartment with the southern dolomitic outliers, which in turn link the dolomitic compartment with the mine (Parsons, 1993:63). Parsons (1989: 16) concluded that the entire compartment is interconnected and the southern boundary of the Gemsbokfontein Compartment is the southern contact with the Rooihoogte rocks.

2.2 TOPOGRAPHY

The area consists of a series of low lands, hills and plains with low relief. The southern portion is characterised by a series of parallel hills, which form the Gatsrand. They have an average elevation of 1770m. The remainder of the area consists of gently undulating grasslands, which are dissected by the following:

- Wonderfonteinspruit to the north
- Kleinwes Rietspruit which flows east of the Peter Wright Dam
- Leeuspruit, which flows from the immediate vicinity of North Shaft to the south-southeast in the direction of South Shaft.

Gatsrand divides the area into two sub areas, namely

- Northwards of the ridge are 7-8 km wide slopes which slope down towards the Wonderfonteinspruit in the northwestern corner and gently inclines to the northeast and the east, where it reaches the Kliprivier.

- Southwards where it is characterized by the hogs back ridges of Gatsrand and broad open valleys separated by the ridges in the east with gentle rolling topography intervening the ridges in the west (Parsons, 1986a: 9).

2.3 PHYSIOGRAPHY

2.3.1 Climate

The climate is of a typical South African Highveld with hot summer days and warm sunny winter days with frost at night. The rainfall is predominantly summer (October to March) and is associated with thunderstorm activities. There is a mean annual precipitation of 702-748mm with a mean annual evaporation between 1400mm and 800mm (Barnard, 2000:2).

2.3.2 Land use

The primarily land usage is cultivated land (see Figure 4) with agriculture, grazing and maize crop production being the main use. Residential areas of Westonaria and Simunye are also within the area.

Surface mining and infrastructure is located in the southern portion of the western sub-compartment in the vicinity of North Shaft and the northeastern corner in the vicinity of Cooke 3 Shaft (Rison, 1999: 2).

2.3.3 Vegetation

The vegetation consists of undulating grasslands, which are indicative of Bankenveld type (see Figure 5). Remnants of native vegetation (open savannah type) such as shrubby karoo and thorn trees occur on the hilly grounds where minimal disturbances have occurred (Tucker & Viljoen, 1986:650).




Figure 4. Land use map for the Johannesburg area (DEAT, 2003:web).




Figure 5. Vegetation map of the Johannesburg area (DEAT, 2003:web).

2.3.4 Drainage

The primary catchment of the study area falls into the Middle Vaal River Catchment (see Figure 6). The Wonderfonteinspruit runs through the northern section of the compartment. The Donaldson Dam forms part of the Wonderfonteinspruit. The area south of Gatsrant range drains into the Kleinwesrietspruit and the Leeuspruit. This is in turn a tributary of the Vaal River.

The Wonderfonteinspruit indicates a typical karst topography nature in the sense that the river disappears and reappears and thus the stream water quality will have an impact on the aquifer water quality and vice versa (Parsons, 1989:8). The Wonderfonteinspruit eventually runs into the Boskop Dam. This dam also receives water from the upper Mooi River which is unaffected by mining operations.

Table 1: Summary of water quality (mg/L) of the various dams along the Wonderfonteinspruit (SOER NW, 2002:6).

DESCRIPTION	TDS	SO ₄	F	Cl	TAL	Na	K	Mg	Ca
Boskop Dam	489	112.7	0.156	21.4	195	22.2	2.165	43.1	51.25
Potchefstroom Dam	512	101.5	0.16	21.3	220.4	20.5	2.28	45.1	53

The flow in the Leeuspruit and Kleinwes Rivierspruit are mainly due to mining operations discharging their underground water into the streams. The large volumes of mine water discharging into these streams are of a fairly good quality in term of its requirements for usage downstream (refer to Table 1).

Surface water run - off related directly to the mining activities of North Shaft, consists of water from the Peter Wright dam northeast of the shaft and the metallurgical plants. The dam can overflow into the Kleinwes Rietspruit. The origin of the Kleinwes Rietspruit lies at the Peter Wright Dam and flows in an easterly direction.

In 1996, 7.8 mL/day was diverted around the Peter Wright Dam and discharged into the Kleinwes Rietspruit (Pulles et al, 1996:12.7).

Water pumped from the Mine is discharged into the Leeuspruit via an artificial furrow, southwest of the hostels. It flows southwards past South Shaft (Placer Dome), the Gold Plant and a tailings dam. It also has two small tributaries at South Shaft (Placer Dome) position (refer to Figure 20 and Figure 21.).




Figure 6. Main Catchment areas of the Johannesburg area (DEAT, 2003:web).

CHAPTER 3

GEOLOGY OF THE STUDY AREA

3.1. REGIONAL SETTING

The structure in the area is dominated by the Rand Anticline, which broadens in an east and southwest direction to form the Johannesburg and Western Domes. The Vredefort Dome is another dominant structural feature (refer to Figure 7). This feature is partly exposed in the south of the study area and separated from the Rand anticline by the Potchefstroom Syncline (Parsons et al, 1988:15).




Figure 7. Surface geology of the West and Central Rand (Burnett, 1995:21).

The Witwatersrand (Wits) shales and quartzites containing conglomerate bands are unconformably overlying ancient granites and Archean schists. The remnants are exposed in the flanks of the Domes. Lavas and pyroclastic rocks of the Ventersdorp Supergroup then subsequently overlie these. These rocks are unconformably overlain by the dolomites, shales and quartzites of the Transvaal Supergroup. It is thought that the Witwatersrand basin is a northwest trending retroarc foreland basin.

The Wits and the Ventersdorp rocks were gently folded and faulted prior to the deposition of the Transvaal Sequence and then all three sequences were co-axially folded, faulted and eroded to produce a broad regional pattern of a basin and dome structures.

Alkaline and mafic-alkaline dykes of the Pilanesburg age trending north-south were then emplaced in a major vertical northerly to north-northeast orientated tension faults and fractures transecting the full sequence of volcanic and sedimentary rocks. The dykes divide the Transvaal Sequence rocks and specifically the dolomites into several ground water compartments along the West Rand.

Each of these compartments has its own water table elevation. There is a point of overflow in each compartment, which is situated at the lowest topographic point in each compartment. This is referred to as the eye. The eye in the Gemsbokfontein compartment is situated approximately 7km north west of North Shaft.

3.2 REGIONAL STRATIGRAPHY

The Chuniespoort Dolomites (see Figure 8) underlie the northern half of the area and are overlain southward by the Rooihooft Formation and the Pretoria Group rocks. They dip generally southwards and various sections have been duplicated by tectonic processes (Parsons et al, 1988: 17). Figure 9 shows the West Rand Stratigraphy and Figure 10 shows the surface stratigraphy of the study area.




Figure 8. Surface Rock Types of the Johannesburg area (DEAT, 2003:web).

Transvaal (TVL) Supergroup

The northern portion of the Gembokfontein Compartment is underlain by the lower to middle TVL Supergroup, which contains a gently southwest dipping dolomite sequence. In the vicinity of North Shaft and the Waterpan Village and southwards, the dolomite is overlain by a repeated, folded and faulted shale and shale/quartzite sequence (Parsons, 1986a: 4).

In the northern portion of the shaft, a stratigraphic sequence of gently folded Chuniespoort Group Dolomites, which is overlain by Rooihoogte, and Timeball Hill Formation rocks of the Pretoria Group, is found. A repetition of the sequence is found to occur in the southern portion of the mine and the dolomitic inliers occurring in the central portion of the mine (Parsons, 1986a: 4).

Black Reef Quartzite

This forms the basal member of the TVL Sequence but does not outcrop in the study area. It consists of thin dark quartzites, shales and small pebble conglomerate that rest within a marked unconformity in places upon the Ventersdorp and Wits rocks. This unit is usually between 25-30m thick (Tucker & Viljoen, 1986: 658) and (Visser, 1998:58).

It forms a thin, tabular body that dips uniformly to the south at 10°. This formation is exposed in the northern most workings of the Upper Elsburgs on the mine. Bedding parallel movement has occurred in this unit (Parsons, 1986a: 4).

Chuniespoort Group

Only the lower four formations are represented in the West Wits and the Far West Rand. Obbes (2000:4) showed that the dolomites on the West Rand have an average thickness of 1350m and was deposited on a broad shallow marine platform (Parsons, 1986b: 1).

Accordingly to SACS (1980:203), the four lower Chuniespoort Formations (of the Malmani Subgroup) are:

- Eccles 380m thick
- Lyttleton 150m thick
- Monte Christo 700m thick
- Oaktree 200m thick

The Monte Christo and Eccles Formations are chert rich, while the Oak Tree and Lyttleton are chert poor, dark grey dolomites.

The Oak Tree Formation is exposed to the north of the Gemsbokfontein compartment as well as in the area between the northern boundary and quartzitic ridges of Gatsrand to the south. The Monte Christo, Lyttleton and Eccles Formations underlie it (Parsons, 1986b: 2).




Figure 9. West Rand Stratigraphy (Burnett, 1995:23).




Figure 10. Surface geology of the North Shaft area (Tregoning & Barton, 1990:603).

Exposure of the dolomites in the actual compartment is extremely poor due to the coverage of Karoo sediments and overburden derived from the weathering of these rocks and the underlying dolomites. The dolomites form a southward thickening wedge that attains a thickness of approximately 1000m near South Deep Mine. Below the shale and quartzite syncline at North shaft, the dolomites are thin. This feature could be attributed to the possibility of intraformational erosion. The upper portions of the Chuniespoort could have been eroded, if they were deposited (Parsons, 1986a: 6).

The top of the Chuniespoort Group (Eccles) is marked by an angular chert breccia. The base of the formation that overlies the dolomites consists of a breccia and conglomerate that is chiefly composed of chert fragments and is thought to represent the hiatus during which the dolomites were eroded.

Pretoria Group

The Pretoria group consists of alternating beds of shale and quartzite (Visser, 1998: 60). The Pretoria Group can be subdivided into the following (SACS, 1980 203):

Rayton

Magaliesberg Quartzite	140m
Silverton Shale	800m
Daspoort quartzite	100m
Strubenkop Shale	120m
Hekpoort Andesite	280m
Timeball Hill-Shales	150m
-Quartz/Shale	50m
Rooihoogte- quartzite	3m-300m
Thin shale	
Beverts Conglomerate-sub-well rounded	
Chert breccia-sub angular	

The Timeball Hill Shales can attain a thickness of 150m and may contain diamictite (Eriksson, 1972: 90). The uppermost unit of the Pretoria Group preserved in the

West Rand of the compartment is amygdaloidal Hekpoort Andesite Formation, which outcrops south of the mine property (Parsons, 1986a: 7).

Rooihoogte Formation

There is a disconformity present between the Eccles and the Rooihoogte Formations. The basal member consists of a chert breccia and Bevels Conglomerate, which is collectively known as Giant Cherts. They indicate a change from pure chemical sediments, which produced the dolomites and the intercalated chert bands to the clastic sediments of the overlying Pretoria Group (Parsons, 1987: 3) and (Obbes, 2000:42)

They are thought to be formed due to erosion and reworking of the chert clasts derived from the chert bands in the underlying Eccles Dolomite formation. The Giant Chert is intermittently exposed along the base of Gatsrand in the central east-west portion of the Peter Wright Dam but is covered by Karoo sediments. The outcrop is nearly continuous from Randfontein to the Vereeniging road in the west and east of Lenz. Outcrop widths vary from a few meters in the north of the Waterpan golf course to 500m south of Lenz. Gentle folding causes the extensive width in the east. The thickness varies from 3m to 60m. It also forms a massive outcrop in the tectonic inliers to the south. The inliers are covered by a continuous outcrop of Giant Cherts. In a few places on Jachtfontein, the dolomite outcrops but generally its subsurface presence can be inferred from a chert outcrop (Parsons, 1987: 7).

Thin, pinkish shale is occasionally developed on the Giant Chert but most of the chert is directly overlain by the Pologround Quartzite (Parsons, 1986b: 2). This is a prominent marker, lensoid in character that can be traced almost continuously from the Corobrick Works in the east to Hillshaven in the west. Well-developed Pologrounding consists of well-rounded, medium sized quartz grains and numerous chert clasts, which weather negatively. It consists of several fining cycles with at the base (boulder and cobble sized, subangular-subrounded, chert clasts). It can also rest on the erosional base of an earlier cycle. The clast size decreases upwards. Towards the top, it consists of an angular material with a gritty matrix (Parsons et al, 1988: 17).

Timeball Hill Formation

The Pologround Quartzite is overlain by 150-200m of pink-purple shales and alternating shale/quartzite sequence approximately 150m thick (Parsons, 1986b: 3). This basal unit is seldom exposed due to the scree shed from the overlying quartzites but occasionally can be identified from chips and fragments that accumulate on the slopes of the ridges in places where the shales rest directly on the Giant chert. On the northern flanks of Gatsrand, they have a wide distribution and generally have a repeated succession on the southern side of the inliers (Parsons et al, 1988: 17).

Four quartzite bands are present and build Gatsrant between the Corobrick Works and Hillshaven. The ridges south of Gatsrant consist of tectonically duplicated quartz/shale sequence. In the vicinity of North Shaft, the quartzite/shale sequence is overlain in places by 200m purplish shales containing interbedded diamictite. A thin sequence of volcanic and intrusive mafic rock outcrops south of Gatsrant in the eastern central portion and is equated with Hekpoort Andesite.

Shales are overlain by 3-4-quartzite/shale bands varying from a few meters wide to 20m. They are separated by purple shale, siltstone and fine-grained sandstone. It has gradational contacts and in the Hillshaven and southeast areas, some shale/siltstone interbeds tend to pinch out bounding quartzite coalesce.

The lower most quartzite is 2-3m thick and consists of well-rounded, medium grain quartz grains. It has a distinct white-cream weathered surface and forms a prominent marker in the Gatsrand as well as in the quartzite ridges along the southern margin of the dolomitic inliers. The succeeding bands consist of medium grained quartz grains but have a pink weathered surface. This is due to the liberation of iron from the detrital iron grains on the bedding surfaces and contained in the matrix.

The upper bands are medium grained but friable due to a weathered matrix. The detrital iron grains are concentrated on the bedding planes and foresets and during weathering, the iron is redistributed and concentrates in the knots on the weathered

surfaces giving it a deep chocolate, knobbly crust. The fourth band displays a three-dimensional rectangular weathered pattern called snuffbox-weathering patterns. These concentrate in the overlying shales, which make it a magnetic marker. This quartzite sequence builds up linear ridges known as Gatsrand from Hillshaven in the west to Lawley in the east. The quartzites dip generally 5° - 20° to the south along the ridges (Parsons, 1986b: 10).

Karoo Sequence

Several extensive outliers of carbonaceous shales and kaolinitic and plastic clays have been mapped in the main compartment (Parsons, 1986a: 11), and assigned to the Vryheid Formation of the Karoo. In a few places, a boulder bed more typical of Dwyka, appears to rest with possible erosional base on the earlier pebble bed and can be up to 100m thick (Tucker & Viljoen, 1986: 685)

Distributions of Dwyka and Vryheid (light, yellow coloured kaolinitic clays stained red-yellow) Formation have been determined from boreholes. Outliers of Karoo tillite and plastic clays fill paleo-deposits in the Transvaal sequence rocks south of Gatsrand (Parsons, 1987: 4).

Venterspost Formation

The Ventersdorp Contact Reef unconformably overlies the Mondeor conglomerate formation and has a low average gold content. It is capped by ultramafic- mafic lava of the Westonia formation, Klipriviers Group of the Ventersdorp Supergroup (Parsons, 1986b: 7). This formation thins towards the northeast where it is unconformably overlain by the Black Reef Quartzites formation and then the Chuniespoort Dolomites.

3.3 REGIONAL STRUCTURE

3.3.1 Structure of the Witwatersrand Basin

The Witwatersrand basin is thought to be a structurally preserved remnant of the original basin and displays a close relationship to the Vredefort and Johannesburg domes. The basin has five major periods of tectonic deformation prior to the Vredefort impactogenic event (Visser, 1998:45).

A short structural history of the Witwatersrand Basin (after Visser, 1998:46) follows:

1. During the Central Rand Group period, thrust and slump faults occurred to the east along the West Rand and south along the Rietfontein fault systems. The West Rand Syncline developed as a result of transpression due to the oblique-slip nature of the faulting. The Western limb of the syncline is overturned resulting in the "shoreline" phenomena.
2. The Klipriviersberg events occurred which lead to the emplacement of the Venterdorp age dykes, perpendicular to the thrust directions.
3. During the late Klipriviersberg and early Platberg period, negative inversion occurs and the earlier thrusts become oblique-slip normal faults. The West Rand Fault system has a right lateral and the Rietfontein Fault system, a left lateral sense of displacement. During this extensional phase, the Roodepoort, Saxon, Witpoortjie and the Panvlakte fault systems developed. The Panvlakte anticline develops as a roll over against the Panvlakte Fault.
4. In the Post-Transvaal times, emplacement of the Vredefort age dykes occur, with a north-northwest directed thrusts in the West Rand area.
5. In the Post-Transvaal times, right lateral strike slip faults develop.

3.3.2 Structure of the West Rand Goldfields

The West Rand Goldfields is dominated by two fault trends - a north-south striking trend that is frequently associated with the folding and an east-west trend (Stanistreet & McCarthy, 1990:279)

The major structures that affect the West Wits geology are the following:

- West Rand fault
- West Rand (south) Fault
- Rietfontein Fault
- Witpoortjie fault
- Roodepoort Fault
- Doornkop Fault
- Panvlakte Fault.

3.4 LOCAL STRATIGRAPHY

The following information was obtained from various shaft records (unpublished), Tucker and Viljoen (1986:676-679) and Tregoning and Barton (1990:607).

North Shaft is engaged in mining of the Middle and Upper Elsburg Reefs, which are the youngest rocks in the Wits Supergroup in this region. These rocks suboutcrop against the unconformity overlying the VCR, which forms the basal member of the overlying Ventersdorp Supergroup. The remainder of the shaft lease area consists entirely of Ventersdorp (Klipriviersberg) Lava (see Figure 11).




Figure 11. North Shaft Stratigraphic Column (Shaft records, unpublished).

The units within the upper Elsburgs are in order of decreasing age: EB, EC and ED., which comprise of the group of reefs know as Elsburg Individuals and MA, MI, MB and LVCR which are known as the Elsburg Massive

The Upper Elsburg units thin progressively towards the west. This is not an erosional thinning but rather a depositional thinning contact. It can be thought of as the shoreline of the Upper Elsburg depositional basin. This depositional thinning in the sub outcrop and the shoreline of the Upper Elsburgs is spatially coincident. This means that the Upper Elsburg package, widely dispersed in the east, is condensed more and more towards the west without any loss in the consistency of the stratigraphic units. Thus, the total Upper Elsburg package decreases in thickness

from east to west and so do the barren distal quartzite separating the individual conglomerates (see Figure 12).




Figure 12. Diagrammatic west-east section showing the convergence of the reefs and the middling problem at North Shaft (Tregoning & Barton, 1990:608).

3.5 LOCAL STRUCTURE

At first, the Gemsbokfontein Compartment structure appears to be simple with Transvaal Sequence Rocks dipping gently (5° - 25°) to the south. Detailed mapping done has shown that the compartment is rather complex (Parsons, 1985:5; Parsons & Killick, 1985:10; Parsons, 1986a: 15 and Parsons, 1989:3).

Little structure is evident in the main Gemsbokfontein Compartment but to the south of Gatsrand, North Shaft and the mine's infrastructure is built on the Upper Timeball Hill Formation Shales and is situated in the middle of a gentle, easterly plunging syncline (Parsons, 1986a: 14).

The following major faults occur within the Gemsbokfontein compartment as documented by Parsons (1986b: 4-5):

- Elandsfontein Fault
- Jachtfontein Fault
- Waterpan Fault
- Hiltonia Fault
- Witpoortjie Fault
- Panvlakte Fault (see Figure 16)

Faulting in both the Randfontein Estates and Western Area Gold Mines is dominated by the Roodepoort-Panvlakte Fault system. This forms the eastern boundary of the Panvlakte-Witpoortjie Horst block, which outcrops to the north of the Doornkop section and swings southwards to the west of both Cooke and Western Areas where it is bounded on its eastern side by the Panvlakte Fault (Tucker & Viljoen, 1986: 674)

Faulting intensifies over Western Areas and the southern part of the Cooke section.

According to Tucker & Viljoen (1986: 675-676), there are two main fault trends in the Elsburg Formations, mostly being normal faults. The majority of faults are pre-Transvaal age faults and very few cross into the Transvaal Sequence.

There are two sets of fault trending north-northeast, parallel to Panvlakte Fault system, which merge in the west with the Panvlakte Fault. The dips range generally between 40°- 60°. The faults tend to be down thrown to the east. On Harmony Gold Ltd's Cooke 3 Shaft section there is system of small faults running parallel to the Panvlakte Fault with down throws to the west.




Figure 13. Major structural features of the West Rand and the economic reef horizons being mined (Burnett, 1995:26).

There is a second set of faults striking east west, associated with dykes and are mostly downthrown faults to the south.

A third set of faults occurs which form a series of wrench faults trending east west with right lateral displacement. They are classified as strike-slip faults and have displacements up to 2000m. These faults are also predominantly pre-Transvaal and do not displace the Black Reef.

Thrust faults are evident and are proposed to form the Pretoria Group inliers.

Towards South Shaft (Placer Dome), the southern limb of the syncline is characterised by brecciated and fractured quartzites. The Malmani Subgroup Dolomites and Rooihogte Formation Giant Chert in the south, outcrop in an asymmetric anticline. Inferred thrust faulting can be traced in a brecciated and fractured zone from Hillshaven to the Zuurbekom road south east of North Shaft.

The repeated sequence of Malmani Subgroup Dolomite Inliers lies in between the Elandsfontien and Jachtfontein faults. Between these faults, part of the syncline in the Timeball Hill Formation rocks have been down faulted to the east along the Waterpan Fault. This fault has a northeast-southwest strike and has an average throw of 70m.

East of the Jachtfontein Fault, the Timeball Hill Formation rocks are repeated in a succession of interrupted, southward dipping imbricated thrust slices.

Further to the east beyond the Hiltonia Fault, a normal sequence of southward dipping Timeball Hill Formation Quartzites and Shales builds up the Gatsrand and are overlain southward the Timeball Hill Formation Shales. These are in turn overlain by diabase and overlain by Hekpoort Andesite Formation volcanic rocks.

Thrust faulting is accepted to be the main cause of the duplication of the Transvaal sequence rocks exposed on the West Wits lines between Kloof Mine and North Shaft.

Thrust faulting also caused the Malmani Subgroup Dolomites and Rooihoogte Formation Giant Chert to be exposed in the inliers between North Shaft and South Shaft. It is also thought that the Malmani Subgroup dolomites of the main Gemsbokfontein Compartment are probably hydraulically continuous beneath the syncline in the Timeball Hill Formation Shales with the tectonic inliers between North Shaft and South Shaft (Parsons, 1986b: 7).

The major northerly trending Elandsfontein, Waterpan and Jachtsfontein Faults are thought to form vertical aquifers interconnecting the main dolomite groundwater compartment with the inliers (see Figure 14).

A thick, southward dipping Timeball Hill Formation quartzite, shale and diabase sequence is preserved against a northerly trending Poortjie Fault near the southern boundary of the compartment.

Parsons (1989: 3) & Parsons (1993:63) conducted detailed mapping of the inliers. He identified four major inliers namely (see Figure 15):

- Bloem inlier
- Elandsfontein inlier
- Northern Elandsfontien inlier
- Rietspruit inlier.

Dykes

A classification system described by Parsons (1990:402) was used to classify the dykes according to their ages in the region.

Class A: They are thought to be the oldest dykes and are thought to be Ventersdorp in age. They are dark green, fine grained, and heavily altered chloritic dykes. Little movement is seen across these dykes and tends to strike north-northeast and can be up to 20m wide.

Class C: The next set of dyke intrusion was in an east-southeast direction. They tend to be thin, aphyric material and can form sills. They tend to be very deformed and comprise of metamorphosed chlorite.

Class P: The Pilansburg age dykes consist of medium grained, dark green material. Shonkinite (a dark coloured syenite), has been identified in the Gemsbokfontein dykes. The dykes strike north south and north-northwest to south-southeast.

Class K: the youngest phase dykes are of the presumed Karoo age and generally strike east-southeast and are composed of a dark, fine grained, aphyric dolerite with fine feldspar phenocrysts.

CHAPTER 4

GEOHYDROLOGY

4.1 GEOHYDROLOGY

The Witwatersrand strata form the base of the stratigraphy, which is overlain by the Ventersdorp Lavas and the Chuniespoort Dolomitic Group (refer to Figure 16). These dolomites have been subjected to extensive karstification prior to the deposition of the Karoo sediments.




Figure 16. Diagrammatic section showing North Shaft as well as the cavern formation (Smith, 1994:141).

These Chuniespoort Group Dolomites are accepted to be hydraulically continuous beneath the syncline in the Timeball Hill Formation rocks with the tectonic inliers (Usher & Scott, 2001: (5) 29). The Elandsfontein, Waterpan and Jachtfontein faults are vertical aquifers interconnecting the main dolomitic groundwater compartment of the north with that of the inliers in south.

Dolomite, Karoo and Witwatersrand strata have water bearing and storage capacity due to the secondary structural features such as joints and faults. However, it is within the deeply weathered zones within the dolomites that forms the main compartment and the actual aquifer.

The Venterspost Compartment to the west of the Gemsbokfontein dyke has been dewatered. The compartment between the Gemsbokfontein No 1 and Gemsbokfontein No 2 dyke is thought to be solid (SRK, 1985:3) and the Panvlakte Dyke appears to be fairly impermeable with few areas where leakage can occur (SRK, 1985:4).

Work done by the Department of Water Affairs, SRK and other consultants, suggests that the Panvlakte dyke is fairly impermeable but leakage may occur at a few locations (SRK, 1985:8-9).

Not much information is available about the hydraulic connection between the Kliprivier dyke and the Pretoria Series. If there was significant flow across these boundaries, then the draw down rate of the water table would be reduced (SRK, 1985:4).

The compartment's geology is considered to be variable and fault features and gravity highs and lows occur. A number of structural features are responsible for the water arriving into the mine workings. They are deeply weathered and high hydraulic conductivity compared to the Chuniespoort Dolomite.

Aquifer classifications classify the voids in the rocks, in which the groundwater is stored and through which it is transmitted. It is also possible for more than one aquifer type to be represented in the same area.

Analysis of the historically observed groundwater levels within the Gemsbokfontein Compartment suggests that there are subdivisions within the compartment.

According to Rison (1999:9-10) and Rison (2001:8-9), the aquifer can be subdivided into three major zones:

- Unsaturated zone
- Shallow weathered zone
- Fractured dolomitic zone

- Unsaturated zone

The depth to groundwater ranges from 15m to 36m below the surface in the northwestern portion of the Gemsbokfontien compartment. In the southern portion of this compartment, the groundwater levels are up to 180m below surface. It is in this portion where the water ingresses into the mine workings. Therefore, this zone ranges from the weathered wad material to Karoo sediments within the deep solution cavities.

- Shallow weathered zone

This zone has been formed due to karstification, which took place before the deposition of the Karoo sediments onto the Chuniespoort dolomites. The base of this aquifer has been identified by gravity geophysical surveys. The aquifer is irregular in nature and the orientation of the major cavities is parallel to the known structural trend.

- Fractured dolomitic aquifer

It is thought that the dolomite approximates a traditional fractured rock aquifer at a depth where dissolution is less pronounced. This transition is thought to occur from 35m below surface. The base of this aquifer is thought to occur at a depth of 150-200m below the surface. The dolomites are thought to be 900-1100m thick. It is also thought to be highly unlikely that groundwater flow occurs below this depth unless it has intersected structural conduits or mine workings.

4.2 GENERAL GEOHYDROLOGICAL CONSIDERATIONS

To have a better understanding of the dolomites, karstification needs to be discussed in some detail.

Karst topography is an irregular topography characterized by sinkholes and caverns due to the underlying carbonate formation that has been riddled with underground drainage channels that capture all the surface waters (Freeman, 1986:144). According to Fetter (2001:314), Karst topography is a general term used to describe a landscape underlain by limestone with little or no surface drainage. The underground water will eventually form a spring on surface, a decant point (refer to Figure 18).

Unaltered dolomites are crystalline and have both low porosity and permeability. Initially, groundwater ingresses along faults, fractures and bedding planes (Usher & Scott, 2001:(5) 31). The dolomite is thus dissolved by this slightly acidic groundwater percolating along these fractures. Once a groundwater table level has been established due to a local base such as a nearby stream, chemical solution of the dolomites starts to take place. This occurs in the phreatic zone beneath the water table where the slightly acidic groundwater is in prolonged contact with the dolomite. Joints and fractures in the vadose zone above the water table are only widened during this process by the groundwater having a relatively transitory contact with the dolomite in their downward passage (Brink, 1979:206).




Figure 17. A diagrammatic sequence illustrating sinkhole development following dewatering of dolomites (Brink, 1979:206).

The major systems of solution caverns and interconnecting passageways from beneath the water table and the level of the cavern development is determined by the local base level which can be related to an erosion cycle (Brink, 1979:206). When a new erosion cycle starts due to a change in stream levels as a response to regional base level changes, it is accompanied by gradual lowering of the water table. The cavern system of the former phreatic zone is then elevated into the vadose zone as a response to the lowering water table. A further process of chemical solution of the dolomites beneath the new water table level is initiated to produce a further cavern system. The duration of this new local base level determines the water table level and the size and the extent of this cavern system as well as the topographic level at which it forms. The stacked cavern system

interconnected by vertical solution ways, forms due to the chemical process accompanying the erosion cycle on the surface. The subsurface process is considered to be inseparable from the surface erosional process (Brink, 1979:207) and karst topography develops by solution and collapse of the weakened dolomites and chert into nearby surface caverns and solution ways (refer to Figure 17).

In the vicinity of the Wondersfontainspruit, the flanks of the valley were planed during the African Erosion cycle, which started approximately 100 Ma years ago and produced solution cavities and deeply weathered residual soils over the dolomites. An earlier erosional surface has been preserved in the Gatsrand south of the Wondersfontainspruit and the solution caverns are the topographically higher levels than those of the later African cycle (Parsons et al, 1988:25). A new post African erosion cycle is currently encroaching on the African surface in the Stilfontein-Klerksdorp area (Parsons et al, 1988:25). This has resulted in the erosion of the mantle of weathered material to produce a thinly covered dolomitic bedrock terrain and further system of solution cavities beneath the new water table.




Figure 18. Typical Karst topography (Pipkin & Trent, 2001:260).

In the Gembokfontein Compartment, Bouguer gravity data interpretation incorporating borehole data shows rugged paleo-karst topography (Parsons, 1986b: 3). There is evidence to show that the location and development of the major paleo-karst valleys were related to tension faults, fractures and joints (De Kock, 1964:377). Most are trending north-northeast and north-northwest. This is parallel to the compartment forming dykes.

The paleo-karst features form traps for pebble washes, boulder beds, clays and carbonaceous material as well as sand deposition during the Karoo times (Parsons, 1986a: 43). Weathering and dissolution of the dolomite continued beneath the Karoo sediments resulting in gradual subsidence (Du Toit, 1954:136; De Kock, 1964:377). Depressions formed at surface as a result of subsidence, were filled by rubble derived from the erosion of the Pretoria Group rocks and post Karoo deposits.

4.3 NORTH SHAFT, HARMONY GOLD LTD

4.3.1 Shaft History

The shaft is situated on the top of a syncline and the shaft was sunk through the Timeball Hill Shale Formation (see Figure 22). Prospecting began in 1956 and the sinking of the twin shaft started on 20 January 1960 (Lednor, 1986:97). The main shaft sinking started on 13 March 1960. The Shaft is 7.9m in diameter and was sunk to a depth of 1518m below collar, which was reached on 3 March 1961. The main shaft became fully operational on 2 September 1961. The ventilation shaft is 7.2m in diameter and was sunk to a depth of 1102m, which was reached on 29 August 1960.




Figure 19. Cross-Section through North Shaft showing the Pretoria Series as the surface layer (Smith, 1994:140).

Once the Vent Shaft was completed, lateral development started. Production started in 1961. Both shafts are in a common 100m-radius pillar. The mine is situated within the dolomites and is known to have a water problem (Lednor, 1986:97).

4.3.2 Reef Bands mined at North Shaft

Most gold bearing reefs contain an array of minerals such as native gold, uranium oxides, traces of platinum and an array of sulfide minerals with pyrite being the most abundant. Most mines in the West Rand and Far West Rand produce uranium and gold (Tucker and Viljoen, 1986:674).

The main reef bands mined are (Lednor, 1986:67):

- Elsburg individual reefs(EB, EC and ED)
- Elsburg Massives(MA, MI, MB and LVCR)
- Ventersdorp Contact Reef (VCR)
- Black Reef

These reefs are characterised by pyritic matrix and contain high concentrations of uranium. Uranium and gold are both mined at North shaft.

4.3.3 History of the Mine Leading to Dewatering

According to various mine reports and to Smith (1994:139-140), the water history of the shaft can be subdivided into four phases, namely:

1. Pre-inflow period
2. Water inflow period
3. Dewatering period
4. Rewatering period

4.3.3.1.Pre-inflow Period

This period occurred between 1962-1971 and only small volumes of water inflow occurred. The volume of water pumped was proportional to the volume of service water pumped underground and the water inflow due to an increase in mining activities. Thus the volume of water being made was proportionate to the amount of square meters being mined. Even though the amount of water pumped was increasing, it was due to an increase in mining activity.

4.3.3.2.Water inflow Period

Mining activities result in the lowering of the water table, which in turn, has adverse effects on ground conditions. The mine started to experience many water-related problems in the early 1970's due to the overlying water bearing dolomites. The major area that experienced water ingression into the stopes was along the 33 -7 West

Line of the Mine when an open fissure type of dislocation with a throw of 6m connecting the workings to an aquifer in the upper dolomitic area, was exposed. This was also a result of mining the Upper Elsburgs and the Ventersdorp Contact Reef in the vicinity of the Black Reef sub outcrop. This resulted in the 33 Level being abandoned and the pumping capacity at the shaft was increased to help cope with the water inflow problem.

It was also realised, through studies done on other water compartments that pumping these large volumes of water would result in the water table being lowered. These studies revealed that lowering the water table by 6m would induce surface stability problems that could result in sinkholes. To overcome this ground stability problem, a decision was made to return the water pumped from underground into recharge boreholes to recharge the compartment. This resulted in the amount of water being pumped from underground to slowly increase (Parsons et al, 1988: 2)

Numerous projects were undertaken to seal and contain the inflowing water. One of the major projects done was to seal the water off by cementation (Parsons et al, 1988:5) and (Smith, 1994:142). However, this was unsuccessful in preventing the water intrushes. Despite all the attempts made to curtail the incoming water, pumping costs ended up becoming a major portion of the working costs. These high pumping costs ended up having a major adverse affect on the economic production of the gold. Pumping rates increased at an annualized rate of 8% from an average of 70mL/day in 1975 to 150mL/day in 1986. Pumping costs ran at R1 million per month (Parsons & Gentz, 1995: 39).

4.3.3.3.Dewatering Period

In 1986, the mine obtained a permit to dewater the Gemsbokfontein West groundwater compartment. Prior to the dewatering permit, the water pumped from the mine was returned to the dolomitic aquifer via several boreholes situated to the north of the mine infrastructure.

The decision to lower the water table came after a four-year investigation of geotechnical means of solving the water ingress problem and by taking studies of earlier dewatered mines into account.

Many studies prior to the dewatering were conducted and it was pointed out that dewatering induced areas of ground subsidence leading to property damage and possible loss of life. Once dewatering started in June 1986, the mine water was pumped into the Kleinwes Rietspruit, a southward flowing tributary of the Vaal River instead of to the recharge boreholes (Parsons et al, 1988:2).

4.3.3.4. Rewatering Period

North shaft has however, reached its life span in 2002 and now faces a new challenge. The effects of rewatering a mined out compartment are unknown. This will be the first compartment that will be flooded in South Africa.

4.3.4 North Shaft's Pumping Infrastructure

The pumping infrastructure was designed with the aim of transporting the underground water to surface where it can be discharged.

Dirty water from the Upper Elsburg Reef stopes are pumped into the Settler on 41 Level. Clear water is then retained in two dams, one on 41 Level and another clear water dam on 33 Level (see Figure 20). This water is then retained in a holding dam on surface. The pumped water from underground is then discharged into the Leeuspruit and Kleinwesrietspruit rivers.

Fissure water is pumped to surface. It is first retained in two dams, one on 33 Level and another on 41 Level. It is then sent to a holding dam on surface and then distributed. There are two settler systems in operation on this mine with one system on 41 Level and a range of 10 settlers on 50 Level (see Figure 20).

The clarified water from this settler systems are pumped up to 33 Level into a dam, which is then in return pumped to surface. This water is then discharged into the Kleinwes Rietspruit and Leeuspruit rivers (see Figure 21).

All the dirty water containing uranium and gold runoff from the Middle Elsburg Reefs are caught in a uranium settler on 50 Level. The overflow from this settler is pumped directly into a tank in the uranium plant (yellow tank), which is used for gland service water in the plant. Dirty water from the Upper Elsburg Reef stopes is treated in 8 settlers on 50 Level. This clarified water is pumped together with the other clarified water from the settler on 41 Level to the dam on 33 Level (Pulles et al, 1996:12.10).




Figure 20. North Shaft underground pumping infrastructure (Pulles et al, 1996:12.5).




Figure 21. Surface pumping infrastructure (Pulles et al, 1996:12.6).

4.4 CURRENT POTENTIOMETRIC LEVELS AT NORTH SHAFT

Before dewatering, the water table levels in the compartment were determined by the height of the Gembokfontein eye, which is 1559m above mean sea level. The eye is situated in the bed of the Wonderfonteinspruit (Parsons, 1986a: 26).

Dewatering began in 1986 and the dewatered water has been used to artificially recharge the Eastern Sub compartment to prevent a draw down from occurring and thus reducing sinkhole formation (Usher & Scott, 2001:(5) 67).

Since dewatering started in 1986, the water table has dropped by 10m in some places in the northwest corner by July 1987(Parsons 1988: 8).

At North Shaft, the water table had dropped by 60-70m. This can be considered to be the center of the draw down cone (Parsons, 1988:8). Most of the effects of dewatering can be seen to the north of the Shaft area. The former groundwater recharge zone lies within the zone of influence of the draw down cone. With the increase in dewatering, the draw down cone extended further outwards, northwards of the recharge zone (Parsons, 1987:13). The leaky dyke boundary has had an effect on the cone of dewatering by extending beyond the boundaries of the system, which had an effect on the rate of dewatering of the aquifer (Bredenkamp et al, 1995:327). The rate of lowering of the water table is not constant due to the aquifer being replenished by rainfall. During extremely wet periods, replenishment exceeds the withdrawal (Parsons, 1993:2).

CHAPTER 5

GROUNDWATER MODELING

5.1 INTRODUCTION

Groundwater models are an important and a useful tool, which can be used in many groundwater problems and can be used as a predictive tool to estimate the future behaviour of an aquifer (Mercer & Faust, 1981: 1). The models are based on the appearance of the actual aquifers behaviour.

The first step is to define the purpose of the model and then to develop a conceptual model as the physical behaviour of the system must be understood. The next step is to develop a mathematical model. The physical characteristics are translated into mathematical terms. The final step is to develop an analytical method. The mathematical equations are then simplified to form solutions by analytical method (Mercer & Faust, 1981: 2). An analytical model can be solved quickly and requires minimal amount of data (Fetter, 2001:516).

5.2 AIM OF THE GROUNDWATER MODEL

The aim of the groundwater model is to predict the rate of flooding for the Gemsbokfontein dolomitic groundwater compartment once all pumping has been stopped at North Shaft, Harmony Gold Ltd. The model will focus on the western sub compartment as only the western portion has been dewatered.

5.3 CONCEPTUAL MODEL

After the purpose of a model is established, the next step would be to develop a conceptual model for the ground conditions. The conceptual model is a pictorial representation of the groundwater flow system. The purpose of a conceptual model is to simplify the field problem and to arrange the field data to allow the system to be analysed easier. The closer the conceptual model is to the natural system, the more accurate the out come of the model will be. (Walton, 1995:7).

5.3.1. Boundary conditions of the aquifer

The Panvlakte Dyke forms the northern boundary, Gemsbokfontein Dyke the western boundary, Magazine Dyke forms the eastern boundary and the Pretoria Series forms the southern boundary. These boundaries provide the framework for the three-dimensional black box model.




Figure 22. Three-dimensional box model for the Gemsbokfontein Western Sub Compartment showing the boundary conditions.

5.3.2. Thickness of all the aquifers and the confining layers

According to Domenico and Schwartz (1998:16), a hydrostratigraphic unit is a formation in which there are similar hydrological characteristics that allow for grouping into aquifers and confining layers. Based on this definition, the Gemsbokfontein Compartment was divided into three vertical units namely:

1. The lower fractured Wits aquifer void volume (porosity) with the mine void volume. This aquifer ranges from 0 mamsl to 900 mamsl.
2. The fractured dolomite aquifer with its void volume (porosity) and shaft void volume (which is negligible). The depth of the level is 900 mamsl to 1400 mamsl. This amounts to 500m in depth.
3. The upper karstic dolomitic level with its void volume that consists of primary porosity and karst structures. It varies from 1400 mamsl to 1560 mamsl. The outflow boundary is currently dry (the Gemsbokfontein eye) which is at 1560 mamsl.




Figure 23. Horizontal levels of the Gemsbokfontein Western Sub Compartment Conceptual model.

5.3.3. Groundwater Balance

A water balance forms the basis for any groundwater modelling exercise. The main purpose for a water balance is to account for the observed changes in water levels over time.

The water balance used for the groundwater model is based on the following:

$$\text{GROUNDWATER OUTFLOW} = \text{GROUNDWATER INFLOW} - \text{CHANGES IN STORAGE}$$

The outflow from the Gembokfontein Compartment is well documented by the historical pumping data. However, the groundwater inflow into the Gembokfontein Compartment is less understood. An extensive literature review on the possible recharge values for the study area has shown that there is a great variance in the groundwater balance and that there is no scientifically proved data available for the Gembokfontein Compartment.

The groundwater inflow into the Gembokfontein Compartment can be described as follows (see Table 2):

- Rainfall Recharge into the dolomites can be considered to be 13% to 20% of the mean annual precipitation (Rison, 1999:12) and (Rison, 2001:9). Any recharge resulting from rainfall, which for this box model scenario occurs at the top boundary of the box model, will vary between the dry season and wet season and will also have a lag period. For the purpose of this model, rainfall recharge will be considered to be a constant and will be assigned as an average.
- Artificial Recharge: Simunye and Westonaria residential areas in the North Western corner of the Gembokfontein Compartment. Surface water diversions from the residential areas towards the Wonderfonteinspruit are

known to occur. The values for artificial recharge are shown in Table 2 as Simunye and Westonaria.

- **Some Artificial Recharge and Recirculation:** the Kleinwesrietspruit flows in an eastern direction from the Peter Wright Dam and the Leeuspruit flows towards South Shaft, Placer Dome. These two rivers are actually non-perennial rivers. The rivers are currently perennial as a result from the dewatering of North Shaft. For the purpose of this model, it is assumed that the inflow rates from the surface streams will decrease linearly as the compartment floods.
- **Leakages from surrounding dykes:** Some leakage occurs across the Magazine Dyke, at 6 ML/day, as shown by the study on the Zuurbekom Compartment (Rison, 1999:9). For the purpose of this model, it was assumed that the same amount of leakage occurs across the Panvlakte Dyke and is reflected as intercompartmental flow in Table 2. However, there is no leakage across the Gemsbokfontein Dyke as the Venterspost Compartment is already completely dewatered and observed groundwater levels in the compartment have remained constant. The amount of leakage occurring across the southern boundary, the Pretoria Series, has been assumed to be small.

Table 2. Gemsbokfontein Compartment average groundwater balance

GROUNDWATER INFLOW	VOLUME mL/day	VOLUME Percentage
Leeuspruit	5	5.8%
Kleinwes Rietspruit	7.5	8.7%
Simunye and Westonaria	3	3.5%
Rainfall Recharge	36	42%
Intercompartmental Flow	15.5	18%
Dolomite aquifer storage	19	22%
TOTAL	86	100%

The inflow rates from the adjacent compartments are adopted from Rison (2001:11) and Rison (1999:16) and can be regarded to have a low uncertainty. The inflow rates from the surface streams can be regarded to have a high uncertainty as little is known about the rivers future behaviour.




Figure 24. Groundwater Balance for the Gemsbokfontein Western Sub Compartment.

The Wonderfonteinspruit is not included in the water balance as the river is piped from the Donaldson Dam.

5.3.4 Mined out volume for North Shaft

Calculations of the mined out volume can have various challenges as numerous reefs can be mined at one mine and deep mines have closure rates as a result of high stresses or geological features. Some mines also use backfill as a means of support, which reduces the actual void within the mine (Usher & Scott, 2001:(5) 64). Basic shaft information would be required and to be taken into consideration when calculating the void volume.

A simple calculation can be made to calculate the volume (Usher & Scott, 2001:(5) 65) and (Scott, 1995:138):

Volume of mine openings = Tonnage of rock removed/ Density

North Shaft mining method is scattered mining. The Shaft mined the Ventersdorp Contact Reef at a stoping width of 1.42m, Upper Elsburgs at a stoping width of between 2.7 to 3.5m and the Middle Elsburgs 2.2m.

The time taken for the compartment to flood is highly sensitive to the mine void volume and the aquifer void volume.

For this model, the mine void was calculated to be $3.0\text{E}+07 \text{ m}^3$ and assumed to be accurate as the volume was obtained from the electronic peg database. The total aquifer void volume was calculated at $2.50\text{E}+08 \text{ m}^3$, which is an order more than the mined-out void volume.

5.3.5. Controlling factors for the Gembokfontein Western Sub Compartment model.

The controlling factor in this model is the:

- Weathered dolomite, and
- Fractured dolomite.

There is a certain uncertainty associated with the following:

- Effective porosity of the upper, weathered karstic dolomite, and
- The volume of the voids that the flooding groundwater must fill

The volume of the voids to be filled is a very sensitive parameter and is expected to be spatially variable and a sensitivity analysis was done (model 1-4) on the various void volumes to show the influence of variation on this parameter.

There are three concepts that need to be considered and they can be defined as follows:

1. Porosity, which refers to the volume of voids/total volume of rock

mass (Fetter, 2001:69).

2. Effective porosity, refers to the porosity available for fluid flow (Fetter, 2001:70).

3. The specific storativity if the aquifer is confined and the specific yield if the aquifer is unconfined. This refers to only a fraction of the effective porosity will drain under the forces of gravity. Specific storativity is always a magnitude or two less than the porosity (Fetter, 2001:101).

For the purpose of this model, only effective porosity was taken into account, as it is a simple three-dimensional block model. The model calculates the amount of time required for each horizontal block to fill up with water. This method is directly related to the lack of available data.

5.4 MATHEMATICAL MODEL FOR THE GEMSBOKFONTEIN WESTERN SUB COMPARTMENT

With the conceptual understanding of the physical problem, the next step in modelling will involve translating the physical system into mathematical terms (Mercer & Faust, 1981:9). The final results are a representation of groundwater flow equations and transport equations, which are simplified by using site-specific assumptions as stated in the conceptual model. The end result is a variety of equation subsets.

For the Gemsbokfontein Western Sub Compartment:

- Inflow into the compartment was calculated by using the water balance.

Inflow from the Kleinwes Rietspruit, inflow from the Leeuspruit, run off from Simunye and Westonaria, leakage across the dykes and inflow from the dolomitic aquifer were calculated by using the flow volume before flooding started as a function of total depth. Due to seasonal variation, recharge via rainfall remained a constant (as discussed in the conceptual model).

- Total inflow was calculated as a sum of the above mentioned water balance components.
- Aquifer void volume was calculated by:

$$\text{Aquifer surface area} \times (\text{effective porosity}/100) = \text{mine void volume}$$

- Time to fill the void was calculated by taking:

$$(\text{Mine void volume} + \text{aquifer void volume})/\text{total inflow}$$

- Total time was expressed as the sum of the total time taken to fill the void and previous total time taken giving the end result of total time, which is expressed in years.

5.5 ANALYTICAL MODEL

The analytical model combined the mathematical equations into a simplified model, which was drawn up in Excel computer programme (see Appendix A).

The model was based on:

1. Dividing the three-dimensional box model up into 1m thick horizontal slices.
2. Then the volume of each slice was calculated by $V = \text{surface area} \times 1\text{m}$.
3. The void volume in the rock mass for each 1m slice was calculated.
 $V_v = V \times \text{effective porosity}$.
4. The average Mine void volume for each 1m slice was calculated.
5. The total inflow rate and the individual inflow rates were calculated for each 1m slice.
6. The time taken for each 1m thick slice to become saturated with water was then calculated.
7. When the time taken for the bottom, first slice to fill up was calculated, then the next slice can start to fill up. This process continues until all the slices are filled, thus the Compartment is filled up.

5.6 MODEL RESULTS

The model found that the Gembokfontein Compartment would take between 5.82 and 46.19 years to flood (see Figure 25). The time taken to flood will depend on the actual void ratios (refer to Table 3). It will be essential to carry out a monitoring programme once the compartment starts to flood, and the model can then be updated with the field information (refer to Figure 25).

Table 3. Model parameters (effective porosity)

Model parameter	Model 1	Model 2	Model 3	Model 4
Weathered dolomite	0.5	5	1	1
Fractured dolomite	0.01	0.1	0.001	0.1
Fractured Wits	0.05	0.05	0.05	0.1




Figure 25. The flooding rates for the Gembokfontein Western Sub Compartment.

The original decant volume at the Gemsbokfontein eye was between 11 - 14 mL/day before any mining occurred. It is thought that once the compartment is flooded, the decant volume can be regarded to be the same as the original volume as the macro environmental conditions have remained fairly constant. The compartment is currently empty and will absorb water as per the groundwater inflow designed for the model. Once the compartment is flooded, the pore spaces and surface soils will become saturated, the water will start to flow as surface run off and flow along the periphery of the compartment and find its way into the local streams. Once the compartment has flooded, intercompartmental flow will stop as the two sub compartments would be in equilibrium, dolomite aquifer storage will be negligible and the various rivers flow were assumed to decrease linearly as the compartment floods, leaving only rainfall recharge and artificial recharge from the residential areas of Simunye and Westonaria, amounting to 39mL/day. If the decant volume is 14mL/day, it would leave 25 mL/day for surface run off which will result in the river flowing again (rainfall was assumed to be constant for simplicity but it will vary from season to season resulting in non-perennial flow). If the compartment decant volume is equal to the groundwater inflow (39mL/day), there will be no surface run off available to feed the river and will result in no river flow. The rivers will only flow under the natural conditions once the compartment starts to decant and the original water balance is in place.

CHAPTER 6

SYNTHESIS

6.1 CONCLUSION

This hydrological investigation focused on the Gembokfontein Western Sub Compartment, which overlies the underground workings of North Shaft, Harmony Gold, Ltd. The purpose of this project was to determine the potential flooding rates of the Gembokfontein Dolomitic Groundwater Compartment and the volume of discharge at the decant point once North Shaft, Harmony Gold Ltd., commences flooding of the mine due to the mine reaching its life span. The result of North Shaft flooding will be the rewatering of the Gembokfontein Dolomitic Groundwater Compartment and eventually the whole compartment will flood and start to decant which will have an end result of introducing more water into the Wonderfonteinspruit.

The groundwater model designed for this project is simplistic in nature as a result of limited information. The water balance formed the basis for the model and was obtained from historical data and previous investigations, which have been conducted in the area. Rainfall accounts for 42% of the recharge and artificial recharge in the form of surface run off from Simunye and Westonaria accounts for 3.5%. Intercompartmental flow resulting from leakages across the Magazine dyke amounts for 18 % of the recharge and the actual storage in the dolomitic aquifer accounts for 22% of the recharge. Leeuspruit accounts for 5.8% and Kleinwes Rietspruit account 8.7 % of the recharge. However, these two rivers will eventually return to the natural state of non-perennial flow once they are not artificially recharged when dewatering ceases. The time of recovery has been calculated from an elementary relationship between volume and inflow rate. The flooding rate was calculated for the time taken for the mine void to flood, the fractured dolomites and eventually the weathered karst dolomites to fill. The actual mine will take between 1.34 and 2.68 years to flood. The time taken for the Western sub compartment to flood ranges from a minimum of 5.8 years to a maximum of 46.19. A more accurate prediction is not possible due to the uncertainty in determining the effective porosity of the zones modelled. However, flooding rates are very sensitive to the effective porosity of the various layers. After the compartment has flooded, the eye will start to

flow at its original volume of 14mL/day, thus increasing the flow into the Wonderfonteinspruit.

6.2 RECOMMENDATIONS

The model developed is a basic model due to the limited available information. It is recommended that once the flooding of North Shaft Harmony Gold Ltd. starts, an adequate monitoring programme be implemented and that the model be modified accordingly. The actual effective porosity of the various rock types is not known, and once flooding starts, the model can be adjusted according to the correct values obtained by the monitoring programme. The water balance should also be redefined once flooding commences.

The Wonderfonteinspruit, past the Donaldson Dam, is conveyed via a 1000mm pipeline since 1978 to prevent recharge of the karstic dolomites in the West and Far West Rand. Once the Gemsbokfontein Compartment starts to decant, the water must either flow freely or be included into the pipeline. The pipeline must therefore be investigated as to whether it can handle the extra volume of water and if not, what will be the effects of the Wonderfonteinspruit flowing freely.

Another point to consider is that the compartment has been dewatered for a long time and has probably reached equilibrium conditions. Once rewatering starts, this equilibrium will be disturbed and could lead to reactivation of sinkholes. The studies done before dewatering commenced indicated the areas of highest concern. It would be advisable to monitor the areas for signs of ground instability and sinkhole formation until the compartment has completely flooded.

The expected water quality of the Gemsbokfontein Compartment will also need to be considered as mining activities have adverse effects on water quality. The over all effect of the mine flooding on the actual quality of the water in the dolomitic compartment as well as the decant water which will eventually feed the Wonderfonteinspruit, will also need to be considered.

REFERENCES

- Atkinson, Sam. 1997. Water Impact Assessment (*In* Petts, J. & Barrow, C.J. *eds.* Handbook of Environmental Impact Assessment, Volume 1. Environmental Impact assessment Process, Methods and Potential. Oxford: Malden, MA: Blackwell Science .)
- Bandyopadhyay, J., Mallik, B., Mandal, M. and Perveen, S. 2002. Report on Policy Dialogue on Dams and Development. India Water partnership, Delhi. India. http://www.saciwaters.org/dams_report.htm. Access date: 28 June 2004.
- Barnard, H.C. 2000. An explanation of the 1:500 000 General Hydrological Map. Johannesburg 2526. Pretoria: Department of Water Affairs and Forestry,
- Bartram, J. and Ballance, R. 1996. Water Quality Monitoring: A practice guide to designing and implementation of fresh water quality studies and monitoring programmes. London: E & FN Spon.
- Bredenkamp, D.B., Botha, L.J., van Tonder, G.J. and Janse van Rensburg, H. 1995. Manual on Quantitative Estimation of Groundwater Recharge and Aquifer Storativity: based on practical hydro-logical methods. Pretoria: Water Research Commission.
- Brink, A.B.A. 1979. Engineering Geology of Southern Africa. The first 2000 million years of geological time. Volume 1. Pretoria: Building Publications.
- Burnett, M. 1995. The Sedimentology of the "E9EC" Conglomerate-WAGM North Shaft. Geologist Technical Meeting. Volume 10. JCI Report. Unpublished.

- De Kock, W.P. 1964. The Geology and Economic Significance of the West Wits Line. (*In* Haughton, S.H., *eds.* The Geology of Some Ore Deposits in Southern Africa. Vol 1, Johannesburg: Geol. Society of South Africa.)
- Domenico, P.A. & Schwartz, F.W. 1998. Physical and Chemical Hydrogeology. 2nd Edition. New York: Wiley.
- Du Toit, A.L. 1954. Geology of South Africa. London :Oliver and Boyd.
- DEAT 2003. Maps and mappings. [web]. <http://www.environment.gov.za>.
Access date: 3 May 2004.
- Eriksson, K.A. 1972. Cyclic Sedimentation in the Malmani Dolomites, Potchefstroom Synclinorium. Johannesburg: Trans. Geol. Soc. S.Afri.
- Fetter C.W. 2001. Applied Hydrology. 4th Edition. New Jersey: Prentice Hall.
- Freeman, W.H. 1986. Earth, 4th Edition. New York: WH Freeman and Company.
- Lednor M.C. 1986. The West Rand Goldfields. In: Witwatersrand Gold - 100 years. Edited by Antrobus, E.S. Johannesburg: Geological Society of South Africa.
- Mercer, J.W. & Faust, C.R. 1981. Ground-Water Modeling. National Water Virginia: Geotrans Inc.
- Miller, G.T. 2002. Living in the Environment: Principles, connections and solutions. 12th Edition. USA: Wadsworth Group. Brooks/Cole.
- Obbes, A.M. 2000. The structure, stratigraphy and sedimentology of the Black Reef-Malmani-Rooihogte succession of the Transvaal supergroup southwest of Pretoria. Bulletin 127. Pretoria: Council for Geoscience.

- Parsons C.F. 1985. A Reappraisal of the aerial photography Study of WAGM Lease with emphasis on the Dolomite Inliers. Confidential Report. JCI Research Unit, Unpublished.
- Parsons, C.F. & Killick, A.M 1985. The Surface Geology of Part of the WAGM: Property and Environs. Confidential Report JCI Research Unit. Unpublished.
- Parsons C.F. 1986a. The Geology of the Gembokfontein Dolomitic Groundwater Compartment and Possible effects of Dewatering. Report No 210. Confidential Report. JCI Research Unit. Unpublished.
- Parsons, C.F. 1986b. Comparison of Remote Sensing Techniques in the Gembokfontein Dolomitic Groundwater Compartment. Report No 216. Confidential Report. JCI Research Unit. Unpublished.
- Parsons, C.F. 1987. Interpretation of Standard colour Aerial Photographs of Gembokfontein Dolomitic Groundwater Compartment Phase 2. Report No.223. Confidential Report. JCI Research Unit. Unpublished.
- Parsons, C.F. 1988. Interpretation of Standard Colour aerial photographs of the Gembokfontein Groundwater Compartment. Phase 3. Confidential Report. Research Report No.227. JCI in-house Report. Unpublished.
- Parsons, C.F., Campbell, G. and Heidstra, P.I. 1988. Geophysical and Geological Mapping of Subsidence Risk areas in WAGM Dewatering Project. Confidential Report. JCI in-house Report. Unpublished.
- Parsons, C.F. 1989. The Geology of the Dolomitic Inliers on Jachtfontien 344 and Elandsfontien 308, East of WAGM. Research Unit Note 4189. JCI Technical Services Division. Unpublished.

- Parsons, C.F. 1990. Cooke 1, Water Project. In: Johannesburg Consolidated Investment Company, Lmt. Selected Technical Papers, Vol 7. Edited by Morris, R., Fauconnier, C.J. and du Plessies, N.P. Confidential Report. JCI in-house Report. Unpublished.
- Parsons, C.F. 1993. Aerial Photographic interpretation in Ground Stability and Environmental Auditing: An Assessment of Natural & Man-Induced Processes. Geologist Technical Meeting.Vol 8. JCI Report. Unpublished.
- Parsons, C.F. & Gentz, H.P. 1995. Dewatering of the Gemsbokfontein Dolomitic Groundwater Compartment. Geologist Technical Meeting. JCI Report. Unpublished.
- Pipkin, B.W. & Trent, D.D. 2001. Geology and the Environment. 3rd Edition. Pacific Grove: Brooks/Cole.
- Pulles, W. Howie, D, Otto, D. and Easton, J. 1996. A Manual on Mine Water Treatment Management and Practices in South Africa. Appendix Vol.3. Gold Mine Site Visit Reports. WRC Report 527/3/96. Pretoria: Water Research Commission.
- Rison 1999. Far Western Basin. Groundwater Modelling Exercise. Harmony Gold Mining Lmt. Unpublished Confidential report.
- Rison 2001. Predicted Rate of Rewatering of the Gemsbokfontein Groundwater Compartment. Harmony Gold Mining Lmt. Unpublished Confidential report.
- Scott, R. 1995. Flooding of the Central and East Rand Gold Mines: an investigation into controls over inflow rate, water quality and predicted impacts of flooded mines: report prepared for Water Research Commission. Pretoria: Water Research Commission.

- Smith, G. 1994. Mining below Water-bearing Dolomites at Western Areas Gold Mine. XVth CMMI Congress, Volume 1. Johannesburg: SAIMM.
- SOER, NW. 2002. Chapter 10: Water Resources. [web]
<http://www.nwpg.gov.za/soer/FullReport/Water.html>. Access date: 25 June 2004.
- SACS (South African Committee for Stratigraphy). 1980. Stratigraphy of South Africa, Part 1. Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the Republics of Bophuthatswana, Transkei and Venda (L.E. Kent, Comp.): Handbk geol. Surv. S. Afr. Pretoria: Department of Mineral and Energy Affairs.
- SRK 1985. Evaluation of the Impact of Mine Dewatering on the Water Table Elevations. James Park Info Center. Unpub.Report MI.4685.Unpublished.
- Stanistreet, I.G. and McCarthy, T.S. 1990. Middle Ventersdorp Graben Development North of Carletonville Goldfields and its relevance to the evolution of the Witwatersrand Basin. (*In*: Geological studies related to the origin and evolution of the Witwatersrand Basin and its mineralization. A contribution from the Economic Geology Research Unit, Department of Geology, University of Witwatersrand, Johannesburg. First edition. Johannesburg University of Witwatersrand: Department of Geology.)
- Steyl, I. 1999. Strategic Environmental Assessment for Stream Flow Reduction Activities in South Africa. A way of enhancing decision-making. DWAF. [Web]. www.dwaf.gov.za/sfra/SEA/documents/sea_team.pdf. Access date: 24 June 2004.
- Tregoning, G.W. & Barton, V.A. 1990. Design of a Wide Ore body Mining System for a Deep Level Mine. (*In* International Deep Mining Conference: Technical Challenges in Deep Level Mining. Johannesburg: SAIMM.)

ANNEXURES

Model parameters

Weathered dolomite void ratio (%)	0.5
Fractured dolomite void ratio (%)	0.01
Fractured wits void ratio (%)	0.05
Inflow rate factor	Scaled

												Inflow rate from dolomite aquifer storage		Inflow rate from Magazine-Panviakle Dykes		Inflow from precipitation recharge	Inflow from Simunye and Westonaria recharge	Inflow from Lesaufruit recharge	Inflow from Kleinwies recharge
Total time (y)	Total time (d)	Time to fill void (d)	Elevation (mamsl)	Depth (m)	Level	Mine development type	Aquifer surface area (m2)	Effective porosity (%)	Mine void volume (m3)	Aquifer void volume (m3)	Aquifer type	Total inflow (m3/d)	component (m3/d)	Panviakle Dykes (m3/d)	precipitation recharge (m3/d)	Simunye and Westonaria recharge (m3/d)	Lesaufruit recharge (m3/d)	Kleinwies recharge (m3/d)	
5.82	2125.72	10.49	1559	1		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,032.05	12.18	9.94	36,000.00	1.92	4.81	3.21	
5.80	2115.22	10.48	1558	2		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,064.10	24.36	19.87	36,000.00	3.85	9.62	6.41	
5.77	2104.74	10.47	1557	3		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,096.15	36.54	29.81	36,000.00	5.77	14.42	9.62	
5.74	2094.27	10.46	1556	4		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,128.21	48.72	39.74	36,000.00	7.69	19.23	12.82	
5.71	2083.81	10.45	1555	5		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,160.26	60.90	49.68	36,000.00	9.62	24.04	16.03	
5.68	2073.36	10.44	1554	6		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,192.31	73.08	59.62	36,000.00	11.54	28.85	19.23	
5.65	2062.91	10.43	1553	7		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,224.36	85.26	69.55	36,000.00	13.46	33.65	22.44	
5.62	2052.48	10.43	1552	8		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,256.41	97.44	79.49	36,000.00	15.38	38.46	25.64	
5.59	2042.05	10.42	1551	9		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,288.46	109.62	89.42	36,000.00	17.31	43.27	28.85	
5.57	2031.63	10.41	1550	10		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,320.51	121.79	99.36	36,000.00	19.23	48.08	32.05	
5.54	2021.23	10.40	1549	11		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,352.56	133.97	109.29	36,000.00	21.15	52.88	35.26	
5.51	2010.83	10.39	1548	12		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,384.62	146.15	119.23	36,000.00	23.08	57.69	38.46	
5.48	2000.44	10.38	1547	13		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,416.67	158.33	129.17	36,000.00	25.00	62.50	41.67	
5.45	1990.06	10.37	1546	14		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,448.72	170.51	139.10	36,000.00	26.92	67.31	44.87	
5.42	1979.69	10.36	1545	15		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,480.77	182.69	149.04	36,000.00	28.85	72.12	48.08	
5.40	1969.33	10.35	1544	16		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,512.82	194.87	158.97	36,000.00	30.77	76.92	51.28	
5.37	1958.97	10.34	1543	17		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,544.87	207.05	168.91	36,000.00	32.69	81.73	54.49	
5.34	1948.63	10.33	1542	18		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,576.92	219.23	178.85	36,000.00	34.62	86.54	57.69	
5.31	1938.30	10.33	1541	19		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,608.97	231.41	188.78	36,000.00	36.54	91.35	60.90	
5.28	1927.97	10.32	1540	20		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,641.03	243.59	198.72	36,000.00	38.46	96.15	64.10	
5.25	1917.66	10.31	1539	21		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,673.08	255.77	208.65	36,000.00	40.38	100.96	67.31	
5.23	1907.35	10.30	1538	22		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,705.13	267.95	218.59	36,000.00	42.31	105.77	70.51	
5.20	1897.05	10.29	1537	23		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,737.18	280.13	228.53	36,000.00	44.23	110.58	73.72	
5.17	1886.76	10.28	1536	24		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,769.23	292.31	238.46	36,000.00	46.15	115.38	76.92	
5.14	1876.48	10.27	1535	25		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,801.28	304.49	248.40	36,000.00	48.08	120.19	80.13	
5.11	1866.21	10.26	1534	26		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,833.33	316.67	258.33	36,000.00	50.00	125.00	83.33	
5.08	1855.95	10.25	1533	27		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,865.38	328.85	268.27	36,000.00	51.92	129.81	86.54	
5.06	1845.69	10.24	1532	28		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,897.44	341.03	278.21	36,000.00	53.85	134.62	89.74	
5.03	1835.45	10.24	1531	29		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,929.49	353.21	288.14	36,000.00	55.77	139.42	92.95	
5.00	1825.21	10.23	1530	30		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,961.54	365.39	298.08	36,000.00	57.69	144.23	96.15	
4.97	1814.99	10.22	1529	31		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	36,993.59	377.56	308.01	36,000.00	59.62	149.04	99.36	
4.94	1804.77	10.21	1528	32		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,025.64	389.74	317.95	36,000.00	61.54	153.85	102.56	
4.92	1794.56	10.20	1527	33		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,057.69	401.92	327.88	36,000.00	63.46	158.65	105.77	
4.89	1784.36	10.19	1526	34		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,089.74	414.10	337.82	36,000.00	65.38	163.46	108.97	
4.86	1774.17	10.18	1525	35		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,121.79	426.28	347.76	36,000.00	67.31	168.27	112.18	
4.83	1763.98	10.17	1524	36		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,153.85	438.46	357.69	36,000.00	69.23	173.08	115.38	
4.80	1753.81	10.17	1523	37		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,185.90	450.64	367.63	36,000.00	71.15	177.88	118.59	
4.78	1743.64	10.16	1522	38		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,217.95	462.82	377.56	36,000.00	73.08	182.69	121.79	
4.75	1733.49	10.15	1521	39		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,250.00	475.00	387.50	36,000.00	75.00	187.50	125.00	
4.72	1723.34	10.14	1520	40		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,282.05	487.18	397.44	36,000.00	76.92	192.31	128.21	
4.69	1713.20	10.13	1519	41		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,314.10	499.36	407.37	36,000.00	78.85	197.12	131.41	
4.67	1703.07	10.12	1518	42		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,346.15	511.54	417.31	36,000.00	80.77	201.92	134.62	
4.64	1692.95	10.11	1517	43		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,378.21	523.72	427.24	36,000.00	82.69	206.73	137.82	
4.61	1682.84	10.10	1516	44		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,410.26	535.90	437.18	36,000.00	84.62	211.54	141.03	
4.58	1672.73	10.10	1515	45		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,442.31	548.08	447.12	36,000.00	86.54	216.35	144.23	
4.56	1662.64	10.09	1514	46		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,474.36	560.26	457.05	36,000.00	88.46	221.15	147.44	
4.53	1652.55	10.08	1513	47		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,506.41	572.44	466.99	36,000.00	90.38	225.96	150.64	
4.50	1642.47	10.07	1512	48		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,538.46	584.62	476.92	36,000.00	92.31	230.77	153.85	
4.47	1632.40	10.06	1511	49		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,570.51	596.79	486.86	36,000.00	94.23	235.58	157.05	
4.44	1622.34	10.05	1510	50		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,602.56	608.97	496.79	36,000.00	96.15	240.38	160.26	
4.42	1612.29	10.04	1509	51		Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,634.62	621.15	506.73	36,000.00	98.08	245.19	163.46	

4.25	1552.15	9.99	1503	57	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,826.92	694.23	566.35	36,000.00	109.62	274.04	182.89
4.23	1542.16	9.98	1502	58	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,858.97	706.41	576.28	36,000.00	111.54	278.85	185.90
4.20	1532.18	9.98	1501	59	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,891.03	718.59	586.22	36,000.00	113.46	283.65	189.10
4.17	1522.20	9.97	1500	60	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,923.08	730.77	596.15	36,000.00	115.38	288.46	192.31
4.14	1512.23	9.96	1499	61	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,955.13	742.95	606.09	36,000.00	117.31	293.27	195.51
4.12	1502.27	9.95	1498	62	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	37,987.18	755.13	616.03	36,000.00	119.23	298.08	198.72
4.09	1492.32	9.94	1497	63	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,019.23	767.31	625.96	36,000.00	121.15	302.88	201.92
4.06	1482.38	9.93	1496	64	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,051.28	779.49	635.90	36,000.00	123.08	307.69	205.13
4.03	1472.45	9.93	1495	65	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,083.33	791.67	645.83	36,000.00	125.00	312.50	208.33
4.01	1462.52	9.92	1494	66	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,115.38	803.85	655.77	36,000.00	126.92	317.31	211.54
3.98	1452.60	9.91	1493	67	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,147.44	816.03	665.71	36,000.00	128.85	322.12	214.74
3.95	1442.69	9.90	1492	68	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,179.49	828.21	675.64	36,000.00	130.77	326.92	217.95
3.93	1432.79	9.89	1491	69	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,211.54	840.38	685.58	36,000.00	132.69	331.73	221.15
3.90	1422.90	9.88	1490	70	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,243.59	852.56	695.51	36,000.00	134.62	336.54	224.36
3.87	1413.02	9.88	1489	71	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,275.64	864.74	705.45	36,000.00	136.54	341.35	227.56
3.84	1403.14	9.87	1488	72	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,307.69	876.92	715.38	36,000.00	138.46	346.15	230.77
3.82	1393.27	9.86	1487	73	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,339.74	889.10	725.32	36,000.00	140.38	350.96	233.97
3.79	1383.42	9.85	1486	74	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,371.79	901.28	735.26	36,000.00	142.31	355.77	237.18
3.76	1373.56	9.84	1485	75	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,403.85	913.46	745.19	36,000.00	144.23	360.58	240.38
3.74	1363.72	9.83	1484	76	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,435.90	925.64	755.13	36,000.00	146.15	365.38	243.59
3.71	1353.89	9.83	1483	77	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,467.95	937.82	765.06	36,000.00	148.08	370.19	246.79
3.68	1344.06	9.82	1482	78	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,500.00	950.00	775.00	36,000.00	150.00	375.00	250.00
3.66	1334.24	9.81	1481	79	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,532.05	962.18	784.94	36,000.00	151.92	379.81	253.21
3.63	1324.43	9.80	1480	80	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,564.10	974.36	794.87	36,000.00	153.85	384.62	256.41
3.60	1314.63	9.79	1479	81	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,596.15	986.54	804.81	36,000.00	155.77	389.42	259.62
3.57	1304.84	9.79	1478	82	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,628.21	998.72	814.74	36,000.00	157.69	394.23	262.82
3.55	1295.05	9.78	1477	83	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,660.26	1,010.90	824.68	36,000.00	159.62	399.04	266.03
3.52	1285.27	9.77	1476	84	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,692.31	1,023.08	834.62	36,000.00	161.54	403.85	269.23
3.49	1275.50	9.76	1475	85	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,724.36	1,035.26	844.55	36,000.00	163.46	408.65	272.44
3.47	1265.74	9.75	1474	86	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,756.41	1,047.44	854.49	36,000.00	165.38	413.46	275.64
3.44	1255.99	9.75	1473	87	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,788.46	1,059.62	864.42	36,000.00	167.31	418.27	278.85
3.41	1246.24	9.74	1472	88	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,820.51	1,071.79	874.36	36,000.00	169.23	423.08	282.05
3.39	1236.51	9.73	1471	89	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,852.56	1,083.97	884.29	36,000.00	171.15	427.88	285.26
3.36	1226.78	9.72	1470	90	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,884.62	1,096.15	894.23	36,000.00	173.08	432.69	288.46
3.33	1217.06	9.71	1469	91	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,916.67	1,108.33	904.17	36,000.00	175.00	437.50	291.67
3.31	1207.34	9.71	1468	92	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,948.72	1,120.51	914.10	36,000.00	176.92	442.31	294.87
3.28	1197.64	9.70	1467	93	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	38,980.77	1,132.69	924.04	36,000.00	178.85	447.12	298.08
3.25	1187.94	9.69	1466	94	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,012.82	1,144.87	933.97	36,000.00	180.77	451.92	301.28
3.23	1178.25	9.68	1465	95	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,044.87	1,157.05	943.91	36,000.00	182.69	456.73	304.49
3.20	1168.57	9.67	1464	96	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,076.92	1,169.23	953.85	36,000.00	184.62	461.54	307.69
3.18	1158.90	9.67	1463	97	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,108.97	1,181.41	963.78	36,000.00	186.54	466.35	310.90
3.15	1149.23	9.66	1462	98	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,141.03	1,193.59	973.72	36,000.00	188.46	471.15	314.10
3.12	1139.58	9.65	1461	99	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,173.08	1,205.77	983.65	36,000.00	190.38	475.96	317.31
3.10	1129.93	9.64	1460	100	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,205.13	1,217.95	993.59	36,000.00	192.31	480.77	320.51
3.07	1120.28	9.63	1459	101	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,237.18	1,230.13	1,003.53	36,000.00	194.23	485.58	323.72
3.04	1110.55	9.63	1458	102	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,269.23	1,242.31	1,013.46	36,000.00	196.15	490.38	326.92
3.02	1101.03	9.62	1457	103	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,301.28	1,254.49	1,023.40	36,000.00	198.08	495.19	330.13
2.99	1091.41	9.61	1456	104	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,333.33	1,266.67	1,033.33	36,000.00	200.00	500.00	333.33
2.96	1081.80	9.60	1455	105	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,365.38	1,278.85	1,043.27	36,000.00	201.92	504.81	336.54
2.94	1072.19	9.59	1454	106	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,397.44	1,291.03	1,053.21	36,000.00	203.85	509.62	339.74
2.91	1062.60	9.59	1453	107	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,429.49	1,303.21	1,063.14	36,000.00	205.77	514.42	342.95
2.88	1053.01	9.58	1452	108	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,461.54	1,315.38	1,073.08	36,000.00	207.69	519.23	346.15
2.86	1043.43	9.57	1451	109	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,493.59	1,327.56	1,083.01	36,000.00	209.62	524.04	349.36
2.83	1033.86	9.56	1450	110	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,525.64	1,339.74	1,092.95	36,000.00	211.54	528.85	352.56
2.81	1024.30	9.56	1449	111	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,557.69	1,351.92	1,102.88	36,000.00	213.46	533.65	355.77
2.78	1014.74	9.55	1448	112	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,589.74	1,364.10	1,112.82	36,000.00	215.38	538.46	358.97
2.75	1005.20	9.54	1447	113	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,621.79	1,376.28	1,122.76	36,000.00	217.31	543.27	362.18
2.73	995.66	9.53	1446	114	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,653.85	1,388.46	1,132.69	36,000.00	219.23	548.08	365.38
2.70	986.12	9.52	1445	115	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,685.90	1,400.64	1,142.63	36,000.00	221.15	552.88	368.59
2.68	976.60	9.52	1444	116	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,717.95	1,412.82	1,152.56	36,000.00	223.08	557.69	371.79
2.65	967.08	9.51	1443	117	Shafts	7.56E+07	0.5	40.00	377,960.00	Weathered, karst, fractured dolomite	39,750.00	1,425.00	1,162.50	36,000.00	225.00		

2.42	881.77	9.44	1434	126	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.038.46	1.534.62	1.251.92	36.000.00	242.31	605.77	403.85
2.39	872.33	9.43	1433	127	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.070.51	1.546.79	1.261.86	36.000.00	244.23	610.58	407.05
2.36	862.90	9.43	1432	128	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.102.56	1.558.97	1.271.78	36.000.00	246.15	615.38	410.26
2.34	853.47	9.42	1431	129	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.134.62	1.571.15	1.281.73	36.000.00	248.08	620.19	413.46
2.31	844.05	9.41	1430	130	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.166.67	1.583.33	1.291.67	36.000.00	250.00	625.00	416.67
2.29	834.64	9.40	1429	131	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.198.72	1.595.51	1.301.61	36.000.00	251.92	629.81	419.87
2.26	825.24	9.40	1428	132	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.230.77	1.607.69	1.311.54	36.000.00	253.85	634.62	423.08
2.24	815.84	9.39	1427	133	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.262.82	1.619.87	1.321.47	36.000.00	255.77	639.42	426.28
2.21	806.45	9.38	1426	134	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.294.87	1.632.05	1.331.41	36.000.00	257.69	644.23	429.49
2.18	797.07	9.37	1425	135	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.326.92	1.644.23	1.341.35	36.000.00	259.62	649.04	432.69
2.13	778.33	9.36	1423	136	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.358.97	1.656.41	1.351.28	36.000.00	261.54	653.85	435.90
2.11	768.98	9.35	1422	137	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.391.03	1.668.59	1.361.22	36.000.00	263.46	658.65	439.10
2.08	759.63	9.34	1421	138	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.423.08	1.680.77	1.371.15	36.000.00	265.38	663.46	442.31
2.06	750.28	9.34	1420	139	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.455.13	1.692.95	1.381.09	36.000.00	267.31	668.27	445.51
2.03	740.95	9.33	1419	140	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.487.18	1.705.13	1.391.03	36.000.00	269.23	673.08	448.72
2.00	731.62	9.32	1418	141	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.519.23	1.717.31	1.401.96	36.000.00	271.15	677.88	451.92
1.98	722.29	9.31	1417	142	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.551.28	1.729.49	1.410.90	36.000.00	273.08	682.69	455.13
1.95	712.98	9.31	1416	143	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.583.33	1.741.67	1.420.83	36.000.00	275.00	687.50	458.33
1.93	703.67	9.30	1415	144	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.615.38	1.753.85	1.430.77	36.000.00	276.92	692.31	461.54
1.90	694.37	9.29	1414	145	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.647.44	1.766.03	1.440.71	36.000.00	278.85	697.12	464.74
1.88	685.08	9.28	1413	146	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.679.49	1.778.21	1.450.64	36.000.00	280.77	701.92	467.95
1.85	675.80	9.28	1412	147	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.711.54	1.790.38	1.460.58	36.000.00	282.69	706.73	471.15
1.83	666.52	9.27	1411	148	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.743.59	1.802.56	1.470.51	36.000.00	284.62	711.54	474.36
1.80	657.25	9.26	1410	149	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.775.64	1.814.74	1.480.45	36.000.00	286.54	716.35	477.56
1.78	647.99	9.26	1409	150	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.807.69	1.826.92	1.490.38	36.000.00	288.46	721.15	480.77
1.75	638.73	9.25	1408	151	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.839.74	1.839.10	1.500.32	36.000.00	290.38	725.96	483.97
1.72	629.48	9.24	1407	152	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.871.79	1.851.28	1.510.26	36.000.00	292.31	730.77	487.18
1.70	620.24	9.23	1406	153	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.903.85	1.863.46	1.520.19	36.000.00	294.23	735.58	490.38
1.67	611.01	9.23	1405	154	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.935.90	1.875.64	1.530.13	36.000.00	296.15	740.38	493.58
1.65	601.78	9.22	1404	155	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	40.967.95	1.887.82	1.540.06	36.000.00	298.08	745.19	496.79
1.62	592.56	9.21	1403	156	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	41.000.00	1.900.00	1.550.00	36.000.00	300.00	750.00	500.00
1.60	583.35	9.21	1402	157	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	41.032.05	1.912.18	1.559.94	36.000.00	301.92	754.81	503.21
1.57	574.14	9.20	1401	158	Shafts	7.56E+07	0.5	40.00	377.960.00	Weathered, karst, fractured dolomite	41.064.10	1.924.36	1.569.87	36.000.00	303.85	759.62	506.41
1.55	564.95	0.18	1400	160	Shafts	7.56E+07	0.01	40.00	377.960.00	Weathered, karst, fractured dolomite	41.096.15	1.936.54	1.579.81	36.000.00	305.77	764.42	509.62
1.55	564.76	0.18	1399	161	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.128.21	1.948.72	1.589.74	36.000.00	307.69	769.23	512.82
1.55	564.56	0.18	1398	162	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.160.26	1.960.90	1.599.68	36.000.00	309.62	774.04	516.03
1.55	564.39	0.18	1397	163	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.192.31	1.973.08	1.609.62	36.000.00	311.54	778.85	519.23
1.55	564.21	0.18	1396	164	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.224.36	1.985.26	1.619.55	36.000.00	313.46	783.65	522.44
1.55	564.03	0.18	1395	165	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.256.41	1.997.44	1.629.49	36.000.00	315.38	788.46	525.64
1.54	563.84	0.18	1394	166	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.288.46	2.009.62	1.639.42	36.000.00	317.31	793.27	528.85
1.54	563.66	0.18	1393	167	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.320.51	2.021.79	1.649.36	36.000.00	319.23	798.08	532.05
1.54	563.48	0.18	1392	168	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.352.56	2.033.97	1.659.29	36.000.00	321.15	802.88	535.26
1.54	563.30	0.18	1391	169	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.384.62	2.046.15	1.669.23	36.000.00	323.08	807.69	538.46
1.54	563.11	0.18	1390	170	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.416.67	2.058.33	1.679.17	36.000.00	325.00	812.50	541.67
1.54	562.93	0.18	1389	171	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.448.72	2.070.51	1.689.10	36.000.00	326.92	817.31	544.87
1.54	562.75	0.18	1388	172	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.480.77	2.082.69	1.699.04	36.000.00	328.85	822.12	548.08
1.54	562.57	0.18	1387	173	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.512.82	2.094.87	1.708.97	36.000.00	330.77	826.92	551.28
1.54	562.39	0.18	1386	174	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.544.87	2.107.05	1.718.91	36.000.00	332.69	831.73	554.49
1.54	562.20	0.18	1385	175	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.576.92	2.119.23	1.728.85	36.000.00	334.62	836.54	557.69
1.54	562.02	0.18	1384	176	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.608.97	2.131.41	1.738.78	36.000.00	336.54	841.35	560.90
1.54	561.84	0.18	1383	177	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.641.03	2.143.59	1.748.72	36.000.00	338.46	846.15	564.10
1.54	561.66	0.18	1382	178	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.673.08	2.155.77	1.758.65	36.000.00	340.38	850.96	567.31
1.54	561.48	0.18	1381	179	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.705.13	2.167.95	1.768.59	36.000.00	342.31	855.77	570.51
1.54	561.30	0.18	1380	180	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.737.18	2.180.13	1.778.53	36.000.00	344.23	860.58	573.72
1.54	561.12	0.18	1379	181	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.769.23	2.192.31	1.788.46	36.000.00	346.15	865.38	576.92
1.54	560.93	0.18	1378	182	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.801.28	2.204.49	1.798.40	36.000.00	348.08	870.19	580.13
1.54	560.75	0.18	1377	183	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.833.33	2.216.67	1.808.33	36.000.00	350.00	875.00	583.33
1.54	560.57	0.18	1376	184	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.865.38	2.228.85	1.818.27	36.000.00	351.92	879.81	586.54
1.54	560.39	0.18	1375	185	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.897.44	2.241.03	1.828.21	36.000.00	353.85	884.62	589.74
1.54	560.21	0.18	1374	186	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.929.49	2.253.21	1.838.14	36.000.00	355.77	889.42	592.95
1.53	560.03	0.18	1373	187	Shafts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	41.961.54	2.265.38	1.848.08	36.000.00	357.69	894.23</	

1.53	558.60	0.18	1365	195	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,250.00	2,375.00	1,937.50	36,000.00	375.00	937.50	625.00
1.53	558.42	0.18	1364	196	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,282.05	2,387.18	1,947.44	36,000.00	376.92	942.31	628.21
1.53	558.24	0.18	1363	197	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,314.10	2,399.36	1,957.37	36,000.00	378.85	947.12	631.41
1.53	558.06	0.18	1362	198	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,346.15	2,411.54	1,967.31	36,000.00	380.77	951.92	634.62
1.53	557.88	0.18	1361	199	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,378.21	2,423.72	1,977.24	36,000.00	382.69	956.73	637.82
1.53	557.70	0.18	1360	200	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,410.26	2,435.90	1,987.18	36,000.00	384.62	961.54	641.03
1.53	557.52	0.18	1359	201	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,442.31	2,448.08	1,997.12	36,000.00	386.54	966.35	644.23
1.53	557.35	0.18	1358	202	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,474.36	2,460.26	2,007.05	36,000.00	388.46	971.15	647.44
1.53	557.17	0.18	1357	203	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,506.41	2,472.44	2,016.99	36,000.00	390.38	975.96	650.64
1.53	556.99	0.18	1356	204	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,538.46	2,484.62	2,026.92	36,000.00	392.31	980.77	653.85
1.53	556.81	0.18	1355	205	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,570.51	2,496.79	2,036.86	36,000.00	394.23	985.58	657.05
1.53	556.63	0.18	1354	206	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,602.56	2,508.97	2,046.79	36,000.00	396.15	990.38	660.26
1.52	556.46	0.18	1353	207	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,634.62	2,521.15	2,056.73	36,000.00	398.08	995.19	663.46
1.52	556.28	0.18	1352	208	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,666.67	2,533.33	2,066.67	36,000.00	400.00	1,000.00	666.67
1.52	556.10	0.18	1351	209	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,698.72	2,545.51	2,076.60	36,000.00	401.92	1,004.81	669.87
1.52	555.93	0.18	1350	210	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,730.77	2,557.69	2,086.54	36,000.00	403.85	1,009.62	673.08
1.52	555.75	0.18	1349	211	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,762.82	2,569.87	2,096.47	36,000.00	405.77	1,014.42	676.28
1.52	555.57	0.18	1348	212	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,794.87	2,582.05	2,106.41	36,000.00	407.69	1,019.23	679.49
1.52	555.40	0.18	1347	213	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,826.92	2,594.23	2,116.35	36,000.00	409.62	1,024.04	682.69
1.52	555.22	0.18	1346	214	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,858.97	2,606.41	2,126.28	36,000.00	411.54	1,028.85	685.90
1.52	555.04	0.18	1345	215	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,891.03	2,618.59	2,136.22	36,000.00	413.46	1,033.65	689.10
1.52	554.87	0.18	1344	216	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,923.08	2,630.77	2,146.15	36,000.00	415.38	1,038.46	692.31
1.52	554.69	0.18	1343	217	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,955.13	2,642.95	2,156.09	36,000.00	417.31	1,043.27	695.51
1.52	554.51	0.18	1342	218	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	42,987.18	2,655.13	2,166.03	36,000.00	419.23	1,048.08	698.72
1.52	554.34	0.18	1341	219	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,019.23	2,667.31	2,175.96	36,000.00	421.15	1,052.88	701.92
1.52	554.16	0.18	1340	220	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,051.28	2,679.49	2,185.90	36,000.00	423.08	1,057.69	705.13
1.52	553.99	0.18	1339	221	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,083.33	2,691.67	2,195.83	36,000.00	425.00	1,062.50	708.33
1.52	553.81	0.18	1338	222	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,115.38	2,703.85	2,205.77	36,000.00	426.92	1,067.31	711.54
1.52	553.64	0.18	1337	223	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,147.44	2,716.03	2,215.71	36,000.00	428.85	1,072.12	714.74
1.52	553.46	0.18	1336	224	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,179.49	2,728.21	2,225.64	36,000.00	430.77	1,076.92	717.95
1.52	553.29	0.17	1335	225	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,211.54	2,740.38	2,235.58	36,000.00	432.69	1,081.73	721.15
1.52	553.11	0.17	1334	226	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,243.59	2,752.56	2,245.51	36,000.00	434.62	1,086.54	724.36
1.51	552.94	0.17	1333	227	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,275.64	2,764.74	2,255.45	36,000.00	436.54	1,091.35	727.56
1.51	552.76	0.17	1332	228	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,307.69	2,776.92	2,265.38	36,000.00	438.46	1,096.15	730.77
1.51	552.59	0.17	1331	229	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,339.74	2,789.10	2,275.32	36,000.00	440.38	1,100.96	733.97
1.51	552.41	0.17	1330	230	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,371.79	2,801.28	2,285.26	36,000.00	442.31	1,105.77	737.18
1.51	552.24	0.17	1329	231	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,403.85	2,813.46	2,295.19	36,000.00	444.23	1,110.58	740.38
1.51	552.06	0.17	1328	232	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,435.90	2,825.64	2,305.13	36,000.00	446.15	1,115.38	743.59
1.51	551.89	0.17	1327	233	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,467.95	2,837.82	2,315.06	36,000.00	448.08	1,120.19	746.79
1.51	551.72	0.17	1326	234	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,500.00	2,850.00	2,325.00	36,000.00	450.00	1,125.00	750.00
1.51	551.54	0.17	1325	235	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,532.05	2,862.18	2,334.94	36,000.00	451.92	1,129.81	753.21
1.51	551.37	0.17	1324	236	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,564.10	2,874.36	2,344.87	36,000.00	453.85	1,134.62	756.41
1.51	551.19	0.17	1323	237	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,596.15	2,886.54	2,354.81	36,000.00	455.77	1,139.42	759.62
1.51	551.02	0.17	1322	238	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,628.21	2,898.72	2,364.74	36,000.00	457.69	1,144.23	762.82
1.51	550.85	0.17	1321	239	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,660.26	2,910.90	2,374.68	36,000.00	459.62	1,149.04	766.03
1.51	550.68	0.17	1320	240	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,692.31	2,923.08	2,384.62	36,000.00	461.54	1,153.85	769.23
1.51	550.50	0.17	1319	241	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,724.36	2,935.26	2,394.55	36,000.00	463.46	1,158.65	772.44
1.51	550.33	0.17	1318	242	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,756.41	2,947.44	2,404.49	36,000.00	465.38	1,163.46	775.64
1.51	550.16	0.17	1317	243	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,788.46	2,959.62	2,414.42	36,000.00	467.31	1,168.27	778.85
1.51	549.98	0.17	1316	244	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,820.51	2,971.79	2,424.36	36,000.00	469.23	1,173.08	782.05
1.51	549.81	0.17	1315	245	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,852.56	2,983.97	2,434.29	36,000.00	471.15	1,177.88	785.26
1.51	549.64	0.17	1314	246	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,884.62	2,996.15	2,444.23	36,000.00	473.08	1,182.69	788.46
1.51	549.47	0.17	1313	247	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,916.67	3,008.33	2,454.17	36,000.00	475.00	1,187.50	791.67
1.50	549.29	0.17	1312	248	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,948.72	3,020.51	2,464.10	36,000.00	476.92	1,192.31	794.87
1.50	549.12	0.17	1311	249	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	43,980.77	3,032.69	2,474.04	36,000.00	478.85	1,197.12	798.08
1.50	548.95	0.17	1310	250	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,012.82	3,044.87	2,483.97	36,000.00	480.77	1,201.92	801.28
1.50	548.78	0.17	1309	251	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,044.87	3,057.05	2,493.91	36,000.00	482.69	1,206.73	804.49
1.50	548.61	0.17	1308	252	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,076.92	3,069.23	2,503.85	36,000.00	484.62	1,211.54	807.69
1.50	548.44	0.17	1307	253	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,108.97	3,081.41	2,513.78	36,000.00	486.54	1,216.35	810.90
1.50	548.26	0.17	1306	254	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,141.03	3,093.59	2,523.72	36,000.00	488.46	1,221.15	814.10
1.50	548.09	0.17	1305	255	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,173.08	3,105.77	2,533.65	36,000.00	490.38	1,225.96	817.31
1.50	547.92	0.17	1304	256	Shafts	7											

1.50	546.56	0.17	1296	264	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,461.54	3,215.38	2,623.08	36,000.00	507.69	1,269.23	846.15
1.50	546.39	0.17	1295	265	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,493.59	3,227.56	2,633.01	36,000.00	509.62	1,274.04	849.36
1.50	546.22	0.17	1294	266	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,525.64	3,239.74	2,642.95	36,000.00	511.54	1,278.85	852.56
1.50	546.05	0.17	1293	267	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,557.69	3,251.92	2,652.88	36,000.00	513.46	1,283.65	855.77
1.50	545.88	0.17	1292	268	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,589.74	3,264.10	2,662.82	36,000.00	515.38	1,288.46	858.97
1.50	545.71	0.17	1291	269	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,621.79	3,276.28	2,672.76	36,000.00	517.31	1,293.27	862.18
1.49	545.54	0.17	1290	270	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,653.85	3,288.46	2,682.69	36,000.00	519.23	1,298.08	865.38
1.49	545.37	0.17	1289	271	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,685.90	3,300.64	2,692.63	36,000.00	521.15	1,302.88	868.59
1.49	545.20	0.17	1288	272	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,717.95	3,312.82	2,702.56	36,000.00	523.08	1,307.69	871.79
1.49	545.03	0.17	1287	273	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,750.00	3,325.00	2,712.50	36,000.00	525.00	1,312.50	875.00
1.49	544.86	0.17	1286	274	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,782.05	3,337.18	2,722.44	36,000.00	526.92	1,317.31	878.21
1.49	544.69	0.17	1285	275	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,814.10	3,349.36	2,732.37	36,000.00	528.85	1,322.12	881.41
1.49	544.52	0.17	1284	276	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,846.15	3,361.54	2,742.31	36,000.00	530.77	1,326.92	884.62
1.49	544.36	0.17	1283	277	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,878.21	3,373.72	2,752.24	36,000.00	532.69	1,331.73	887.82
1.49	544.19	0.17	1282	278	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,910.26	3,385.90	2,762.18	36,000.00	534.62	1,336.54	891.03
1.49	544.02	0.17	1281	279	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,942.31	3,398.08	2,772.12	36,000.00	536.54	1,341.35	894.23
1.49	543.85	0.17	1280	280	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	44,974.36	3,410.26	2,782.05	36,000.00	538.46	1,346.15	897.44
1.49	543.68	0.17	1279	281	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,006.41	3,422.44	2,791.99	36,000.00	540.38	1,350.96	900.64
1.49	543.52	0.17	1278	282	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,038.46	3,434.62	2,801.92	36,000.00	542.31	1,355.77	903.85
1.49	543.35	0.17	1277	283	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,070.51	3,446.79	2,811.86	36,000.00	544.23	1,360.58	907.05
1.49	543.18	0.17	1276	284	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,102.56	3,458.97	2,821.79	36,000.00	546.15	1,365.38	910.26
1.49	543.01	0.17	1275	285	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,134.62	3,471.15	2,831.73	36,000.00	548.08	1,370.19	913.46
1.49	542.84	0.17	1274	286	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,166.67	3,483.33	2,841.67	36,000.00	550.00	1,375.00	916.67
1.49	542.68	0.17	1273	287	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,198.72	3,495.51	2,851.60	36,000.00	551.92	1,379.81	919.87
1.49	542.51	0.17	1272	288	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,230.77	3,507.69	2,861.54	36,000.00	553.85	1,384.62	923.08
1.49	542.34	0.17	1271	289	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,262.82	3,519.87	2,871.47	36,000.00	555.77	1,389.42	926.28
1.49	542.18	0.17	1270	290	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,294.87	3,532.05	2,881.41	36,000.00	557.69	1,394.23	929.49
1.48	542.01	0.17	1269	291	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,326.92	3,544.23	2,891.35	36,000.00	559.62	1,399.04	932.69
1.48	541.84	0.17	1268	292	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,358.97	3,556.41	2,901.28	36,000.00	561.54	1,403.85	935.90
1.48	541.68	0.17	1267	293	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,391.03	3,568.59	2,911.22	36,000.00	563.46	1,408.65	939.10
1.48	541.51	0.17	1266	294	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,423.08	3,580.77	2,921.15	36,000.00	565.38	1,413.46	942.31
1.48	541.34	0.17	1265	295	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,455.13	3,592.95	2,931.09	36,000.00	567.31	1,418.27	945.51
1.48	541.18	0.17	1264	296	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,487.18	3,605.13	2,941.03	36,000.00	569.23	1,423.08	948.72
1.48	541.01	0.17	1263	297	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,519.23	3,617.31	2,950.96	36,000.00	571.15	1,427.88	951.92
1.48	540.84	0.17	1262	298	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,551.28	3,629.49	2,960.90	36,000.00	573.08	1,432.69	955.13
1.48	540.68	0.17	1261	299	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,583.33	3,641.67	2,970.83	36,000.00	575.00	1,437.50	958.33
1.48	540.51	0.17	1260	300	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,615.38	3,653.85	2,980.77	36,000.00	576.92	1,442.31	961.54
1.48	540.35	0.17	1259	301	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,647.44	3,666.03	2,990.71	36,000.00	578.85	1,447.12	964.74
1.48	540.18	0.17	1258	302	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,679.49	3,678.21	3,000.64	36,000.00	580.77	1,451.92	967.95
1.48	540.01	0.17	1257	303	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,711.54	3,690.38	3,010.58	36,000.00	582.69	1,456.73	971.15
1.48	539.85	0.17	1256	304	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,743.59	3,702.56	3,020.51	36,000.00	584.62	1,461.54	974.36
1.48	539.68	0.17	1255	305	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,775.64	3,714.74	3,030.45	36,000.00	586.54	1,466.35	977.56
1.48	539.52	0.17	1254	306	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,807.69	3,726.92	3,040.38	36,000.00	588.46	1,471.15	980.77
1.48	539.35	0.16	1253	307	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,839.74	3,739.10	3,050.32	36,000.00	590.38	1,475.96	983.97
1.48	539.19	0.16	1252	308	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,871.79	3,751.28	3,060.26	36,000.00	592.31	1,480.77	987.18
1.48	539.02	0.16	1251	309	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,903.85	3,763.46	3,070.19	36,000.00	594.23	1,485.58	990.38
1.48	538.86	0.16	1250	310	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,935.90	3,775.64	3,080.13	36,000.00	596.15	1,490.38	993.59
1.48	538.70	0.16	1249	311	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	45,967.95	3,787.82	3,090.06	36,000.00	598.08	1,495.19	996.79
1.48	538.53	0.16	1248	312	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,000.00	3,800.00	3,100.00	36,000.00	600.00	1,500.00	1,000.00
1.47	538.37	0.16	1247	313	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,032.05	3,812.18	3,109.94	36,000.00	601.92	1,504.81	1,003.21
1.47	538.20	0.16	1246	314	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,064.10	3,824.36	3,119.87	36,000.00	603.85	1,509.62	1,006.41
1.47	538.04	0.16	1245	315	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,096.15	3,836.54	3,129.81	36,000.00	605.77	1,514.42	1,009.62
1.47	537.87	0.16	1244	316	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,128.21	3,848.72	3,139.74	36,000.00	607.69	1,519.23	1,012.82
1.47	537.71	0.16	1243	317	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,160.26	3,860.90	3,149.68	36,000.00	609.62	1,524.04	1,016.03
1.47	537.55	0.16	1242	318	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,192.31	3,873.08	3,159.62	36,000.00	611.54	1,528.85	1,019.23
1.47	537.38	0.16	1241	319	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,224.36	3,885.26	3,169.55	36,000.00	613.46	1,533.65	1,022.44
1.47	537.22	0.16	1240	320	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,256.41	3,897.44	3,179.49	36,000.00	615.38	1,538.46	1,025.64
1.47	537.06	0.16	1239	321	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,288.46	3,909.62	3,189.42	36,000.00	617.31	1,543.27	1,028.85
1.47	536.89	0.16	1238	322	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,320.51	3,921.79	3,199.36	36,000.00	619.23	1,548.08	1,032.05
1.47	536.73	0.16	1237	323	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,352.56	3,933.97	3,209.29	36,000.00	621.15	1,552.88	1,035.26
1.47	536.57	0.16	1236	324	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,384.62	3,946.15	3,219.23	36,000.00	623.08	1,557.69	1,038.46
1.																	

1.47	535.10	0.16	1227	333	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,673.08	4,055.77	3,308.65	36,000.00	640.38	1,800.96	1,067.31
1.47	534.94	0.16	1226	334	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,705.13	4,067.95	3,318.59	36,000.00	642.31	1,805.77	1,070.51
1.47	534.78	0.16	1225	335	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,737.18	4,080.13	3,328.53	36,000.00	644.23	1,810.58	1,073.72
1.46	534.62	0.16	1224	336	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,769.23	4,092.31	3,338.46	36,000.00	646.15	1,815.38	1,076.92
1.46	534.46	0.16	1223	337	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,801.28	4,104.49	3,348.40	36,000.00	648.08	1,820.19	1,080.13
1.46	534.29	0.16	1222	338	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,833.33	4,116.67	3,358.33	36,000.00	650.00	1,825.00	1,083.33
1.46	534.13	0.16	1221	339	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,865.38	4,128.85	3,368.27	36,000.00	651.92	1,829.81	1,086.54
1.46	533.97	0.16	1220	340	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,897.44	4,141.03	3,378.21	36,000.00	653.85	1,834.62	1,089.74
1.46	533.81	0.16	1219	341	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,929.49	4,153.21	3,388.14	36,000.00	655.77	1,839.42	1,092.95
1.46	533.65	0.16	1218	342	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,961.54	4,165.38	3,398.08	36,000.00	657.69	1,844.23	1,096.15
1.46	533.49	0.16	1217	343	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	46,993.59	4,177.56	3,408.01	36,000.00	659.62	1,849.04	1,099.36
1.46	533.33	0.16	1216	344	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,025.64	4,189.74	3,417.95	36,000.00	661.54	1,853.85	1,102.56
1.46	533.17	0.16	1215	345	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,057.69	4,201.92	3,427.88	36,000.00	663.46	1,858.65	1,105.77
1.46	533.01	0.16	1214	346	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,089.74	4,214.10	3,437.82	36,000.00	665.38	1,863.46	1,108.97
1.46	532.85	0.16	1213	347	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,121.79	4,226.28	3,447.76	36,000.00	667.31	1,868.27	1,112.18
1.46	532.69	0.16	1212	348	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,153.85	4,238.46	3,457.69	36,000.00	669.23	1,873.08	1,115.38
1.46	532.52	0.16	1211	349	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,185.90	4,250.64	3,467.63	36,000.00	671.15	1,877.88	1,118.59
1.46	532.36	0.16	1210	350	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,217.95	4,262.82	3,477.56	36,000.00	673.08	1,882.69	1,121.79
1.46	532.20	0.16	1209	351	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,250.00	4,275.00	3,487.50	36,000.00	675.00	1,887.50	1,125.00
1.46	532.04	0.16	1208	352	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,282.05	4,287.18	3,497.44	36,000.00	676.92	1,892.31	1,128.21
1.46	531.88	0.16	1207	353	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,314.10	4,299.36	3,507.37	36,000.00	678.85	1,897.12	1,131.41
1.46	531.72	0.16	1206	354	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,346.15	4,311.54	3,517.31	36,000.00	680.77	1,901.92	1,134.62
1.46	531.57	0.16	1205	355	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,378.21	4,323.72	3,527.24	36,000.00	682.69	1,906.73	1,137.82
1.46	531.41	0.16	1204	356	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,410.26	4,335.90	3,537.18	36,000.00	684.62	1,911.54	1,141.03
1.46	531.25	0.16	1203	357	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,442.31	4,348.08	3,547.12	36,000.00	686.54	1,916.35	1,144.23
1.46	531.09	0.16	1202	358	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,474.36	4,360.26	3,557.05	36,000.00	688.46	1,921.15	1,147.44
1.45	530.93	0.16	1201	359	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,506.41	4,372.44	3,566.99	36,000.00	690.38	1,925.96	1,150.64
1.45	530.77	0.16	1200	360	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,538.46	4,384.62	3,576.92	36,000.00	692.31	1,930.77	1,153.85
1.45	530.61	0.16	1199	361	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,570.51	4,396.79	3,586.86	36,000.00	694.23	1,935.58	1,157.05
1.45	530.45	0.16	1198	362	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,602.56	4,408.97	3,596.79	36,000.00	696.15	1,940.38	1,160.26
1.45	530.29	0.16	1197	363	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,634.62	4,421.15	3,606.73	36,000.00	698.08	1,945.19	1,163.46
1.45	530.13	0.16	1196	364	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,666.67	4,433.33	3,616.67	36,000.00	700.00	1,950.00	1,166.67
1.45	529.97	0.16	1195	365	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,698.72	4,445.51	3,626.60	36,000.00	701.92	1,954.81	1,169.87
1.45	529.82	0.16	1194	366	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,730.77	4,457.69	3,636.54	36,000.00	703.85	1,959.62	1,173.08
1.45	529.66	0.16	1193	367	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,762.82	4,469.87	3,646.47	36,000.00	705.77	1,964.42	1,176.28
1.45	529.50	0.16	1192	368	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,794.87	4,482.05	3,656.41	36,000.00	707.69	1,969.23	1,179.49
1.45	529.34	0.16	1191	369	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,826.92	4,494.23	3,666.35	36,000.00	709.62	1,974.04	1,182.69
1.45	529.18	0.16	1190	370	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,858.97	4,506.41	3,676.28	36,000.00	711.54	1,978.85	1,185.90
1.45	529.02	0.16	1189	371	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,891.03	4,518.59	3,686.22	36,000.00	713.46	1,983.65	1,189.10
1.45	528.87	0.16	1188	372	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,923.08	4,530.77	3,696.15	36,000.00	715.38	1,988.46	1,192.31
1.45	528.71	0.16	1187	373	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,955.13	4,542.95	3,706.09	36,000.00	717.31	1,993.27	1,195.51
1.45	528.55	0.16	1186	374	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	47,987.18	4,555.13	3,716.03	36,000.00	719.23	1,998.08	1,198.72
1.45	528.39	0.16	1185	375	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,019.23	4,567.31	3,725.96	36,000.00	721.15	1,802.88	1,201.92
1.45	528.24	0.16	1184	376	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,051.28	4,579.49	3,735.90	36,000.00	723.08	1,807.69	1,205.13
1.45	528.08	0.16	1183	377	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,083.33	4,591.67	3,745.83	36,000.00	725.00	1,812.50	1,208.33
1.45	527.92	0.16	1182	378	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,115.38	4,603.85	3,755.77	36,000.00	726.92	1,817.31	1,211.54
1.45	527.76	0.16	1181	379	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,147.44	4,616.03	3,765.71	36,000.00	728.85	1,822.12	1,214.74
1.45	527.61	0.16	1180	380	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,179.49	4,628.21	3,775.64	36,000.00	730.77	1,826.92	1,217.95
1.45	527.45	0.16	1179	381	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,211.54	4,640.38	3,785.58	36,000.00	732.69	1,831.73	1,221.15
1.44	527.29	0.16	1178	382	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,243.59	4,652.56	3,795.51	36,000.00	734.62	1,836.54	1,224.36
1.44	527.14	0.16	1177	383	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,275.64	4,664.74	3,805.45	36,000.00	736.54	1,841.35	1,227.56
1.44	526.98	0.16	1176	384	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,307.69	4,676.92	3,815.38	36,000.00	738.46	1,846.15	1,230.77
1.44	526.82	0.16	1175	385	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,339.74	4,689.10	3,825.32	36,000.00	740.38	1,850.96	1,233.97
1.44	526.67	0.16	1174	386	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,371.79	4,701.28	3,835.25	36,000.00	742.31	1,855.77	1,237.18
1.44	526.51	0.16	1173	387	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,403.85	4,713.46	3,845.19	36,000.00	744.23	1,860.58	1,240.38
1.44	526.36	0.16	1172	388	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,435.90	4,725.64	3,855.13	36,000.00	746.15	1,865.38	1,243.59
1.44	526.20	0.16	1171	389	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,467.95	4,737.82	3,865.06	36,000.00	748.08	1,870.19	1,246.79
1.44	526.04	0.16	1170	390	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,500.00	4,750.00	3,875.00	36,000.00	750.00	1,875.00	1,250.00
1.44	525.89	0.16	1169	391	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,532.05	4,762.18	3,884.94	36,000.00	751.92	1,879.81	1,253.21
1.44	525.73	0.16	1168	392	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48,564.10	4,774.36	3,894.87	36,000.00	753.85	1,884.62	1,256.41
1.44	525.58	0.16	1167	393	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	48						

144	524.18	0.15	1158	402	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.884.62	4.896.15	3.994.23	36.000.00	773.08	1.932.68	1.288.46
144	524.03	0.15	1157	403	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.916.67	4.920.33	4.004.17	36.000.00	775.92	1.937.50	1.291.67
144	523.87	0.15	1156	404	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.948.72	4.938.51	4.014.10	36.000.00	776.50	1.942.31	1.294.87
143	523.72	0.15	1155	405	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.980.77	4.932.69	4.024.04	36.000.00	778.85	1.947.12	1.298.08
143	523.56	0.15	1154	406	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.012.82	4.944.87	4.033.97	36.000.00	780.77	1.951.92	1.301.28
143	523.41	0.15	1153	407	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.044.87	4.957.05	4.043.91	36.000.00	782.69	1.956.73	1.304.49
143	523.25	0.15	1152	408	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.076.92	4.969.23	4.053.85	36.000.00	784.62	1.961.54	1.307.69
143	523.10	0.15	1151	409	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.108.97	4.981.41	4.063.78	36.000.00	786.54	1.966.35	1.310.90
143	522.95	0.15	1150	410	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.141.03	4.993.59	4.073.72	36.000.00	788.46	1.971.15	1.314.10
143	522.79	0.15	1149	411	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.173.08	5.005.77	4.083.66	36.000.00	790.38	1.975.96	1.317.31
143	522.64	0.15	1148	412	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.205.13	5.017.95	4.093.59	36.000.00	792.30	1.980.77	1.320.51
143	522.48	0.15	1147	413	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.237.18	5.030.13	4.103.53	36.000.00	794.22	1.985.58	1.323.72
143	522.33	0.15	1146	414	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.269.23	5.042.31	4.113.46	36.000.00	796.15	1.989.58	1.326.92
143	522.18	0.15	1145	415	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.301.28	5.054.49	4.123.40	36.000.00	798.08	1.994.39	1.330.13
143	522.02	0.15	1144	416	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.333.33	5.066.67	4.133.33	36.000.00	800.00	2.000.00	1.333.33
143	521.87	0.15	1143	417	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.365.38	5.078.85	4.143.27	36.000.00	801.92	2.004.81	1.336.54
143	521.72	0.15	1142	418	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.397.44	5.091.03	4.153.21	36.000.00	803.85	2.009.62	1.339.74
143	521.56	0.15	1141	419	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.429.49	5.103.21	4.163.14	36.000.00	805.77	2.014.42	1.342.95
143	521.41	0.15	1140	420	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.461.54	5.115.38	4.173.08	36.000.00	807.69	2.019.23	1.346.15
143	521.26	0.15	1139	421	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.493.59	5.127.56	4.183.01	36.000.00	809.62	2.024.04	1.349.36
143	521.11	0.15	1138	422	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.525.64	5.139.74	4.192.95	36.000.00	811.54	2.028.85	1.352.56
143	520.96	0.15	1137	423	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.557.69	5.151.92	4.202.88	36.000.00	813.46	2.033.66	1.355.77
143	520.80	0.15	1136	424	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.589.74	5.164.10	4.212.82	36.000.00	815.38	2.038.46	1.358.97
143	520.65	0.15	1135	425	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.621.79	5.176.28	4.222.76	36.000.00	817.31	2.043.27	1.362.18
143	520.50	0.15	1134	426	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.653.85	5.188.46	4.232.69	36.000.00	819.23	2.048.08	1.365.38
143	520.34	0.15	1133	427	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.685.90	5.200.64	4.242.63	36.000.00	821.15	2.052.89	1.368.59
142	520.19	0.15	1132	428	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.717.95	5.212.82	4.252.56	36.000.00	823.08	2.057.69	1.371.79
142	520.04	0.15	1131	429	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.750.00	5.225.00	4.262.50	36.000.00	825.00	2.062.50	1.375.00
142	519.89	0.15	1130	430	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.782.05	5.237.18	4.272.44	36.000.00	826.92	2.067.31	1.378.21
142	519.74	0.15	1129	431	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.814.10	5.249.36	4.282.37	36.000.00	828.85	2.072.12	1.381.41
142	519.58	0.15	1128	432	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.846.15	5.261.54	4.292.31	36.000.00	830.77	2.076.92	1.384.62
142	519.43	0.15	1127	433	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.878.21	5.273.72	4.302.24	36.000.00	832.69	2.081.73	1.387.82
142	519.28	0.15	1126	434	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.910.26	5.285.90	4.312.18	36.000.00	834.62	2.086.54	1.391.03
142	519.13	0.15	1125	435	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.942.31	5.298.08	4.322.12	36.000.00	836.54	2.091.35	1.394.23
142	518.98	0.15	1124	436	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	48.974.36	5.310.26	4.332.05	36.000.00	838.46	2.096.15	1.397.44
142	518.83	0.15	1123	437	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.006.41	5.322.44	4.341.99	36.000.00	840.38	2.100.96	1.400.64
142	518.68	0.15	1122	438	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.038.46	5.334.62	4.351.92	36.000.00	842.31	2.105.77	1.403.85
142	518.52	0.15	1121	439	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.070.51	5.346.79	4.361.86	36.000.00	844.23	2.110.58	1.407.05
142	518.37	0.15	1120	440	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.102.56	5.358.97	4.371.79	36.000.00	846.15	2.115.39	1.410.26
142	518.22	0.15	1119	441	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.134.62	5.371.15	4.381.73	36.000.00	848.08	2.120.19	1.413.46
142	518.07	0.15	1118	442	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.166.67	5.383.33	4.391.67	36.000.00	850.00	2.125.00	1.416.67
142	517.92	0.15	1117	443	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.198.72	5.395.51	4.401.60	36.000.00	851.92	2.129.81	1.419.87
142	517.77	0.15	1116	444	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.230.77	5.407.69	4.411.54	36.000.00	853.85	2.134.62	1.423.08
142	517.62	0.15	1115	445	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.262.82	5.419.87	4.421.47	36.000.00	855.77	2.139.42	1.426.28
142	517.47	0.15	1114	446	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.294.87	5.432.05	4.431.41	36.000.00	857.69	2.144.23	1.429.49
142	517.32	0.15	1113	447	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.326.92	5.444.23	4.441.35	36.000.00	859.62	2.149.04	1.432.69
142	517.17	0.15	1112	448	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.358.97	5.456.41	4.451.28	36.000.00	861.54	2.153.85	1.435.90
142	517.02	0.15	1111	449	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.391.03	5.468.59	4.461.22	36.000.00	863.46	2.158.65	1.439.10
142	516.87	0.15	1110	450	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.423.08	5.480.77	4.471.15	36.000.00	865.38	2.163.46	1.442.31
142	516.72	0.15	1109	451	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.455.13	5.492.95	4.481.09	36.000.00	867.31	2.168.27	1.445.51
142	516.57	0.15	1108	452	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.487.18	5.505.13	4.491.03	36.000.00	869.23	2.173.08	1.448.72
141	516.42	0.15	1107	453	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.519.23	5.517.31	4.500.96	36.000.00	871.15	2.177.88	1.451.92
141	516.27	0.15	1106	454	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.551.28	5.529.49	4.510.90	36.000.00	873.08	2.182.69	1.455.13
141	516.12	0.15	1105	455	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.583.33	5.541.67	4.520.83	36.000.00	875.00	2.187.50	1.458.33
141	515.97	0.15	1104	456	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.615.38	5.553.85	4.530.77	36.000.00	876.92	2.192.31	1.461.54
141	515.82	0.15	1103	457	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.647.44	5.566.03	4.540.71	36.000.00	878.85	2.197.12	1.464.74
141	515.67	0.15	1102	458	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.679.49	5.578.21	4.550.64	36.000.00	880.77	2.201.92	1.467.95
141	515.52	0.15	1101	459	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.711.54	5.590.38	4.560.58	36.000.00	882.69	2.206.73	1.471.15
141	515.37	0.15	1100	460	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.743.59	5.602.56	4.570.51	36.000.00	884.62	2.211.54	1.474.36
141	515.22	0.15	1099	461	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.775.64	5.614.74	4.580.45	36.000.00	886.54	2.216.35	1.477.56
141	515.08	0.15	1098	462	Shirts	7.56E+07	0.01	40.00	7.520.00	Fractured dolomite	50.807.69	5.626.92	4.590.38	36.000.00	888.46	2.221.15	1.480.77
141	514.93	0.15	10														

1.41	513.74	0.15	1089	471	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,096.15	5,736.54	4,679.81	36,000.00	905.77	2,264.42	1,509.62
1.41	513.59	0.15	1088	472	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,128.21	5,748.72	4,689.74	36,000.00	907.69	2,269.23	1,512.82
1.41	513.44	0.15	1087	473	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,160.26	5,760.90	4,699.68	36,000.00	909.62	2,274.04	1,516.03
1.41	513.30	0.15	1086	474	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,192.31	5,773.08	4,709.62	36,000.00	911.54	2,278.85	1,519.23
1.41	513.15	0.15	1085	475	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,224.36	5,785.26	4,719.55	36,000.00	913.46	2,283.65	1,522.44
1.41	513.00	0.15	1084	476	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,256.41	5,797.44	4,729.49	36,000.00	915.38	2,288.46	1,525.64
1.41	512.85	0.15	1083	477	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,288.46	5,809.62	4,739.42	36,000.00	917.31	2,293.27	1,528.85
1.40	512.71	0.15	1082	478	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,320.51	5,821.79	4,749.36	36,000.00	919.23	2,298.08	1,532.05
1.40	512.56	0.15	1081	479	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,352.56	5,833.97	4,759.29	36,000.00	921.15	2,302.88	1,535.26
1.40	512.41	0.15	1080	480	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,384.62	5,846.15	4,769.23	36,000.00	923.08	2,307.69	1,538.46
1.40	512.26	0.15	1079	481	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,416.67	5,858.33	4,779.17	36,000.00	925.00	2,312.50	1,541.67
1.40	512.12	0.15	1078	482	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,448.72	5,870.51	4,789.10	36,000.00	926.92	2,317.31	1,544.87
1.40	511.97	0.15	1077	483	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,480.77	5,882.69	4,799.04	36,000.00	928.85	2,322.12	1,548.08
1.40	511.82	0.15	1076	484	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,512.82	5,894.87	4,808.97	36,000.00	930.77	2,326.92	1,551.28
1.40	511.68	0.15	1075	485	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,544.87	5,907.05	4,818.91	36,000.00	932.69	2,331.73	1,554.49
1.40	511.53	0.15	1074	486	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,576.92	5,919.23	4,828.85	36,000.00	934.62	2,336.54	1,557.69
1.40	511.38	0.15	1073	487	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,608.97	5,931.41	4,838.78	36,000.00	936.54	2,341.35	1,560.90
1.40	511.24	0.15	1072	488	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,641.03	5,943.59	4,848.72	36,000.00	938.46	2,346.15	1,564.10
1.40	511.09	0.15	1071	489	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,673.08	5,955.77	4,858.65	36,000.00	940.38	2,350.96	1,567.31
1.40	510.94	0.15	1070	490	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,705.13	5,967.95	4,868.59	36,000.00	942.31	2,355.77	1,570.51
1.40	510.80	0.15	1069	491	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,737.18	5,980.13	4,878.53	36,000.00	944.23	2,360.58	1,573.72
1.40	510.65	0.15	1068	492	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,769.23	5,992.31	4,888.46	36,000.00	946.15	2,365.38	1,576.92
1.40	510.51	0.15	1067	493	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,801.28	6,004.49	4,898.40	36,000.00	948.08	2,370.19	1,580.13
1.40	510.36	0.15	1066	494	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,833.33	6,016.67	4,908.33	36,000.00	950.00	2,375.00	1,583.33
1.40	510.21	0.15	1065	495	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,865.38	6,028.85	4,918.27	36,000.00	951.92	2,379.81	1,586.54
1.40	510.07	0.15	1064	496	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,897.44	6,041.03	4,928.21	36,000.00	953.85	2,384.62	1,589.74
1.40	509.92	0.15	1063	497	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,929.49	6,053.21	4,938.14	36,000.00	955.77	2,389.42	1,592.95
1.40	509.78	0.15	1062	498	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,961.54	6,065.38	4,948.08	36,000.00	957.69	2,394.23	1,596.15
1.40	509.63	0.15	1061	499	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	51,993.59	6,077.56	4,958.01	36,000.00	959.62	2,399.04	1,599.36
1.40	509.49	0.15	1060	500	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,025.64	6,089.74	4,967.95	36,000.00	961.54	2,403.85	1,602.56
1.40	509.34	0.15	1059	501	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,057.69	6,101.92	4,977.88	36,000.00	963.46	2,408.65	1,605.77
1.40	509.20	0.15	1058	502	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,089.74	6,114.10	4,987.82	36,000.00	965.38	2,413.46	1,608.97
1.39	509.05	0.15	1057	503	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,121.79	6,126.28	4,997.76	36,000.00	967.31	2,418.27	1,612.18
1.39	508.91	0.14	1056	504	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,153.85	6,138.46	5,007.69	36,000.00	969.23	2,423.08	1,615.38
1.39	508.76	0.14	1055	505	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,185.90	6,150.64	5,017.63	36,000.00	971.15	2,427.88	1,618.59
1.39	508.62	0.14	1054	506	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,217.95	6,162.82	5,027.56	36,000.00	973.08	2,432.69	1,621.79
1.39	508.47	0.14	1053	507	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,250.00	6,175.00	5,037.50	36,000.00	975.00	2,437.50	1,625.00
1.39	508.33	0.14	1052	508	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,282.05	6,187.18	5,047.44	36,000.00	976.92	2,442.31	1,628.21
1.39	508.18	0.14	1051	509	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,314.10	6,199.36	5,057.37	36,000.00	978.85	2,447.12	1,631.41
1.39	508.04	0.14	1050	510	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,346.15	6,211.54	5,067.31	36,000.00	980.77	2,451.92	1,634.62
1.39	507.89	0.14	1049	511	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,378.21	6,223.72	5,077.24	36,000.00	982.69	2,456.73	1,637.82
1.39	507.75	0.14	1048	512	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,410.26	6,235.90	5,087.18	36,000.00	984.62	2,461.54	1,641.03
1.39	507.60	0.14	1047	513	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,442.31	6,248.08	5,097.12	36,000.00	986.54	2,466.35	1,644.23
1.39	507.46	0.14	1046	514	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,474.36	6,260.26	5,107.05	36,000.00	988.46	2,471.15	1,647.44
1.39	507.32	0.14	1045	515	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,506.41	6,272.44	5,116.99	36,000.00	990.38	2,475.96	1,650.64
1.39	507.17	0.14	1044	516	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,538.46	6,284.62	5,126.92	36,000.00	992.31	2,480.77	1,653.85
1.39	507.03	0.14	1043	517	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,570.51	6,296.79	5,136.86	36,000.00	994.23	2,485.58	1,657.05
1.39	506.88	0.14	1042	518	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,602.56	6,308.97	5,146.79	36,000.00	996.15	2,490.38	1,660.26
1.39	506.74	0.14	1041	519	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,634.62	6,321.15	5,156.73	36,000.00	998.08	2,495.19	1,663.46
1.39	506.60	0.14	1040	520	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,666.67	6,333.33	5,166.67	36,000.00	1,000.00	2,500.00	1,666.67
1.39	506.45	0.14	1039	521	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,698.72	6,345.51	5,176.60	36,000.00	1,001.92	2,504.81	1,669.87
1.39	506.31	0.14	1038	522	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,730.77	6,357.69	5,186.54	36,000.00	1,003.85	2,509.62	1,673.08
1.39	506.17	0.14	1037	523	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,762.82	6,369.87	5,196.47	36,000.00	1,005.77	2,514.42	1,676.28
1.39	506.02	0.14	1036	524	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,794.87	6,382.05	5,206.41	36,000.00	1,007.69	2,519.23	1,679.49
1.39	505.88	0.14	1035	525	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,826.92	6,394.23	5,216.35	36,000.00	1,009.62	2,524.04	1,682.69
1.39	505.74	0.14	1034	526	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,858.97	6,406.41	5,226.28	36,000.00	1,011.54	2,528.85	1,685.90
1.39	505.59	0.14	1033	527	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,891.03	6,418.59	5,236.22	36,000.00	1,013.46	2,533.65	1,689.10
1.38	505.45	0.14	1032	528	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,923.08	6,430.77	5,246.15	36,000.00	1,015.38	2,538.46	1,692.31
1.38	505.31	0.14	1031	529	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,955.13	6,442.95	5,256.09	36,000.00	1,017.31	2,543.27	1,695.51
1.38	505.17	0.14	1030	530	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	52,987.18	6,455.13	5,266.03	36,000.00	1,019.23	2,548.08	1,698.72
1.38	505.02	0.14	1029	531	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	53,019.23	6,467.31	5,275.96	36,000.00	1,021.15	2,552.88	1,701.92
1.38	504.88	0.14	1028	532	Shafts	7.56E+07	0.01	40.00	7,520.00 Fractured dolomite	53,051.28	6,479.49	5,285.90	36,000.00	1,023.08	2,557.69	1,70

1.38	503.74	0.14	1020	540	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,307.69	6,576.92	5,365.38	36,000.00	1,038.46	2,596.15	1,730.77
1.38	503.60	0.14	1019	541	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,339.74	6,589.10	5,375.32	36,000.00	1,040.38	2,600.96	1,733.97
1.38	503.46	0.14	1018	542	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,371.79	6,601.28	5,385.26	36,000.00	1,042.31	2,605.77	1,737.18
1.38	503.32	0.14	1017	543	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,403.85	6,613.46	5,395.19	36,000.00	1,044.23	2,610.58	1,740.38
1.38	503.18	0.14	1016	544	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,435.90	6,625.64	5,405.13	36,000.00	1,046.15	2,615.38	1,743.59
1.38	503.03	0.14	1015	545	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,467.95	6,637.82	5,415.06	36,000.00	1,048.08	2,620.19	1,746.79
1.38	502.89	0.14	1014	546	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,500.00	6,650.00	5,425.00	36,000.00	1,050.00	2,625.00	1,750.00
1.38	502.75	0.14	1013	547	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,532.05	6,662.18	5,434.94	36,000.00	1,051.92	2,629.81	1,753.21
1.38	502.61	0.14	1012	548	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,564.10	6,674.36	5,444.87	36,000.00	1,053.85	2,634.62	1,756.41
1.38	502.47	0.14	1011	549	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,596.15	6,686.54	5,454.81	36,000.00	1,055.77	2,639.42	1,759.62
1.38	502.33	0.14	1010	550	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,628.21	6,698.72	5,464.74	36,000.00	1,057.69	2,644.23	1,762.82
1.38	502.19	0.14	1009	551	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,660.26	6,710.90	5,474.68	36,000.00	1,059.62	2,649.04	1,766.03
1.38	502.05	0.14	1008	552	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,692.31	6,723.08	5,484.62	36,000.00	1,061.54	2,653.85	1,769.23
1.38	501.91	0.14	1007	553	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,724.36	6,735.26	5,494.55	36,000.00	1,063.46	2,658.65	1,772.44
1.37	501.76	0.14	1006	554	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,756.41	6,747.44	5,504.49	36,000.00	1,065.38	2,663.46	1,775.64
1.37	501.62	0.14	1005	555	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,788.46	6,759.62	5,514.42	36,000.00	1,067.31	2,668.27	1,778.85
1.37	501.48	0.14	1004	556	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,820.51	6,771.79	5,524.36	36,000.00	1,069.23	2,673.08	1,782.05
1.37	501.34	0.14	1003	557	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,852.56	6,783.97	5,534.29	36,000.00	1,071.15	2,677.88	1,785.26
1.37	501.20	0.14	1002	558	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,884.62	6,796.15	5,544.23	36,000.00	1,073.08	2,682.69	1,788.46
1.37	501.06	0.14	1001	559	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,916.67	6,808.33	5,554.17	36,000.00	1,075.00	2,687.50	1,791.67
1.37	500.92	0.14	1000	560	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,948.72	6,820.51	5,564.10	36,000.00	1,076.92	2,692.31	1,794.87
1.37	500.78	0.14	999	561	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	53,980.77	6,832.69	5,574.04	36,000.00	1,078.85	2,697.12	1,798.08
1.37	500.64	0.14	998	562	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,012.82	6,844.87	5,583.97	36,000.00	1,080.77	2,701.92	1,801.28
1.37	500.50	0.14	997	563	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,044.87	6,857.05	5,593.91	36,000.00	1,082.69	2,706.73	1,804.49
1.37	500.36	0.14	996	564	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,076.92	6,869.23	5,603.85	36,000.00	1,084.62	2,711.54	1,807.69
1.37	500.22	0.14	995	565	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,108.97	6,881.41	5,613.78	36,000.00	1,086.54	2,716.35	1,810.90
1.37	500.08	0.14	994	566	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,141.03	6,893.59	5,623.72	36,000.00	1,088.46	2,721.15	1,814.10
1.37	499.94	0.14	993	567	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,173.08	6,905.77	5,633.65	36,000.00	1,090.38	2,725.96	1,817.31
1.37	499.80	0.14	992	568	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,205.13	6,917.95	5,643.59	36,000.00	1,092.31	2,730.77	1,820.51
1.37	499.66	0.14	991	569	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,237.18	6,930.13	5,653.53	36,000.00	1,094.23	2,735.58	1,823.72
1.37	499.52	0.14	990	570	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,269.23	6,942.31	5,663.46	36,000.00	1,096.15	2,740.38	1,826.92
1.37	499.39	0.14	989	571	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,301.28	6,954.49	5,673.40	36,000.00	1,098.08	2,745.19	1,830.13
1.37	499.25	0.14	988	572	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,333.33	6,966.67	5,683.33	36,000.00	1,100.00	2,750.00	1,833.33
1.37	499.11	0.14	987	573	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,365.38	6,978.85	5,693.27	36,000.00	1,101.92	2,754.81	1,836.54
1.37	498.97	0.14	986	574	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,397.44	6,991.03	5,703.21	36,000.00	1,103.85	2,759.62	1,839.74
1.37	498.83	0.14	985	575	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,429.49	7,003.21	5,713.14	36,000.00	1,105.77	2,764.42	1,842.95
1.37	498.69	0.14	984	576	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,461.54	7,015.38	5,723.08	36,000.00	1,107.69	2,769.23	1,846.15
1.37	498.55	0.14	983	577	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,493.59	7,027.56	5,733.01	36,000.00	1,109.62	2,774.04	1,849.36
1.37	498.41	0.14	982	578	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,525.64	7,039.74	5,742.95	36,000.00	1,111.54	2,778.85	1,852.56
1.37	498.27	0.14	981	579	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,557.69	7,051.92	5,752.88	36,000.00	1,113.46	2,783.65	1,855.77
1.36	498.14	0.14	980	580	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,589.74	7,064.10	5,762.82	36,000.00	1,115.38	2,788.46	1,858.97
1.36	498.00	0.14	979	581	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,621.79	7,076.28	5,772.76	36,000.00	1,117.31	2,793.27	1,862.18
1.36	497.86	0.14	978	582	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,653.85	7,088.46	5,782.69	36,000.00	1,119.23	2,798.08	1,865.38
1.36	497.72	0.14	977	583	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,685.90	7,100.64	5,792.63	36,000.00	1,121.15	2,802.88	1,868.59
1.36	497.58	0.14	976	584	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,717.95	7,112.82	5,802.56	36,000.00	1,123.08	2,807.69	1,871.79
1.36	497.44	0.14	975	585	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,750.00	7,125.00	5,812.50	36,000.00	1,125.00	2,812.50	1,875.00
1.36	497.31	0.14	974	586	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,782.05	7,137.18	5,822.44	36,000.00	1,126.92	2,817.31	1,878.21
1.36	497.17	0.14	973	587	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,814.10	7,149.36	5,832.37	36,000.00	1,128.85	2,822.12	1,881.41
1.36	497.03	0.14	972	588	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,846.15	7,161.54	5,842.31	36,000.00	1,130.77	2,826.92	1,884.62
1.36	496.89	0.14	971	589	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,878.21	7,173.72	5,852.24	36,000.00	1,132.69	2,831.73	1,887.82
1.36	496.75	0.14	970	590	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,910.26	7,185.90	5,862.18	36,000.00	1,134.62	2,836.54	1,891.03
1.36	496.62	0.14	969	591	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,942.31	7,198.08	5,872.12	36,000.00	1,136.54	2,841.35	1,894.23
1.36	496.48	0.14	968	592	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	54,974.36	7,210.26	5,882.05	36,000.00	1,138.46	2,846.15	1,897.44
1.36	496.34	0.14	967	593	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,006.41	7,222.44	5,891.99	36,000.00	1,140.38	2,850.96	1,900.64
1.36	496.20	0.14	966	594	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,038.46	7,234.62	5,901.92	36,000.00	1,142.31	2,855.77	1,903.85
1.36	496.07	0.14	965	595	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,070.51	7,246.79	5,911.86	36,000.00	1,144.23	2,860.58	1,907.05
1.36	495.93	0.14	964	596	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,102.56	7,258.97	5,921.79	36,000.00	1,146.15	2,865.38	1,910.26
1.36	495.79	0.14	963	597	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,134.62	7,271.15	5,931.73	36,000.00	1,148.08	2,870.19	1,913.46
1.36	495.65	0.14	962	598	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,166.67	7,283.33	5,941.67	36,000.00	1,150.00	2,875.00	1,916.67
1.36	495.52	0.14	961	599	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,198.72	7,295.51	5,951.60	36,000.00	1,151.92	2,879.81	1,919.87
1.36	495.38	0.14															

1.35	494.15	0.14	951	609	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,519.23	7,417.31	6,050.96	36,000.00	1,171.15	2,927.88	1,951.92
1.35	494.02	0.14	950	610	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,551.28	7,429.49	6,060.90	36,000.00	1,173.08	2,932.69	1,955.13
1.35	493.88	0.14	949	611	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,583.33	7,441.67	6,070.83	36,000.00	1,175.00	2,937.50	1,958.33
1.35	493.74	0.14	948	612	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,615.38	7,453.85	6,080.77	36,000.00	1,176.92	2,942.31	1,961.54
1.35	493.61	0.14	947	613	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,647.44	7,466.03	6,090.71	36,000.00	1,178.85	2,947.12	1,964.74
1.35	493.47	0.14	946	614	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,679.49	7,478.21	6,100.64	36,000.00	1,180.77	2,951.92	1,967.95
1.35	493.34	0.14	945	615	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,711.54	7,490.38	6,110.58	36,000.00	1,182.69	2,956.73	1,971.15
1.35	493.20	0.14	944	616	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,743.59	7,502.56	6,120.51	36,000.00	1,184.62	2,961.54	1,974.36
1.35	493.06	0.14	943	617	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,775.64	7,514.74	6,130.45	36,000.00	1,186.54	2,966.35	1,977.56
1.35	492.93	0.14	942	618	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,807.69	7,526.92	6,140.38	36,000.00	1,188.46	2,971.15	1,980.77
1.35	492.79	0.14	941	619	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,839.74	7,539.10	6,150.32	36,000.00	1,190.38	2,975.96	1,983.97
1.35	492.66	0.14	940	620	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,871.79	7,551.28	6,160.26	36,000.00	1,192.31	2,980.77	1,987.18
1.35	492.52	0.14	939	621	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,903.85	7,563.46	6,170.19	36,000.00	1,194.23	2,985.58	1,990.38
1.35	492.39	0.14	938	622	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,935.90	7,575.64	6,180.13	36,000.00	1,196.15	2,990.38	1,993.59
1.35	492.25	0.14	937	623	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	55,967.95	7,587.82	6,190.06	36,000.00	1,198.08	2,995.19	1,996.79
1.35	492.12	0.14	936	624	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,000.00	7,600.00	6,200.00	36,000.00	1,200.00	3,000.00	2,000.00
1.35	491.98	0.13	935	625	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,032.05	7,612.18	6,209.94	36,000.00	1,201.92	3,004.81	2,003.21
1.35	491.85	0.13	934	626	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,064.10	7,624.36	6,219.87	36,000.00	1,203.85	3,009.62	2,006.41
1.35	491.71	0.13	933	627	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,096.15	7,636.54	6,229.81	36,000.00	1,205.77	3,014.42	2,009.62
1.35	491.58	0.13	932	628	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,128.21	7,648.72	6,239.74	36,000.00	1,207.69	3,019.23	2,012.82
1.35	491.44	0.13	931	629	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,160.26	7,660.90	6,249.68	36,000.00	1,209.62	3,024.04	2,016.03
1.35	491.31	0.13	930	630	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,192.31	7,673.08	6,259.62	36,000.00	1,211.54	3,028.85	2,019.23
1.35	491.17	0.13	929	631	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,224.36	7,685.26	6,269.55	36,000.00	1,213.46	3,033.65	2,022.44
1.35	491.04	0.13	928	632	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,256.41	7,697.44	6,279.49	36,000.00	1,215.38	3,038.46	2,025.64
1.34	490.91	0.13	927	633	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,288.46	7,709.62	6,289.42	36,000.00	1,217.31	3,043.27	2,028.85
1.34	490.77	0.13	926	634	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,320.51	7,721.79	6,299.36	36,000.00	1,219.23	3,048.08	2,032.05
1.34	490.64	0.13	925	635	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,352.56	7,733.97	6,309.29	36,000.00	1,221.15	3,052.89	2,035.26
1.34	490.50	0.13	924	636	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,384.62	7,746.15	6,319.23	36,000.00	1,223.08	3,057.69	2,038.46
1.34	490.37	0.13	923	637	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,416.67	7,758.33	6,329.17	36,000.00	1,225.00	3,062.50	2,041.67
1.34	490.23	0.13	922	638	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,448.72	7,770.51	6,339.10	36,000.00	1,226.92	3,067.31	2,044.87
1.34	490.10	0.13	921	639	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,480.77	7,782.69	6,349.04	36,000.00	1,228.85	3,072.12	2,048.08
1.34	489.97	0.13	920	640	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,512.82	7,794.87	6,358.97	36,000.00	1,230.77	3,076.92	2,051.28
1.34	489.83	0.13	919	641	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,544.87	7,807.05	6,368.91	36,000.00	1,232.69	3,081.73	2,054.49
1.34	489.70	0.13	918	642	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,576.92	7,819.23	6,378.85	36,000.00	1,234.62	3,086.54	2,057.69
1.34	489.57	0.13	917	643	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,608.97	7,831.41	6,388.78	36,000.00	1,236.54	3,091.35	2,060.90
1.34	489.43	0.13	916	644	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,641.03	7,843.59	6,398.72	36,000.00	1,238.46	3,096.15	2,064.10
1.34	489.30	0.13	915	645	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,673.08	7,855.77	6,408.65	36,000.00	1,240.38	3,100.96	2,067.31
1.34	489.17	0.13	914	646	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,705.13	7,867.95	6,418.59	36,000.00	1,242.31	3,105.77	2,070.51
1.34	489.03	0.13	913	647	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,737.18	7,880.13	6,428.53	36,000.00	1,244.23	3,110.58	2,073.72
1.34	488.90	0.13	912	648	Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,769.23	7,892.31	6,438.46	36,000.00	1,246.15	3,115.38	2,076.92
1.34	488.77	0.13	911	649	32 Shafts	7.56E+07	0.01	40.00	7,520.00	Fractured dolomite	56,801.28	7,904.49	6,448.40	36,000.00	1,248.08	3,120.19	2,080.13
1.34	488.63	0.67	910	650	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,833.33	7,916.67	6,458.33	36,000.00	1,250.00	3,125.00	2,083.33
1.34	487.97	0.66	909	651	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,865.38	7,928.85	6,468.27	36,000.00	1,251.92	3,129.81	2,086.54
1.34	487.30	0.66	908	652	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,897.44	7,941.03	6,478.21	36,000.00	1,253.85	3,134.62	2,089.74
1.33	486.64	0.66	907	653	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,929.49	7,953.21	6,488.14	36,000.00	1,255.77	3,139.42	2,092.95
1.33	485.97	0.66	906	654	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,961.54	7,965.38	6,498.08	36,000.00	1,257.69	3,144.23	2,096.15
1.33	485.31	0.66	905	655	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	56,993.59	7,977.56	6,508.01	36,000.00	1,259.62	3,149.04	2,099.36
1.33	484.65	0.66	904	656	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,025.64	7,989.74	6,517.95	36,000.00	1,261.54	3,153.85	2,102.56
1.33	483.98	0.66	903	657	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,057.69	8,001.92	6,527.88	36,000.00	1,263.46	3,158.65	2,105.77
1.32	483.32	0.66	902	658	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,089.74	8,014.10	6,537.82	36,000.00	1,265.38	3,163.46	2,108.97
1.32	482.66	0.66	901	659	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,121.79	8,026.28	6,547.76	36,000.00	1,267.31	3,168.27	2,112.18
1.32	482.00	0.66	900	660	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,153.85	8,038.46	6,557.69	36,000.00	1,269.23	3,173.08	2,115.38
1.32	481.34	0.66	899	661	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,185.90	8,050.64	6,567.63	36,000.00	1,271.15	3,177.88	2,118.59
1.32	480.68	0.66	898	662	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,217.95	8,062.82	6,577.56	36,000.00	1,273.08	3,182.69	2,121.79
1.32	480.02	0.66	897	663	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,250.00	8,075.00	6,587.50	36,000.00	1,275.00	3,187.50	2,125.00
1.31	479.35	0.66	896	664	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,282.05	8,087.18	6,597.44	36,000.00	1,276.92	3,192.31	2,128.21
1.31	478.69	0.66	895	665	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,314.10	8,099.36	6,607.37	36,000.00	1,278.85	3,197.12	2,131.41
1.31	478.04	0.66	894	666	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,346.15	8,111.54	6,617.31	36,000.00	1,280.77	3,201.92	2,134.62
1.31	477.38	0.66	893	667	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,378.21	8,123.72	6,627.24	36,000.00	1,282.69	3,206.73	2,137.82
1.31	476.72	0.66	892	668	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,410.26	8,135.90	6,637.18	36,000.00	1,284.62	3,2	

1.29	470.15	0.65	882	678	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,730.77	8,257.69	6,736.54	36,000.00	1,303.85	3,259.62	2,173.08
1.29	469.50	0.65	881	679	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,762.82	8,269.87	6,746.47	36,000.00	1,305.77	3,264.42	2,176.28
1.28	468.84	0.65	880	680	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,794.87	8,282.05	6,756.41	36,000.00	1,307.69	3,269.23	2,179.49
1.28	468.19	0.65	879	681	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,826.92	8,294.23	6,766.35	36,000.00	1,309.62	3,274.04	2,182.69
1.28	467.53	0.65	878	682	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,858.97	8,306.41	6,776.28	36,000.00	1,311.54	3,278.85	2,185.90
1.28	466.88	0.65	877	683	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,891.03	8,318.59	6,786.22	36,000.00	1,313.46	3,283.65	2,189.10
1.28	466.23	0.65	876	684	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,923.08	8,330.77	6,796.15	36,000.00	1,315.38	3,288.46	2,192.31
1.28	465.57	0.65	875	685	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,955.13	8,342.95	6,806.09	36,000.00	1,317.31	3,293.27	2,195.51
1.27	464.92	0.65	874	686	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,987.18	8,355.13	6,816.03	36,000.00	1,319.23	3,298.08	2,198.72
1.27	464.27	0.65	873	687	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,019.23	8,367.31	6,825.96	36,000.00	1,321.15	3,302.88	2,201.92
1.27	463.62	0.65	872	688	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,051.28	8,379.49	6,835.90	36,000.00	1,323.08	3,307.69	2,205.13
1.27	462.97	0.65	871	689	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,083.33	8,391.67	6,845.83	36,000.00	1,325.00	3,312.50	2,208.33
1.27	462.32	0.65	870	690	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,115.38	8,403.85	6,855.77	36,000.00	1,326.92	3,317.31	2,211.54
1.26	461.67	0.65	869	691	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,147.44	8,416.03	6,865.71	36,000.00	1,328.85	3,322.12	2,214.74
1.26	461.02	0.65	868	692	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,179.49	8,428.21	6,875.64	36,000.00	1,330.77	3,326.92	2,217.95
1.26	460.37	0.65	867	693	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,211.54	8,440.38	6,885.58	36,000.00	1,332.69	3,331.73	2,221.15
1.26	459.72	0.65	866	694	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,243.59	8,452.56	6,895.51	36,000.00	1,334.62	3,336.54	2,224.36
1.26	459.07	0.65	865	695	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,275.64	8,464.74	6,905.45	36,000.00	1,336.54	3,341.35	2,227.56
1.26	458.42	0.65	864	696	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,307.69	8,476.92	6,915.38	36,000.00	1,338.46	3,346.15	2,230.77
1.25	457.77	0.65	863	697	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,339.74	8,489.10	6,925.32	36,000.00	1,340.38	3,350.96	2,233.97
1.25	457.12	0.65	862	698	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,371.79	8,501.28	6,935.26	36,000.00	1,342.31	3,355.77	2,237.18
1.25	456.48	0.65	861	699	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,403.85	8,513.46	6,945.19	36,000.00	1,344.23	3,360.58	2,240.38
1.25	455.83	0.65	860	700	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,435.90	8,525.64	6,955.13	36,000.00	1,346.15	3,365.38	2,243.59
1.25	455.18	0.65	859	701	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,467.95	8,537.82	6,965.06	36,000.00	1,348.08	3,370.19	2,246.79
1.25	454.53	0.65	858	702	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,500.00	8,550.00	6,975.00	36,000.00	1,350.00	3,375.00	2,250.00
1.24	453.88	0.65	857	703	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,532.05	8,562.18	6,984.94	36,000.00	1,351.92	3,379.81	2,253.21
1.24	453.24	0.65	856	704	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,564.10	8,574.36	6,994.87	36,000.00	1,353.85	3,384.62	2,256.41
1.24	452.60	0.65	855	705	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,596.15	8,586.54	7,004.81	36,000.00	1,355.77	3,389.42	2,259.62
1.24	451.95	0.64	854	706	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,628.21	8,598.72	7,014.74	36,000.00	1,357.69	3,394.23	2,262.82
1.24	451.31	0.64	853	707	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,660.26	8,610.90	7,024.68	36,000.00	1,359.62	3,399.04	2,266.03
1.23	450.66	0.64	852	708	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,692.31	8,623.08	7,034.62	36,000.00	1,361.54	3,403.85	2,269.23
1.23	450.02	0.64	851	709	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,724.36	8,635.26	7,044.55	36,000.00	1,363.46	3,408.65	2,272.44
1.23	449.38	0.64	850	710	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,756.41	8,647.44	7,054.49	36,000.00	1,365.38	3,413.46	2,275.64
1.23	448.73	0.64	849	711	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,788.46	8,659.62	7,064.42	36,000.00	1,367.31	3,418.27	2,278.85
1.23	448.09	0.64	848	712	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,820.51	8,671.79	7,074.36	36,000.00	1,369.23	3,423.08	2,282.05
1.23	447.45	0.64	847	713	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,852.56	8,683.97	7,084.29	36,000.00	1,371.15	3,427.88	2,285.26
1.22	446.80	0.64	846	714	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,884.62	8,696.15	7,094.23	36,000.00	1,373.08	3,432.69	2,288.46
1.22	446.16	0.64	845	715	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,916.67	8,708.33	7,104.17	36,000.00	1,375.00	3,437.50	2,291.67
1.22	445.52	0.64	844	716	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,948.72	8,720.51	7,114.10	36,000.00	1,376.92	3,442.31	2,294.87
1.22	444.88	0.64	843	717	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,980.77	8,732.69	7,124.04	36,000.00	1,378.85	3,447.12	2,298.08
1.22	444.24	0.64	842	718	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,012.82	8,744.87	7,133.97	36,000.00	1,380.77	3,451.92	2,301.28
1.22	443.60	0.64	841	719	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,044.87	8,757.05	7,143.91	36,000.00	1,382.69	3,456.73	2,304.49
1.21	442.96	0.64	840	720	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,076.92	8,769.23	7,153.85	36,000.00	1,384.62	3,461.54	2,307.69
1.21	442.32	0.64	839	721	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,108.97	8,781.41	7,163.78	36,000.00	1,386.54	3,466.35	2,310.90
1.21	441.68	0.64	838	722	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,141.03	8,793.59	7,173.72	36,000.00	1,388.46	3,471.15	2,314.10
1.21	441.04	0.64	837	723	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,173.08	8,805.77	7,183.65	36,000.00	1,390.38	3,475.96	2,317.31
1.21	440.40	0.64	836	724	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,205.13	8,817.95	7,193.59	36,000.00	1,392.31	3,480.77	2,320.51
1.20	439.76	0.64	835	725	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,237.18	8,830.13	7,203.53	36,000.00	1,394.23	3,485.58	2,323.72
1.20	439.12	0.64	834	726	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,269.23	8,842.31	7,213.46	36,000.00	1,396.15	3,490.38	2,326.92
1.20	438.48	0.64	833	727	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,301.28	8,854.49	7,223.40	36,000.00	1,398.08	3,495.19	2,330.13
1.20	437.85	0.64	832	728	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,333.33	8,866.67	7,233.33	36,000.00	1,400.00	3,500.00	2,333.33
1.20	437.21	0.64	831	729	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,365.38	8,878.85	7,243.27	36,000.00	1,401.92	3,504.81	2,336.54
1.20	436.58	0.64	830	730	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,397.44	8,891.03	7,253.21	36,000.00	1,403.85	3,509.62	2,339.74
1.19	435.94	0.64	829	731	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,429.49	8,903.21	7,263.14	36,000.00	1,405.77	3,514.42	2,342.95
1.19	435.30	0.64	828	732	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,461.54	8,915.38	7,273.08	36,000.00	1,407.69	3,519.23	2,346.15
1.19	434.67	0.64	827	733	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,493.59	8,927.56	7,283.01	36,000.00	1,409.62	3,524.04	2,349.36
1.19	434.03	0.64	826	734	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,525.64	8,939.74	7,292.95	36,000.00	1,411.54	3,528.85	2,352.56
1.19	433.40	0.63	825	735	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,557.69	8,951.92	7,302.88	36,000.00	1,413.46	3,533.65	2,355.77
1.19	432.76	0.63	824	736	Shafts, stopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,589.74	8,964.10	7,312.82	36,000.00	1,41		

1.17	425.80	0.63	813	747	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,942.31	9,098.08	7,422.12	36,000.00	1,438.54	3,591.35	2,394.23
1.16	425.17	0.63	812	748	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,974.36	9,110.26	7,432.05	36,000.00	1,438.46	3,596.15	2,397.44
1.16	424.54	0.63	811	749	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,006.41	9,122.44	7,441.99	36,000.00	1,440.38	3,600.96	2,400.64
1.16	423.91	0.63	810	750	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,038.46	9,134.62	7,451.92	36,000.00	1,442.31	3,605.77	2,403.85
1.16	423.28	0.63	809	751	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,070.51	9,146.79	7,461.86	36,000.00	1,444.23	3,610.58	2,407.05
1.16	422.65	0.63	808	752	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,102.56	9,158.97	7,471.79	36,000.00	1,446.15	3,615.38	2,410.26
1.16	422.02	0.63	807	753	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,134.62	9,171.15	7,481.73	36,000.00	1,448.08	3,620.19	2,413.46
1.15	421.40	0.63	806	754	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,166.67	9,183.33	7,491.67	36,000.00	1,450.00	3,625.00	2,416.67
1.15	420.77	0.63	805	755	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,198.72	9,195.51	7,501.60	36,000.00	1,451.92	3,629.81	2,419.87
1.15	420.14	0.63	804	756	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,230.77	9,207.69	7,511.54	36,000.00	1,453.85	3,634.62	2,423.08
1.15	419.51	0.63	803	757	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,262.82	9,219.87	7,521.47	36,000.00	1,455.77	3,639.42	2,426.28
1.15	418.88	0.63	802	758	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,294.87	9,232.05	7,531.41	36,000.00	1,457.69	3,644.23	2,429.49
1.15	418.26	0.63	801	759	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,326.92	9,244.23	7,541.35	36,000.00	1,459.62	3,649.04	2,432.69
1.14	417.63	0.63	800	760	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,358.97	9,256.41	7,551.28	36,000.00	1,461.54	3,653.85	2,435.90
1.14	417.00	0.63	799	761	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,391.03	9,268.59	7,561.22	36,000.00	1,463.46	3,658.65	2,439.10
1.14	416.38	0.63	798	762	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,423.08	9,280.77	7,571.15	36,000.00	1,465.38	3,663.46	2,442.31
1.14	415.75	0.63	797	763	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,455.13	9,292.95	7,581.09	36,000.00	1,467.31	3,668.27	2,445.51
1.14	415.13	0.62	796	764	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,487.18	9,305.13	7,591.03	36,000.00	1,469.23	3,673.08	2,448.72
1.14	414.50	0.62	795	765	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,519.23	9,317.31	7,600.96	36,000.00	1,471.15	3,677.88	2,451.92
1.13	413.88	0.62	794	766	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,551.28	9,329.49	7,610.90	36,000.00	1,473.08	3,682.69	2,455.13
1.13	413.25	0.62	793	767	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,583.33	9,341.67	7,620.83	36,000.00	1,475.00	3,687.50	2,458.33
1.13	412.63	0.62	792	768	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,615.38	9,353.85	7,630.77	36,000.00	1,476.92	3,692.31	2,461.54
1.13	412.01	0.62	791	769	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,647.44	9,366.03	7,640.71	36,000.00	1,478.85	3,697.12	2,464.74
1.13	411.38	0.62	790	770	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,679.49	9,378.21	7,650.64	36,000.00	1,480.77	3,701.92	2,467.95
1.13	410.76	0.62	789	771	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,711.54	9,390.38	7,660.58	36,000.00	1,482.69	3,706.73	2,471.15
1.12	410.14	0.62	788	772	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,743.59	9,402.56	7,670.51	36,000.00	1,484.62	3,711.54	2,474.36
1.12	409.52	0.62	787	773	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,775.64	9,414.74	7,680.45	36,000.00	1,486.54	3,716.35	2,477.56
1.12	408.90	0.62	786	774	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,807.69	9,426.92	7,690.38	36,000.00	1,488.46	3,721.15	2,480.77
1.12	408.27	0.62	785	775	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,839.74	9,439.10	7,700.32	36,000.00	1,490.38	3,725.96	2,483.97
1.12	407.65	0.62	784	776	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,871.79	9,451.28	7,710.26	36,000.00	1,492.31	3,730.77	2,487.18
1.12	407.03	0.62	783	777	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,903.85	9,463.46	7,720.19	36,000.00	1,494.23	3,735.58	2,490.38
1.11	406.41	0.62	782	778	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,935.90	9,475.64	7,730.13	36,000.00	1,496.15	3,740.38	2,493.59
1.11	405.79	0.62	781	779	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,967.95	9,487.82	7,740.06	36,000.00	1,498.08	3,745.19	2,496.79
1.11	405.17	0.62	780	780	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,000.00	9,500.00	7,750.00	36,000.00	1,500.00	3,750.00	2,500.00
1.11	404.55	0.62	779	781	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,032.05	9,512.18	7,759.94	36,000.00	1,501.92	3,754.81	2,503.21
1.11	403.93	0.62	778	782	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,064.10	9,524.36	7,769.87	36,000.00	1,503.85	3,759.62	2,506.41
1.10	403.31	0.62	777	783	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,096.15	9,536.54	7,779.81	36,000.00	1,505.77	3,764.42	2,509.62
1.10	402.69	0.62	776	784	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,128.21	9,548.72	7,789.74	36,000.00	1,507.69	3,769.23	2,512.82
1.10	402.07	0.62	775	785	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,160.26	9,560.90	7,799.68	36,000.00	1,509.62	3,774.04	2,516.03
1.10	401.46	0.62	774	786	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,192.31	9,573.08	7,809.62	36,000.00	1,511.54	3,778.85	2,519.23
1.10	400.84	0.62	773	787	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,224.36	9,585.26	7,819.55	36,000.00	1,513.46	3,783.65	2,522.44
1.10	400.22	0.62	772	788	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,256.41	9,597.44	7,829.49	36,000.00	1,515.38	3,788.46	2,525.64
1.09	399.60	0.62	771	789	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,288.46	9,609.62	7,839.42	36,000.00	1,517.31	3,793.27	2,528.85
1.09	398.99	0.62	770	790	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,320.51	9,621.79	7,849.36	36,000.00	1,519.23	3,798.08	2,532.05
1.09	398.37	0.62	769	791	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,352.56	9,633.97	7,859.29	36,000.00	1,521.15	3,802.88	2,535.26
1.09	397.75	0.62	768	792	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,384.62	9,646.15	7,869.23	36,000.00	1,523.08	3,807.69	2,538.46
1.09	397.14	0.62	767	793	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,416.67	9,658.33	7,879.17	36,000.00	1,525.00	3,812.50	2,541.67
1.09	396.52	0.62	766	794	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,448.72	9,670.51	7,889.10	36,000.00	1,526.92	3,817.31	2,544.87
1.08	395.91	0.61	765	795	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,480.77	9,682.69	7,899.04	36,000.00	1,528.85	3,822.12	2,548.08
1.08	395.29	0.61	764	796	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,512.82	9,694.87	7,908.97	36,000.00	1,530.77	3,826.92	2,551.28
1.08	394.68	0.61	763	797	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,544.87	9,707.05	7,918.91	36,000.00	1,532.69	3,831.73	2,554.49
1.08	394.06	0.61	762	798	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,576.92	9,719.23	7,928.85	36,000.00	1,534.62	3,836.54	2,557.69
1.08	393.45	0.61	761	799	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,608.97	9,731.41	7,938.78	36,000.00	1,536.54	3,841.35	2,560.90
1.08	392.84	0.61	760	800	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,641.03	9,743.59	7,948.72	36,000.00	1,538.46	3,846.15	2,564.10
1.07	392.22	0.61	759	801	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,673.08	9,755.77	7,958.65	36,000.00	1,540.38	3,850.96	2,567.31
1.07	391.61	0.61	758	802	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,705.13	9,767.95	7,968.59	36,000.00	1,542.31	3,855.77	2,570.51
1.07	391.00	0.61	757	803	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,737.18	9,780.13	7,978.53	36,000.00	1,544.23	3,860.58	2,573.72
1.07	390.39	0.61	756	804	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,769.23	9,792.31	7,988.46	36,000.00	1,546.15	3,865.38	2,576.92
1.07	389.77	0.61	755	805	Shafts, stipes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,801.28	9,804.49	7,998.40	36,000.00	1,54		

1.05	0.61	744	816	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.153.85	9.938.46	8.107.69	35.000.00	1.569.23	3.923.08	2.615.38
1.05	0.61	743	817	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.185.90	9.950.64	8.117.63	36.000.00	1.571.15	3.927.88	2.618.99
1.05	0.61	742	818	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.217.95	9.962.82	8.127.56	36.000.00	1.573.08	3.932.69	2.621.79
1.04	0.61	741	819	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.250.00	9.975.00	8.137.50	36.000.00	1.575.00	3.937.50	2.625.00
1.04	0.61	740	820	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.282.05	9.987.18	8.147.44	36.000.00	1.576.92	3.942.31	2.628.21
1.04	0.61	739	821	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.314.10	9.999.36	8.157.37	36.000.00	1.578.85	3.947.12	2.631.41
1.04	0.61	738	822	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.346.15	10.011.54	8.167.31	36.000.00	1.580.77	3.951.92	2.634.62
1.04	0.61	737	823	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.378.21	10.023.72	8.177.24	36.000.00	1.582.69	3.956.73	2.637.82
1.04	0.61	736	824	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.410.26	10.035.90	8.187.18	36.000.00	1.584.62	3.961.54	2.641.03
1.03	0.61	735	825	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.442.31	10.048.08	8.197.12	36.000.00	1.586.54	3.966.35	2.644.23
1.03	0.61	734	826	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.474.36	10.060.26	8.207.05	36.000.00	1.588.46	3.971.15	2.647.44
1.03	0.60	733	827	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.506.41	10.072.44	8.216.99	36.000.00	1.590.38	3.975.96	2.650.64
1.03	0.60	732	828	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.538.46	10.084.62	8.226.92	36.000.00	1.592.31	3.980.77	2.653.85
1.03	0.60	731	829	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.570.51	10.096.79	8.236.86	36.000.00	1.594.23	3.985.58	2.657.05
1.03	0.60	730	830	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.602.56	10.108.97	8.246.79	36.000.00	1.596.15	3.990.39	2.660.26
1.02	0.60	729	831	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.634.62	10.121.15	8.256.73	36.000.00	1.598.08	3.995.19	2.663.46
1.02	0.60	728	832	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.666.67	10.133.33	8.266.67	36.000.00	1.600.00	4.000.00	2.666.67
1.02	0.60	727	833	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.698.72	10.145.51	8.276.60	36.000.00	1.601.92	4.004.81	2.669.87
1.02	0.60	726	834	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.730.77	10.157.69	8.286.54	36.000.00	1.603.85	4.009.62	2.673.08
1.02	0.60	725	835	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.762.82	10.169.87	8.296.47	36.000.00	1.605.77	4.014.42	2.676.28
1.02	0.60	724	836	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.794.87	10.182.05	8.306.41	36.000.00	1.607.69	4.019.23	2.679.49
1.01	0.60	723	837	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.826.92	10.194.23	8.316.35	36.000.00	1.609.62	4.024.04	2.682.69
1.01	0.60	722	838	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.858.97	10.206.41	8.326.28	36.000.00	1.611.54	4.028.85	2.685.90
1.01	0.60	721	839	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.891.03	10.218.59	8.336.22	36.000.00	1.613.46	4.033.65	2.689.10
1.01	0.60	720	840	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.923.08	10.230.77	8.346.15	36.000.00	1.615.38	4.038.46	2.692.31
1.01	0.60	719	841	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.955.13	10.242.95	8.356.09	36.000.00	1.617.31	4.043.27	2.695.51
1.01	0.60	718	842	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	62.987.18	10.255.13	8.366.03	36.000.00	1.619.23	4.048.08	2.698.72
1.00	0.60	717	843	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.019.23	10.267.31	8.375.96	36.000.00	1.621.15	4.052.88	2.701.92
1.00	0.60	716	844	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.051.28	10.279.49	8.385.90	36.000.00	1.623.08	4.057.69	2.705.13
1.00	0.60	715	845	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.083.33	10.291.67	8.395.83	36.000.00	1.625.00	4.062.50	2.708.33
1.00	0.60	714	846	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.115.38	10.303.85	8.405.77	36.000.00	1.626.92	4.067.31	2.711.54
1.00	0.60	713	847	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.147.44	10.316.03	8.415.71	36.000.00	1.628.85	4.072.12	2.714.74
1.00	0.60	712	848	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.179.49	10.328.21	8.425.64	36.000.00	1.630.77	4.076.92	2.717.95
0.99	0.60	711	849	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.211.54	10.340.38	8.435.58	36.000.00	1.632.69	4.081.73	2.721.15
0.99	0.60	710	850	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.243.59	10.352.56	8.445.51	36.000.00	1.634.62	4.086.54	2.724.36
0.99	0.60	709	851	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.275.64	10.364.74	8.455.45	36.000.00	1.636.54	4.091.35	2.727.56
0.99	0.60	708	852	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.307.69	10.376.92	8.465.38	36.000.00	1.638.46	4.096.15	2.730.77
0.99	0.60	707	853	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.339.74	10.389.10	8.475.32	36.000.00	1.640.38	4.100.96	2.733.97
0.99	0.60	706	854	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.371.79	10.401.28	8.485.26	36.000.00	1.642.31	4.105.77	2.737.18
0.99	0.60	705	855	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.403.85	10.413.46	8.495.19	36.000.00	1.644.23	4.110.58	2.740.38
0.98	0.60	704	856	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.435.90	10.425.64	8.505.13	36.000.00	1.646.15	4.115.38	2.743.59
0.98	0.60	703	857	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.467.95	10.437.82	8.515.06	36.000.00	1.648.08	4.120.19	2.746.79
0.98	0.59	702	858	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.500.00	10.450.00	8.525.00	36.000.00	1.650.00	4.125.00	2.750.00
0.98	0.59	701	859	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.532.05	10.462.18	8.534.94	36.000.00	1.651.92	4.129.81	2.753.21
0.98	0.59	700	860	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.564.10	10.474.36	8.544.87	36.000.00	1.653.85	4.134.62	2.756.41
0.98	0.59	699	861	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.596.15	10.486.54	8.554.81	36.000.00	1.655.77	4.139.42	2.759.62
0.98	0.59	698	862	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.628.21	10.498.72	8.564.74	36.000.00	1.657.69	4.144.23	2.762.82
0.98	0.59	697	863	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.660.26	10.510.90	8.574.68	36.000.00	1.659.62	4.149.04	2.766.03
0.98	0.59	696	864	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.692.31	10.523.08	8.584.62	36.000.00	1.661.54	4.153.85	2.769.23
0.98	0.59	695	865	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.724.36	10.535.26	8.594.55	36.000.00	1.663.46	4.158.65	2.772.44
0.98	0.59	694	866	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.756.41	10.547.44	8.604.49	36.000.00	1.665.38	4.163.46	2.775.64
0.98	0.59	693	867	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.788.46	10.559.62	8.614.42	36.000.00	1.667.31	4.168.27	2.778.85
0.98	0.59	692	868	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.820.51	10.571.79	8.624.36	36.000.00	1.669.23	4.173.08	2.782.05
0.98	0.59	691	869	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.852.56	10.583.97	8.634.29	36.000.00	1.671.15	4.177.88	2.785.26
0.98	0.59	690	870	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.884.62	10.596.15	8.644.23	36.000.00	1.673.08	4.182.69	2.788.46
0.98	0.59	689	871	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.916.67	10.608.33	8.654.17	36.000.00	1.675.00	4.187.50	2.791.67
0.98	0.59	688	872	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.948.72	10.620.51	8.664.10	36.000.00	1.676.92	4.192.31	2.794.87
0.98	0.59	687	873	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	63.980.77	10.632.69	8.674.04	36.000.00	1.678.85	4.197.12	2.798.08
0.98	0.59	686	874	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	64.012.82	10.644.87	8.683.97	36.000.00	1.680.77	4.201.92	2.801.28
0.98	0.59	685	875	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	64.044.87	10.657.05	8.693.91	36.000.00	1.682.69	4.206.73	2.804.48
0.98	0.59	684	876	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	64.076.92	10.669.23	8.703.85	36.000.00	1.684.62	4.211.54	2.807.69
0.98	0.59	683	877	Shafts, slopes	7.56E+07	0.05	42.827.00	-5.027.00	Wtts fractured	64.108.97	10.681.41	8.713.78	36.000.00	1		

0.94	341.82	0.59	675	885	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,365.38	10,778.85	8,793.27	36,000.00	1,701.92	4,254.81	2,836.54
0.93	341.23	0.59	674	886	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,397.44	10,791.03	8,803.21	36,000.00	1,703.85	4,259.62	2,839.74
0.93	340.64	0.59	673	887	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,429.49	10,803.21	8,813.14	36,000.00	1,705.77	4,264.42	2,842.95
0.93	340.06	0.59	672	888	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,461.54	10,815.38	8,823.08	36,000.00	1,707.69	4,269.23	2,846.15
0.93	339.47	0.59	671	889	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,493.59	10,827.56	8,833.01	36,000.00	1,709.62	4,274.04	2,849.36
0.93	338.89	0.59	670	890	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,525.64	10,839.74	8,842.95	36,000.00	1,711.54	4,278.85	2,852.56
0.93	338.30	0.59	669	891	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,557.69	10,851.92	8,852.88	36,000.00	1,713.46	4,283.65	2,855.77
0.93	337.71	0.59	668	892	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,589.74	10,864.10	8,862.82	36,000.00	1,715.38	4,288.46	2,858.97
0.92	337.13	0.58	667	893	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,621.79	10,876.28	8,872.76	36,000.00	1,717.31	4,293.27	2,862.18
0.92	336.54	0.58	666	894	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27	Wits fractured	64,653.85	10,888.46	8,882.69	36,000.00	1,719.23	4,298.08	2,865.38
0.92	335.96	0.58	665	895	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,685.90	10,900.64	8,892.63	36,000.00	1,721.15	4,302.88	2,868.59
0.92	335.37	0.58	664	896	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,717.95	10,912.82	8,902.56	36,000.00	1,723.08	4,307.69	2,871.79
0.92	334.79	0.58	663	897	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,750.00	10,925.00	8,912.50	36,000.00	1,725.00	4,312.50	2,875.00
0.92	334.21	0.58	662	898	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,782.05	10,937.18	8,922.44	36,000.00	1,726.92	4,317.31	2,878.21
0.91	333.62	0.58	661	899	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,814.10	10,949.36	8,932.37	36,000.00	1,728.85	4,322.12	2,881.41
0.91	333.04	0.58	660	900	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,846.15	10,961.54	8,942.31	36,000.00	1,730.77	4,326.92	2,884.62
0.91	332.46	0.58	659	901	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,878.21	10,973.72	8,952.24	36,000.00	1,732.69	4,331.73	2,887.82
0.91	331.87	0.58	658	902	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,910.26	10,985.90	8,962.18	36,000.00	1,734.62	4,336.54	2,891.03
0.91	331.29	0.58	657	903	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,942.31	10,998.08	8,972.12	36,000.00	1,736.54	4,341.35	2,894.23
0.91	330.71	0.58	656	904	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	64,974.36	11,010.26	8,982.05	36,000.00	1,738.46	4,346.15	2,897.44
0.90	330.13	0.58	655	905	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,006.41	11,022.44	8,991.99	36,000.00	1,740.38	4,350.96	2,900.64
0.90	329.55	0.58	654	906	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,038.46	11,034.62	9,001.92	36,000.00	1,742.31	4,355.77	2,903.85
0.90	328.97	0.58	653	907	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,070.51	11,046.79	9,011.86	36,000.00	1,744.23	4,360.58	2,907.05
0.90	328.38	0.58	652	908	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,102.56	11,058.97	9,021.79	36,000.00	1,746.15	4,365.38	2,910.26
0.90	327.80	0.58	651	909	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,134.62	11,071.15	9,031.73	36,000.00	1,748.08	4,370.19	2,913.46
0.90	327.22	0.58	650	910	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,166.67	11,083.33	9,041.67	36,000.00	1,750.00	4,375.00	2,916.67
0.89	326.64	0.58	649	911	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,198.72	11,095.51	9,051.60	36,000.00	1,751.92	4,379.81	2,919.87
0.89	326.06	0.58	648	912	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,230.77	11,107.69	9,061.54	36,000.00	1,753.85	4,384.62	2,923.08
0.89	325.48	0.58	647	913	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,262.82	11,119.87	9,071.47	36,000.00	1,755.77	4,389.42	2,926.28
0.89	324.91	0.58	646	914	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,294.87	11,132.05	9,081.41	36,000.00	1,757.69	4,394.23	2,929.49
0.89	324.33	0.58	645	915	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,326.92	11,144.23	9,091.35	36,000.00	1,759.62	4,399.04	2,932.69
0.89	323.75	0.58	644	916	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,358.97	11,156.41	9,101.28	36,000.00	1,761.54	4,403.85	2,935.90
0.89	323.17	0.58	643	917	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,391.03	11,168.59	9,111.22	36,000.00	1,763.46	4,408.65	2,939.10
0.88	322.59	0.58	642	918	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,423.08	11,180.77	9,121.15	36,000.00	1,765.38	4,413.46	2,942.31
0.88	322.01	0.58	641	919	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,455.13	11,192.95	9,131.09	36,000.00	1,767.31	4,418.27	2,945.51
0.88	321.44	0.58	640	920	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,487.18	11,205.13	9,141.03	36,000.00	1,769.23	4,423.08	2,948.72
0.88	320.86	0.58	639	921	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,519.23	11,217.31	9,150.96	36,000.00	1,771.15	4,427.88	2,951.92
0.88	320.28	0.58	638	922	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,551.28	11,229.49	9,160.90	36,000.00	1,773.08	4,432.69	2,955.13
0.88	319.71	0.58	637	923	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,583.33	11,241.67	9,170.83	36,000.00	1,775.00	4,437.50	2,958.33
0.87	319.13	0.58	636	924	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,615.38	11,253.85	9,180.77	36,000.00	1,776.92	4,442.31	2,961.54
0.87	318.55	0.58	635	925	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,647.44	11,266.03	9,190.71	36,000.00	1,778.85	4,447.12	2,964.74
0.87	317.98	0.58	634	926	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,679.49	11,278.21	9,200.64	36,000.00	1,780.77	4,451.92	2,967.95
0.87	317.40	0.58	633	927	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,711.54	11,290.38	9,210.58	36,000.00	1,782.69	4,456.73	2,971.15
0.87	316.83	0.57	632	928	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,743.59	11,302.56	9,220.51	36,000.00	1,784.62	4,461.54	2,974.36
0.87	316.25	0.57	631	929	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,775.64	11,314.74	9,230.45	36,000.00	1,786.54	4,466.35	2,977.56
0.86	315.68	0.57	630	930	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,807.69	11,326.92	9,240.38	36,000.00	1,788.46	4,471.15	2,980.77
0.86	315.10	0.57	629	931	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,839.74	11,339.10	9,250.32	36,000.00	1,790.38	4,475.96	2,983.97
0.86	314.53	0.57	628	932	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,871.79	11,351.28	9,260.26	36,000.00	1,792.31	4,480.77	2,987.18
0.86	313.95	0.57	627	933	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,903.85	11,363.46	9,270.19	36,000.00	1,794.23	4,485.58	2,990.38
0.86	313.38	0.57	626	934	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,935.90	11,375.64	9,280.13	36,000.00	1,796.15	4,490.38	2,993.59
0.86	312.81	0.57	625	935	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	65,967.95	11,387.82	9,290.06	36,000.00	1,798.08	4,495.19	2,996.79
0.86	312.23	0.57	624	936	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,000.00	11,400.00	9,300.00	36,000.00	1,800.00	4,500.00	3,000.00
0.85	311.66	0.57	623	937	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,032.05	11,412.18	9,309.94	36,000.00	1,801.92	4,504.81	3,003.21
0.85	311.09	0.57	622	938	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,064.10	11,424.36	9,319.87	36,000.00	1,803.85	4,509.62	3,006.41
0.85	310.52	0.57	621	939	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,096.15	11,436.54	9,329.81	36,000.00	1,805.77	4,514.42	3,009.62
0.85	309.95	0.57	620	940	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,128.21	11,448.72	9,339.74	36,000.00	1,807.69	4,519.23	3,012.82
0.85	309.37	0.57	619	941	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,160.26	11,460.90	9,349.68	36,000.00	1,809.62	4,524.04	3,016.03
0.85	308.80	0.57	618	942	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,192.31	11,473.08	9,359.62	36,000.00	1,811.54	4,528.85	3,019.23
0.84	308.23	0.57	617	943	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,224.36	11,485.26	9,369.55	36,000.00	1,81		

0.83	301.97	0.57	606	954	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,576.92	11,619.23	9,478.85	36,000.00	1,834.62	4,586.54	3,057.69
0.83	301.40	0.57	605	955	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,608.97	11,631.41	9,488.78	36,000.00	1,836.54	4,591.35	3,060.90
0.82	300.83	0.57	604	956	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,641.03	11,643.59	9,498.72	36,000.00	1,838.46	4,596.15	3,064.10
0.82	300.27	0.57	603	957	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,673.08	11,655.77	9,508.65	36,000.00	1,840.38	4,600.96	3,067.31
0.82	299.70	0.57	602	958	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,705.13	11,667.95	9,518.59	36,000.00	1,842.31	4,605.77	3,070.51
0.82	299.13	0.57	601	959	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,737.18	11,680.13	9,528.53	36,000.00	1,844.23	4,610.58	3,073.72
0.82	298.57	0.57	600	960	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,769.23	11,692.31	9,538.46	36,000.00	1,846.15	4,615.38	3,076.92
0.82	298.00	0.57	599	961	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,801.28	11,704.49	9,548.40	36,000.00	1,848.08	4,620.19	3,080.13
0.81	297.43	0.57	598	962	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,833.33	11,716.67	9,558.33	36,000.00	1,850.00	4,625.00	3,083.33
0.81	296.87	0.57	597	963	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,865.38	11,728.85	9,568.27	36,000.00	1,851.92	4,629.81	3,086.54
0.81	296.30	0.57	596	964	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,897.44	11,741.03	9,578.21	36,000.00	1,853.85	4,634.62	3,089.74
0.81	295.74	0.56	595	965	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,929.49	11,753.21	9,588.14	36,000.00	1,855.77	4,639.42	3,092.95
0.81	295.17	0.56	594	966	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,961.54	11,765.38	9,598.08	36,000.00	1,857.69	4,644.23	3,096.15
0.81	294.61	0.56	593	967	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,993.59	11,777.56	9,608.01	36,000.00	1,859.62	4,649.04	3,099.36
0.81	294.04	0.56	592	968	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,025.64	11,789.74	9,617.95	36,000.00	1,861.54	4,653.85	3,102.56
0.80	293.48	0.56	591	969	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,057.69	11,801.92	9,627.88	36,000.00	1,863.46	4,658.65	3,105.77
0.80	292.92	0.56	590	970	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,089.74	11,814.10	9,637.82	36,000.00	1,865.38	4,663.46	3,108.97
0.80	292.35	0.56	589	971	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,121.79	11,826.28	9,647.76	36,000.00	1,867.31	4,668.27	3,112.18
0.80	291.79	0.56	588	972	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,153.85	11,838.46	9,657.69	36,000.00	1,869.23	4,673.08	3,115.38
0.80	291.23	0.56	587	973	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,185.90	11,850.64	9,667.63	36,000.00	1,871.15	4,677.88	3,118.59
0.80	290.66	0.56	586	974	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,217.95	11,862.82	9,677.56	36,000.00	1,873.08	4,682.69	3,121.79
0.79	290.10	0.56	585	975	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,250.00	11,875.00	9,687.50	36,000.00	1,875.00	4,687.50	3,125.00
0.79	289.54	0.56	584	976	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,282.05	11,887.18	9,697.44	36,000.00	1,876.92	4,692.31	3,128.21
0.79	288.98	0.56	583	977	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,314.10	11,899.36	9,707.37	36,000.00	1,878.85	4,697.12	3,131.41
0.79	288.42	0.56	582	978	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,346.15	11,911.54	9,717.31	36,000.00	1,880.77	4,701.92	3,134.62
0.79	287.85	0.56	581	979	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,378.21	11,923.72	9,727.24	36,000.00	1,882.69	4,706.73	3,137.82
0.79	287.29	0.56	580	980	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,410.26	11,935.90	9,737.18	36,000.00	1,884.62	4,711.54	3,141.03
0.79	286.73	0.56	579	981	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,442.31	11,948.08	9,747.12	36,000.00	1,886.54	4,716.35	3,144.23
0.78	286.17	0.56	578	982	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,474.36	11,960.26	9,757.05	36,000.00	1,888.46	4,721.15	3,147.44
0.78	285.61	0.56	577	983	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,506.41	11,972.44	9,766.99	36,000.00	1,890.38	4,725.96	3,150.64
0.78	285.05	0.56	576	984	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,538.46	11,984.62	9,776.92	36,000.00	1,892.31	4,730.77	3,153.85
0.78	284.49	0.56	575	985	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,570.51	11,996.79	9,786.86	36,000.00	1,894.23	4,735.58	3,157.05
0.78	283.93	0.56	574	986	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,602.56	12,008.97	9,796.79	36,000.00	1,896.15	4,740.38	3,160.26
0.78	283.37	0.56	573	987	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,634.62	12,021.15	9,806.73	36,000.00	1,898.08	4,745.19	3,163.46
0.77	282.82	0.56	572	988	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,666.67	12,033.33	9,816.67	36,000.00	1,900.00	4,750.00	3,166.67
0.77	282.26	0.56	571	989	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,698.72	12,045.51	9,826.60	36,000.00	1,901.92	4,754.81	3,169.87
0.77	281.70	0.56	570	990	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,730.77	12,057.69	9,836.54	36,000.00	1,903.85	4,759.62	3,173.08
0.77	281.14	0.56	569	991	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,762.82	12,069.87	9,846.47	36,000.00	1,905.77	4,764.42	3,176.28
0.77	280.58	0.56	568	992	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,794.87	12,082.05	9,856.41	36,000.00	1,907.69	4,769.23	3,179.49
0.77	280.02	0.56	567	993	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,826.92	12,094.23	9,866.35	36,000.00	1,909.62	4,774.04	3,182.69
0.77	279.47	0.56	566	994	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,858.97	12,106.41	9,876.28	36,000.00	1,911.54	4,778.85	3,185.90
0.76	278.91	0.56	565	995	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,891.03	12,118.59	9,886.22	36,000.00	1,913.46	4,783.65	3,189.10
0.76	278.35	0.56	564	996	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,923.08	12,130.77	9,896.15	36,000.00	1,915.38	4,788.46	3,192.31
0.76	277.80	0.56	563	997	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,955.13	12,142.95	9,906.09	36,000.00	1,917.31	4,793.27	3,195.51
0.76	277.24	0.56	562	998	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,987.18	12,155.13	9,916.03	36,000.00	1,919.23	4,798.08	3,198.72
0.76	276.69	0.56	561	999	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,019.23	12,167.31	9,925.96	36,000.00	1,921.15	4,802.88	3,201.92
0.76	276.13	0.56	560	1000	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,051.28	12,179.49	9,935.90	36,000.00	1,923.08	4,807.69	3,205.13
0.75	275.57	0.56	559	1001	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,083.33	12,191.67	9,945.83	36,000.00	1,925.00	4,812.50	3,208.33
0.75	275.02	0.55	558	1002	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,115.38	12,203.85	9,955.77	36,000.00	1,926.92	4,817.31	3,211.54
0.75	274.46	0.55	557	1003	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,147.44	12,216.03	9,965.71	36,000.00	1,928.85	4,822.12	3,214.74
0.75	273.91	0.55	556	1004	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,179.49	12,228.21	9,975.64	36,000.00	1,930.77	4,826.92	3,217.95
0.75	273.35	0.55	555	1005	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,211.54	12,240.38	9,985.58	36,000.00	1,932.69	4,831.73	3,221.15
0.75	272.80	0.55	554	1006	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,243.59	12,252.56	9,995.51	36,000.00	1,934.62	4,836.54	3,224.36
0.74	272.25	0.55	553	1007	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,275.64	12,264.74	10,005.45	36,000.00	1,936.54	4,841.35	3,227.56
0.74	271.69	0.55	552	1008	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,307.69	12,276.92	10,015.38	36,000.00	1,938.46	4,846.15	3,230.77
0.74	271.14	0.55	551	1009	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,339.74	12,289.10	10,025.32	36,000.00	1,940.38	4,850.96	3,233.97
0.74	270.59	0.55	550	1010	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,371.79	12,301.28	10,035.26	36,000.00	1,942.31	4,855.77	3,237.18
0.74	270.03	0.55	549	1011	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,403.85	12,313.46	10,045.19	36,000.00	1,944.23	4,860.58	3,240.38
0.74	269.48	0.55	548	1012	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,435						

0.72	263.42	0.55	537	1023	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,788.46	12,459.62	10,164.42	36,000.00	1,967.31	4,918.27	3,278.85
0.72	262.87	0.55	536	1024	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,820.51	12,471.79	10,174.36	36,000.00	1,969.23	4,923.08	3,282.05
0.72	262.32	0.55	535	1025	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,852.56	12,483.97	10,184.29	36,000.00	1,971.15	4,927.88	3,285.26
0.72	261.77	0.55	534	1026	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,884.62	12,496.15	10,194.23	36,000.00	1,973.08	4,932.69	3,288.46
0.72	261.22	0.55	533	1027	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,916.67	12,508.33	10,204.17	36,000.00	1,975.00	4,937.50	3,291.67
0.71	260.67	0.55	532	1028	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,948.72	12,520.51	10,214.10	36,000.00	1,976.92	4,942.31	3,294.87
0.71	260.13	0.55	531	1029	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,980.77	12,532.69	10,224.04	36,000.00	1,978.85	4,947.12	3,298.08
0.71	259.58	0.55	530	1030	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,012.82	12,544.87	10,233.97	36,000.00	1,980.77	4,951.92	3,301.28
0.71	259.03	0.55	529	1031	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,044.87	12,557.05	10,243.91	36,000.00	1,982.69	4,956.73	3,304.49
0.71	258.48	0.55	528	1032	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,076.92	12,569.23	10,253.85	36,000.00	1,984.62	4,961.54	3,307.69
0.71	257.94	0.55	527	1033	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,108.97	12,581.41	10,263.78	36,000.00	1,986.54	4,966.35	3,310.90
0.71	257.39	0.55	526	1034	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,141.03	12,593.59	10,273.72	36,000.00	1,988.46	4,971.15	3,314.10
0.70	256.84	0.55	525	1035	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,173.08	12,605.77	10,283.65	36,000.00	1,990.38	4,975.96	3,317.31
0.70	256.30	0.55	524	1036	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,205.13	12,617.95	10,293.59	36,000.00	1,992.31	4,980.77	3,320.51
0.70	255.75	0.55	523	1037	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,237.18	12,630.13	10,303.53	36,000.00	1,994.23	4,985.58	3,323.72
0.70	255.20	0.55	522	1038	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,269.23	12,642.31	10,313.46	36,000.00	1,996.15	4,990.38	3,326.92
0.70	254.66	0.55	521	1039	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,301.28	12,654.49	10,323.40	36,000.00	1,998.08	4,995.19	3,330.13
0.70	254.11	0.55	520	1040	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,333.33	12,666.67	10,333.33	36,000.00	2,000.00	5,000.00	3,333.33
0.69	253.57	0.54	519	1041	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,365.38	12,678.85	10,343.27	36,000.00	2,001.92	5,004.81	3,336.54
0.69	253.02	0.54	518	1042	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,397.44	12,691.03	10,353.21	36,000.00	2,003.85	5,009.62	3,339.74
0.69	252.48	0.54	517	1043	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,429.49	12,703.21	10,363.14	36,000.00	2,005.77	5,014.42	3,342.95
0.69	251.93	0.54	516	1044	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,461.54	12,715.38	10,373.08	36,000.00	2,007.69	5,019.23	3,346.15
0.69	251.39	0.54	515	1045	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,493.59	12,727.56	10,383.01	36,000.00	2,009.62	5,024.04	3,349.36
0.69	250.84	0.54	514	1046	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,525.64	12,739.74	10,392.95	36,000.00	2,011.54	5,028.85	3,352.56
0.69	250.30	0.54	513	1047	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,557.69	12,751.92	10,402.88	36,000.00	2,013.46	5,033.65	3,355.77
0.68	249.76	0.54	512	1048	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,589.74	12,764.10	10,412.82	36,000.00	2,015.38	5,038.46	3,358.97
0.68	249.21	0.54	511	1049	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,621.79	12,776.28	10,422.76	36,000.00	2,017.31	5,043.27	3,362.18
0.68	248.67	0.54	510	1050	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,653.85	12,788.46	10,432.69	36,000.00	2,019.23	5,048.08	3,365.38
0.68	248.13	0.54	509	1051	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,685.90	12,800.64	10,442.63	36,000.00	2,021.15	5,052.88	3,368.59
0.68	247.59	0.54	508	1052	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,717.95	12,812.82	10,452.56	36,000.00	2,023.08	5,057.69	3,371.79
0.68	247.04	0.54	507	1053	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,750.00	12,825.00	10,462.50	36,000.00	2,025.00	5,062.50	3,375.00
0.68	246.50	0.54	506	1054	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,782.05	12,837.18	10,472.44	36,000.00	2,026.92	5,067.31	3,378.21
0.67	245.96	0.54	505	1055	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,814.10	12,849.36	10,482.37	36,000.00	2,028.85	5,072.12	3,381.41
0.67	245.42	0.54	504	1056	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,846.15	12,861.54	10,492.31	36,000.00	2,030.77	5,076.92	3,384.62
0.67	244.88	0.54	503	1057	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,878.21	12,873.72	10,502.24	36,000.00	2,032.69	5,081.73	3,387.82
0.67	244.34	0.54	502	1058	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,910.26	12,885.90	10,512.18	36,000.00	2,034.62	5,086.54	3,391.03
0.67	243.80	0.54	501	1059	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,942.31	12,898.08	10,522.12	36,000.00	2,036.54	5,091.35	3,394.23
0.67	243.26	0.54	500	1060	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	69,974.36	12,910.26	10,532.05	36,000.00	2,038.46	5,096.15	3,397.44
0.66	242.72	0.54	499	1061	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,006.41	12,922.44	10,541.99	36,000.00	2,040.38	5,100.96	3,400.64
0.66	242.18	0.54	498	1062	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,038.46	12,934.62	10,551.92	36,000.00	2,042.31	5,105.77	3,403.85
0.66	241.64	0.54	497	1063	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,070.51	12,946.79	10,561.86	36,000.00	2,044.23	5,110.58	3,407.05
0.66	241.10	0.54	496	1064	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,102.56	12,958.97	10,571.79	36,000.00	2,046.15	5,115.38	3,410.26
0.66	240.56	0.54	495	1065	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,134.62	12,971.15	10,581.73	36,000.00	2,048.08	5,120.19	3,413.46
0.66	240.02	0.54	494	1066	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,166.67	12,983.33	10,591.67	36,000.00	2,050.00	5,125.00	3,416.67
0.66	239.48	0.54	493	1067	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,198.72	12,995.51	10,601.60	36,000.00	2,051.92	5,129.81	3,419.87
0.65	238.94	0.54	492	1068	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,230.77	13,007.69	10,611.54	36,000.00	2,053.85	5,134.62	3,423.08
0.65	238.40	0.54	491	1069	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,262.82	13,019.87	10,621.47	36,000.00	2,055.77	5,139.42	3,426.28
0.65	237.87	0.54	490	1070	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,294.87	13,032.05	10,631.41	36,000.00	2,057.69	5,144.23	3,429.49
0.65	237.33	0.54	489	1071	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,326.92	13,044.23	10,641.35	36,000.00	2,059.62	5,149.04	3,432.69
0.65	236.79	0.54	488	1072	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,358.97	13,056.41	10,651.28	36,000.00	2,061.54	5,153.85	3,435.90
0.65	236.25	0.54	487	1073	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,391.03	13,068.59	10,661.22	36,000.00	2,063.46	5,158.65	3,439.10
0.65	235.72	0.54	486	1074	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,423.08	13,080.77	10,671.15	36,000.00	2,065.38	5,163.46	3,442.31
0.64	235.18	0.54	485	1075	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,455.13	13,092.95	10,681.09	36,000.00	2,067.31	5,168.27	3,445.51
0.64	234.64	0.54	484	1076	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,487.18	13,105.13	10,691.03	36,000.00	2,069.23	5,173.08	3,448.72
0.64	234.11	0.54	483	1077	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,519.23	13,117.31	10,700.96	36,000.00	2,071.15	5,177.88	3,451.92
0.64	233.57	0.54	482	1078	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,551.28	13,129.49	10,710.90	36,000.00	2,073.08	5,182.69	3,455.13
0.64	233.03	0.54	481	1079	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,583.33	13,141.67	10,720.83	36,000.00	2,075.00	5,187.50	3,458.33
0.64	232.50	0.54	480	1080	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,615.38	13,153.85	10,730.77	36,000.00	2,076.92	5,192.31	3,461.54
0.64	231.96	0.54	479	1081	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,647.44	13,166.03	10,740.71	36,000.00	2,078.85	5,197.12	3,464.74
0.63	231.43	0.53	478	1082	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67 Wits fractured	70,679.49	13,178.21	10,750.64	36,000.00	2,080.77	5,201.92	3,467.95
0.63	230.89	0.53	477													

0.52	226.09	0.53	468	1092	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,000.00	13,300.00	10,850.00	36,000.00	2,100.00	5,250.00	3,500.00
0.53	225.56	0.53	467	1093	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,032.05	13,312.18	10,859.94	36,000.00	2,101.92	5,254.81	3,503.21
0.53	225.03	0.53	466	1094	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,064.10	13,324.36	10,869.87	36,000.00	2,103.85	5,259.62	3,506.41
0.53	224.49	0.53	465	1095	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,096.15	13,336.54	10,879.81	36,000.00	2,105.77	5,264.42	3,509.62
0.53	223.96	0.53	464	1096	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,128.21	13,348.72	10,889.74	36,000.00	2,107.69	5,269.23	3,512.82
0.53	223.43	0.53	463	1097	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,160.26	13,360.90	10,899.68	36,000.00	2,109.62	5,274.04	3,516.03
0.53	222.90	0.53	462	1098	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,192.31	13,373.08	10,909.62	36,000.00	2,111.54	5,278.85	3,519.23
0.53	222.37	0.53	461	1099	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,224.36	13,385.26	10,919.55	36,000.00	2,113.46	5,283.66	3,522.44
0.53	221.84	0.53	460	1100	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,256.41	13,397.44	10,929.49	36,000.00	2,115.38	5,288.46	3,525.64
0.53	221.31	0.53	459	1101	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,288.46	13,409.62	10,939.42	36,000.00	2,117.31	5,293.27	3,528.85
0.53	220.78	0.53	458	1102	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,320.51	13,421.79	10,949.36	36,000.00	2,119.23	5,298.08	3,532.05
0.53	220.25	0.53	457	1103	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,352.56	13,433.97	10,959.29	36,000.00	2,121.15	5,302.88	3,535.26
0.53	219.72	0.53	456	1104	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,384.62	13,446.15	10,969.23	36,000.00	2,123.08	5,307.69	3,538.46
0.53	219.19	0.53	455	1105	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,416.67	13,458.33	10,979.17	36,000.00	2,125.00	5,312.50	3,541.67
0.53	218.66	0.53	454	1106	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,448.72	13,470.51	10,989.10	36,000.00	2,126.92	5,317.31	3,544.87
0.53	218.13	0.53	453	1107	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,480.77	13,482.69	10,999.04	36,000.00	2,128.85	5,322.12	3,548.08
0.53	217.60	0.53	452	1108	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,512.82	13,494.87	11,008.97	36,000.00	2,130.77	5,326.92	3,551.28
0.53	217.07	0.53	451	1109	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,544.87	13,507.05	11,018.91	36,000.00	2,132.69	5,331.73	3,554.49
0.53	216.54	0.53	450	1110	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,576.92	13,519.23	11,028.85	36,000.00	2,134.62	5,336.54	3,557.69
0.53	216.02	0.53	449	1111	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,609.97	13,531.41	11,038.78	36,000.00	2,136.54	5,341.35	3,560.90
0.53	215.49	0.53	448	1112	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,641.03	13,543.59	11,048.72	36,000.00	2,138.46	5,346.15	3,564.10
0.53	214.96	0.53	447	1113	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,673.08	13,555.77	11,058.65	36,000.00	2,140.38	5,350.96	3,567.31
0.53	214.43	0.53	446	1114	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,705.13	13,567.95	11,068.59	36,000.00	2,142.31	5,355.77	3,570.51
0.53	213.91	0.53	445	1115	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,737.18	13,580.13	11,078.53	36,000.00	2,144.23	5,360.58	3,573.72
0.53	213.38	0.53	444	1116	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,769.23	13,592.31	11,088.46	36,000.00	2,146.15	5,365.38	3,576.92
0.53	212.85	0.53	443	1117	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,801.28	13,604.49	11,098.40	36,000.00	2,148.08	5,370.19	3,580.13
0.53	212.33	0.53	442	1118	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,833.33	13,616.67	11,108.33	36,000.00	2,150.00	5,375.00	3,583.33
0.53	211.80	0.53	441	1119	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,865.38	13,628.85	11,118.27	36,000.00	2,151.92	5,379.81	3,586.54
0.53	211.27	0.53	440	1120	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,897.44	13,641.03	11,128.21	36,000.00	2,153.85	5,384.62	3,589.74
0.53	210.75	0.53	439	1121	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,929.49	13,653.21	11,138.14	36,000.00	2,155.77	5,389.42	3,592.95
0.53	210.22	0.53	438	1122	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,961.54	13,665.38	11,148.08	36,000.00	2,157.69	5,394.23	3,596.15
0.53	209.70	0.53	437	1123	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	71,993.59	13,677.56	11,158.01	36,000.00	2,159.62	5,399.04	3,599.36
0.52	209.17	0.52	436	1124	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,025.64	13,689.74	11,167.95	36,000.00	2,161.54	5,403.85	3,602.56
0.52	208.65	0.52	435	1125	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,057.69	13,701.92	11,177.88	36,000.00	2,163.46	5,408.65	3,605.77
0.52	208.12	0.52	434	1126	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,089.74	13,714.10	11,187.82	36,000.00	2,165.38	5,413.46	3,608.97
0.52	207.60	0.52	433	1127	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,121.79	13,726.28	11,197.76	36,000.00	2,167.31	5,418.27	3,612.18
0.52	207.07	0.52	432	1128	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,153.85	13,738.46	11,207.69	36,000.00	2,169.23	5,423.08	3,615.38
0.52	206.55	0.52	431	1129	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,185.90	13,750.64	11,217.63	36,000.00	2,171.15	5,427.88	3,618.59
0.52	206.03	0.52	430	1130	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,217.95	13,762.82	11,227.56	36,000.00	2,173.08	5,432.69	3,621.79
0.52	205.50	0.52	429	1131	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,250.00	13,775.00	11,237.50	36,000.00	2,175.00	5,437.50	3,625.00
0.52	204.98	0.52	428	1132	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,282.05	13,787.18	11,247.44	36,000.00	2,176.92	5,442.31	3,628.21
0.52	204.46	0.52	427	1133	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,314.10	13,799.36	11,257.37	36,000.00	2,178.85	5,447.12	3,631.41
0.52	203.94	0.52	426	1134	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,346.15	13,811.54	11,267.31	36,000.00	2,180.77	5,451.92	3,634.62
0.52	203.41	0.52	425	1135	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,378.21	13,823.72	11,277.24	36,000.00	2,182.69	5,456.73	3,637.82
0.52	202.89	0.52	424	1136	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,410.26	13,835.90	11,287.18	36,000.00	2,184.62	5,461.54	3,641.03
0.52	202.37	0.52	423	1137	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,442.31	13,848.08	11,297.12	36,000.00	2,186.54	5,466.35	3,644.23
0.52	201.85	0.52	422	1138	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,474.36	13,860.26	11,307.05	36,000.00	2,188.46	5,471.15	3,647.44
0.52	201.33	0.52	421	1139	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,506.41	13,872.44	11,316.99	36,000.00	2,190.38	5,475.96	3,650.64
0.52	200.80	0.52	420	1140	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,538.46	13,884.62	11,326.92	36,000.00	2,192.31	5,480.77	3,653.85
0.52	200.28	0.52	419	1141	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,570.51	13,896.79	11,336.86	36,000.00	2,194.23	5,485.58	3,657.05
0.52	199.76	0.52	418	1142	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,602.56	13,908.97	11,346.79	36,000.00	2,196.15	5,490.38	3,660.26
0.52	199.24	0.52	417	1143	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,634.62	13,921.15	11,356.73	36,000.00	2,198.08	5,495.19	3,663.46
0.52	198.72	0.52	416	1144	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,666.67	13,933.33	11,366.67	36,000.00	2,200.00	5,500.00	3,666.67
0.52	198.20	0.52	415	1145	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,698.72	13,945.51	11,376.60	36,000.00	2,201.92	5,504.81	3,669.87
0.52	197.68	0.52	414	1146	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,730.77	13,957.69	11,386.54	36,000.00	2,203.85	5,509.62	3,673.08
0.52	197.16	0.52	413	1147	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,762.82	13,969.87	11,396.47	36,000.00	2,205.77	5,514.42	3,676.28
0.52	196.64	0.52	412	1148	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,794.87	13,982.05	11,406.41	36,000.00	2,207.69	5,519.23	3,679.49
0.52	196.12	0.52	411	1149	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,826.92	13,994.23	11,416.35	36,000.00	2,209.62	5,524.04	3,682.69
0.52	195.60	0.52	410	1150	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,858.97	14,006.41	11,426.28	36,000.00	2,211.54	5,528.85	3,685.90
0.52	195.08	0.52	409	1151	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,891.03	14,018.59	11,436.22	36,000.00	2,213.46	5,533.65	3,689.10
0.52	194.57	0.52	408	1152	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	72,923.						

0.52	189.91	0.52	399	1161	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,211.54	14,140.38	11,535.58	36,000.00	2,232.69	5,581.73	3,721.15
0.52	189.39	0.52	398	1162	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,243.59	14,152.56	11,545.51	36,000.00	2,234.62	5,586.54	3,724.36
0.52	189.88	0.52	397	1163	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,275.64	14,164.74	11,555.45	36,000.00	2,236.54	5,591.35	3,727.56
0.52	188.36	0.52	396	1164	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,307.69	14,176.92	11,565.38	36,000.00	2,238.46	5,596.15	3,730.77
0.51	187.84	0.52	395	1165	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,339.74	14,189.10	11,575.32	36,000.00	2,240.38	5,600.96	3,733.97
0.51	187.33	0.52	394	1166	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,371.79	14,201.28	11,585.26	36,000.00	2,242.31	5,605.77	3,737.18
0.51	186.81	0.51	393	1167	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,403.85	14,213.46	11,595.19	36,000.00	2,244.23	5,610.58	3,740.38
0.51	186.30	0.51	392	1168	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,435.90	14,225.64	11,605.13	36,000.00	2,246.15	5,615.38	3,743.59
0.51	185.78	0.51	391	1169	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,467.95	14,237.82	11,615.06	36,000.00	2,248.08	5,620.19	3,746.79
0.51	185.27	0.51	390	1170	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,500.00	14,250.00	11,625.00	36,000.00	2,250.00	5,625.00	3,750.00
0.51	184.76	0.51	389	1171	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,532.05	14,262.18	11,634.94	36,000.00	2,251.92	5,629.81	3,753.21
0.50	184.24	0.51	388	1172	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,564.10	14,274.36	11,644.87	36,000.00	2,253.85	5,634.62	3,756.41
0.50	183.73	0.51	387	1173	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,596.15	14,286.54	11,654.81	36,000.00	2,255.77	5,639.42	3,759.62
0.50	183.21	0.51	386	1174	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,628.21	14,298.72	11,664.74	36,000.00	2,257.69	5,644.23	3,762.82
0.50	182.70	0.51	385	1175	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,660.26	14,310.90	11,674.68	36,000.00	2,259.62	5,649.04	3,766.03
0.50	182.19	0.51	384	1176	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,692.31	14,323.08	11,684.62	36,000.00	2,261.54	5,653.85	3,769.23
0.50	181.67	0.51	383	1177	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,724.36	14,335.26	11,694.55	36,000.00	2,263.46	5,658.65	3,772.44
0.50	181.16	0.51	382	1178	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,756.41	14,347.44	11,704.49	36,000.00	2,265.38	5,663.46	3,775.64
0.49	180.65	0.51	381	1179	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,788.46	14,359.62	11,714.42	36,000.00	2,267.31	5,668.27	3,778.85
0.49	180.14	0.51	380	1180	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,820.51	14,371.79	11,724.36	36,000.00	2,269.23	5,673.08	3,782.05
0.49	179.63	0.51	379	1181	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,852.56	14,383.97	11,734.29	36,000.00	2,271.15	5,677.88	3,785.26
0.49	179.11	0.51	378	1182	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,884.62	14,396.15	11,744.23	36,000.00	2,273.08	5,682.69	3,788.46
0.49	178.60	0.51	377	1183	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,916.67	14,408.33	11,754.17	36,000.00	2,275.00	5,687.50	3,791.67
0.49	178.09	0.51	376	1184	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,948.72	14,420.51	11,764.10	36,000.00	2,276.92	5,692.31	3,794.87
0.49	177.58	0.51	375	1185	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,980.77	14,432.69	11,774.04	36,000.00	2,278.85	5,697.12	3,798.08
0.49	177.07	0.51	374	1186	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,012.82	14,444.87	11,783.97	36,000.00	2,280.77	5,701.92	3,801.28
0.48	176.56	0.51	373	1187	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,044.87	14,457.05	11,793.91	36,000.00	2,282.69	5,706.73	3,804.49
0.48	176.05	0.51	372	1188	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,076.92	14,469.23	11,803.85	36,000.00	2,284.62	5,711.54	3,807.69
0.48	175.54	0.51	371	1189	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,108.97	14,481.41	11,813.78	36,000.00	2,286.54	5,716.35	3,810.90
0.48	175.03	0.51	370	1190	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,141.03	14,493.59	11,823.72	36,000.00	2,288.46	5,721.15	3,814.10
0.48	174.52	0.51	369	1191	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,173.08	14,505.77	11,833.65	36,000.00	2,290.38	5,725.96	3,817.31
0.48	174.01	0.51	368	1192	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,205.13	14,517.95	11,843.59	36,000.00	2,292.31	5,730.77	3,820.51
0.48	173.50	0.51	367	1193	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,237.18	14,530.13	11,853.53	36,000.00	2,294.23	5,735.58	3,823.72
0.47	172.99	0.51	366	1194	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,269.23	14,542.31	11,863.46	36,000.00	2,296.15	5,740.38	3,826.92
0.47	172.48	0.51	365	1195	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,301.28	14,554.49	11,873.40	36,000.00	2,298.08	5,745.19	3,830.13
0.47	171.97	0.51	364	1196	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,333.33	14,566.67	11,883.33	36,000.00	2,300.00	5,750.00	3,833.33
0.47	171.46	0.51	363	1197	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,365.38	14,578.85	11,893.27	36,000.00	2,301.92	5,754.81	3,836.54
0.47	170.95	0.51	362	1198	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,397.44	14,591.03	11,903.21	36,000.00	2,303.85	5,759.62	3,839.74
0.47	170.45	0.51	361	1199	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,429.49	14,603.21	11,913.14	36,000.00	2,305.77	5,764.42	3,842.95
0.47	169.94	0.51	360	1200	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,461.54	14,615.38	11,923.08	36,000.00	2,307.69	5,769.23	3,846.15
0.46	169.43	0.51	359	1201	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,493.59	14,627.56	11,933.01	36,000.00	2,309.62	5,774.04	3,849.36
0.46	168.92	0.51	358	1202	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,525.64	14,639.74	11,942.95	36,000.00	2,311.54	5,778.85	3,852.57
0.46	168.42	0.51	357	1203	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,557.69	14,651.92	11,952.88	36,000.00	2,313.46	5,783.65	3,855.77
0.46	167.91	0.51	356	1204	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,589.74	14,664.10	11,962.82	36,000.00	2,315.38	5,788.46	3,858.97
0.46	167.40	0.51	355	1205	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,621.79	14,676.28	11,972.76	36,000.00	2,317.31	5,793.27	3,862.18
0.46	166.90	0.51	354	1206	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,653.85	14,688.46	11,982.69	36,000.00	2,319.23	5,798.08	3,865.38
0.46	166.39	0.51	353	1207	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,685.90	14,700.64	11,992.63	36,000.00	2,321.15	5,802.88	3,868.59
0.45	165.88	0.51	352	1208	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,717.95	14,712.82	12,002.56	36,000.00	2,323.08	5,807.69	3,871.79
0.45	165.38	0.51	351	1209	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,750.00	14,725.00	12,012.50	36,000.00	2,325.00	5,812.50	3,875.00
0.45	164.87	0.51	350	1210	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,782.05	14,737.18	12,022.44	36,000.00	2,326.92	5,817.31	3,878.21
0.45	164.37	0.51	349	1211	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,814.10	14,749.36	12,032.37	36,000.00	2,328.85	5,822.12	3,881.41
0.45	163.86	0.51	348	1212	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,846.15	14,761.54	12,042.31	36,000.00	2,330.77	5,826.92	3,884.62
0.45	163.36	0.50	347	1213	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,878.21	14,773.72	12,052.24	36,000.00	2,332.69	5,831.73	3,887.82
0.45	162.85	0.50	346	1214	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,910.26	14,785.90	12,062.18	36,000.00	2,334.62	5,836.54	3,891.03
0.44	162.35	0.50	345	1215	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,942.31	14,798.08	12,072.12	36,000.00	2,336.54	5,841.35	3,894.23
0.44	161.84	0.50	344	1216	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,974.36	14,810.26	12,082.05	36,000.00	2,338.46	5,846.15	3,897.44
0.44	161.34	0.50	343	1217	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,006.41	14,822.44	12,091.99	36,000.00	2,340.38	5,850.96	3,900.64
0.44	160.83	0.50	342	1218	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,038.46	14,834.62	12,101.92	36,000.00	2,342.31		

0.42	154.80	0.50	330	1230	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,423.08	14,980.77	12,221.15	36,000.00	2,365.38	5,913.46	3,942.31
0.42	154.30	0.50	329	1231	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,455.13	14,992.95	12,231.09	36,000.00	2,367.31	5,918.27	3,945.51
0.42	153.80	0.50	328	1232	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,487.18	15,005.13	12,241.03	36,000.00	2,369.23	5,923.08	3,948.72
0.42	153.30	0.50	327	1233	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,519.23	15,017.31	12,250.96	36,000.00	2,371.15	5,927.88	3,951.92
0.42	152.80	0.50	326	1234	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,551.28	15,029.49	12,260.90	36,000.00	2,373.08	5,932.69	3,955.13
0.42	152.30	0.50	325	1235	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,583.33	15,041.67	12,270.83	36,000.00	2,375.00	5,937.50	3,958.33
0.42	151.80	0.50	324	1236	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,615.38	15,053.85	12,280.77	36,000.00	2,376.92	5,942.31	3,961.54
0.41	151.30	0.50	323	1237	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,647.44	15,066.03	12,290.71	36,000.00	2,378.85	5,947.12	3,964.74
0.41	150.80	0.50	322	1238	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,679.49	15,078.21	12,300.64	36,000.00	2,380.77	5,951.92	3,967.95
0.41	150.30	0.50	321	1239	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,711.54	15,090.38	12,310.58	36,000.00	2,382.69	5,956.73	3,971.15
0.41	149.80	0.50	320	1240	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,743.59	15,102.56	12,320.51	36,000.00	2,384.62	5,961.54	3,974.36
0.41	149.30	0.50	319	1241	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,775.64	15,114.74	12,330.45	36,000.00	2,386.54	5,966.35	3,977.56
0.41	148.80	0.50	318	1242	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,807.69	15,126.92	12,340.38	36,000.00	2,388.46	5,971.15	3,980.77
0.41	148.30	0.50	317	1243	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,839.74	15,139.10	12,350.32	36,000.00	2,390.38	5,975.96	3,983.97
0.40	147.81	0.50	316	1244	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,871.79	15,151.28	12,360.26	36,000.00	2,392.31	5,980.77	3,987.18
0.40	147.31	0.50	315	1245	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,903.85	15,163.46	12,370.19	36,000.00	2,394.23	5,985.58	3,990.38
0.40	146.81	0.50	314	1246	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,935.90	15,175.64	12,380.13	36,000.00	2,396.15	5,990.38	3,993.59
0.40	146.31	0.50	313	1247	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,967.95	15,187.82	12,390.06	36,000.00	2,398.08	5,995.19	3,996.79
0.40	145.81	0.50	312	1248	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,000.00	15,200.00	12,400.00	36,000.00	2,400.00	6,000.00	4,000.00
0.40	145.32	0.50	311	1249	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,032.05	15,212.18	12,409.94	36,000.00	2,401.92	6,004.81	4,003.21
0.40	144.82	0.50	310	1250	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,064.10	15,224.36	12,419.87	36,000.00	2,403.85	6,009.62	4,006.41
0.40	144.32	0.50	309	1251	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,096.15	15,236.54	12,429.81	36,000.00	2,405.77	6,014.42	4,009.62
0.39	143.83	0.50	308	1252	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,128.21	15,248.72	12,439.74	36,000.00	2,407.69	6,019.23	4,012.82
0.39	143.33	0.50	307	1253	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,160.26	15,260.90	12,449.68	36,000.00	2,409.62	6,024.04	4,016.03
0.39	142.83	0.50	306	1254	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,192.31	15,273.08	12,459.62	36,000.00	2,411.54	6,028.85	4,019.23
0.39	142.34	0.50	305	1255	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,224.36	15,285.26	12,469.55	36,000.00	2,413.46	6,033.65	4,022.44
0.39	141.84	0.50	304	1256	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,256.41	15,297.44	12,479.49	36,000.00	2,415.38	6,038.46	4,025.64
0.39	141.35	0.50	303	1257	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,288.46	15,309.62	12,489.42	36,000.00	2,417.31	6,043.27	4,028.85
0.39	140.85	0.50	302	1258	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,320.51	15,321.79	12,499.36	36,000.00	2,419.23	6,048.08	4,032.05
0.38	140.35	0.50	301	1259	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,352.56	15,333.97	12,509.29	36,000.00	2,421.15	6,052.88	4,035.26
0.38	139.86	0.49	300	1260	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,384.62	15,346.15	12,519.23	36,000.00	2,423.08	6,057.69	4,038.46
0.38	139.36	0.49	299	1261	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,416.67	15,358.33	12,529.17	36,000.00	2,425.00	6,062.50	4,041.67
0.38	138.87	0.49	298	1262	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,448.72	15,370.51	12,539.10	36,000.00	2,426.92	6,067.31	4,044.87
0.38	138.38	0.49	297	1263	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,480.77	15,382.69	12,549.04	36,000.00	2,428.85	6,072.12	4,048.08
0.38	137.88	0.49	296	1264	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,512.82	15,394.87	12,558.97	36,000.00	2,430.77	6,076.92	4,051.28
0.38	137.39	0.49	295	1265	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,544.87	15,407.05	12,568.91	36,000.00	2,432.69	6,081.73	4,054.49
0.38	136.89	0.49	294	1266	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,576.92	15,419.23	12,578.85	36,000.00	2,434.62	6,086.54	4,057.69
0.37	136.40	0.49	293	1267	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,608.97	15,431.41	12,588.78	36,000.00	2,436.54	6,091.35	4,060.90
0.37	135.91	0.49	292	1268	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,641.03	15,443.59	12,598.72	36,000.00	2,438.46	6,096.15	4,064.10
0.37	135.41	0.49	291	1269	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,673.08	15,455.77	12,608.65	36,000.00	2,440.38	6,100.96	4,067.31
0.37	134.92	0.49	290	1270	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,705.13	15,467.95	12,618.59	36,000.00	2,442.31	6,105.77	4,070.51
0.37	134.43	0.49	289	1271	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,737.18	15,480.13	12,628.53	36,000.00	2,444.23	6,110.58	4,073.72
0.37	133.93	0.49	288	1272	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,769.23	15,492.31	12,638.46	36,000.00	2,446.15	6,115.38	4,076.92
0.37	133.44	0.49	287	1273	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,801.28	15,504.49	12,648.40	36,000.00	2,448.08	6,120.19	4,080.13
0.36	132.95	0.49	286	1274	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,833.33	15,516.67	12,658.33	36,000.00	2,450.00	6,125.00	4,083.33
0.36	132.46	0.49	285	1275	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,865.38	15,528.85	12,668.27	36,000.00	2,451.92	6,129.81	4,086.54
0.36	131.97	0.49	284	1276	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,897.44	15,541.03	12,678.21	36,000.00	2,453.85	6,134.62	4,089.74
0.36	131.48	0.49	283	1277	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,929.49	15,553.21	12,688.14	36,000.00	2,455.77	6,139.42	4,092.95
0.36	130.98	0.49	282	1278	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	76,961.54	15,565.38	12,698.08	36,000.00	2,457.69	6,144.23	4,096.15
0.36	130.49	0.49	281	1279	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	76,993.59	15,577.56	12,708.01	36,000.00	2,459.62	6,149.04	4,099.36
0.36	130.00	0.49	280	1280	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,025.64	15,589.74	12,717.95	36,000.00	2,461.54	6,153.85	4,102.56
0.35	129.51	0.49	279	1281	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,057.69	15,601.92	12,727.88	36,000.00	2,463.46	6,158.65	4,105.77
0.35	129.02	0.49	278	1282	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,089.74	15,614.10	12,737.82	36,000.00	2,465.38	6,163.46	4,108.97
0.35	128.53	0.49	277	1283	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,121.79	15,626.28	12,747.76	36,000.00	2,467.31	6,168.27	4,112.18
0.35	128.04	0.49	276	1284	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,153.85	15,638.46	12,757.69	36,000.00	2,469.23	6,173.08	4,115.38
0.35	127.55	0.49	275	1285	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,185.90	15,650.64	12,767.63	36,000.00	2,471.15	6,177.88	4,118.59
0.35	127.06	0.49	274	1286	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,217.95	15,662.82	12,777.56	36,000.00	2,473.08	6,182.69	4,121.79
0.35	126.57	0.49	273	1287	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,250.00	15,675.00	12,787.50</				

0.33	120.71	0.49	261	1299	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,534.62	15,821.15	12,906.73	36,000.00	2,498.08	6,245.19	4,163.46
0.33	120.23	0.49	260	1300	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,666.67	15,833.33	12,916.67	36,000.00	2,500.00	6,250.00	4,166.67
0.33	119.74	0.49	259	1301	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,698.72	15,845.51	12,926.60	36,000.00	2,501.92	6,254.81	4,169.87
0.33	119.25	0.49	258	1302	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,730.77	15,857.69	12,936.54	36,000.00	2,503.85	6,259.62	4,173.08
0.33	118.77	0.49	257	1303	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,762.82	15,869.87	12,946.47	36,000.00	2,505.77	6,264.42	4,176.28
0.32	118.28	0.49	256	1304	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,794.87	15,882.05	12,956.41	36,000.00	2,507.69	6,269.23	4,179.49
0.32	117.79	0.49	255	1305	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,826.92	15,894.23	12,966.35	36,000.00	2,509.62	6,274.04	4,182.69
0.32	117.31	0.49	254	1306	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,858.97	15,906.41	12,976.28	36,000.00	2,511.54	6,278.85	4,185.90
0.32	116.82	0.49	253	1307	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,891.03	15,918.59	12,986.22	36,000.00	2,513.46	6,283.65	4,189.10
0.32	116.34	0.49	252	1308	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,923.08	15,930.77	12,996.15	36,000.00	2,515.38	6,288.46	4,192.31
0.32	115.85	0.48	251	1309	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,955.13	15,942.95	13,006.09	36,000.00	2,517.31	6,293.27	4,195.51
0.32	115.37	0.48	250	1310	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,987.18	15,955.13	13,016.03	36,000.00	2,519.23	6,298.08	4,198.72
0.31	114.88	0.48	249	1311	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,019.23	15,967.31	13,026.96	36,000.00	2,521.15	6,302.88	4,201.92
0.31	114.40	0.48	248	1312	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,051.28	15,979.49	13,036.90	36,000.00	2,523.08	6,307.69	4,205.13
0.31	113.91	0.48	247	1313	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,083.33	15,991.67	13,046.83	36,000.00	2,525.00	6,312.50	4,208.33
0.31	113.43	0.48	246	1314	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,115.38	16,003.85	13,056.77	36,000.00	2,526.92	6,317.31	4,211.54
0.31	112.95	0.48	245	1315	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,147.44	16,016.03	13,066.71	36,000.00	2,528.85	6,322.12	4,214.74
0.31	112.46	0.48	244	1316	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,179.49	16,028.21	13,076.64	36,000.00	2,530.77	6,326.92	4,217.95
0.31	111.98	0.48	243	1317	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,211.54	16,040.38	13,086.58	36,000.00	2,532.69	6,331.73	4,221.15
0.31	111.50	0.48	242	1318	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,243.59	16,052.56	13,096.51	36,000.00	2,534.62	6,336.54	4,224.36
0.30	111.01	0.48	241	1319	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,275.64	16,064.74	13,106.45	36,000.00	2,536.54	6,341.35	4,227.56
0.30	110.53	0.48	240	1320	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,307.69	16,076.92	13,116.38	36,000.00	2,538.46	6,346.15	4,230.77
0.30	110.05	0.48	239	1321	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,339.74	16,089.10	13,126.32	36,000.00	2,540.38	6,350.96	4,233.97
0.30	109.56	0.48	238	1322	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,371.79	16,101.28	13,136.26	36,000.00	2,542.31	6,355.77	4,237.18
0.30	109.08	0.48	237	1323	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,403.85	16,113.46	13,146.19	36,000.00	2,544.23	6,360.58	4,240.38
0.30	108.60	0.48	236	1324	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,435.90	16,125.64	13,156.13	36,000.00	2,546.15	6,365.38	4,243.59
0.30	108.12	0.48	235	1325	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,467.95	16,137.82	13,166.06	36,000.00	2,548.08	6,370.19	4,246.79
0.29	107.64	0.48	234	1326	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,500.00	16,150.00	13,176.00	36,000.00	2,550.00	6,375.00	4,250.00
0.29	107.15	0.48	233	1327	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,532.05	16,162.18	13,186.94	36,000.00	2,551.92	6,379.81	4,253.21
0.29	106.67	0.48	232	1328	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,564.10	16,174.36	13,196.87	36,000.00	2,553.85	6,384.62	4,256.41
0.29	106.19	0.48	231	1329	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,596.15	16,186.54	13,206.81	36,000.00	2,555.77	6,389.42	4,259.62
0.29	105.71	0.48	230	1330	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,628.21	16,198.72	13,216.74	36,000.00	2,557.69	6,394.23	4,262.82
0.29	105.23	0.48	229	1331	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,660.26	16,210.90	13,226.68	36,000.00	2,559.62	6,399.04	4,266.03
0.29	104.75	0.48	228	1332	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,692.31	16,223.08	13,236.62	36,000.00	2,561.54	6,403.85	4,269.23
0.29	104.27	0.48	227	1333	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,724.36	16,235.26	13,246.55	36,000.00	2,563.46	6,408.65	4,272.44
0.28	103.79	0.48	226	1334	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,756.41	16,247.44	13,256.49	36,000.00	2,565.38	6,413.46	4,275.64
0.28	103.31	0.48	225	1335	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,788.46	16,259.62	13,266.42	36,000.00	2,567.31	6,418.27	4,278.85
0.28	102.83	0.48	224	1336	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,820.51	16,271.79	13,276.36	36,000.00	2,569.23	6,423.08	4,282.05
0.28	102.35	0.48	223	1337	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,852.56	16,283.97	13,286.29	36,000.00	2,571.15	6,427.88	4,285.26
0.28	101.87	0.48	222	1338	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,884.62	16,296.15	13,296.23	36,000.00	2,573.08	6,432.69	4,288.46
0.28	101.39	0.48	221	1339	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,916.67	16,308.33	13,306.17	36,000.00	2,575.00	6,437.50	4,291.67
0.28	100.91	0.48	220	1340	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,948.72	16,320.51	13,316.10	36,000.00	2,576.92	6,442.31	4,294.87
0.28	100.43	0.48	219	1341	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,980.77	16,332.69	13,326.04	36,000.00	2,578.85	6,447.12	4,298.08
0.27	99.95	0.48	218	1342	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,012.82	16,344.87	13,335.97	36,000.00	2,580.77	6,451.92	4,301.28
0.27	99.48	0.48	217	1343	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,044.87	16,357.05	13,345.91	36,000.00	2,582.69	6,456.73	4,304.49
0.27	99.00	0.48	216	1344	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,076.92	16,369.23	13,355.85	36,000.00	2,584.62	6,461.54	4,307.69
0.27	98.52	0.48	215	1345	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,108.97	16,381.41	13,365.78	36,000.00	2,586.54	6,466.35	4,310.90
0.27	98.04	0.48	214	1346	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,141.03	16,393.59	13,375.72	36,000.00	2,588.46	6,471.15	4,314.10
0.27	97.56	0.48	213	1347	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,173.08	16,405.77	13,385.65	36,000.00	2,590.38	6,475.96	4,317.31
0.27	97.09	0.48	212	1348	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,205.13	16,417.95	13,395.59	36,000.00	2,592.31	6,480.77	4,320.51
0.26	96.61	0.48	211	1349	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,237.18	16,430.13	13,405.53	36,000.00	2,594.23	6,485.58	4,323.72
0.26	96.13	0.48	210	1350	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,269.23	16,442.31	13,415.46	36,000.00	2,596.15	6,490.38	4,326.92
0.26	95.66	0.48	209	1351	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,301.28	16,454.49	13,425.40	36,000.00	2,598.08	6,495.19	4,330.13
0.26	95.18	0.48	208	1352	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,333.33	16,466.67	13,435.33	36,000.00	2,600.00	6,500.00	4,333.33
0.26	94.70	0.48	207	1353	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,365.38	16,478.85	13,445.27	36,000.00	2,601.92	6,504.81	4,336.54
0.26	94.23	0.48	206	1354	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,397.44	16,491.03	13,455.21	36,000.00	2,603.85	6,509.62	4,339.74
0.26	93.75	0.48	205	1355	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,429.49	16,503.21	13,465.14	36,000.00	2,605.77	6,514.42	4,342.95
0.26	93.28	0.48	204	1356	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,461.54	16,515.38	13,475.08	36,000.00			

0.24	87.58	0.47	182	1368	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	79.846.15	16.661.54	13.562.31	36.000.00	2.630.77	6.576.92	4.384.62
0.24	87.11	0.47	181	1369	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	79.815.21	16.673.72	13.562.24	36.000.00	2.632.69	6.581.73	4.387.82
0.24	86.53	0.47	180	1370	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	79.810.26	16.673.18	13.562.18	36.000.00	2.634.62	6.586.94	4.391.03
0.24	86.16	0.47	180	1371	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	79.842.31	16.698.08	13.622.12	36.000.00	2.636.54	6.591.35	4.394.23
0.23	85.69	0.47	188	1372	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	79.974.36	16.710.26	13.632.05	36.000.00	2.638.46	6.596.15	4.397.44
0.23	85.21	0.47	187	1373	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.006.41	16.722.44	13.641.99	36.000.00	2.640.38	6.600.96	4.400.64
0.23	84.74	0.47	186	1374	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.038.46	16.734.62	13.651.92	36.000.00	2.642.31	6.605.77	4.403.85
0.23	84.27	0.47	185	1375	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.070.51	16.746.79	13.661.96	36.000.00	2.644.23	6.610.58	4.407.05
0.23	83.80	0.47	184	1376	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.102.56	16.758.97	13.671.79	36.000.00	2.646.15	6.615.38	4.410.26
0.23	83.33	0.47	183	1377	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.134.62	16.771.15	13.681.73	36.000.00	2.648.08	6.620.19	4.413.46
0.23	82.85	0.47	182	1378	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.166.67	16.783.33	13.691.67	36.000.00	2.650.00	6.625.00	4.416.67
0.23	82.38	0.47	181	1379	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.198.72	16.795.51	13.701.60	36.000.00	2.651.92	6.629.81	4.419.87
0.22	81.91	0.47	180	1380	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.230.77	16.807.69	13.711.54	36.000.00	2.653.85	6.634.62	4.423.08
0.22	81.44	0.47	178	1382	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.262.82	16.819.87	13.721.47	36.000.00	2.655.77	6.639.42	4.426.28
0.22	80.97	0.47	177	1383	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.294.87	16.832.05	13.731.41	36.000.00	2.657.69	6.644.23	4.429.49
0.22	80.50	0.47	176	1384	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.326.92	16.844.23	13.741.35	36.000.00	2.659.62	6.649.04	4.432.69
0.22	80.03	0.47	175	1385	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.359.97	16.856.41	13.751.28	36.000.00	2.661.54	6.653.85	4.435.90
0.22	79.56	0.47	173	1386	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.391.03	16.868.58	13.761.22	36.000.00	2.663.46	6.658.65	4.438.10
0.22	79.09	0.47	174	1385	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.423.08	16.880.77	13.771.15	36.000.00	2.665.38	6.663.46	4.442.31
0.22	78.62	0.47	173	1387	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.455.13	16.892.95	13.781.09	36.000.00	2.667.31	6.668.27	4.445.51
0.21	78.15	0.47	172	1388	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.487.18	16.905.13	13.791.03	36.000.00	2.669.23	6.673.08	4.448.72
0.21	77.68	0.47	171	1389	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.519.23	16.917.31	13.800.96	36.000.00	2.671.15	6.677.88	4.451.92
0.21	77.21	0.47	170	1390	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.551.28	16.929.49	13.810.90	36.000.00	2.673.08	6.682.69	4.455.13
0.21	76.74	0.47	169	1391	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.583.33	16.941.67	13.820.83	36.000.00	2.675.00	6.687.50	4.458.33
0.21	76.27	0.47	168	1392	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.615.38	16.953.85	13.830.77	36.000.00	2.676.92	6.692.31	4.461.54
0.21	75.80	0.47	167	1393	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.647.44	16.966.03	13.840.71	36.000.00	2.678.85	6.697.12	4.464.74
0.21	75.33	0.47	166	1394	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.679.49	16.978.21	13.850.64	36.000.00	2.680.77	6.701.92	4.467.95
0.21	74.86	0.47	165	1395	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.711.54	16.990.38	13.860.58	36.000.00	2.682.69	6.706.73	4.471.15
0.20	74.40	0.47	164	1396	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.743.59	17.002.56	13.870.51	36.000.00	2.684.62	6.711.54	4.474.36
0.20	73.93	0.47	163	1397	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.775.64	17.014.74	13.880.45	36.000.00	2.686.54	6.716.35	4.477.56
0.20	73.48	0.47	162	1398	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.807.69	17.026.92	13.890.38	36.000.00	2.688.46	6.721.15	4.480.77
0.20	72.99	0.47	161	1399	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.839.74	17.039.10	13.900.32	36.000.00	2.690.38	6.725.96	4.483.97
0.20	72.52	0.47	160	1400	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.871.79	17.051.28	13.910.26	36.000.00	2.692.31	6.730.76	4.487.18
0.20	72.06	0.47	159	1401	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.903.85	17.063.46	13.920.19	36.000.00	2.694.23	6.735.58	4.490.38
0.19	71.59	0.47	158	1402	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.935.90	17.075.64	13.930.13	36.000.00	2.696.15	6.740.39	4.493.59
0.19	71.12	0.47	157	1403	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	80.967.95	17.087.82	13.940.06	36.000.00	2.698.08	6.745.19	4.496.79
0.19	70.66	0.47	156	1404	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.000.00	17.100.00	13.950.00	36.000.00	2.700.00	6.750.00	4.500.00
0.19	70.19	0.47	155	1405	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.032.05	17.112.18	13.959.94	36.000.00	2.701.92	6.754.81	4.503.21
0.19	69.72	0.47	154	1406	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.064.10	17.124.36	13.969.87	36.000.00	2.703.85	6.759.62	4.506.41
0.19	69.26	0.47	153	1407	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.096.15	17.136.54	13.979.81	36.000.00	2.705.77	6.764.42	4.509.62
0.19	68.79	0.47	152	1408	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.128.21	17.148.72	13.989.74	36.000.00	2.707.69	6.769.23	4.512.82
0.19	68.32	0.47	151	1409	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.160.26	17.160.90	13.999.66	36.000.00	2.709.62	6.774.04	4.516.03
0.18	67.86	0.47	150	1410	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.192.31	17.173.08	14.009.62	36.000.00	2.711.54	6.778.85	4.519.23
0.18	67.39	0.47	148	1411	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.224.36	17.185.26	14.019.65	36.000.00	2.713.46	6.783.65	4.522.44
0.18	66.93	0.47	147	1412	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.256.41	17.197.44	14.029.49	36.000.00	2.715.38	6.788.46	4.525.64
0.18	66.50	0.46	146	1414	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.288.46	17.209.62	14.039.42	36.000.00	2.717.31	6.793.27	4.528.85
0.18	66.03	0.46	145	1415	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.320.51	17.221.79	14.049.36	36.000.00	2.719.23	6.798.08	4.532.05
0.18	65.53	0.46	144	1416	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.352.56	17.233.97	14.059.29	36.000.00	2.721.15	6.802.89	4.535.26
0.18	65.07	0.46	143	1417	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.384.62	17.246.15	14.069.23	36.000.00	2.723.08	6.807.69	4.538.46
0.18	64.60	0.46	142	1418	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.416.67	17.258.33	14.079.17	36.000.00	2.725.00	6.812.50	4.541.67
0.18	64.14	0.46	141	1419	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.448.72	17.270.51	14.089.10	36.000.00	2.726.92	6.817.31	4.544.87
0.17	63.67	0.46	140	1420	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.480.77	17.282.69	14.099.04	36.000.00	2.728.85	6.822.12	4.548.08
0.17	63.21	0.46	139	1421	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.512.82	17.294.87	14.108.97	36.000.00	2.730.77	6.826.92	4.551.28
0.17	62.75	0.46	138	1422	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.544.87	17.307.05	14.118.91	36.000.00	2.732.69	6.831.73	4.554.49
0.17	62.28	0.46	137	1423	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.576.92	17.319.23	14.128.85	36.000.00	2.734.62	6.836.54	4.557.69
0.17	61.82	0.46	136	1424	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.609.97	17.331.41	14.138.78	36.000.00	2.736.54	6.841.35	4.560.90
0.17	61.36	0.46	135	1425	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.641.03	17.343.59	14.148.72	36.000.00	2.738.46	6.846.15	4.564.10
0.17	60.89	0.46	134	1426	Shafts, stopes	7.56E+07	0.05	13.522.59	24.277.41	Whs fractured	81.673.08	17.355.77	14.158.65	36.000.00	2.740.38	6.850.96	4.567.31

0.15	55.35	0.46	123	1437	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,057.69	17,501.92	14,277.88	36,000.00	2,763.46	6,908.65	4,605.77
0.15	54.89	0.46	122	1438	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,089.74	17,514.10	14,287.82	36,000.00	2,785.38	6,913.46	4,608.97
0.15	54.43	0.46	121	1439	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,121.79	17,526.28	14,297.76	36,000.00	2,789.31	6,918.27	4,612.18
0.15	53.97	0.46	120	1440	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,153.85	17,538.46	14,307.69	36,000.00	2,789.23	6,923.08	4,615.38
0.15	53.51	0.46	119	1441	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,185.90	17,550.64	14,317.63	36,000.00	2,771.15	6,927.88	4,618.59
0.15	53.05	0.46	118	1442	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,217.95	17,562.82	14,327.56	36,000.00	2,773.08	6,932.69	4,621.79
0.14	52.59	0.46	117	1443	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,250.00	17,575.00	14,337.50	36,000.00	2,775.00	6,937.50	4,625.00
0.14	52.13	0.46	116	1444	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,282.05	17,587.18	14,347.44	36,000.00	2,776.92	6,942.31	4,628.21
0.14	51.67	0.46	115	1445	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,314.10	17,599.36	14,357.37	36,000.00	2,778.85	6,947.12	4,631.41
0.14	51.21	0.46	114	1446	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,346.15	17,611.54	14,367.31	36,000.00	2,780.77	6,951.92	4,634.62
0.14	50.75	0.46	113	1447	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,378.21	17,623.72	14,377.24	36,000.00	2,782.69	6,956.73	4,637.82
0.14	50.29	0.46	112	1448	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,410.26	17,635.90	14,387.18	36,000.00	2,784.62	6,961.54	4,641.03
0.14	49.84	0.46	111	1449	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,442.31	17,648.08	14,397.12	36,000.00	2,786.54	6,966.35	4,644.23
0.14	49.38	0.46	110	1450	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,474.36	17,660.26	14,407.05	36,000.00	2,788.46	6,971.15	4,647.44
0.13	48.92	0.46	109	1451	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,506.41	17,672.44	14,416.99	36,000.00	2,790.38	6,975.96	4,650.64
0.13	48.46	0.46	108	1452	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,538.46	17,684.62	14,426.92	36,000.00	2,792.31	6,980.77	4,653.85
0.13	48.00	0.46	107	1453	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,570.51	17,696.79	14,436.86	36,000.00	2,794.23	6,985.58	4,657.05
0.13	47.55	0.46	106	1454	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,602.56	17,708.97	14,446.79	36,000.00	2,796.15	6,990.38	4,660.26
0.13	47.09	0.46	105	1455	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,634.62	17,721.15	14,456.73	36,000.00	2,798.08	6,995.19	4,663.46
0.13	46.63	0.46	104	1456	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,666.67	17,733.33	14,466.67	36,000.00	2,800.00	7,000.00	4,666.67
0.13	46.17	0.46	103	1457	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,698.72	17,745.51	14,476.60	36,000.00	2,801.92	7,004.81	4,669.87
0.13	45.72	0.46	102	1458	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,730.77	17,757.69	14,486.54	36,000.00	2,803.85	7,009.62	4,673.08
0.12	45.26	0.46	101	1459	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,762.82	17,769.87	14,496.47	36,000.00	2,805.77	7,014.42	4,676.28
0.12	44.80	0.46	100	1460	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,794.87	17,782.05	14,506.41	36,000.00	2,807.69	7,019.23	4,679.49
0.12	44.35	0.46	99	1461	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,826.92	17,794.23	14,516.35	36,000.00	2,809.62	7,024.04	4,682.69
0.12	43.89	0.46	98	1462	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,858.97	17,806.41	14,526.28	36,000.00	2,811.54	7,028.85	4,685.90
0.12	43.43	0.46	97	1463	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,891.03	17,818.59	14,536.22	36,000.00	2,813.46	7,033.65	4,689.10
0.12	42.98	0.46	96	1464	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,923.08	17,830.77	14,546.15	36,000.00	2,815.38	7,038.46	4,692.31
0.12	42.52	0.46	95	1465	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,955.13	17,842.95	14,556.09	36,000.00	2,817.31	7,043.27	4,695.51
0.12	42.07	0.46	94	1466	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,987.18	17,855.13	14,566.03	36,000.00	2,819.23	7,048.08	4,698.72
0.11	41.61	0.46	93	1467	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,019.23	17,867.31	14,575.96	36,000.00	2,821.15	7,052.88	4,701.92
0.11	41.15	0.46	92	1468	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,051.28	17,879.49	14,585.90	36,000.00	2,823.08	7,057.69	4,705.13
0.11	40.70	0.45	91	1469	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,083.33	17,891.67	14,595.83	36,000.00	2,825.00	7,062.50	4,708.33
0.11	40.24	0.45	90	1470	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,115.38	17,903.85	14,605.77	36,000.00	2,826.92	7,067.31	4,711.54
0.11	39.79	0.45	89	1471	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,147.44	17,916.03	14,615.71	36,000.00	2,828.85	7,072.12	4,714.74
0.11	39.34	0.45	88	1472	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,179.49	17,928.21	14,625.64	36,000.00	2,830.77	7,076.92	4,717.95
0.11	38.88	0.45	87	1473	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,211.54	17,940.38	14,635.58	36,000.00	2,832.69	7,081.73	4,721.15
0.11	38.43	0.45	86	1474	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,243.59	17,952.56	14,645.51	36,000.00	2,834.62	7,086.54	4,724.36
0.10	37.97	0.45	85	1475	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,275.64	17,964.74	14,655.45	36,000.00	2,836.54	7,091.35	4,727.56
0.10	37.52	0.45	84	1476	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,307.69	17,976.92	14,665.38	36,000.00	2,838.46	7,096.15	4,730.77
0.10	37.06	0.45	83	1477	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,339.74	17,989.10	14,675.32	36,000.00	2,840.38	7,100.96	4,733.97
0.10	36.61	0.45	82	1478	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,371.79	18,001.28	14,685.26	36,000.00	2,842.31	7,105.77	4,737.18
0.10	36.16	0.45	81	1479	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,403.85	18,013.46	14,695.19	36,000.00	2,844.23	7,110.58	4,740.38
0.10	35.70	0.45	80	1480	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,435.90	18,025.64	14,705.13	36,000.00	2,846.15	7,115.38	4,743.59
0.10	35.25	0.45	79	1481	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,467.95	18,037.82	14,715.06	36,000.00	2,848.08	7,120.19	4,746.79
0.10	34.80	0.45	78	1482	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,500.00	18,050.00	14,725.00	36,000.00	2,850.00	7,125.00	4,750.00
0.09	34.35	0.45	77	1483	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,532.05	18,062.18	14,734.94	36,000.00	2,851.92	7,129.81	4,753.21
0.09	33.89	0.45	76	1484	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,564.10	18,074.36	14,744.87	36,000.00	2,853.85	7,134.62	4,756.41
0.09	33.44	0.45	75	1485	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,596.15	18,086.54	14,754.81	36,000.00	2,855.77	7,139.42	4,759.62
0.09	32.99	0.45	74	1486	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,628.21	18,098.72	14,764.74	36,000.00	2,857.69	7,144.23	4,762.82
0.09	32.54	0.45	73	1487	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,660.26	18,110.90	14,774.68	36,000.00	2,859.62	7,149.04	4,766.03
0.09	32.08	0.45	72	1488	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,692.31	18,123.08	14,784.62	36,000.00	2,861.54	7,153.85	4,769.23
0.09	31.63	0.45	71	1489	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,724.36	18,135.26	14,794.55	36,000.00	2,863.46	7,158.65	4,772.44
0.09	31.18	0.45	70	1490	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,756.41	18,147.44	14,804.49	36,000.00	2,865.38	7,163.46	4,775.64
0.08	30.73	0.45	69	1491	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,788.46	18,159.62	14,814.42	36,000.00	2,867.31	7,168.27	4,778.85
0.08	30.28	0.45	68	1492	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,820.51	18,171.79	14,824.36	36,000.00	2,869.23	7,173.08	4,782.05
0.08	29.83	0.45	67	1493	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,852.56	18,183.97	14,834.29	36,000.00	2,871.15	7,177.88	4,785.26
0.08	29.38	0.45	66	1494	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,884.62	18,196.15	14,844.23	36,000.00	2,873.08	7,182.69	4,788.46
0.08	28.93	0.45	65														

0.07	23.98	0.45	54	1506	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,269.23	18,342.31	14,963.46	36,000.00	2,896.15	7,240.38	4,826.92
0.06	23.53	0.45	53	1507	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,301.28	18,354.49	14,973.40	36,000.00	2,898.08	7,245.19	4,830.13
0.06	23.08	0.45	52	1508	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,333.33	18,366.67	14,983.33	36,000.00	2,900.00	7,250.00	4,833.33
0.06	22.64	0.45	51	1509	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,365.38	18,378.85	14,993.27	36,000.00	2,901.92	7,254.81	4,836.54
0.06	22.19	0.45	50	1510	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,397.44	18,391.03	15,003.21	36,000.00	2,903.85	7,259.62	4,839.74
0.06	21.74	0.45	49	1511	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,429.49	18,403.21	15,013.14	36,000.00	2,905.77	7,264.42	4,842.95
0.06	21.29	0.45	48	1512	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,461.54	18,415.38	15,023.08	36,000.00	2,907.69	7,269.23	4,846.15
0.06	20.85	0.45	47	1513	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,493.59	18,427.56	15,033.01	36,000.00	2,909.62	7,274.04	4,849.36
0.06	20.40	0.45	46	1514	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,525.64	18,439.74	15,042.95	36,000.00	2,911.54	7,278.85	4,852.56
0.05	19.95	0.45	45	1515	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,557.69	18,451.92	15,052.88	36,000.00	2,913.46	7,283.65	4,855.77
0.05	19.50	0.45	44	1516	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,589.74	18,464.10	15,062.82	36,000.00	2,915.38	7,288.46	4,858.97
0.05	19.06	0.45	43	1517	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,621.79	18,476.28	15,072.76	36,000.00	2,917.31	7,293.27	4,862.18
0.05	18.61	0.45	42	1518	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,653.85	18,488.46	15,082.69	36,000.00	2,919.23	7,298.08	4,865.38
0.05	18.16	0.45	41	1519	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,685.90	18,500.64	15,092.63	36,000.00	2,921.15	7,302.88	4,868.59
0.05	17.72	0.45	40	1520	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,717.95	18,512.82	15,102.56	36,000.00	2,923.08	7,307.69	4,871.79
0.05	17.27	0.45	39	1521	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,750.00	18,525.00	15,112.50	36,000.00	2,925.00	7,312.50	4,875.00
0.05	16.82	0.45	38	1522	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,782.05	18,537.18	15,122.44	36,000.00	2,926.92	7,317.31	4,878.21
0.04	16.38	0.45	37	1523	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,814.10	18,549.36	15,132.37	36,000.00	2,928.85	7,322.12	4,881.41
0.04	15.93	0.45	36	1524	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,846.15	18,561.54	15,142.31	36,000.00	2,930.77	7,326.92	4,884.62
0.04	15.49	0.45	35	1525	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,878.21	18,573.72	15,152.24	36,000.00	2,932.69	7,331.73	4,887.82
0.04	15.04	0.45	34	1526	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,910.26	18,585.90	15,162.18	36,000.00	2,934.62	7,336.54	4,891.03
0.04	14.60	0.45	33	1527	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,942.31	18,598.08	15,172.12	36,000.00	2,936.54	7,341.35	4,894.23
0.04	14.15	0.44	32	1528	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	84,974.36	18,610.26	15,182.05	36,000.00	2,938.46	7,346.15	4,897.44
0.04	13.71	0.44	31	1529	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,006.41	18,622.44	15,191.99	36,000.00	2,940.38	7,350.96	4,900.64
0.04	13.26	0.44	30	1530	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,038.46	18,634.62	15,201.92	36,000.00	2,942.31	7,355.77	4,903.85
0.04	12.82	0.44	29	1531	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,070.51	18,646.79	15,211.86	36,000.00	2,944.23	7,360.58	4,907.05
0.03	12.37	0.44	28	1532	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,102.56	18,658.97	15,221.79	36,000.00	2,946.15	7,365.38	4,910.26
0.03	11.93	0.44	27	1533	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,134.62	18,671.15	15,231.73	36,000.00	2,948.08	7,370.19	4,913.46
0.03	11.49	0.44	26	1534	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,166.67	18,683.33	15,241.67	36,000.00	2,950.00	7,375.00	4,916.67
0.03	11.04	0.44	25	1535	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,198.72	18,695.51	15,251.60	36,000.00	2,951.92	7,379.81	4,919.87
0.03	10.60	0.44	24	1536	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,230.77	18,707.69	15,261.54	36,000.00	2,953.85	7,384.62	4,923.08
0.03	10.15	0.44	23	1537	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,262.82	18,719.87	15,271.47	36,000.00	2,955.77	7,389.42	4,926.28
0.03	9.71	0.44	22	1538	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,294.87	18,732.05	15,281.41	36,000.00	2,957.69	7,394.23	4,929.49
0.03	9.27	0.44	21	1539	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,326.92	18,744.23	15,291.35	36,000.00	2,959.62	7,399.04	4,932.69
0.02	8.83	0.44	20	1540	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,358.97	18,756.41	15,301.28	36,000.00	2,961.54	7,403.85	4,935.90
0.02	8.38	0.44	19	1541	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,391.03	18,768.59	15,311.22	36,000.00	2,963.46	7,408.65	4,939.10
0.02	7.94	0.44	18	1542	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,423.08	18,780.77	15,321.15	36,000.00	2,965.38	7,413.46	4,942.31
0.02	7.50	0.44	17	1543	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,455.13	18,792.95	15,331.09	36,000.00	2,967.31	7,418.27	4,945.51
0.02	7.05	0.44	16	1544	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,487.18	18,805.13	15,341.03	36,000.00	2,969.23	7,423.08	4,948.72
0.02	6.61	0.44	15	1545	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,519.23	18,817.31	15,350.96	36,000.00	2,971.15	7,427.88	4,951.92
0.02	6.17	0.44	14	1546	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,551.28	18,829.49	15,360.90	36,000.00	2,973.08	7,432.69	4,955.13
0.02	5.73	0.44	13	1547	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,583.33	18,841.67	15,370.83	36,000.00	2,975.00	7,437.50	4,958.33
0.01	5.29	0.44	12	1548	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,615.38	18,853.85	15,380.77	36,000.00	2,976.92	7,442.31	4,961.54
0.01	4.85	0.44	11	1549	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,647.44	18,866.03	15,390.71	36,000.00	2,978.85	7,447.12	4,964.74
0.01	4.40	0.44	10	1550	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,679.49	18,878.21	15,400.64	36,000.00	2,980.77	7,451.92	4,967.95
0.01	3.96	0.44	9	1551	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,711.54	18,890.38	15,410.58	36,000.00	2,982.69	7,456.73	4,971.15
0.01	3.52	0.44	8	1552	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,743.59	18,902.56	15,420.51	36,000.00	2,984.62	7,461.54	4,974.36
0.01	3.08	0.44	7	1553	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,775.64	18,914.74	15,430.45	36,000.00	2,986.54	7,466.35	4,977.56
0.01	2.64	0.44	6	1554	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,807.69	18,926.92	15,440.38	36,000.00	2,988.46	7,471.15	4,980.77
0.01	2.20	0.44	5	1555	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,839.74	18,939.10	15,450.32	36,000.00	2,990.38	7,475.96	4,983.97
0.00	1.76	0.44	4	1556	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,871.79	18,951.28	15,460.26	36,000.00	2,992.31	7,480.77	4,987.18
0.00	1.32	0.44	3	1557	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,903.85	18,963.46	15,470.19	36,000.00	2,994.23	7,485.58	4,990.38
0.00	0.88	0.44	2	1558	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,935.90	18,975.64	15,480.13	36,000.00	2,996.15	7,490.38	4,993.59
0.00	0.44	0.44	1	1559	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	85,967.95	18,987.82	15,490.06	36,000.00	2,998.08	7,495.19	4,996.79
0.00	0	0.44	0	1560	55 Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	86,000.00	19,000.00	15,500.00	36,000.00	3,000.00	7,500.00	5,000.00

1560	55	Flow volumes before flooding	86,000.00	19,000.00	15,500.00	36,000.00	3,000.00	7,500.00	5,000.00
------	----	------------------------------	-----------	-----------	-----------	-----------	----------	----------	----------

Model parameters
Weathered dolomite
void ratio (%) 1
Fractured dolomite
void ratio (%) 0.001
Fractured w/ls void
ratio (%) 0.05
Inflow rate factor Scaled

Total time (yr)	Total time (d)	Time to fill void (d)	Elevation (mamsl)	Depth (m)	Level	Mine development type	Aquifer surface area (m2)	Effective porosity (%)	Mine void volume (m3)	Aquifer void volume (m3)	Aquifer type	Total inflow (m3/d)	storage component (m3/d)	Magazine-	Inflow from	Inflow from	Inflow from	Kleinwars
														Panvlakte Dykes (m3/d)	precipitation recharge (m3/d)	Simunye and Westonsara recharge (m3/d)	Leeuspruit recharge (m3/d)	
9.91	3617.80	20.98	1559	1		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,032.05	12.18	9.94	36,000.00	1.82	4.81	3.21
9.85	3596.82	20.96	1558	2		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,064.10	24.36	19.87	36,000.00	3.85	9.82	5.41
9.80	3575.86	20.94	1557	3		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,098.15	36.54	29.81	36,000.00	5.77	14.42	9.62
9.74	3554.92	20.93	1556	4		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,128.21	48.72	39.74	36,000.00	7.69	19.23	12.82
9.68	3533.99	20.91	1555	5		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,160.26	60.90	49.68	36,000.00	9.62	24.04	16.03
9.62	3513.06	20.89	1554	6		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,192.31	73.08	59.82	36,000.00	11.54	28.85	19.23
9.57	3492.19	20.87	1553	7		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,224.36	85.26	69.55	36,000.00	13.46	33.65	22.44
9.51	3471.32	20.85	1552	8		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,256.41	97.44	79.49	36,000.00	15.38	38.46	25.64
9.45	3450.47	20.83	1551	9		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,288.46	109.62	89.42	36,000.00	17.31	43.27	28.85
9.40	3429.64	20.81	1550	10		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,320.51	121.79	99.36	36,000.00	19.23	48.08	32.05
9.34	3408.83	20.80	1549	11		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,352.56	133.97	109.29	36,000.00	21.15	52.88	35.26
9.28	3388.03	20.78	1548	12		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,384.62	146.15	119.23	36,000.00	23.08	57.69	38.46
9.23	3367.25	20.76	1547	13		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,416.67	158.33	129.17	36,000.00	25.00	62.50	41.67
9.17	3346.48	20.74	1546	14		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,448.72	170.51	139.10	36,000.00	26.92	67.31	44.67
9.11	3325.75	20.72	1545	15		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,480.77	182.69	149.04	36,000.00	28.85	72.12	48.08
9.05	3305.03	20.71	1544	16		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,512.82	194.87	158.97	36,000.00	30.77	76.92	51.28
9.00	3284.32	20.69	1543	17		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,544.87	207.05	168.91	36,000.00	32.69	81.73	54.48
8.94	3263.63	20.67	1542	18		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,576.92	219.23	178.85	36,000.00	34.62	86.54	57.69
8.88	3242.87	20.65	1541	19		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,608.97	231.41	188.78	36,000.00	36.54	91.35	60.90
8.83	3222.32	20.63	1540	20		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,641.03	243.59	198.72	36,000.00	38.46	96.15	64.10
8.77	3201.66	20.61	1539	21		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,673.08	255.77	208.65	36,000.00	40.38	100.96	67.31
8.72	3181.07	20.60	1538	22		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,705.13	267.95	218.59	36,000.00	42.31	105.77	70.51
8.66	3160.47	20.58	1537	23		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,737.18	280.13	228.53	36,000.00	44.23	110.58	73.72
8.60	3139.89	20.56	1536	24		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,769.23	292.31	238.46	36,000.00	46.15	115.38	76.92
8.55	3119.33	20.54	1535	25		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,801.28	304.49	248.40	36,000.00	48.08	120.19	80.13
8.49	3098.79	20.52	1534	26		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,833.33	316.67	258.33	36,000.00	50.00	125.00	83.33
8.43	3078.26	20.51	1533	27		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,865.38	328.85	268.27	36,000.00	51.92	129.81	86.54
8.38	3057.77	20.49	1532	28		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,897.44	341.03	278.21	36,000.00	53.85	134.62	89.74
8.32	3037.27	20.47	1531	29		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,929.49	353.21	288.14	36,000.00	55.77	139.42	92.95
8.27	3016.80	20.45	1530	30		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,961.54	365.38	298.08	36,000.00	57.69	144.23	96.15
8.21	2996.34	20.44	1529	31		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,993.59	377.56	308.01	36,000.00	59.62	149.04	99.36
8.15	2975.91	20.42	1528	32		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,025.64	389.74	317.95	36,000.00	61.54	153.85	102.56
8.10	2955.49	20.40	1527	33		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,057.69	401.92	327.88	36,000.00	63.46	158.65	105.77
8.04	2935.09	20.38	1526	34		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,089.74	414.10	337.82	36,000.00	65.38	163.46	108.97
7.99	2914.71	20.37	1525	35		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,121.79	426.28	347.76	36,000.00	67.31	168.27	112.18
7.93	2894.34	20.35	1524	36		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,153.85	438.46	357.69	36,000.00	69.23	173.08	115.38
7.87	2873.99	20.33	1523	37		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,185.90	450.64	367.63	36,000.00	71.15	177.88	118.58
7.82	2853.66	20.31	1522	38		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,217.95	462.82	377.56	36,000.00	73.08	182.69	121.79
7.76	2833.35	20.30	1521	39		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,250.00	475.00	387.50	36,000.00	75.00	187.50	125.00
7.71	2813.05	20.28	1520	40		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,282.05	487.18	397.44	36,000.00	76.92	192.31	128.21
7.65	2792.78	20.26	1519	41		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,314.10	499.36	407.37	36,000.00	78.85	197.12	131.41
7.60	2772.52	20.24	1518	42		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,346.15	511.54	417.31	36,000.00	80.77	201.92	134.62
7.54	2752.27	20.23	1517	43		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,378.21	523.72	427.24	36,000.00	82.69	206.73	137.82
7.49	2732.05	20.21	1516	44		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,410.26	535.90	437.18	36,000.00	84.62	211.54	141.03
7.43	2711.84	20.19	1515	45		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,442.31	548.08	447.12	36,000.00	86.54	216.35	144.23
7.37	2691.65	20.17	1514	46		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,474.36	560.26	457.05	36,000.00	88.46	221.15	147.44
7.32	2671.47	20.16	1513	47		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,506.41	572.44	466.99	36,000.00	90.38	225.96	150.64
7.26	2651.32	20.14	1512	48		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,538.46	584.62	476.92	36,000.00	92.31	230.77	153.85
7.21	2631.16	20.12	1511	49		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,570.51	596.79	486.86	36,000.00	94.23	235.58	157.05
7.15	2611.08	20.11	1510	50		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,602.56	608.97	496.79	36,000.00	96.15	240.38	160.26
7.10	2590.95	20.09	1509	51		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,634.62	621.15	506.73	36,000.00	98.08	245.19	163.46
7.04	2570.88	20.07	1508	52		Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,666.67	633.33					

6.82	2490.68	20.00	1504	56	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,794.87	682.05	556.41	36,000.00	107.69	289.23	179.49
6.77	2470.88	19.99	1503	57	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,828.92	694.23	566.35	36,000.00	109.62	274.04	182.69
6.71	2450.89	19.97	1502	58	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,858.97	706.41	576.28	36,000.00	111.54	278.85	185.90
6.66	2430.72	19.95	1501	59	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,891.03	718.59	586.22	36,000.00	113.46	283.66	189.10
6.60	2410.77	19.94	1500	60	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,923.08	730.77	596.15	36,000.00	115.38	288.46	192.31
6.55	2390.84	19.92	1499	61	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,955.13	742.95	606.09	36,000.00	117.31	293.27	195.51
6.50	2370.92	19.90	1498	62	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	37,987.18	755.13	616.03	36,000.00	119.23	298.08	198.72
6.44	2351.02	19.88	1497	63	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,019.23	767.31	625.96	36,000.00	121.15	302.88	201.92
6.39	2331.13	19.87	1496	64	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,051.28	779.49	635.90	36,000.00	123.08	307.69	205.13
6.33	2311.28	19.85	1495	65	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,083.33	791.67	645.83	36,000.00	125.00	312.50	208.33
6.28	2291.41	19.83	1494	66	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,115.38	803.85	655.77	36,000.00	126.92	317.31	211.54
6.22	2271.58	19.82	1493	67	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,147.44	816.03	665.71	36,000.00	128.85	322.12	214.74
6.17	2251.78	19.80	1492	68	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,179.49	828.21	675.64	36,000.00	130.77	326.92	217.95
6.11	2231.96	19.78	1491	69	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,211.54	840.38	685.58	36,000.00	132.69	331.73	221.15
6.06	2212.18	19.77	1490	70	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,243.59	852.56	695.51	36,000.00	134.62	336.54	224.36
6.01	2192.41	19.75	1489	71	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,275.64	864.74	705.45	36,000.00	136.54	341.35	227.56
5.95	2172.66	19.73	1488	72	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,307.69	876.92	715.38	36,000.00	138.46	346.15	230.77
5.90	2152.92	19.72	1487	73	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,339.74	889.10	725.32	36,000.00	140.38	350.96	233.97
5.84	2133.20	19.70	1486	74	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,371.79	901.28	735.26	36,000.00	142.31	355.77	237.18
5.79	2113.50	19.69	1485	75	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,403.85	913.46	745.19	36,000.00	144.23	360.58	240.38
5.74	2093.82	19.67	1484	76	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,435.90	925.64	755.13	36,000.00	146.15	365.38	243.59
5.68	2074.15	19.65	1483	77	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,467.95	937.82	765.06	36,000.00	148.08	370.19	246.79
5.63	2054.49	19.64	1482	78	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,500.00	950.00	775.00	36,000.00	150.00	375.00	250.00
5.57	2034.68	19.62	1481	79	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,532.05	962.18	784.94	36,000.00	151.92	379.81	253.21
5.52	2015.24	19.60	1480	80	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,564.10	974.36	794.87	36,000.00	153.85	384.62	256.41
5.47	1995.83	19.59	1479	81	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,596.15	986.54	804.81	36,000.00	155.77	389.42	259.62
5.41	1976.05	19.57	1478	82	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,628.21	998.72	814.74	36,000.00	157.69	394.23	262.82
5.36	1956.47	19.55	1477	83	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,660.26	1,010.90	824.68	36,000.00	159.62	399.04	266.03
5.31	1936.92	19.54	1476	84	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,692.31	1,023.08	834.62	36,000.00	161.54	403.85	269.23
5.25	1917.38	19.52	1475	85	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,724.36	1,035.26	844.55	36,000.00	163.46	408.66	272.44
5.20	1897.88	19.51	1474	86	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,756.41	1,047.44	854.49	36,000.00	165.38	413.46	275.64
5.15	1878.35	19.49	1473	87	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,788.46	1,059.62	864.42	36,000.00	167.31	418.27	278.85
5.09	1858.86	19.47	1472	88	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,820.51	1,071.79	874.36	36,000.00	169.23	423.08	282.05
5.04	1839.39	19.46	1471	89	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,852.56	1,083.97	884.29	36,000.00	171.15	427.88	285.26
4.99	1819.93	19.44	1470	90	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,884.62	1,096.15	894.23	36,000.00	173.08	432.69	288.46
4.93	1800.49	19.43	1469	91	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,916.67	1,108.33	904.17	36,000.00	175.00	437.50	291.67
4.88	1781.08	19.41	1468	92	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,948.72	1,120.51	914.10	36,000.00	176.92	442.31	294.87
4.83	1761.65	19.39	1467	93	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	38,980.77	1,132.69	924.04	36,000.00	178.85	447.12	298.08
4.77	1742.26	19.38	1466	94	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,012.82	1,144.87	933.97	36,000.00	180.77	451.92	301.28
4.72	1722.88	19.36	1465	95	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,044.87	1,157.05	943.91	36,000.00	182.69	456.73	304.48
4.67	1703.52	19.35	1464	96	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,076.92	1,169.23	953.85	36,000.00	184.62	461.54	307.69
4.61	1684.17	19.33	1463	97	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,108.97	1,181.41	963.78	36,000.00	186.54	466.35	310.90
4.56	1664.84	19.31	1462	98	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,141.03	1,193.59	973.72	36,000.00	188.46	471.15	314.10
4.51	1645.52	19.30	1461	99	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,173.08	1,205.77	983.65	36,000.00	190.38	475.96	317.31
4.46	1626.23	19.28	1460	100	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,205.13	1,217.95	993.59	36,000.00	192.31	480.77	320.51
4.40	1606.94	19.27	1459	101	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,237.18	1,230.13	1,003.53	36,000.00	194.23	485.58	323.72
4.35	1587.67	19.25	1458	102	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,269.23	1,242.31	1,013.46	36,000.00	196.15	490.38	326.92
4.30	1568.42	19.24	1457	103	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,301.28	1,254.49	1,023.40	36,000.00	198.08	495.19	330.13
4.24	1549.19	19.22	1456	104	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,333.33	1,266.67	1,033.33	36,000.00	200.00	500.00	333.33
4.19	1529.97	19.20	1455	105	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,365.38	1,278.85	1,043.27	36,000.00	201.92	504.81	336.54
4.14	1510.78	19.19	1454	106	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,397.44	1,291.03	1,053.21	36,000.00	203.85	509.62	339.74
4.09	1491.57	19.17	1453	107	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,429.49	1,303.21	1,063.14	36,000.00	205.77	514.42	342.95
4.03	1472.40	19.16	1452	108	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,461.54	1,315.38	1,073.08	36,000.00	207.69	519.23	346.15
3.98	1453.24	19.14	1451	109	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,493.59	1,327.56	1,083.01	36,000.00	209.62	524.04	349.36
3.93	1434.10	19.13	1450	110	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,525.64	1,339.74	1,092.95	36,000.00	211.54	528.85	352.56
3.88	1414.97	19.11	1449	111	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,557.69	1,351.92	1,102.88	36,000.00	213.46	533.66	355.77
3.82	1395.88	19.10	1448	112	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,589.74	1,364.10	1,112.82	36,000.00	215.38	538.46	358.97
3.77	1376.78	19.08	1447	113	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,621.79	1,376.28	1,122.76	36,000.00	217.31	543.27	362.18
3.72	1357.68	19.06	1446	114	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,653.85	1,388.46	1,132.69	36,000.00	219.23	548.08	365.38
3.67	1338.82	19.05	1445	115	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,685.90	1,400.64	1,142.63	36,000.00	221.15	552.88	368.59
3.62	1319.57	19.03	1444	116	Shafts	7.56E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	39,717.95	1,412.82	1,152.56	36,000.00	223.08	557.69	371.79
3.56	1300.54	19.02	14														

1.36	495.85	0.02	1366	194	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,217.95	2,362.82	1,927.58	36,000.00	373.08	932.89	821.79
1.36	495.63	0.02	1365	195	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,250.00	2,375.00	1,937.50	36,000.00	375.00	937.50	825.00
1.36	495.61	0.02	1364	196	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,282.05	2,387.18	1,947.44	36,000.00	376.92	942.31	828.21
1.36	495.59	0.02	1363	197	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,314.10	2,399.36	1,957.37	36,000.00	378.85	947.12	831.41
1.36	495.58	0.02	1362	198	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,346.15	2,411.54	1,967.31	36,000.00	380.77	951.92	834.62
1.36	495.56	0.02	1361	199	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,378.21	2,423.72	1,977.24	36,000.00	382.69	956.73	837.82
1.36	495.54	0.02	1360	200	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,410.26	2,435.90	1,987.18	36,000.00	384.62	961.54	841.03
1.36	495.52	0.02	1359	201	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,442.31	2,448.08	1,997.12	36,000.00	386.54	966.35	844.23
1.36	495.50	0.02	1358	202	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,474.36	2,460.26	2,007.05	36,000.00	388.46	971.15	847.44
1.36	495.49	0.02	1357	203	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,506.41	2,472.44	2,016.98	36,000.00	390.38	975.96	850.64
1.36	495.47	0.02	1356	204	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,538.46	2,484.62	2,026.92	36,000.00	392.31	980.77	853.85
1.36	495.45	0.02	1355	205	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,570.51	2,496.79	2,036.86	36,000.00	394.23	985.58	857.05
1.36	495.43	0.02	1354	206	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,602.56	2,508.97	2,046.79	36,000.00	396.15	990.38	860.26
1.36	495.41	0.02	1353	207	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,634.62	2,521.15	2,056.73	36,000.00	398.08	995.19	863.46
1.36	495.40	0.02	1352	208	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,666.67	2,533.33	2,066.67	36,000.00	400.00	1,000.00	866.67
1.36	495.38	0.02	1351	209	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,698.72	2,545.51	2,076.60	36,000.00	401.92	1,004.81	869.87
1.36	495.36	0.02	1350	210	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,730.77	2,557.69	2,086.54	36,000.00	403.85	1,009.62	873.08
1.36	495.34	0.02	1349	211	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,762.82	2,569.87	2,096.47	36,000.00	405.77	1,014.42	876.28
1.36	495.33	0.02	1348	212	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,794.87	2,582.05	2,106.41	36,000.00	407.69	1,019.23	879.49
1.36	495.31	0.02	1347	213	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,826.92	2,594.23	2,116.35	36,000.00	409.62	1,024.04	882.69
1.36	495.29	0.02	1346	214	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,858.97	2,606.41	2,126.28	36,000.00	411.54	1,028.85	885.90
1.36	495.27	0.02	1345	215	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,891.03	2,618.59	2,136.22	36,000.00	413.46	1,033.65	889.10
1.36	495.26	0.02	1344	216	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,923.08	2,630.77	2,146.15	36,000.00	415.38	1,038.46	892.31
1.36	495.24	0.02	1343	217	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,955.13	2,642.95	2,156.09	36,000.00	417.31	1,043.27	895.51
1.36	495.22	0.02	1342	218	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	42,987.18	2,655.13	2,166.03	36,000.00	419.23	1,048.08	898.72
1.36	495.20	0.02	1341	219	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,019.23	2,667.31	2,175.96	36,000.00	421.15	1,052.89	901.92
1.36	495.19	0.02	1340	220	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,051.28	2,679.49	2,185.90	36,000.00	423.08	1,057.69	905.13
1.36	495.17	0.02	1339	221	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,083.33	2,691.67	2,195.83	36,000.00	425.00	1,062.50	908.33
1.36	495.15	0.02	1338	222	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,115.38	2,703.85	2,205.77	36,000.00	426.92	1,067.31	911.54
1.36	495.13	0.02	1337	223	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,147.44	2,716.03	2,215.71	36,000.00	428.85	1,072.12	914.74
1.36	495.12	0.02	1336	224	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,179.49	2,728.21	2,225.64	36,000.00	430.77	1,076.92	917.95
1.36	495.10	0.02	1335	225	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,211.54	2,740.38	2,235.58	36,000.00	432.69	1,081.73	921.15
1.36	495.08	0.02	1334	226	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,243.59	2,752.56	2,245.51	36,000.00	434.62	1,086.54	924.36
1.36	495.06	0.02	1333	227	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,275.64	2,764.74	2,255.45	36,000.00	436.54	1,091.35	927.56
1.36	495.05	0.02	1332	228	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,307.69	2,776.92	2,265.38	36,000.00	438.46	1,096.15	930.77
1.36	495.03	0.02	1331	229	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,339.74	2,789.10	2,275.32	36,000.00	440.38	1,100.96	933.97
1.36	495.01	0.02	1330	230	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,371.79	2,801.28	2,285.26	36,000.00	442.31	1,105.77	937.18
1.36	494.99	0.02	1329	231	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,403.85	2,813.46	2,295.19	36,000.00	444.23	1,110.58	940.38
1.36	494.98	0.02	1328	232	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,435.90	2,825.64	2,305.13	36,000.00	446.15	1,115.38	943.59
1.36	494.96	0.02	1327	233	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,467.95	2,837.82	2,315.06	36,000.00	448.08	1,120.19	946.79
1.36	494.94	0.02	1326	234	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,500.00	2,850.00	2,325.00	36,000.00	450.00	1,125.00	950.00
1.36	494.92	0.02	1325	235	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,532.05	2,862.18	2,334.94	36,000.00	451.92	1,129.81	953.21
1.36	494.91	0.02	1324	236	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,564.10	2,874.36	2,344.87	36,000.00	453.85	1,134.62	956.41
1.36	494.89	0.02	1323	237	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,596.15	2,886.54	2,354.81	36,000.00	455.77	1,139.42	959.62
1.36	494.87	0.02	1322	238	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,628.21	2,898.72	2,364.74	36,000.00	457.69	1,144.23	962.82
1.36	494.85	0.02	1321	239	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,660.26	2,910.90	2,374.68	36,000.00	459.62	1,149.04	966.03
1.36	494.84	0.02	1320	240	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,692.31	2,923.08	2,384.62	36,000.00	461.54	1,153.85	969.23
1.36	494.82	0.02	1319	241	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,724.36	2,935.26	2,394.55	36,000.00	463.46	1,158.65	972.44
1.36	494.80	0.02	1318	242	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,756.41	2,947.44	2,404.49	36,000.00	465.38	1,163.46	975.64
1.36	494.78	0.02	1317	243	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,788.46	2,959.62	2,414.42	36,000.00	467.31	1,168.27	978.85
1.36	494.77	0.02	1316	244	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,820.51	2,971.79	2,424.36	36,000.00	469.23	1,173.08	982.05
1.36	494.75	0.02	1315	245	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,852.56	2,983.97	2,434.29	36,000.00	471.15	1,177.88	985.26
1.36	494.73	0.02	1314	246	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,884.62	2,996.15	2,444.23	36,000.00	473.08	1,182.69	988.46
1.36	494.72	0.02	1313	247	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,916.67	3,008.33	2,454.17	36,000.00	475.00	1,187.50	991.67
1.36	494.70	0.02	1312	248	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,948.72	3,020.51	2,464.10	36,000.00	476.92	1,192.31	994.87
1.36	494.68	0.02	1311	249	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	43,980.77	3,032.69	2,474.04	36,000.00	478.85	1,197.12	998.08
1.36	494.66	0.02	1310	250	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,012.82	3,044.87	2,483.97	36,000.00	480.77	1,201.92	1001.28
1.36	494.65	0.02	1309	251	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,044.87	3,057.05	2,493.91	36,000.00	482.69	1,206.73	1004.49
1.36	494.63	0.02	1308	252	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,076.92	3,069.23	2,503.85	36,000.00	484.62	1,211.54	1007.69
1.36	494.61	0.02	1307	253	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,108.97	3,081.41	2,513.78	36,000.00	486.54	1,216.35	1010.90
1.36	494.60	0.02	1306	254	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,141.03	3,093.59	2,523.72	36,000.00	488.46	1,221.15	1014.10
1.36	494.58	0.02	1305	255	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,17						

1.35	494.44	0.02	1297	263	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,426.49	3,203.21	2,813.14	36,000.00	505.77	1,264.42	842.95
1.35	494.42	0.02	1296	264	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,461.54	3,215.38	2,823.08	36,000.00	507.69	1,269.23	846.15
1.35	494.41	0.02	1295	265	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,493.58	3,227.56	2,835.01	36,000.00	509.62	1,274.04	848.36
1.35	494.39	0.02	1294	266	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,525.64	3,239.74	2,842.98	36,000.00	511.54	1,278.35	852.56
1.35	494.37	0.02	1293	267	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,557.69	3,251.92	2,852.88	36,000.00	513.46	1,283.85	855.77
1.35	494.36	0.02	1292	268	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,589.74	3,264.10	2,862.82	36,000.00	515.38	1,288.46	858.97
1.35	494.34	0.02	1291	269	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,621.78	3,276.28	2,872.76	36,000.00	517.31	1,293.27	862.18
1.35	494.32	0.02	1290	270	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,653.85	3,288.46	2,882.69	36,000.00	519.23	1,298.08	865.38
1.35	494.31	0.02	1289	271	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,685.90	3,300.64	2,892.63	36,000.00	521.15	1,302.88	868.58
1.35	494.29	0.02	1288	272	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,717.95	3,312.82	2,902.56	36,000.00	523.08	1,307.69	871.79
1.35	494.27	0.02	1287	273	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,750.00	3,325.00	2,912.50	36,000.00	525.00	1,312.50	875.00
1.35	494.26	0.02	1286	274	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,782.05	3,337.18	2,922.44	36,000.00	526.92	1,317.31	878.21
1.35	494.24	0.02	1285	275	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,814.10	3,349.36	2,932.37	36,000.00	528.85	1,322.12	881.41
1.35	494.22	0.02	1284	276	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,846.15	3,361.54	2,942.31	36,000.00	530.77	1,326.92	884.62
1.35	494.20	0.02	1283	277	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,878.21	3,373.72	2,952.24	36,000.00	532.69	1,331.73	887.82
1.35	494.18	0.02	1282	278	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,910.26	3,385.90	2,962.18	36,000.00	534.62	1,336.54	891.03
1.35	494.17	0.02	1281	279	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,942.31	3,398.08	2,972.12	36,000.00	536.54	1,341.35	894.23
1.35	494.15	0.02	1280	280	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	44,974.36	3,410.26	2,982.05	36,000.00	538.46	1,346.15	897.44
1.35	494.12	0.02	1279	281	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,006.41	3,422.44	2,991.99	36,000.00	540.38	1,350.96	900.64
1.35	494.10	0.02	1278	282	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,038.46	3,434.62	2,801.92	36,000.00	542.31	1,355.77	903.85
1.35	494.09	0.02	1277	283	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,070.51	3,446.79	2,811.86	36,000.00	544.23	1,360.58	907.05
1.35	494.08	0.02	1276	284	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,102.56	3,458.97	2,821.79	36,000.00	546.15	1,365.38	910.26
1.35	494.07	0.02	1275	285	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,134.62	3,471.15	2,831.73	36,000.00	548.08	1,370.19	913.46
1.35	494.05	0.02	1274	286	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,166.67	3,483.33	2,841.67	36,000.00	550.00	1,375.00	916.67
1.35	494.04	0.02	1273	287	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,198.72	3,495.51	2,851.60	36,000.00	551.92	1,379.81	919.87
1.35	494.02	0.02	1272	288	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,230.77	3,507.69	2,861.54	36,000.00	553.85	1,384.62	923.08
1.35	494.00	0.02	1271	289	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,262.82	3,519.87	2,871.47	36,000.00	555.77	1,389.42	926.28
1.35	493.99	0.02	1270	290	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,294.87	3,532.05	2,881.41	36,000.00	557.68	1,394.23	929.49
1.35	493.95	0.02	1269	291	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,326.92	3,544.23	2,891.35	36,000.00	559.62	1,399.04	932.69
1.35	493.94	0.02	1268	292	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,358.97	3,556.41	2,901.28	36,000.00	561.54	1,403.85	935.90
1.35	493.93	0.02	1267	293	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,391.03	3,568.59	2,911.22	36,000.00	563.46	1,408.65	939.10
1.35	493.92	0.02	1266	294	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,423.08	3,580.77	2,921.15	36,000.00	565.38	1,413.46	942.31
1.35	493.90	0.02	1265	295	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,455.13	3,592.95	2,931.09	36,000.00	567.31	1,418.27	945.51
1.35	493.89	0.02	1264	296	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,487.18	3,605.13	2,941.03	36,000.00	569.23	1,423.08	948.72
1.35	493.87	0.02	1263	297	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,519.23	3,617.31	2,950.96	36,000.00	571.15	1,427.88	951.92
1.35	493.86	0.02	1262	298	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,551.28	3,629.49	2,960.90	36,000.00	573.08	1,432.69	955.13
1.35	493.84	0.02	1261	299	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,583.33	3,641.67	2,970.83	36,000.00	575.00	1,437.50	958.33
1.35	493.82	0.02	1260	300	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,615.38	3,653.85	2,980.77	36,000.00	576.92	1,442.31	961.54
1.35	493.80	0.02	1259	301	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,647.44	3,666.03	2,990.71	36,000.00	578.85	1,447.12	964.74
1.35	493.79	0.02	1258	302	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,679.49	3,678.21	3,000.64	36,000.00	580.77	1,451.92	967.95
1.35	493.77	0.02	1257	303	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,711.54	3,690.38	3,010.56	36,000.00	582.69	1,456.73	971.15
1.35	493.75	0.02	1256	304	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,743.59	3,702.56	3,020.51	36,000.00	584.62	1,461.54	974.38
1.35	493.72	0.02	1255	305	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,775.64	3,714.74	3,030.45	36,000.00	586.54	1,466.35	977.56
1.35	493.70	0.02	1254	306	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,807.69	3,726.92	3,040.38	36,000.00	588.46	1,471.15	980.77
1.35	493.69	0.02	1253	307	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,839.74	3,739.10	3,050.32	36,000.00	590.38	1,475.96	983.97
1.35	493.68	0.02	1252	308	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,871.79	3,751.28	3,060.26	36,000.00	592.31	1,480.77	987.18
1.35	493.67	0.02	1251	309	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,903.85	3,763.46	3,070.19	36,000.00	594.23	1,485.58	990.38
1.35	493.66	0.02	1250	310	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,935.90	3,775.64	3,080.13	36,000.00	596.15	1,490.38	993.59
1.35	493.64	0.02	1249	311	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,967.95	3,787.82	3,090.06	36,000.00	598.08	1,495.19	996.79
1.35	493.62	0.02	1248	312	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	45,999.00	3,800.00	3,100.00	36,000.00	600.00	1,500.00	1,000.00
1.35	493.61	0.02	1247	313	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,032.05	3,812.18	3,109.94	36,000.00	601.92	1,504.81	1,003.21
1.35	493.59	0.02	1246	314	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,064.10	3,824.36	3,119.87	36,000.00	603.85	1,509.62	1,006.41
1.35	493.57	0.02	1245	315	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,096.15	3,836.54	3,129.81	36,000.00	605.77	1,514.42	1,009.62
1.35	493.54	0.02	1244	316	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,128.21	3,848.72	3,139.74	36,000.00	607.69	1,519.23	1,012.82
1.35	493.52	0.02	1243	317	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,160.26	3,860.90	3,149.68	36,000.00	609.62	1,524.04	1,016.03
1.35	493.51	0.02	1242	318	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,192.31	3,873.08	3,159.62	36,000.00	611.54	1,528.85	1,019.23
1.35	493.49	0.02	1241	319	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,224.36	3,885.26	3,169.55	36,000.00	613.46	1,533.65	1,022.44
1.35	493.48	0.02	1240	320	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,256.41	3,897.44	3,179.49	36,000.00	615.38	1,538.46	1,025.64
1.35	493.47	0.02	1239	321	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,288.46	3,909.62	3,189.42	36,000.00	617.31	1,543.27	1,028.85
1.35	493.44	0.02	1238	322	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,320.51	3,921.79	3,199.36	36,000.00	619.23	1,548.08	1,032.05
1.35	493.43	0.02	1237	323	Shifts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	46,352.56	3,933.97	3,209.29	36,000.00	621.15	1,552.88	1,035.26
1.35	493.41	0.02	1236	324	Shifts	7.56E+07											

1.35	493.30	0.02	1228	332	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,841.03	4,043.59	3,298.72	36,000.00	636.46	1,596.15	1,084.10
1.35	493.28	0.02	1227	333	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,873.08	4,055.77	3,308.65	36,000.00	640.38	1,600.96	1,087.31
1.35	493.26	0.02	1226	334	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,705.13	4,087.95	3,318.58	36,000.00	642.31	1,605.77	1,070.51
1.35	493.25	0.02	1225	335	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,737.18	4,080.13	3,328.53	36,000.00	644.23	1,610.58	1,073.72
1.35	493.23	0.02	1224	336	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,769.23	4,092.31	3,338.46	36,000.00	646.15	1,615.38	1,076.92
1.35	493.20	0.02	1223	337	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,801.28	4,104.49	3,348.40	36,000.00	648.08	1,620.19	1,080.13
1.35	493.18	0.02	1222	338	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,833.33	4,116.67	3,358.33	36,000.00	650.00	1,625.00	1,083.33
1.35	493.17	0.02	1221	339	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,865.38	4,128.85	3,368.27	36,000.00	651.92	1,629.81	1,086.54
1.35	493.15	0.02	1220	340	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,897.44	4,141.03	3,378.21	36,000.00	653.85	1,634.62	1,089.74
1.35	493.13	0.02	1219	341	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,929.49	4,153.21	3,388.14	36,000.00	655.77	1,639.42	1,092.95
1.35	493.12	0.02	1218	342	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,961.54	4,165.38	3,398.08	36,000.00	657.69	1,644.23	1,096.15
1.35	493.10	0.02	1217	343	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	46,993.58	4,177.56	3,408.01	36,000.00	659.62	1,649.04	1,099.36
1.35	493.09	0.02	1216	344	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,025.64	4,189.74	3,417.95	36,000.00	661.54	1,653.85	1,102.56
1.35	493.07	0.02	1215	345	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,057.69	4,201.92	3,427.88	36,000.00	663.46	1,658.65	1,105.77
1.35	493.05	0.02	1214	346	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,089.74	4,214.10	3,437.82	36,000.00	665.38	1,663.46	1,108.97
1.35	493.04	0.02	1213	347	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,121.79	4,226.28	3,447.76	36,000.00	667.31	1,668.27	1,112.18
1.35	493.02	0.02	1212	348	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,153.85	4,238.46	3,457.69	36,000.00	669.23	1,673.08	1,115.38
1.35	493.01	0.02	1211	349	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,185.90	4,250.64	3,467.63	36,000.00	671.15	1,677.88	1,118.59
1.35	492.99	0.02	1210	350	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,217.95	4,262.82	3,477.56	36,000.00	673.08	1,682.69	1,121.79
1.35	492.97	0.02	1209	351	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,250.00	4,275.00	3,487.50	36,000.00	675.00	1,687.50	1,125.00
1.35	492.96	0.02	1208	352	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,282.05	4,287.18	3,497.44	36,000.00	676.92	1,692.31	1,128.21
1.35	492.94	0.02	1207	353	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,314.10	4,299.36	3,507.37	36,000.00	678.85	1,697.12	1,131.41
1.35	492.93	0.02	1206	354	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,346.15	4,311.54	3,517.31	36,000.00	680.77	1,701.92	1,134.62
1.35	492.91	0.02	1205	355	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,378.21	4,323.72	3,527.24	36,000.00	682.69	1,706.73	1,137.82
1.35	492.89	0.02	1204	356	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,410.26	4,335.90	3,537.18	36,000.00	684.62	1,711.54	1,141.03
1.35	492.88	0.02	1203	357	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,442.31	4,348.08	3,547.12	36,000.00	686.54	1,716.35	1,144.23
1.35	492.86	0.02	1202	358	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,474.36	4,360.26	3,557.05	36,000.00	688.46	1,721.15	1,147.44
1.35	492.85	0.02	1201	359	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,506.41	4,372.44	3,566.98	36,000.00	690.38	1,725.96	1,150.64
1.35	492.83	0.02	1200	360	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,538.46	4,384.62	3,576.92	36,000.00	692.31	1,730.77	1,153.85
1.35	492.81	0.02	1199	361	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,570.51	4,396.79	3,586.86	36,000.00	694.23	1,735.58	1,157.05
1.35	492.80	0.02	1198	362	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,602.56	4,408.97	3,596.79	36,000.00	696.15	1,740.38	1,160.26
1.35	492.80	0.02	1197	363	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,634.62	4,421.15	3,606.73	36,000.00	698.08	1,745.19	1,163.46
1.35	492.78	0.02	1196	364	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,666.67	4,433.33	3,616.67	36,000.00	700.00	1,750.00	1,166.67
1.35	492.77	0.02	1195	365	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,698.72	4,445.51	3,626.60	36,000.00	701.92	1,754.81	1,169.87
1.35	492.75	0.02	1194	366	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,730.77	4,457.69	3,636.54	36,000.00	703.85	1,759.62	1,173.08
1.35	492.73	0.02	1193	367	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,762.82	4,469.87	3,646.47	36,000.00	705.77	1,764.42	1,176.28
1.35	492.72	0.02	1192	368	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,794.87	4,482.05	3,656.41	36,000.00	707.69	1,769.23	1,179.49
1.35	492.70	0.02	1191	369	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,826.92	4,494.23	3,666.35	36,000.00	709.62	1,774.04	1,182.69
1.35	492.69	0.02	1190	370	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,858.97	4,506.41	3,676.28	36,000.00	711.54	1,778.85	1,185.90
1.35	492.67	0.02	1189	371	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,891.03	4,518.59	3,686.22	36,000.00	713.46	1,783.65	1,189.10
1.35	492.66	0.02	1188	372	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,923.08	4,530.77	3,696.15	36,000.00	715.38	1,788.46	1,192.31
1.35	492.64	0.02	1187	373	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,955.13	4,542.95	3,706.08	36,000.00	717.31	1,793.27	1,195.51
1.35	492.62	0.02	1186	374	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	47,987.18	4,555.13	3,716.03	36,000.00	719.23	1,798.08	1,198.72
1.35	492.61	0.02	1185	375	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,019.23	4,567.31	3,725.96	36,000.00	721.15	1,802.88	1,201.92
1.35	492.59	0.02	1184	376	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,051.28	4,579.49	3,735.90	36,000.00	723.08	1,807.69	1,205.13
1.35	492.58	0.02	1183	377	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,083.33	4,591.67	3,745.83	36,000.00	725.00	1,812.50	1,208.33
1.35	492.56	0.02	1182	378	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,115.38	4,603.85	3,755.77	36,000.00	726.92	1,817.31	1,211.54
1.35	492.55	0.02	1181	379	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,147.44	4,616.03	3,765.71	36,000.00	728.85	1,822.12	1,214.74
1.35	492.53	0.02	1180	380	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,179.49	4,628.21	3,775.64	36,000.00	730.77	1,826.92	1,217.95
1.35	492.51	0.02	1179	381	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,211.54	4,640.38	3,785.58	36,000.00	732.69	1,831.73	1,221.15
1.35	492.48	0.02	1178	382	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,243.59	4,652.56	3,795.51	36,000.00	734.62	1,836.54	1,224.36
1.35	492.47	0.02	1177	383	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,275.64	4,664.74	3,805.45	36,000.00	736.54	1,841.35	1,227.56
1.35	492.45	0.02	1176	384	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,307.69	4,676.92	3,815.38	36,000.00	738.46	1,846.15	1,230.77
1.35	492.44	0.02	1175	385	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,339.74	4,689.10	3,825.32	36,000.00	740.38	1,850.96	1,233.97
1.35	492.42	0.02	1174	386	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,371.79	4,701.28	3,835.26	36,000.00	742.31	1,855.77	1,237.18
1.35	492.40	0.02	1173	387	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,403.85	4,713.46	3,845.19	36,000.00	744.23	1,860.58	1,240.38
1.35	492.39	0.02	1172	388	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,435.90	4,725.64	3,855.13	36,000.00	746.15	1,865.38	1,243.59
1.35	492.37	0.02	1171	389	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,467.95	4,737.82	3,865.06	36,000.00	748.08	1,870.19	1,246.79
1.35	492.36	0.02	1170	390	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,500.00	4,750.00	3,875.00	36,000.00	750.00	1,875.00	1,250.00
1.35	492.34	0.02	1169	391	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,532.05	4,762.18	3,884.94	36,000.00	751.92	1,879.81	1,253.21
1.35	492.33	0.02	1168	392	Shafts	7.56E+07	0.001	40.00	718.00	Fractured dolomite	48,564.10	4,774.36	3,894.87	36,000.00	753.85		

1.35	492.20	0.02	1159	401	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	48,852.56	4,883.97	3,994.29	36,000.00	771.15	1,927.88	1,285.26
1.35	492.18	0.02	1158	402	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	48,884.62	4,896.15	3,994.23	36,000.00	773.08	1,932.69	1,288.46
1.35	492.17	0.02	1157	403	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	48,918.67	4,908.33	4,004.17	36,000.00	775.00	1,937.50	1,291.67
1.35	492.16	0.02	1156	404	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	48,948.72	4,920.51	4,014.10	36,000.00	778.82	1,942.31	1,294.87
1.35	492.14	0.02	1155	405	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	48,980.77	4,932.69	4,024.04	36,000.00	778.85	1,947.12	1,298.08
1.35	492.13	0.02	1154	406	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,012.82	4,944.87	4,033.97	36,000.00	780.77	1,951.92	1,301.28
1.35	492.11	0.02	1153	407	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,044.87	4,957.05	4,043.91	36,000.00	782.69	1,956.73	1,304.49
1.35	492.09	0.02	1152	408	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,076.92	4,969.23	4,053.85	36,000.00	784.62	1,961.54	1,307.69
1.35	492.08	0.02	1151	409	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,108.97	4,981.41	4,063.78	36,000.00	786.54	1,966.35	1,310.90
1.35	492.06	0.02	1150	410	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,141.03	4,993.59	4,073.72	36,000.00	788.46	1,971.15	1,314.10
1.35	492.05	0.02	1149	411	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,173.08	5,005.77	4,083.65	36,000.00	790.38	1,975.96	1,317.31
1.35	492.03	0.02	1148	412	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,205.13	5,017.95	4,093.59	36,000.00	792.31	1,980.77	1,320.51
1.35	492.02	0.02	1147	413	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,237.18	5,030.13	4,103.53	36,000.00	794.23	1,985.58	1,323.72
1.35	492.00	0.02	1146	414	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,269.23	5,042.31	4,113.46	36,000.00	796.15	1,990.38	1,326.92
1.35	491.99	0.02	1145	415	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,301.28	5,054.49	4,123.40	36,000.00	798.08	1,995.19	1,330.13
1.35	491.97	0.02	1144	416	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,333.33	5,066.67	4,133.33	36,000.00	800.00	2,000.00	1,333.33
1.35	491.96	0.02	1143	417	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,365.38	5,078.85	4,143.27	36,000.00	801.92	2,004.81	1,336.54
1.35	491.94	0.02	1142	418	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,397.44	5,091.03	4,153.21	36,000.00	803.85	2,009.62	1,339.74
1.35	491.93	0.02	1141	419	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,429.49	5,103.21	4,163.14	36,000.00	805.77	2,014.42	1,342.95
1.35	491.91	0.02	1140	420	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,461.54	5,115.38	4,173.08	36,000.00	807.69	2,019.23	1,346.15
1.35	491.89	0.02	1139	421	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,493.59	5,127.56	4,183.01	36,000.00	809.62	2,024.04	1,349.36
1.35	491.88	0.02	1138	422	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,525.64	5,139.74	4,192.95	36,000.00	811.54	2,028.85	1,352.56
1.35	491.86	0.02	1137	423	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,557.69	5,151.92	4,202.88	36,000.00	813.46	2,033.65	1,355.77
1.35	491.85	0.02	1136	424	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,589.74	5,164.10	4,212.82	36,000.00	815.38	2,038.46	1,358.97
1.35	491.83	0.02	1135	425	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,621.79	5,176.28	4,222.76	36,000.00	817.31	2,043.27	1,362.18
1.35	491.82	0.02	1134	426	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,653.85	5,188.46	4,232.69	36,000.00	819.23	2,048.08	1,365.38
1.35	491.80	0.02	1133	427	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,685.90	5,200.64	4,242.63	36,000.00	821.15	2,052.88	1,368.59
1.35	491.79	0.02	1132	428	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,717.95	5,212.82	4,252.56	36,000.00	823.08	2,057.69	1,371.79
1.35	491.77	0.02	1131	429	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,750.00	5,225.00	4,262.50	36,000.00	825.00	2,062.50	1,375.00
1.35	491.76	0.02	1130	430	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,782.05	5,237.18	4,272.44	36,000.00	826.92	2,067.31	1,378.21
1.35	491.74	0.02	1129	431	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,814.10	5,249.36	4,282.37	36,000.00	828.85	2,072.12	1,381.41
1.35	491.73	0.02	1128	432	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,846.15	5,261.54	4,292.31	36,000.00	830.77	2,076.92	1,384.62
1.35	491.71	0.02	1127	433	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,878.21	5,273.72	4,302.24	36,000.00	832.69	2,081.73	1,387.82
1.35	491.70	0.02	1126	434	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,910.26	5,285.90	4,312.18	36,000.00	834.62	2,086.54	1,391.03
1.35	491.68	0.02	1125	435	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,942.31	5,298.08	4,322.12	36,000.00	836.54	2,091.35	1,394.23
1.35	491.67	0.02	1124	436	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	49,974.36	5,310.26	4,332.05	36,000.00	838.46	2,096.15	1,397.44
1.35	491.65	0.02	1123	437	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,006.41	5,322.44	4,341.99	36,000.00	840.38	2,100.96	1,400.64
1.35	491.64	0.02	1122	438	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,038.46	5,334.62	4,351.92	36,000.00	842.31	2,105.77	1,403.85
1.35	491.62	0.02	1121	439	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,070.51	5,346.79	4,361.86	36,000.00	844.23	2,110.58	1,407.05
1.35	491.61	0.02	1120	440	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,102.56	5,358.97	4,371.79	36,000.00	846.15	2,115.38	1,410.26
1.35	491.59	0.02	1119	441	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,134.62	5,371.15	4,381.73	36,000.00	848.08	2,120.19	1,413.46
1.35	491.58	0.02	1118	442	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,166.67	5,383.33	4,391.67	36,000.00	850.00	2,125.00	1,416.67
1.35	491.56	0.02	1117	443	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,198.72	5,395.51	4,401.60	36,000.00	851.92	2,129.81	1,419.87
1.35	491.55	0.02	1116	444	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,230.77	5,407.69	4,411.54	36,000.00	853.85	2,134.62	1,423.08
1.35	491.53	0.02	1115	445	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,262.82	5,419.87	4,421.47	36,000.00	855.77	2,139.42	1,426.28
1.35	491.52	0.02	1114	446	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,294.87	5,432.05	4,431.41	36,000.00	857.69	2,144.23	1,429.49
1.35	491.50	0.02	1113	447	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,326.92	5,444.23	4,441.35	36,000.00	859.62	2,149.04	1,432.69
1.35	491.49	0.02	1112	448	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,358.97	5,456.41	4,451.28	36,000.00	861.54	2,153.85	1,435.90
1.35	491.47	0.02	1111	449	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,391.03	5,468.59	4,461.22	36,000.00	863.46	2,158.65	1,439.10
1.35	491.46	0.01	1110	450	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,423.08	5,480.77	4,471.15	36,000.00	865.38	2,163.46	1,442.31
1.35	491.44	0.01	1109	451	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,455.13	5,492.95	4,481.09	36,000.00	867.31	2,168.27	1,445.51
1.35	491.43	0.01	1108	452	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,487.18	5,505.13	4,491.03	36,000.00	869.23	2,173.08	1,448.72
1.35	491.41	0.01	1107	453	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,519.23	5,517.31	4,500.96	36,000.00	871.15	2,177.88	1,451.92
1.35	491.40	0.01	1106	454	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,551.28	5,529.49	4,510.90	36,000.00	873.08	2,182.69	1,455.13
1.35	491.38	0.01	1105	455	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,583.33	5,541.67	4,520.83	36,000.00	875.00	2,187.50	1,458.33
1.35	491.37	0.01	1104	456	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,615.38	5,553.85	4,530.77	36,000.00	876.92	2,192.31	1,461.54
1.35	491.35	0.01	1103	457	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,647.44	5,566.03	4,540.71	36,000.00	878.85	2,197.12	1,464.74
1.35	491.34	0.01	1102	458	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,679.49	5,578.21	4,550.64	36,000.00	880.77	2,201.92	1,467.95
1.35	491.32	0.01	1101	459	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,711.54	5,590.38	4,560.58	36,000.00	882.69	2,206.73	1,471.15
1.35	491.31	0.01	1100	460	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,743.59	5,602.56	4,570.51	36,000.00	884.62	2,211.54	1,474.36
1.35	491.29	0.01	1099	461	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	50,775.64	5,614.74	4,580.45	36,000.00	886.54		

1.35	491.16	0.01	1090	470	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,064.10	5,724.36	4,688.87	36,000.00	903.85	2,259.62	1,506.41
1.35	491.14	0.01	1089	471	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,066.15	5,736.54	4,679.81	36,000.00	905.77	2,264.42	1,509.62
1.35	491.13	0.01	1088	472	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,128.21	5,748.72	4,689.74	36,000.00	907.69	2,269.23	1,512.82
1.35	491.11	0.01	1087	473	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,180.26	5,760.90	4,699.68	36,000.00	909.62	2,274.04	1,516.03
1.35	491.10	0.01	1086	474	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,182.31	5,773.08	4,709.62	36,000.00	911.54	2,278.85	1,519.23
1.35	491.08	0.01	1085	475	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,224.36	5,785.26	4,719.55	36,000.00	913.46	2,283.65	1,522.44
1.35	491.07	0.01	1084	476	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,256.41	5,797.44	4,729.49	36,000.00	915.38	2,288.46	1,525.64
1.35	491.05	0.01	1083	477	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,288.46	5,809.62	4,739.42	36,000.00	917.31	2,293.27	1,528.85
1.35	491.04	0.01	1082	478	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,320.51	5,821.79	4,749.36	36,000.00	919.23	2,298.08	1,532.05
1.35	491.03	0.01	1081	479	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,352.56	5,833.97	4,759.29	36,000.00	921.15	2,302.88	1,535.26
1.35	491.01	0.01	1080	480	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,384.62	5,846.15	4,769.23	36,000.00	923.08	2,307.69	1,538.46
1.35	491.00	0.01	1079	481	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,416.67	5,858.33	4,779.17	36,000.00	925.00	2,312.50	1,541.67
1.35	490.98	0.01	1078	482	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,448.72	5,870.51	4,789.10	36,000.00	926.92	2,317.31	1,544.87
1.35	490.97	0.01	1077	483	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,480.77	5,882.69	4,799.04	36,000.00	928.85	2,322.12	1,548.08
1.35	490.95	0.01	1076	484	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,512.82	5,894.87	4,808.97	36,000.00	930.77	2,326.92	1,551.28
1.35	490.94	0.01	1075	485	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,544.87	5,907.05	4,818.91	36,000.00	932.69	2,331.73	1,554.49
1.34	490.92	0.01	1074	486	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,576.92	5,919.23	4,828.85	36,000.00	934.62	2,336.54	1,557.69
1.34	490.91	0.01	1073	487	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,608.97	5,931.41	4,838.78	36,000.00	936.54	2,341.35	1,560.90
1.34	490.89	0.01	1072	488	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,641.03	5,943.59	4,848.72	36,000.00	938.46	2,346.15	1,564.10
1.34	490.88	0.01	1071	489	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,673.08	5,955.77	4,858.65	36,000.00	940.38	2,350.96	1,567.31
1.34	490.86	0.01	1070	490	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,705.13	5,967.95	4,868.59	36,000.00	942.31	2,355.77	1,570.51
1.34	490.85	0.01	1069	491	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,737.18	5,980.13	4,878.53	36,000.00	944.23	2,360.58	1,573.72
1.34	490.83	0.01	1068	492	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,769.23	5,992.31	4,888.46	36,000.00	946.15	2,365.38	1,576.92
1.34	490.82	0.01	1067	493	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,801.28	6,004.49	4,898.40	36,000.00	948.08	2,370.19	1,580.13
1.34	490.81	0.01	1066	494	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,833.33	6,016.67	4,908.33	36,000.00	950.00	2,375.00	1,583.33
1.34	490.79	0.01	1065	495	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,865.38	6,028.85	4,918.27	36,000.00	951.92	2,379.81	1,586.54
1.34	490.78	0.01	1064	496	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,897.44	6,041.03	4,928.21	36,000.00	953.85	2,384.62	1,589.74
1.34	490.76	0.01	1063	497	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,929.49	6,053.21	4,938.14	36,000.00	955.77	2,389.42	1,592.95
1.34	490.75	0.01	1062	498	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,961.54	6,065.38	4,948.08	36,000.00	957.69	2,394.23	1,596.15
1.34	490.73	0.01	1061	499	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	51,993.59	6,077.56	4,958.01	36,000.00	959.62	2,399.04	1,599.36
1.34	490.72	0.01	1060	500	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,025.64	6,089.74	4,967.95	36,000.00	961.54	2,403.85	1,602.56
1.34	490.70	0.01	1059	501	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,057.69	6,101.92	4,977.88	36,000.00	963.46	2,408.65	1,605.77
1.34	490.69	0.01	1058	502	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,089.74	6,114.10	4,987.82	36,000.00	965.38	2,413.46	1,608.97
1.34	490.67	0.01	1057	503	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,121.79	6,126.28	4,997.76	36,000.00	967.31	2,418.27	1,612.18
1.34	490.66	0.01	1056	504	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,153.85	6,138.46	5,007.69	36,000.00	969.23	2,423.08	1,615.38
1.34	490.65	0.01	1055	505	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,185.90	6,150.64	5,017.63	36,000.00	971.15	2,427.88	1,618.59
1.34	490.63	0.01	1054	506	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,217.95	6,162.82	5,027.56	36,000.00	973.08	2,432.69	1,621.79
1.34	490.62	0.01	1053	507	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,250.00	6,175.00	5,037.50	36,000.00	975.00	2,437.50	1,625.00
1.34	490.60	0.01	1052	508	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,282.05	6,187.18	5,047.44	36,000.00	976.92	2,442.31	1,628.21
1.34	490.59	0.01	1051	509	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,314.10	6,199.36	5,057.37	36,000.00	978.85	2,447.12	1,631.41
1.34	490.57	0.01	1050	510	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,346.15	6,211.54	5,067.31	36,000.00	980.77	2,451.92	1,634.62
1.34	490.56	0.01	1049	511	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,378.21	6,223.72	5,077.24	36,000.00	982.69	2,456.73	1,637.82
1.34	490.54	0.01	1048	512	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,410.26	6,235.90	5,087.18	36,000.00	984.62	2,461.54	1,641.03
1.34	490.53	0.01	1047	513	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,442.31	6,248.08	5,097.12	36,000.00	986.54	2,466.35	1,644.23
1.34	490.52	0.01	1046	514	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,474.36	6,260.26	5,107.05	36,000.00	988.46	2,471.15	1,647.44
1.34	490.50	0.01	1045	515	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,506.41	6,272.44	5,116.99	36,000.00	990.38	2,475.96	1,650.64
1.34	490.49	0.01	1044	516	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,538.46	6,284.62	5,126.92	36,000.00	992.31	2,480.77	1,653.85
1.34	490.47	0.01	1043	517	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,570.51	6,296.79	5,136.86	36,000.00	994.23	2,485.58	1,657.05
1.34	490.46	0.01	1042	518	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,602.56	6,308.97	5,146.79	36,000.00	996.15	2,490.38	1,660.26
1.34	490.44	0.01	1041	519	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,634.62	6,321.15	5,156.73	36,000.00	998.08	2,495.19	1,663.46
1.34	490.43	0.01	1040	520	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,666.67	6,333.33	5,166.67	36,000.00	1,000.00	2,500.00	1,666.67
1.34	490.41	0.01	1039	521	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,698.72	6,345.51	5,176.60	36,000.00	1,001.92	2,504.81	1,669.87
1.34	490.40	0.01	1038	522	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,730.77	6,357.69	5,186.54	36,000.00	1,003.85	2,509.62	1,673.08
1.34	490.39	0.01	1037	523	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,762.82	6,369.87	5,196.47	36,000.00	1,005.77	2,514.42	1,676.28
1.34	490.37	0.01	1036	524	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,794.87	6,382.05	5,206.41	36,000.00	1,007.69	2,519.23	1,679.49
1.34	490.36	0.01	1035	525	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,826.92	6,394.23	5,216.35	36,000.00	1,009.62	2,524.04	1,682.69
1.34	490.34	0.01	1034	526	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,858.97	6,406.41	5,226.28	36,000.00	1,011.54	2,528.85	1,685.90
1.34	490.33	0.01	1033	527	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,891.03	6,418.59	5,236.22	36,000.00	1,013.46	2,533.65	1,689.10
1.34	490.31	0.01	1032	528	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,923.08	6,430.77	5,246.15	36,000.00	1,015.38	2,538.46	1,692.31
1.34	490.30	0.01	1031	529	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,955.13	6,442.95	5,256.09	36,000.00	1,017.31	2,543.27	1,695.51
1.34	490.29	0.01	1030	530	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	52,987.18	6,455.13	5,266.03	36,			

1.34	490.18	0.01	1021	539	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,275.64	6,564.74	5,355.45	36,000.00	1,038.54	2,591.35	1,727.56
1.34	490.14	0.01	1020	540	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,307.69	6,576.92	5,365.38	36,000.00	1,038.46	2,596.15	1,730.77
1.34	490.13	0.01	1019	541	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,339.74	6,589.10	5,375.32	36,000.00	1,040.38	2,600.96	1,733.97
1.34	490.12	0.01	1018	542	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,371.79	6,601.28	5,385.26	36,000.00	1,042.31	2,605.77	1,737.18
1.34	490.10	0.01	1017	543	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,403.85	6,613.46	5,395.19	36,000.00	1,044.23	2,610.56	1,740.38
1.34	490.09	0.01	1016	544	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,435.90	6,625.64	5,405.13	36,000.00	1,046.15	2,615.35	1,743.59
1.34	490.07	0.01	1015	545	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,467.95	6,637.82	5,415.06	36,000.00	1,048.08	2,620.18	1,746.79
1.34	490.06	0.01	1014	546	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,500.00	6,650.00	5,425.00	36,000.00	1,050.00	2,625.00	1,750.00
1.34	490.04	0.01	1013	547	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,532.05	6,662.18	5,434.94	36,000.00	1,051.92	2,629.81	1,753.21
1.34	490.03	0.01	1012	548	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,564.10	6,674.36	5,444.87	36,000.00	1,053.85	2,634.62	1,756.41
1.34	490.02	0.01	1011	549	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,596.15	6,686.54	5,454.81	36,000.00	1,055.77	2,639.42	1,759.62
1.34	490.00	0.01	1010	550	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,628.21	6,698.72	5,464.74	36,000.00	1,057.69	2,644.23	1,762.82
1.34	489.99	0.01	1009	551	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,660.26	6,710.90	5,474.68	36,000.00	1,059.62	2,649.04	1,766.03
1.34	489.97	0.01	1008	552	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,692.31	6,723.08	5,484.62	36,000.00	1,061.54	2,653.85	1,769.23
1.34	489.96	0.01	1007	553	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,724.36	6,735.26	5,494.55	36,000.00	1,063.46	2,658.65	1,772.44
1.34	489.93	0.01	1006	554	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,756.41	6,747.44	5,504.49	36,000.00	1,065.38	2,663.46	1,775.64
1.34	489.93	0.01	1005	555	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,788.46	6,759.62	5,514.42	36,000.00	1,067.31	2,668.27	1,778.85
1.34	489.92	0.01	1004	556	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,820.51	6,771.79	5,524.36	36,000.00	1,069.23	2,673.08	1,782.05
1.34	489.90	0.01	1003	557	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,852.56	6,783.97	5,534.29	36,000.00	1,071.15	2,677.88	1,785.26
1.34	489.89	0.01	1002	558	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,884.62	6,796.15	5,544.23	36,000.00	1,073.08	2,682.69	1,788.46
1.34	489.88	0.01	1001	559	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,916.67	6,808.33	5,554.17	36,000.00	1,075.00	2,687.50	1,791.67
1.34	489.86	0.01	1000	560	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,948.72	6,820.51	5,564.10	36,000.00	1,076.92	2,692.31	1,794.87
1.34	489.85	0.01	999	561	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	53,980.77	6,832.69	5,574.04	36,000.00	1,078.85	2,697.12	1,798.08
1.34	489.83	0.01	998	562	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,012.82	6,844.87	5,583.97	36,000.00	1,080.77	2,701.92	1,801.28
1.34	489.82	0.01	997	563	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,044.87	6,857.05	5,593.91	36,000.00	1,082.69	2,705.73	1,804.49
1.34	489.81	0.01	996	564	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,076.92	6,869.23	5,603.85	36,000.00	1,084.62	2,711.54	1,807.69
1.34	489.79	0.01	995	565	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,108.97	6,881.41	5,613.78	36,000.00	1,086.54	2,716.35	1,810.90
1.34	489.78	0.01	994	566	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,141.03	6,893.59	5,623.72	36,000.00	1,088.46	2,721.15	1,814.10
1.34	489.75	0.01	993	567	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,173.08	6,905.77	5,633.65	36,000.00	1,090.38	2,725.96	1,817.31
1.34	489.75	0.01	992	568	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,205.13	6,917.95	5,643.59	36,000.00	1,092.31	2,730.77	1,820.51
1.34	489.74	0.01	991	569	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,237.18	6,930.13	5,653.53	36,000.00	1,094.23	2,735.56	1,823.72
1.34	489.72	0.01	990	570	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,269.23	6,942.31	5,663.46	36,000.00	1,096.15	2,740.38	1,826.92
1.34	489.71	0.01	989	571	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,301.28	6,954.49	5,673.40	36,000.00	1,098.08	2,745.19	1,830.13
1.34	489.69	0.01	988	572	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,333.33	6,966.67	5,683.33	36,000.00	1,100.00	2,750.00	1,833.33
1.34	489.68	0.01	987	573	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,365.38	6,978.85	5,693.27	36,000.00	1,101.92	2,754.81	1,836.54
1.34	489.67	0.01	986	574	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,397.44	6,991.03	5,703.21	36,000.00	1,103.85	2,759.62	1,839.74
1.34	489.65	0.01	985	575	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,429.49	7,003.21	5,713.14	36,000.00	1,105.77	2,764.42	1,842.95
1.34	489.64	0.01	984	576	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,461.54	7,015.39	5,723.08	36,000.00	1,107.69	2,769.23	1,846.15
1.34	489.62	0.01	983	577	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,493.59	7,027.56	5,733.01	36,000.00	1,109.62	2,774.04	1,849.36
1.34	489.61	0.01	982	578	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,525.64	7,039.74	5,742.95	36,000.00	1,111.54	2,778.85	1,852.56
1.34	489.59	0.01	981	579	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,557.69	7,051.92	5,752.88	36,000.00	1,113.46	2,783.66	1,855.77
1.34	489.57	0.01	980	580	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,589.74	7,064.10	5,762.82	36,000.00	1,115.38	2,788.47	1,858.97
1.34	489.57	0.01	979	581	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,621.79	7,076.28	5,772.76	36,000.00	1,117.31	2,793.27	1,862.18
1.34	489.55	0.01	978	582	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,653.85	7,088.46	5,782.69	36,000.00	1,119.23	2,798.08	1,865.38
1.34	489.54	0.01	977	583	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,685.90	7,100.64	5,792.63	36,000.00	1,121.15	2,802.89	1,868.59
1.34	489.53	0.01	976	584	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,717.95	7,112.82	5,802.56	36,000.00	1,123.08	2,807.69	1,871.79
1.34	489.51	0.01	975	585	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,750.00	7,125.00	5,812.50	36,000.00	1,125.00	2,812.50	1,875.00
1.34	489.50	0.01	974	586	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,782.05	7,137.18	5,822.44	36,000.00	1,126.92	2,817.31	1,878.21
1.34	489.49	0.01	973	587	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,814.10	7,149.36	5,832.37	36,000.00	1,128.85	2,822.12	1,881.41
1.34	489.47	0.01	972	588	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,846.15	7,161.54	5,842.31	36,000.00	1,130.77	2,826.92	1,884.62
1.34	489.46	0.01	971	589	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,878.21	7,173.72	5,852.24	36,000.00	1,132.69	2,831.73	1,887.82
1.34	489.44	0.01	970	590	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,910.26	7,185.90	5,862.18	36,000.00	1,134.62	2,836.54	1,891.03
1.34	489.43	0.01	969	591	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,942.31	7,198.08	5,872.12	36,000.00	1,136.54	2,841.35	1,894.23
1.34	489.42	0.01	968	592	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	54,974.36	7,210.26	5,882.05	36,000.00	1,138.46	2,846.15	1,897.44
1.34	489.40	0.01	967	593	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,006.41	7,222.44	5,891.98	36,000.00	1,140.38	2,850.96	1,900.64
1.34	489.39	0.01	966	594	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,038.46	7,234.62	5,901.92	36,000.00	1,142.31	2,855.77	1,903.85
1.34	489.38	0.01	965	595	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,070.51	7,246.79	5,911.86	36,000.00	1,144.23	2,860.58	1,907.05
1.34	489.36	0.01	964	596	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,102.56	7,258.97	5,921.79	36,000.00	1,146.15	2,865.39	1,910.26
1.34	489.35	0.01	963	597	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,134.62	7,271.15	5,931.73	36,000.00	1,148.08	2,870.19	1,913.46
1.34	489.33	0.01	962	598	Shifts	7.58E+07	0.001	40.00	716.00	Fractured dolomite	55,166.67	7,283.33	5,941.67	36,000.00	1,150.00	2,875.00	1,916.67
1.34	489.32	0.01	961	599	Shifts	7.58E+07	0.001	40.00	716.								

1.34	489.20	0.01	952	608	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,487.18	7,405.13	6,041.03	36,000.00	1,189.23	2,923.08	1,948.72
1.34	489.18	0.01	951	609	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,519.23	7,417.31	6,050.98	36,000.00	1,171.15	2,927.88	1,951.92
1.34	489.17	0.01	950	610	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,551.28	7,429.49	6,060.90	36,000.00	1,173.08	2,932.69	1,955.13
1.34	489.16	0.01	949	611	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,583.33	7,441.67	6,070.83	36,000.00	1,175.00	2,937.50	1,958.33
1.34	489.14	0.01	948	612	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,615.38	7,453.85	6,080.77	36,000.00	1,176.92	2,942.31	1,961.54
1.34	489.13	0.01	947	613	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,647.44	7,466.03	6,090.71	36,000.00	1,178.85	2,947.12	1,964.74
1.34	489.12	0.01	946	614	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,679.49	7,478.21	6,100.64	36,000.00	1,180.77	2,951.92	1,967.95
1.34	489.10	0.01	945	615	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,711.54	7,490.38	6,110.58	36,000.00	1,182.69	2,956.73	1,971.15
1.34	489.09	0.01	944	616	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,743.59	7,502.56	6,120.51	36,000.00	1,184.62	2,961.54	1,974.36
1.34	489.08	0.01	943	617	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,775.64	7,514.74	6,130.45	36,000.00	1,186.54	2,966.35	1,977.56
1.34	489.06	0.01	942	618	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,807.69	7,526.92	6,140.38	36,000.00	1,188.46	2,971.15	1,980.77
1.34	489.05	0.01	941	619	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,839.74	7,539.10	6,150.32	36,000.00	1,190.38	2,975.96	1,983.97
1.34	489.03	0.01	940	620	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,871.79	7,551.28	6,160.26	36,000.00	1,192.31	2,980.77	1,987.18
1.34	489.02	0.01	939	621	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,903.85	7,563.46	6,170.19	36,000.00	1,194.23	2,985.58	1,990.38
1.34	489.01	0.01	938	622	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,935.90	7,575.64	6,180.13	36,000.00	1,196.15	2,990.38	1,993.59
1.34	488.99	0.01	937	623	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	55,967.95	7,587.82	6,190.06	36,000.00	1,198.08	2,995.19	1,996.79
1.34	488.98	0.01	936	624	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,000.00	7,600.00	6,200.00	36,000.00	1,200.00	3,000.00	2,000.00
1.34	488.97	0.01	935	625	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,032.05	7,612.18	6,209.94	36,000.00	1,201.92	3,004.81	2,003.21
1.34	488.95	0.01	934	626	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,064.10	7,624.36	6,219.87	36,000.00	1,203.85	3,009.62	2,006.41
1.34	488.94	0.01	933	627	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,096.15	7,636.54	6,229.81	36,000.00	1,205.77	3,014.42	2,009.62
1.34	488.93	0.01	932	628	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,128.21	7,648.72	6,239.74	36,000.00	1,207.69	3,019.23	2,012.82
1.34	488.91	0.01	931	629	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,160.26	7,660.90	6,249.68	36,000.00	1,209.62	3,024.04	2,016.03
1.34	488.90	0.01	930	630	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,192.31	7,673.08	6,259.62	36,000.00	1,211.54	3,028.85	2,019.23
1.34	488.89	0.01	929	631	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,224.36	7,685.26	6,269.55	36,000.00	1,213.46	3,033.65	2,022.44
1.34	488.87	0.01	928	632	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,256.41	7,697.44	6,279.49	36,000.00	1,215.38	3,038.46	2,025.64
1.34	488.86	0.01	927	633	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,288.46	7,709.62	6,289.42	36,000.00	1,217.31	3,043.27	2,028.85
1.34	488.85	0.01	926	634	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,320.51	7,721.79	6,299.36	36,000.00	1,219.23	3,048.08	2,032.05
1.34	488.83	0.01	925	635	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,352.56	7,733.97	6,309.29	36,000.00	1,221.15	3,052.88	2,035.26
1.34	488.82	0.01	924	636	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,384.62	7,746.15	6,319.23	36,000.00	1,223.08	3,057.69	2,038.46
1.34	488.81	0.01	923	637	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,416.67	7,758.33	6,329.17	36,000.00	1,225.00	3,062.50	2,041.67
1.34	488.79	0.01	922	638	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,448.72	7,770.51	6,339.10	36,000.00	1,226.92	3,067.31	2,044.87
1.34	488.78	0.01	921	639	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,480.77	7,782.69	6,349.04	36,000.00	1,228.85	3,072.12	2,048.08
1.34	488.77	0.01	920	640	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,512.82	7,794.87	6,358.97	36,000.00	1,230.77	3,076.92	2,051.28
1.34	488.75	0.01	919	641	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,544.87	7,807.05	6,368.91	36,000.00	1,232.69	3,081.73	2,054.49
1.34	488.74	0.01	918	642	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,576.92	7,819.23	6,378.85	36,000.00	1,234.62	3,086.54	2,057.69
1.34	488.73	0.01	917	643	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,608.97	7,831.41	6,388.78	36,000.00	1,236.54	3,091.35	2,060.90
1.34	488.71	0.01	916	644	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,641.03	7,843.59	6,398.72	36,000.00	1,238.46	3,096.15	2,064.10
1.34	488.70	0.01	915	645	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,673.08	7,855.77	6,408.65	36,000.00	1,240.38	3,100.96	2,067.31
1.34	488.69	0.01	914	646	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,705.13	7,867.95	6,418.59	36,000.00	1,242.31	3,105.77	2,070.51
1.34	488.67	0.01	913	647	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,737.18	7,880.13	6,428.53	36,000.00	1,244.23	3,110.58	2,073.72
1.34	488.66	0.01	912	648	Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,769.23	7,892.31	6,438.46	36,000.00	1,246.15	3,115.38	2,076.92
1.34	488.65	0.01	911	649	32 Shafts	7.56E+07	0.001	40.00	716.00	Fractured dolomite	56,801.28	7,904.49	6,448.40	36,000.00	1,248.08	3,120.19	2,080.13
1.34	488.63	0.07	910	650	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,833.33	7,916.67	6,458.33	36,000.00	1,250.00	3,125.00	2,083.33
1.34	487.97	0.06	909	651	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,865.38	7,928.85	6,468.27	36,000.00	1,251.92	3,129.81	2,086.54
1.34	487.30	0.06	908	652	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,897.44	7,941.03	6,478.21	36,000.00	1,253.85	3,134.62	2,089.74
1.33	486.84	0.06	907	653	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,929.49	7,953.21	6,488.14	36,000.00	1,255.77	3,139.42	2,092.95
1.33	485.97	0.06	906	654	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,961.54	7,965.38	6,498.08	36,000.00	1,257.69	3,144.23	2,096.15
1.33	485.31	0.06	905	655	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,993.59	7,977.56	6,508.01	36,000.00	1,259.62	3,149.04	2,099.36
1.33	484.65	0.06	904	656	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,025.64	7,989.74	6,517.95	36,000.00	1,261.54	3,153.85	2,102.56
1.33	483.98	0.06	903	657	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,057.69	8,001.92	6,527.88	36,000.00	1,263.46	3,158.65	2,105.77
1.32	483.32	0.06	902	658	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,089.74	8,014.10	6,537.82	36,000.00	1,265.38	3,163.46	2,108.97
1.32	482.66	0.06	901	659	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,121.79	8,026.28	6,547.76	36,000.00	1,267.31	3,168.27	2,112.18
1.32	482.00	0.06	900	660	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,153.85	8,038.46	6,557.69	36,000.00	1,269.23	3,173.08	2,115.38
1.32	481.34	0.06	899	661	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,185.90	8,050.64	6,567.63	36,000.00	1,271.15	3,177.88	2,118.59
1.32	480.68	0.06	898	662	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,217.95	8,062.82	6,577.56	36,000.00	1,273.08	3,182.69	2,121.79
1.32	480.02	0.06	897	663	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,250.00	8,075.00	6,587.50	36,000.00	1,275.00	3,187.50	2,125.00
1.31	479.35	0.06	896	664	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,282.05	8,087.18	6,597.44	36,000.00	1,276.92	3,192.31	2,128.21
1.31	478.69	0.06	895	665	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,314.10	8,099.36	6,607.37	36,000.00	1,278.85	3,197.12	2,131.41
1.31	478.04	0.06	894	666	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,346.15	8,111.54	6,617.31	36,000.00	1,280.77	3,201.92	2,134.62
1.31	477.38	0.06	893	667	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,378.21	8,123.72	6,627.24	36,000.00	1,282.69	3,206.73	2,137.82

1.29	470.80	0.66	883	677	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,698.72	8,245.51	6,726.60	36,000.00	1,301.92	3,254.81	2,169.87
1.29	470.15	0.65	882	678	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,730.77	8,257.69	6,736.54	36,000.00	1,303.85	3,259.62	2,173.08
1.29	469.50	0.65	881	679	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,762.82	8,269.87	6,746.47	36,000.00	1,305.77	3,264.42	2,176.26
1.28	468.64	0.65	880	680	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,794.87	8,282.05	6,756.41	36,000.00	1,307.69	3,269.23	2,179.49
1.28	468.19	0.65	879	681	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,826.92	8,294.23	6,766.35	36,000.00	1,309.62	3,274.04	2,182.69
1.28	467.53	0.65	878	682	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,858.97	8,306.41	6,776.28	36,000.00	1,311.54	3,278.85	2,185.90
1.28	466.86	0.65	877	683	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,891.03	8,318.59	6,786.22	36,000.00	1,313.46	3,283.65	2,189.10
1.28	466.23	0.65	876	684	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,923.08	8,330.77	6,796.15	36,000.00	1,315.38	3,288.46	2,192.31
1.28	465.57	0.65	875	685	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,955.13	8,342.95	6,806.09	36,000.00	1,317.31	3,293.27	2,195.51
1.27	464.92	0.65	874	686	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	57,987.18	8,355.13	6,816.03	36,000.00	1,319.23	3,298.08	2,198.72
1.27	464.27	0.65	873	687	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,019.23	8,367.31	6,825.96	36,000.00	1,321.15	3,302.88	2,201.92
1.27	463.82	0.65	872	688	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,051.28	8,379.49	6,835.90	36,000.00	1,323.06	3,307.69	2,205.13
1.27	462.97	0.65	871	689	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,083.33	8,391.67	6,845.83	36,000.00	1,325.00	3,312.50	2,208.33
1.27	462.32	0.65	870	690	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,115.38	8,403.85	6,855.77	36,000.00	1,326.92	3,317.31	2,211.54
1.28	461.87	0.65	869	691	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,147.44	8,416.03	6,865.71	36,000.00	1,328.85	3,322.12	2,214.74
1.28	461.02	0.65	868	692	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,179.49	8,428.21	6,875.64	36,000.00	1,330.77	3,326.92	2,217.95
1.28	460.37	0.65	867	693	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,211.54	8,440.38	6,885.58	36,000.00	1,332.69	3,331.73	2,221.15
1.28	459.72	0.65	866	694	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,243.59	8,452.56	6,895.51	36,000.00	1,334.62	3,336.54	2,224.36
1.28	459.07	0.65	865	695	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,275.64	8,464.74	6,905.45	36,000.00	1,336.54	3,341.35	2,227.56
1.28	458.42	0.65	864	696	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,307.69	8,476.92	6,915.38	36,000.00	1,338.46	3,346.15	2,230.77
1.25	457.77	0.65	863	697	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,339.74	8,489.10	6,925.32	36,000.00	1,340.38	3,350.96	2,233.97
1.25	457.12	0.65	862	698	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,371.79	8,501.28	6,935.26	36,000.00	1,342.31	3,355.77	2,237.18
1.25	456.48	0.65	861	699	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,403.85	8,513.46	6,945.19	36,000.00	1,344.23	3,360.58	2,240.38
1.25	455.83	0.65	860	700	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,435.90	8,525.64	6,955.13	36,000.00	1,346.15	3,365.38	2,243.59
1.25	455.18	0.65	859	701	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,467.95	8,537.82	6,965.06	36,000.00	1,348.08	3,370.19	2,246.79
1.25	454.53	0.65	858	702	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,500.00	8,550.00	6,975.00	36,000.00	1,350.00	3,375.00	2,250.00
1.24	453.89	0.65	857	703	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,532.05	8,562.18	6,984.94	36,000.00	1,351.92	3,379.81	2,253.21
1.24	453.24	0.65	856	704	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,564.10	8,574.36	6,994.87	36,000.00	1,353.85	3,384.62	2,256.41
1.24	452.60	0.65	855	705	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,596.15	8,586.54	7,004.81	36,000.00	1,355.77	3,389.42	2,259.62
1.24	451.95	0.64	854	706	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,628.21	8,598.72	7,014.74	36,000.00	1,357.69	3,394.23	2,262.82
1.24	451.31	0.64	853	707	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,660.26	8,610.90	7,024.68	36,000.00	1,359.62	3,399.04	2,266.03
1.23	450.66	0.64	852	708	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,692.31	8,623.08	7,034.62	36,000.00	1,361.54	3,403.85	2,269.23
1.23	450.02	0.64	851	709	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,724.36	8,635.26	7,044.55	36,000.00	1,363.46	3,408.65	2,272.44
1.23	449.38	0.64	850	710	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,756.41	8,647.44	7,054.49	36,000.00	1,365.38	3,413.46	2,275.64
1.23	448.73	0.64	849	711	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,788.46	8,659.62	7,064.42	36,000.00	1,367.31	3,418.27	2,278.85
1.23	448.09	0.64	848	712	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,820.51	8,671.79	7,074.36	36,000.00	1,369.23	3,423.08	2,282.05
1.23	447.45	0.64	847	713	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,852.56	8,683.97	7,084.29	36,000.00	1,371.15	3,427.88	2,285.26
1.22	446.80	0.64	846	714	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,884.62	8,696.15	7,094.23	36,000.00	1,373.08	3,432.69	2,288.46
1.22	446.16	0.64	845	715	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,916.67	8,708.33	7,104.17	36,000.00	1,375.00	3,437.50	2,291.67
1.22	445.52	0.64	844	716	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,948.72	8,720.51	7,114.10	36,000.00	1,376.92	3,442.31	2,294.87
1.22	444.88	0.64	843	717	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	58,980.77	8,732.69	7,124.04	36,000.00	1,378.85	3,447.12	2,298.08
1.22	444.24	0.64	842	718	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,012.82	8,744.87	7,133.97	36,000.00	1,380.77	3,451.92	2,301.28
1.22	443.60	0.64	841	719	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,044.87	8,757.05	7,143.91	36,000.00	1,382.69	3,456.73	2,304.49
1.21	442.96	0.64	840	720	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,076.92	8,769.23	7,153.85	36,000.00	1,384.62	3,461.54	2,307.69
1.21	442.32	0.64	839	721	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,108.97	8,781.41	7,163.78	36,000.00	1,386.54	3,466.35	2,310.90
1.21	441.68	0.64	838	722	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,141.03	8,793.59	7,173.72	36,000.00	1,388.46	3,471.15	2,314.10
1.21	441.04	0.64	837	723	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,173.08	8,805.77	7,183.65	36,000.00	1,390.38	3,475.96	2,317.31
1.21	440.40	0.64	836	724	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,205.13	8,817.95	7,193.59	36,000.00	1,392.31	3,480.77	2,320.51
1.20	439.76	0.64	835	725	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,237.18	8,830.13	7,203.53	36,000.00	1,394.23	3,485.58	2,323.72
1.20	439.12	0.64	834	726	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,269.23	8,842.31	7,213.46	36,000.00	1,396.15	3,490.38	2,326.92
1.20	438.49	0.64	833	727	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,301.28	8,854.49	7,223.40	36,000.00	1,398.08	3,495.19	2,330.13
1.20	437.85	0.64	832	728	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,333.33	8,866.67	7,233.33	36,000.00	1,400.00	3,500.00	2,333.33
1.20	437.21	0.64	831	729	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,365.38	8,878.85	7,243.27	36,000.00	1,401.92	3,504.81	2,336.54
1.20	436.56	0.64	830	730	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,397.44	8,891.03	7,253.21	36,000.00	1,403.85	3,509.62	2,339.74
1.19	435.94	0.64	829	731	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,429.49	8,903.21	7,263.14	36,000.00	1,405.77	3,514.42	2,342.95
1.19	435.30	0.64	828	732	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,461.54	8,915.38	7,273.08	36,000.00	1,407.69	3,519.23	2,346.15
1.19	434.67	0.64	827	733	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,493.59	8,927.56	7,283.01	36,000.00	1,409.62	3,524.04	2,349.36
1.19	434.03	0.64	826	734	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,525.64	8,939.74	7,292.95	36,000.00	1,411.54	3,528.85	2,352.56
1.19	433.40	0.63	825	735	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,557.69	8,951.92	7,302.88	36,000.00	1,413.46	3,533.65	2,355.77
1.19	432.76	0.63	824	736	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,589.74	8,964.10	7,312.82	36,000.00	1,415.38	3,538.46	2,358.97
1.18	432.13	0.63	823	737	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	59,6						

1.17	426.43	0.83	814	746	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	59,810.26	9,085.90	7,412.18	36,000.00	1,434.62	3,586.54	2,381.03
1.17	425.80	0.83	813	747	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	59,942.31	9,086.08	7,422.12	36,000.00	1,436.54	3,581.35	2,384.23
1.16	425.17	0.83	812	748	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	59,974.36	9,110.26	7,432.05	36,000.00	1,438.46	3,586.15	2,397.44
1.16	424.54	0.83	811	749	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,006.41	9,122.44	7,441.99	36,000.00	1,440.38	3,600.96	2,400.64
1.18	423.91	0.83	810	750	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,038.46	9,134.62	7,451.92	36,000.00	1,442.31	3,605.77	2,403.85
1.18	423.28	0.83	809	751	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,070.51	9,146.79	7,461.86	36,000.00	1,444.23	3,610.58	2,407.05
1.16	422.65	0.83	808	752	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,102.56	9,158.97	7,471.79	36,000.00	1,446.15	3,615.38	2,410.26
1.16	422.02	0.83	807	753	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,134.62	9,171.15	7,481.73	36,000.00	1,448.08	3,620.19	2,413.46
1.15	421.40	0.83	806	754	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,166.67	9,183.33	7,491.67	36,000.00	1,450.00	3,625.00	2,416.67
1.15	420.77	0.83	805	755	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,198.72	9,195.51	7,501.60	36,000.00	1,451.92	3,629.81	2,419.87
1.15	420.14	0.83	804	756	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,230.77	9,207.69	7,511.54	36,000.00	1,453.85	3,634.62	2,423.08
1.15	419.51	0.83	803	757	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,262.82	9,219.87	7,521.47	36,000.00	1,455.77	3,639.42	2,426.28
1.15	418.88	0.83	802	758	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,294.87	9,232.05	7,531.41	36,000.00	1,457.69	3,644.23	2,429.49
1.15	418.26	0.83	801	759	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,326.92	9,244.23	7,541.35	36,000.00	1,459.62	3,649.04	2,432.69
1.14	417.63	0.83	800	760	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,358.97	9,256.41	7,551.28	36,000.00	1,461.54	3,653.85	2,435.90
1.14	417.00	0.83	799	761	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,391.03	9,268.59	7,561.22	36,000.00	1,463.46	3,658.65	2,439.10
1.14	416.38	0.83	798	762	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,423.08	9,280.77	7,571.15	36,000.00	1,465.38	3,663.46	2,442.31
1.14	415.75	0.83	797	763	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,455.13	9,292.95	7,581.09	36,000.00	1,467.31	3,668.27	2,445.51
1.14	415.13	0.82	796	764	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,487.18	9,305.13	7,591.03	36,000.00	1,469.23	3,673.08	2,448.72
1.14	414.50	0.82	795	765	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,519.23	9,317.31	7,600.96	36,000.00	1,471.15	3,677.88	2,451.92
1.13	413.88	0.82	794	766	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,551.28	9,329.49	7,610.90	36,000.00	1,473.08	3,682.69	2,455.13
1.13	413.25	0.82	793	767	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,583.33	9,341.67	7,620.83	36,000.00	1,475.00	3,687.50	2,458.33
1.13	412.63	0.82	792	768	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,615.38	9,353.85	7,630.77	36,000.00	1,476.92	3,692.31	2,461.54
1.13	412.01	0.82	791	769	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,647.44	9,366.03	7,640.71	36,000.00	1,478.85	3,697.12	2,464.74
1.13	411.38	0.82	790	770	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,679.49	9,378.21	7,650.64	36,000.00	1,480.77	3,701.92	2,467.95
1.13	410.76	0.82	789	771	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,711.54	9,390.38	7,660.58	36,000.00	1,482.69	3,706.73	2,471.15
1.12	410.14	0.82	788	772	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,743.59	9,402.56	7,670.51	36,000.00	1,484.62	3,711.54	2,474.36
1.12	409.52	0.82	787	773	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,775.64	9,414.74	7,680.45	36,000.00	1,486.54	3,716.35	2,477.56
1.12	408.89	0.82	786	774	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,807.69	9,426.92	7,690.38	36,000.00	1,488.46	3,721.15	2,480.77
1.12	408.27	0.82	785	775	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,839.74	9,439.10	7,700.32	36,000.00	1,490.38	3,725.96	2,483.97
1.12	407.65	0.82	784	776	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,871.79	9,451.28	7,710.26	36,000.00	1,492.31	3,730.77	2,487.18
1.12	407.03	0.82	783	777	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,903.85	9,463.46	7,720.19	36,000.00	1,494.23	3,735.58	2,490.38
1.11	406.41	0.82	782	778	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,935.90	9,475.64	7,730.13	36,000.00	1,496.15	3,740.38	2,493.58
1.11	405.79	0.82	781	779	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	60,967.95	9,487.82	7,740.06	36,000.00	1,498.08	3,745.19	2,496.79
1.11	405.17	0.82	780	780	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,000.00	9,500.00	7,750.00	36,000.00	1,500.00	3,750.00	2,500.00
1.11	404.55	0.82	779	781	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,032.05	9,512.18	7,759.94	36,000.00	1,501.92	3,754.81	2,503.21
1.11	403.93	0.82	778	782	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,064.10	9,524.36	7,769.87	36,000.00	1,503.85	3,759.62	2,506.41
1.10	403.31	0.82	777	783	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,096.15	9,536.54	7,779.81	36,000.00	1,505.77	3,764.42	2,509.62
1.10	402.69	0.82	776	784	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,128.21	9,548.72	7,789.74	36,000.00	1,507.69	3,769.23	2,512.82
1.10	402.07	0.82	775	785	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,160.26	9,560.90	7,799.68	36,000.00	1,509.62	3,774.04	2,516.03
1.10	401.45	0.82	774	786	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,192.31	9,573.08	7,809.62	36,000.00	1,511.54	3,778.85	2,519.23
1.10	400.84	0.82	773	787	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,224.36	9,585.26	7,819.55	36,000.00	1,513.46	3,783.65	2,522.44
1.10	400.22	0.82	772	788	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,256.41	9,597.44	7,829.49	36,000.00	1,515.38	3,788.46	2,525.64
1.09	399.60	0.82	771	789	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,288.46	9,609.62	7,839.42	36,000.00	1,517.31	3,793.27	2,528.85
1.09	398.99	0.82	770	790	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,320.51	9,621.79	7,849.36	36,000.00	1,519.23	3,798.08	2,532.05
1.09	398.37	0.82	769	791	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,352.56	9,633.97	7,859.29	36,000.00	1,521.15	3,802.88	2,535.26
1.09	397.75	0.82	768	792	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,384.62	9,646.15	7,869.23	36,000.00	1,523.08	3,807.69	2,538.46
1.09	397.14	0.82	767	793	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,416.67	9,658.33	7,879.17	36,000.00	1,525.00	3,812.50	2,541.67
1.09	396.52	0.82	766	794	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,448.72	9,670.51	7,889.10	36,000.00	1,526.92	3,817.31	2,544.87
1.08	395.91	0.81	765	795	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,480.77	9,682.69	7,899.04	36,000.00	1,528.85	3,822.12	2,548.08
1.08	395.29	0.81	764	796	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,512.82	9,694.87	7,908.97	36,000.00	1,530.77	3,826.92	2,551.28
1.08	394.68	0.81	763	797	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,544.87	9,707.05	7,918.91	36,000.00	1,532.69	3,831.73	2,554.49
1.08	394.06	0.81	762	798	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,576.92	9,719.23	7,928.85	36,000.00	1,534.62	3,836.54	2,557.69
1.08	393.45	0.81	761	799	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,608.97	9,731.41	7,938.78	36,000.00	1,536.54	3,841.35	2,560.90
1.08	392.84	0.81	760	800	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,641.03	9,743.59	7,948.72	36,000.00	1,538.46	3,846.15	2,564.10
1.07	392.22	0.81	759	801	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,673.08	9,755.77	7,958.65	36,000.00	1,540.38	3,850.96	2,567.31
1.07	391.61	0.81	758	802	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,705.13	9,767.95	7,968.59	36,000.00	1,542.31	3,855.77	2,570.51
1.07	391.00	0.81	757	803	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,737.18	9,780.13	7,978.53	36,000.00	1,544.23	3,860.58	2,573.72
1.07	390.38	0.81	756	804	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,769.23	9,792.31	7,988.46	36,000.00	1,546.15	3,865.38	2,576.92
1.07	389.77	0.81	755	805	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wlts fractured	61,801.28	9,804.49	7,998.40	36,000.00	1,548.08	3,870.19	2,580.13
1.07	389.16	0.81	754	806	Shafts, slopes</											

1.05	383.87	0.81	745	815	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,121.79	9,926.28	8,097.76	38,000.00	1,567.31	3,918.27	2,812.18
1.05	383.06	0.81	744	816	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,153.85	9,938.46	8,107.89	38,000.00	1,569.23	3,923.08	2,815.38
1.05	382.48	0.81	743	817	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,185.90	9,950.84	8,117.63	38,000.00	1,571.15	3,927.88	2,818.59
1.05	381.85	0.81	742	818	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,217.95	9,962.82	8,127.56	38,000.00	1,573.08	3,932.69	2,821.79
1.04	381.24	0.81	741	819	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,250.00	9,975.00	8,137.50	38,000.00	1,575.00	3,937.50	2,825.00
1.04	380.83	0.81	740	820	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,282.05	9,987.18	8,147.44	38,000.00	1,576.92	3,942.31	2,828.21
1.04	380.03	0.81	739	821	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00 Wits fractured	62,314.10	9,999.36	8,157.37	38,000.00	1,578.85	3,947.12	2,831.41
1.04	379.42	0.81	738	822	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,346.15	10,011.54	8,167.31	38,000.00	1,580.77	3,951.92	2,834.62
1.04	378.81	0.81	737	823	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,378.21	10,023.72	8,177.24	38,000.00	1,582.69	3,956.73	2,837.82
1.04	378.21	0.81	736	824	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,410.26	10,035.90	8,187.18	38,000.00	1,584.62	3,961.54	2,841.03
1.03	377.60	0.81	735	825	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,442.31	10,048.08	8,197.12	38,000.00	1,586.54	3,966.35	2,844.23
1.03	377.00	0.81	734	826	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,474.36	10,060.26	8,207.05	38,000.00	1,588.46	3,971.15	2,847.44
1.03	376.39	0.80	733	827	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,506.41	10,072.44	8,216.99	38,000.00	1,590.38	3,975.96	2,850.64
1.03	375.79	0.80	732	828	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,538.46	10,084.62	8,226.92	38,000.00	1,592.31	3,980.77	2,853.85
1.03	375.18	0.80	731	829	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,570.51	10,096.79	8,236.86	38,000.00	1,594.23	3,985.58	2,857.05
1.03	374.58	0.80	730	830	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,602.56	10,108.97	8,246.79	38,000.00	1,596.15	3,990.38	2,860.26
1.02	373.97	0.80	729	831	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,634.62	10,121.15	8,256.73	38,000.00	1,598.08	3,995.19	2,863.46
1.02	373.37	0.80	728	832	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,666.67	10,133.33	8,266.67	38,000.00	1,600.00	4,000.00	2,866.67
1.02	372.77	0.80	727	833	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,698.72	10,145.51	8,276.60	38,000.00	1,601.92	4,004.81	2,869.87
1.02	372.16	0.80	726	834	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,730.77	10,157.69	8,286.54	38,000.00	1,603.85	4,009.62	2,873.08
1.02	371.56	0.80	725	835	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,762.82	10,169.87	8,296.47	38,000.00	1,605.77	4,014.42	2,876.28
1.02	370.96	0.80	724	836	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,794.87	10,182.05	8,306.41	38,000.00	1,607.69	4,019.23	2,879.49
1.01	370.36	0.80	723	837	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,826.92	10,194.23	8,316.35	38,000.00	1,609.62	4,024.04	2,882.69
1.01	369.76	0.80	722	838	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,858.97	10,206.41	8,326.28	38,000.00	1,611.54	4,028.85	2,885.90
1.01	369.15	0.80	721	839	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,891.03	10,218.59	8,336.22	38,000.00	1,613.46	4,033.65	2,889.10
1.01	368.55	0.80	720	840	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,923.08	10,230.77	8,346.15	38,000.00	1,615.38	4,038.46	2,892.31
1.01	367.95	0.80	719	841	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,955.13	10,242.95	8,356.09	38,000.00	1,617.31	4,043.27	2,895.51
1.01	367.35	0.80	718	842	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	62,987.18	10,255.13	8,366.03	38,000.00	1,619.23	4,048.08	2,898.72
1.00	366.75	0.80	717	843	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,019.23	10,267.31	8,375.96	38,000.00	1,621.15	4,052.88	2,901.92
1.00	366.15	0.80	716	844	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,051.28	10,279.49	8,385.90	38,000.00	1,623.08	4,057.69	2,905.13
1.00	365.55	0.80	715	845	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,083.33	10,291.67	8,395.83	38,000.00	1,625.00	4,062.50	2,908.33
1.00	364.95	0.80	714	846	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,115.38	10,303.85	8,405.77	38,000.00	1,626.92	4,067.31	2,911.54
1.00	364.35	0.80	713	847	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,147.44	10,316.03	8,415.71	38,000.00	1,628.85	4,072.12	2,914.74
1.00	363.76	0.80	712	848	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,179.49	10,328.21	8,425.64	38,000.00	1,630.77	4,076.92	2,917.95
0.99	363.16	0.80	711	849	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,211.54	10,340.39	8,435.58	38,000.00	1,632.69	4,081.73	2,921.15
0.99	362.56	0.80	710	850	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,243.59	10,352.56	8,445.51	38,000.00	1,634.62	4,086.54	2,924.36
0.99	361.96	0.80	709	851	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,275.64	10,364.74	8,455.45	38,000.00	1,636.54	4,091.35	2,927.56
0.99	361.36	0.80	708	852	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,307.69	10,376.92	8,465.38	38,000.00	1,638.46	4,096.15	2,930.77
0.99	360.77	0.80	707	853	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,339.74	10,389.10	8,475.32	38,000.00	1,640.38	4,100.96	2,933.97
0.99	360.17	0.80	706	854	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,371.79	10,401.28	8,485.26	38,000.00	1,642.31	4,105.77	2,937.18
0.99	359.57	0.80	705	855	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,403.85	10,413.46	8,495.19	38,000.00	1,644.23	4,110.58	2,940.38
0.98	358.98	0.80	704	856	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,435.90	10,425.64	8,505.13	38,000.00	1,646.15	4,115.38	2,943.59
0.98	358.38	0.80	703	857	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,467.95	10,437.82	8,515.06	38,000.00	1,648.08	4,120.19	2,946.79
0.98	357.79	0.80	702	858	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,500.00	10,450.00	8,525.00	38,000.00	1,650.00	4,125.00	2,950.00
0.98	357.19	0.59	701	859	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,532.05	10,462.18	8,534.94	38,000.00	1,651.92	4,129.81	2,953.21
0.98	356.60	0.59	700	860	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,564.10	10,474.36	8,544.87	38,000.00	1,653.85	4,134.62	2,956.41
0.98	356.00	0.59	699	861	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,596.15	10,486.54	8,554.81	38,000.00	1,655.77	4,139.42	2,959.62
0.97	355.41	0.59	698	862	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,628.21	10,498.72	8,564.74	38,000.00	1,657.69	4,144.23	2,962.82
0.97	354.81	0.59	697	863	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,660.26	10,510.90	8,574.68	38,000.00	1,659.62	4,149.04	2,966.03
0.97	354.22	0.59	696	864	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,692.31	10,523.08	8,584.62	38,000.00	1,661.54	4,153.85	2,969.23
0.97	353.63	0.59	695	865	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,724.36	10,535.26	8,594.55	38,000.00	1,663.46	4,158.65	2,972.44
0.97	353.03	0.59	694	866	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,756.41	10,547.44	8,604.49	38,000.00	1,665.38	4,163.46	2,975.64
0.97	352.44	0.59	693	867	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,788.46	10,559.62	8,614.42	38,000.00	1,667.31	4,168.27	2,978.85
0.96	351.85	0.59	692	868	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,820.51	10,571.79	8,624.36	38,000.00	1,669.23	4,173.08	2,982.05
0.96	351.25	0.59	691	869	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,852.56	10,583.97	8,634.29	38,000.00	1,671.15	4,177.88	2,985.26
0.96	350.66	0.59	690	870	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,884.62	10,596.15	8,644.23	38,000.00	1,673.08	4,182.69	2,988.46
0.96	350.07	0.59	689	871	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,916.67	10,608.33	8,654.17	38,000.00	1,675.00	4,187.50	2,991.67
0.96	349.48	0.59	688	872	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,948.72	10,620.51	8,664.10	38,000.00	1,676.92	4,192.31	2,994.87
0.96	348.89	0.59	687	873	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	63,980.77	10,632.69	8,674.04	38,000.00	1,678.85	4,197.12	2,998.08
0.95	348.30	0.59	686	874	Shafts, slopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,012.82	10,644.87	8,683.97	38,000.00	1,680.77	4,201.92	3,001.28
0.95	347.71	0.59	685	875	Shafts, slopes	7.5										

0.83	302.54	0.57	607	953	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,544.87	11,607.05	9,468.91	36,000.00	1,832.69	4,581.73	3,054.49
0.83	301.97	0.57	606	954	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,578.92	11,619.23	9,478.65	36,000.00	1,834.62	4,586.54	3,057.69
0.83	301.40	0.57	605	955	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,608.97	11,631.41	9,488.78	36,000.00	1,836.54	4,591.35	3,060.90
0.82	300.83	0.57	604	956	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,641.03	11,643.59	9,498.72	36,000.00	1,838.46	4,596.15	3,064.10
0.82	300.27	0.57	603	957	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,673.08	11,655.77	9,508.65	36,000.00	1,840.38	4,600.96	3,067.31
0.82	299.70	0.57	602	958	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,705.13	11,667.95	9,518.59	36,000.00	1,842.31	4,605.77	3,070.51
0.82	299.13	0.57	601	959	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,737.18	11,680.13	9,528.53	36,000.00	1,844.23	4,610.58	3,073.72
0.82	298.57	0.57	600	960	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,769.23	11,692.31	9,538.46	36,000.00	1,846.15	4,615.38	3,076.92
0.82	298.00	0.57	599	961	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,801.28	11,704.48	9,548.40	36,000.00	1,848.08	4,620.19	3,080.13
0.81	297.43	0.57	598	962	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,833.33	11,716.67	9,558.33	36,000.00	1,850.00	4,625.00	3,083.33
0.81	296.87	0.57	597	963	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,865.38	11,728.85	9,568.27	36,000.00	1,851.92	4,629.81	3,086.54
0.81	296.30	0.57	596	964	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,897.44	11,741.03	9,578.21	36,000.00	1,853.85	4,634.62	3,089.74
0.81	295.74	0.56	595	965	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,929.49	11,753.21	9,588.14	36,000.00	1,855.77	4,639.42	3,092.95
0.81	295.17	0.56	594	966	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,961.54	11,765.38	9,598.08	36,000.00	1,857.69	4,644.23	3,096.15
0.81	294.61	0.56	593	967	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,993.59	11,777.56	9,608.01	36,000.00	1,859.62	4,649.04	3,099.36
0.81	294.04	0.56	592	968	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,025.64	11,789.74	9,617.95	36,000.00	1,861.54	4,653.85	3,102.56
0.80	293.48	0.56	591	969	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,057.69	11,801.92	9,627.88	36,000.00	1,863.46	4,658.65	3,105.77
0.80	292.92	0.56	590	970	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,089.74	11,814.10	9,637.82	36,000.00	1,865.38	4,663.46	3,108.97
0.80	292.35	0.56	589	971	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,121.79	11,826.28	9,647.76	36,000.00	1,867.31	4,668.27	3,112.18
0.80	291.79	0.56	588	972	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,153.85	11,838.46	9,657.69	36,000.00	1,869.23	4,673.08	3,115.38
0.80	291.23	0.56	587	973	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,185.90	11,850.64	9,667.63	36,000.00	1,871.15	4,677.88	3,118.59
0.80	290.66	0.56	586	974	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,217.95	11,862.82	9,677.56	36,000.00	1,873.08	4,682.69	3,121.79
0.79	290.10	0.56	585	975	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,250.00	11,875.00	9,687.50	36,000.00	1,875.00	4,687.50	3,125.00
0.79	289.54	0.56	584	976	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,282.05	11,887.18	9,697.44	36,000.00	1,876.92	4,692.31	3,128.21
0.79	288.98	0.56	583	977	Shafts, slopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	67,314.10	11,899.36	9,707.37	36,000.00	1,878.85	4,697.12	3,131.41
0.79	288.42	0.56	582	978	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,346.15	11,911.54	9,717.31	36,000.00	1,880.77	4,701.92	3,134.62
0.79	287.85	0.56	581	979	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,378.21	11,923.72	9,727.24	36,000.00	1,882.69	4,706.73	3,137.82
0.79	287.29	0.56	580	980	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,410.26	11,935.90	9,737.18	36,000.00	1,884.62	4,711.54	3,141.03
0.79	286.73	0.56	579	981	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,442.31	11,948.08	9,747.12	36,000.00	1,886.54	4,716.35	3,144.23
0.78	286.17	0.56	578	982	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,474.36	11,960.26	9,757.05	36,000.00	1,888.46	4,721.15	3,147.44
0.78	285.61	0.56	577	983	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,506.41	11,972.44	9,766.99	36,000.00	1,890.38	4,725.96	3,150.64
0.78	285.05	0.56	576	984	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,538.46	11,984.62	9,776.92	36,000.00	1,892.31	4,730.77	3,153.85
0.78	284.49	0.56	575	985	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,570.51	11,996.79	9,786.86	36,000.00	1,894.23	4,735.58	3,157.05
0.78	283.93	0.56	574	986	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,602.56	12,008.97	9,796.79	36,000.00	1,896.15	4,740.38	3,160.26
0.78	283.37	0.56	573	987	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,634.62	12,021.15	9,806.73	36,000.00	1,898.08	4,745.19	3,163.46
0.77	282.82	0.56	572	988	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,666.67	12,033.33	9,816.67	36,000.00	1,900.00	4,750.00	3,166.67
0.77	282.26	0.56	571	989	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,698.72	12,045.51	9,826.60	36,000.00	1,901.92	4,754.81	3,169.87
0.77	281.70	0.56	570	990	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,730.77	12,057.69	9,836.54	36,000.00	1,903.85	4,759.62	3,173.08
0.77	281.14	0.56	569	991	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,762.82	12,069.87	9,846.47	36,000.00	1,905.77	4,764.42	3,176.28
0.77	280.58	0.56	568	992	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,794.87	12,082.05	9,856.41	36,000.00	1,907.69	4,769.23	3,179.49
0.77	280.02	0.56	567	993	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,826.92	12,094.23	9,866.35	36,000.00	1,909.62	4,774.04	3,182.69
0.77	279.47	0.56	566	994	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,858.97	12,106.41	9,876.28	36,000.00	1,911.54	4,778.85	3,185.90
0.76	278.91	0.56	565	995	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,891.03	12,118.59	9,886.22	36,000.00	1,913.46	4,783.65	3,189.10
0.76	278.35	0.56	564	996	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,923.08	12,130.77	9,896.15	36,000.00	1,915.38	4,788.46	3,192.31
0.76	277.79	0.56	563	997	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,955.13	12,142.95	9,906.09	36,000.00	1,917.31	4,793.27	3,195.51
0.76	277.24	0.56	562	998	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	67,987.18	12,155.13	9,916.03	36,000.00	1,919.23	4,798.08	3,198.72
0.76	276.68	0.56	561	999	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,019.23	12,167.31	9,925.96	36,000.00	1,921.15	4,802.88	3,201.92
0.76	276.13	0.56	560	1000	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,051.28	12,179.49	9,935.90	36,000.00	1,923.08	4,807.69	3,205.13
0.75	275.57	0.56	559	1001	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,083.33	12,191.67	9,945.83	36,000.00	1,925.00	4,812.50	3,208.33
0.75	275.02	0.55	558	1002	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,115.38	12,203.85	9,955.77	36,000.00	1,926.92	4,817.31	3,211.54
0.75	274.46	0.55	557	1003	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,147.44	12,216.03	9,965.71	36,000.00	1,928.85	4,822.12	3,214.74
0.75	273.91	0.55	556	1004	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,179.49	12,228.21	9,975.64	36,000.00	1,930.77	4,826.92	3,217.95
0.75	273.35	0.55	555	1005	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,211.54	12,240.38	9,985.58	36,000.00	1,932.69	4,831.73	3,221.15
0.75	272.80	0.55	554	1006	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,243.59	12,252.56	9,995.51	36,000.00	1,934.62	4,836.54	3,224.36
0.75	272.25	0.55	553	1007	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,275.64	12,264.74	10,005.45	36,000.00	1,936.54	4,841.35	3,227.56
0.74	271.69	0.55	552	1008	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,307.69	12,276.92	10,015.38	36,000.00	1,938.46	4,846.15	3,230.77
0.74	271.14	0.55	551	1009	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,339.74	12,289.10	10,025.32	36,000.00	1,940.38	4,850.96	3,233.97
0.74	270.59	0.55	550	1010	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,371.79	12,301.28	10,035.26	36,000.00	1,942.31	4,855.77	3,237.18
0.74	270.03	0.55	549	1011	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,403.85	12,313.46	10,045.19	36,000.00	1,944.23	4,860.58	3,240.38
0.74	269.48	0.55	548	1012	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,435.90	12,325.64	10,055.13	36,000.00	1,946.15	4,865.38	3,243.59

0.94	342.41	0.59	676	884	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,333.33	10,766.67	8,783.33	36,000.00	1,700.00	4,250.00	2,833.33
0.94	341.82	0.59	675	885	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,365.38	10,778.85	8,793.27	36,000.00	1,701.92	4,254.81	2,836.54
0.93	341.23	0.59	674	886	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,397.44	10,791.03	8,803.21	36,000.00	1,703.85	4,259.62	2,839.74
0.93	340.64	0.59	673	887	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,429.49	10,803.21	8,813.14	36,000.00	1,705.77	4,264.42	2,842.95
0.93	340.06	0.59	672	888	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,461.54	10,815.38	8,823.08	36,000.00	1,707.69	4,269.23	2,846.15
0.93	339.47	0.59	671	889	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,493.59	10,827.56	8,833.01	36,000.00	1,709.62	4,274.04	2,849.36
0.93	338.89	0.59	670	890	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,525.64	10,839.74	8,842.95	36,000.00	1,711.54	4,278.85	2,852.56
0.93	338.30	0.59	669	891	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,557.69	10,851.92	8,852.88	36,000.00	1,713.46	4,283.65	2,855.77
0.93	337.71	0.59	668	892	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,589.74	10,864.10	8,862.82	36,000.00	1,715.38	4,288.46	2,858.97
0.92	337.13	0.58	667	893	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,621.79	10,876.28	8,872.76	36,000.00	1,717.31	4,293.27	2,862.18
0.92	336.54	0.58	666	894	Shafts, stopes	7.56E+07	0.05	32,969.73	4,830.27 Wits fractured	64,653.85	10,888.46	8,882.69	36,000.00	1,719.23	4,298.08	2,865.38
0.92	335.96	0.58	665	895	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,685.90	10,900.64	8,892.63	36,000.00	1,721.15	4,302.88	2,868.59
0.92	335.37	0.58	664	896	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,717.95	10,912.82	8,902.56	36,000.00	1,723.08	4,307.69	2,871.79
0.92	334.79	0.58	663	897	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,750.00	10,925.00	8,912.50	36,000.00	1,725.00	4,312.50	2,875.00
0.92	334.21	0.58	662	898	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,782.05	10,937.18	8,922.44	36,000.00	1,726.92	4,317.31	2,878.21
0.91	333.62	0.58	661	899	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,814.10	10,949.38	8,932.37	36,000.00	1,728.85	4,322.12	2,881.41
0.91	333.04	0.58	660	900	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,846.15	10,961.54	8,942.31	36,000.00	1,730.77	4,326.92	2,884.62
0.91	332.46	0.58	659	901	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,878.21	10,973.72	8,952.24	36,000.00	1,732.69	4,331.73	2,887.82
0.91	331.87	0.58	658	902	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,910.26	10,985.90	8,962.18	36,000.00	1,734.62	4,336.54	2,891.03
0.91	331.29	0.58	657	903	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,942.31	10,998.08	8,972.12	36,000.00	1,736.54	4,341.35	2,894.23
0.91	330.71	0.58	656	904	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	64,974.36	11,010.26	8,982.05	36,000.00	1,738.46	4,346.15	2,897.44
0.90	330.13	0.58	655	905	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,006.41	11,022.44	8,991.99	36,000.00	1,740.38	4,350.96	2,900.64
0.90	329.55	0.58	654	906	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,038.46	11,034.62	8,991.92	36,000.00	1,742.31	4,355.77	2,903.85
0.90	328.97	0.58	653	907	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,070.51	11,046.79	9,011.86	36,000.00	1,744.23	4,360.58	2,907.05
0.90	328.38	0.58	652	908	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,102.56	11,058.97	9,021.79	36,000.00	1,746.15	4,365.38	2,910.26
0.90	327.80	0.58	651	909	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,134.62	11,071.15	9,031.73	36,000.00	1,748.08	4,370.19	2,913.46
0.90	327.22	0.58	650	910	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,166.67	11,083.33	9,041.67	36,000.00	1,750.00	4,375.00	2,916.67
0.89	326.64	0.58	649	911	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,198.72	11,095.51	9,051.60	36,000.00	1,751.92	4,379.81	2,919.87
0.89	326.06	0.58	648	912	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,230.77	11,107.69	9,061.54	36,000.00	1,753.85	4,384.62	2,923.08
0.89	325.48	0.58	647	913	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,262.82	11,119.87	9,071.47	36,000.00	1,755.77	4,389.42	2,926.28
0.89	324.91	0.58	646	914	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,294.87	11,132.05	9,081.41	36,000.00	1,757.69	4,394.23	2,929.49
0.89	324.33	0.58	645	915	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,326.92	11,144.23	9,091.35	36,000.00	1,759.62	4,399.04	2,932.69
0.89	323.75	0.58	644	916	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,358.97	11,156.41	9,101.28	36,000.00	1,761.54	4,403.85	2,935.90
0.89	323.17	0.58	643	917	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,391.03	11,168.58	9,111.22	36,000.00	1,763.46	4,408.65	2,939.10
0.88	322.59	0.58	642	918	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,423.08	11,180.77	9,121.15	36,000.00	1,765.38	4,413.46	2,942.31
0.88	322.01	0.58	641	919	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,455.13	11,192.95	9,131.09	36,000.00	1,767.31	4,418.27	2,945.51
0.88	321.44	0.58	640	920	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,487.18	11,205.13	9,141.03	36,000.00	1,769.23	4,423.08	2,948.72
0.88	320.86	0.58	639	921	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,519.23	11,217.31	9,150.96	36,000.00	1,771.15	4,427.88	2,951.92
0.88	320.28	0.58	638	922	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,551.28	11,229.49	9,160.90	36,000.00	1,773.08	4,432.69	2,955.13
0.88	319.71	0.58	637	923	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,583.33	11,241.67	9,170.83	36,000.00	1,775.00	4,437.50	2,958.33
0.87	319.13	0.58	636	924	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,615.38	11,253.85	9,180.77	36,000.00	1,776.92	4,442.31	2,961.54
0.87	318.55	0.58	635	925	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,647.44	11,266.03	9,190.71	36,000.00	1,778.85	4,447.12	2,964.74
0.87	317.98	0.58	634	926	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,679.49	11,278.21	9,200.64	36,000.00	1,780.77	4,451.92	2,967.95
0.87	317.40	0.58	633	927	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,711.54	11,290.38	9,210.58	36,000.00	1,782.69	4,456.73	2,971.15
0.87	316.83	0.57	632	928	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,743.59	11,302.56	9,220.51	36,000.00	1,784.62	4,461.54	2,974.36
0.87	316.25	0.57	631	929	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,775.64	11,314.74	9,230.45	36,000.00	1,786.54	4,466.35	2,977.56
0.86	315.68	0.57	630	930	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,807.69	11,326.92	9,240.38	36,000.00	1,788.46	4,471.15	2,980.77
0.86	315.10	0.57	629	931	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,839.74	11,339.10	9,250.32	36,000.00	1,790.38	4,475.96	2,983.97
0.86	314.53	0.57	628	932	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,871.79	11,351.28	9,260.26	36,000.00	1,792.31	4,480.77	2,987.18
0.86	313.95	0.57	627	933	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,903.85	11,363.46	9,270.19	36,000.00	1,794.23	4,485.58	2,990.38
0.86	313.38	0.57	626	934	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,935.90	11,375.64	9,280.13	36,000.00	1,796.15	4,490.38	2,993.59
0.86	312.81	0.57	625	935	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	65,967.95	11,387.82	9,290.06	36,000.00	1,798.08	4,495.19	2,996.79
0.86	312.23	0.57	624	936	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,000.00	11,400.00	9,300.00	36,000.00	1,800.00	4,500.00	3,000.00
0.85	311.66	0.57	623	937	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,032.05	11,412.18	9,309.94	36,000.00	1,801.92	4,504.81	3,003.21
0.85	311.09	0.57	622	938	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,064.10	11,424.36	9,319.87	36,000.00	1,803.85	4,509.62	3,006.41
0.85	310.52	0.57	621	939	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,096.15	11,436.54	9,329.81	36,000.00	1,805.77	4,514.42	3,009.62
0.85	309.95	0.57	620	940	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,128.21	11,448.72	9,339.74	36,000.00	1,807.69	4,519.23	3,012.82
0.85	309.37	0.57	619	941	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,160.26	11,460.90	9,349.68	36,000.00	1,809.62	4,524.04	3,016.03
0.85	308.80	0.57	618	942	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,192.31	11,473.08	9,359.62	36,000.00	1,811.54	4,528.85	3,019.23
0.84	308.23	0.57	617	943	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54 Wits fractured	66,224.36	11,485.26	9,369.55	36,000.00	1,813.46	4,533.65	3,022.44

0.72	263.97	0.55	538	1022	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,756.41	12,447.44	10,154.49	36,000.00	1,985.38	4,813.46	3,275.64
0.72	263.42	0.55	537	1023	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,768.46	12,459.62	10,164.42	36,000.00	1,987.31	4,918.27	3,278.85
0.72	262.87	0.55	536	1024	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,820.51	12,471.79	10,174.36	36,000.00	1,989.23	4,923.08	3,282.05
0.72	262.32	0.55	535	1025	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,852.56	12,483.97	10,184.29	36,000.00	1,971.15	4,927.88	3,285.26
0.72	261.77	0.55	534	1026	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,884.62	12,496.15	10,194.23	36,000.00	1,973.08	4,932.69	3,288.46
0.72	261.22	0.55	533	1027	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,916.67	12,508.33	10,204.17	36,000.00	1,975.00	4,937.50	3,291.67
0.71	260.67	0.55	532	1028	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,948.72	12,520.51	10,214.10	36,000.00	1,976.92	4,942.31	3,294.87
0.71	260.13	0.55	531	1029	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	68,980.77	12,532.69	10,224.04	36,000.00	1,978.85	4,947.12	3,298.08
0.71	259.58	0.55	530	1030	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,012.82	12,544.87	10,233.97	36,000.00	1,980.77	4,951.92	3,301.28
0.71	259.03	0.55	529	1031	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,044.87	12,557.05	10,243.91	36,000.00	1,982.69	4,956.73	3,304.49
0.71	258.48	0.55	528	1032	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,076.92	12,569.23	10,253.85	36,000.00	1,984.62	4,961.54	3,307.69
0.71	257.94	0.55	527	1033	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,108.97	12,581.41	10,263.78	36,000.00	1,986.54	4,966.35	3,310.90
0.71	257.39	0.55	526	1034	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,141.03	12,593.59	10,273.72	36,000.00	1,988.46	4,971.15	3,314.10
0.70	256.84	0.55	525	1035	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,173.08	12,605.77	10,283.65	36,000.00	1,990.38	4,975.96	3,317.31
0.70	256.30	0.55	524	1036	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,205.13	12,617.95	10,293.59	36,000.00	1,992.31	4,980.77	3,320.51
0.70	255.75	0.55	523	1037	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,237.18	12,630.13	10,303.53	36,000.00	1,994.23	4,985.58	3,323.72
0.70	255.20	0.55	522	1038	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,269.23	12,642.31	10,313.48	36,000.00	1,996.15	4,990.38	3,326.92
0.70	254.65	0.55	521	1039	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,301.28	12,654.49	10,323.40	36,000.00	1,998.08	4,995.19	3,330.13
0.70	254.11	0.55	520	1040	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,333.33	12,666.67	10,333.33	36,000.00	2,000.00	5,000.00	3,333.33
0.69	253.57	0.54	519	1041	Shafts, slopes	7.58E+07	0.05	60,759.32	-22,959.32 Wits fractured	69,365.38	12,678.85	10,343.27	36,000.00	2,001.92	5,004.81	3,336.54
0.69	253.02	0.54	518	1042	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,397.44	12,691.03	10,353.21	36,000.00	2,003.85	5,009.62	3,339.74
0.69	252.48	0.54	517	1043	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,429.49	12,703.21	10,363.14	36,000.00	2,005.77	5,014.42	3,342.95
0.69	251.93	0.54	516	1044	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,461.54	12,715.38	10,373.08	36,000.00	2,007.69	5,019.23	3,346.15
0.69	251.39	0.54	515	1045	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,493.59	12,727.56	10,383.01	36,000.00	2,009.62	5,024.04	3,349.36
0.69	250.84	0.54	514	1046	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,525.64	12,739.74	10,392.95	36,000.00	2,011.54	5,028.85	3,352.56
0.69	250.30	0.54	513	1047	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,557.69	12,751.92	10,402.88	36,000.00	2,013.46	5,033.65	3,355.77
0.68	249.76	0.54	512	1048	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,589.74	12,764.10	10,412.82	36,000.00	2,015.38	5,038.46	3,358.97
0.68	249.21	0.54	511	1049	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,621.79	12,776.28	10,422.76	36,000.00	2,017.31	5,043.27	3,362.18
0.68	248.67	0.54	510	1050	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,653.85	12,788.46	10,432.69	36,000.00	2,019.23	5,048.08	3,365.38
0.68	248.13	0.54	509	1051	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,685.90	12,800.64	10,442.63	36,000.00	2,021.15	5,052.88	3,368.59
0.68	247.59	0.54	508	1052	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,717.95	12,812.82	10,452.56	36,000.00	2,023.08	5,057.69	3,371.79
0.68	247.04	0.54	507	1053	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,750.00	12,825.00	10,462.50	36,000.00	2,025.00	5,062.50	3,375.00
0.68	246.50	0.54	506	1054	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,782.05	12,837.18	10,472.44	36,000.00	2,026.92	5,067.31	3,378.21
0.67	245.96	0.54	505	1055	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,814.10	12,849.36	10,482.37	36,000.00	2,028.85	5,072.12	3,381.41
0.67	245.42	0.54	504	1056	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,846.15	12,861.54	10,492.31	36,000.00	2,030.77	5,076.92	3,384.62
0.67	244.88	0.54	503	1057	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,878.21	12,873.72	10,502.24	36,000.00	2,032.69	5,081.73	3,387.82
0.67	244.34	0.54	502	1058	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,910.26	12,885.90	10,512.18	36,000.00	2,034.62	5,086.54	3,391.03
0.67	243.80	0.54	501	1059	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,942.31	12,898.08	10,522.12	36,000.00	2,036.54	5,091.35	3,394.23
0.67	243.26	0.54	500	1060	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	69,974.36	12,910.26	10,532.05	36,000.00	2,038.46	5,096.15	3,397.44
0.66	242.72	0.54	499	1061	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,006.41	12,922.44	10,541.99	36,000.00	2,040.38	5,100.96	3,400.64
0.66	242.18	0.54	498	1062	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,038.46	12,934.62	10,551.92	36,000.00	2,042.31	5,105.77	3,403.85
0.66	241.64	0.54	497	1063	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,070.51	12,946.79	10,561.86	36,000.00	2,044.23	5,110.58	3,407.05
0.66	241.10	0.54	496	1064	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,102.56	12,958.97	10,571.79	36,000.00	2,046.15	5,115.38	3,410.26
0.66	240.56	0.54	495	1065	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,134.62	12,971.15	10,581.73	36,000.00	2,048.08	5,120.19	3,413.46
0.66	240.02	0.54	494	1066	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,166.67	12,983.33	10,591.67	36,000.00	2,050.00	5,125.00	3,416.67
0.66	239.48	0.54	493	1067	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,198.72	12,995.51	10,601.60	36,000.00	2,051.92	5,129.81	3,419.87
0.65	238.94	0.54	492	1068	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,230.77	13,007.69	10,611.54	36,000.00	2,053.85	5,134.62	3,423.08
0.65	238.40	0.54	491	1069	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,262.82	13,019.87	10,621.47	36,000.00	2,055.77	5,139.42	3,426.28
0.65	237.87	0.54	490	1070	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,294.87	13,032.05	10,631.41	36,000.00	2,057.69	5,144.23	3,429.49
0.65	237.33	0.54	489	1071	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,326.92	13,044.23	10,641.35	36,000.00	2,059.62	5,149.04	3,432.69
0.65	236.79	0.54	488	1072	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,358.97	13,056.41	10,651.28	36,000.00	2,061.54	5,153.85	3,435.90
0.65	236.25	0.54	487	1073	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,391.03	13,068.59	10,661.22	36,000.00	2,063.46	5,158.65	3,439.10
0.65	235.72	0.54	486	1074	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,423.08	13,080.77	10,671.15	36,000.00	2,065.38	5,163.46	3,442.31
0.64	235.18	0.54	485	1075	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,455.13	13,092.95	10,681.09	36,000.00	2,067.31	5,168.27	3,445.51
0.64	234.64	0.54	484	1076	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,487.18	13,105.13	10,691.03	36,000.00	2,069.23	5,173.08	3,448.72
0.64	234.11	0.54	483	1077	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,519.23	13,117.31	10,700.96	36,000.00	2,071.15	5,177.88	3,451.92
0.64	233.57	0.54	482	1078	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,551.28	13,129.49	10,710.90	36,000.00	2,073.08	5,182.69	3,455.13
0.64	233.03	0.54	481	1079	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,583.33	13,141.67	10,720.83	36,000.00	2,075.00	5,187.50	3,458.33
0.64	232.50	0.54	480	1080	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,615.38	13,153.85	10,730.77	36,000.00	2,076.92	5,192.31	3,461.54
0.64	231.96	0.54	479	1081	Shafts, slopes	7.58E+07	0.05	37,858.67	-58.67 Wits fractured	70,647.44	13,166.03	10,740.71	36,000.00	2,078.85	5,197.12	3,464.74
0.63	231.43	0.53	4													

0.62	226.62	0.53	469	1091	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	70.967.95	13.287.82	10.840.06	38.000.00	2.088.08	5.245.19	3.486.79
0.62	226.09	0.53	468	1092	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.000.00	13.300.00	10.850.00	36.000.00	2.100.00	5.250.00	3.500.00
0.82	225.56	0.53	467	1093	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.032.05	13.312.18	10.859.94	36.000.00	2.101.92	5.254.81	3.503.21
0.82	225.03	0.53	466	1094	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.064.10	13.324.36	10.869.87	36.000.00	2.103.85	5.259.62	3.506.41
0.82	224.49	0.53	465	1095	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.096.15	13.336.54	10.879.81	36.000.00	2.105.77	5.264.42	3.509.62
0.81	223.96	0.53	464	1096	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.128.21	13.348.72	10.889.74	36.000.00	2.107.68	5.269.23	3.512.82
0.81	223.43	0.53	463	1097	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.160.26	13.360.90	10.899.68	36.000.00	2.109.62	5.274.04	3.516.03
0.81	222.90	0.53	462	1098	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.192.31	13.373.08	10.909.62	36.000.00	2.111.54	5.278.85	3.519.23
0.81	222.37	0.53	461	1099	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.224.36	13.385.26	10.919.55	36.000.00	2.113.46	5.283.65	3.522.44
0.81	221.84	0.53	460	1100	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.256.41	13.397.44	10.929.49	36.000.00	2.115.38	5.288.46	3.525.64
0.81	221.31	0.53	459	1101	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.288.46	13.409.62	10.939.42	36.000.00	2.117.31	5.293.27	3.528.85
0.80	220.78	0.53	458	1102	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.320.51	13.421.79	10.949.36	36.000.00	2.119.23	5.298.08	3.532.05
0.80	220.25	0.53	457	1103	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.352.56	13.433.97	10.959.29	36.000.00	2.121.15	5.302.88	3.535.26
0.80	219.72	0.53	456	1104	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.384.62	13.446.15	10.969.23	36.000.00	2.123.08	5.307.69	3.538.46
0.80	219.19	0.53	455	1105	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.416.67	13.458.33	10.979.17	36.000.00	2.125.00	5.312.50	3.541.67
0.80	218.66	0.53	454	1106	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.448.72	13.470.51	10.989.10	36.000.00	2.126.92	5.317.31	3.544.87
0.80	218.13	0.53	453	1107	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.480.77	13.482.69	10.999.04	36.000.00	2.128.85	5.322.12	3.548.08
0.80	217.60	0.53	452	1108	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.512.82	13.494.87	11.008.97	36.000.00	2.130.77	5.326.92	3.551.28
0.58	217.07	0.53	451	1109	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.544.87	13.507.05	11.018.91	36.000.00	2.132.69	5.331.73	3.554.48
0.58	216.54	0.53	450	1110	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.576.92	13.519.23	11.028.85	36.000.00	2.134.62	5.336.54	3.557.69
0.56	216.02	0.53	449	1111	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.608.97	13.531.41	11.038.78	36.000.00	2.136.54	5.341.35	3.560.90
0.56	215.49	0.53	448	1112	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.641.03	13.543.59	11.048.72	36.000.00	2.138.46	5.346.15	3.564.10
0.56	214.96	0.53	447	1113	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.673.08	13.555.77	11.058.65	36.000.00	2.140.38	5.350.96	3.567.31
0.56	214.43	0.53	446	1114	Shafts, stapes	7.56E+07	0.05	37.858.67	-58.67 Wits fractured	71.705.13	13.567.95	11.068.59	36.000.00	2.142.31	5.355.77	3.570.51
0.56	213.91	0.53	445	1115	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.737.18	13.580.13	11.078.53	36.000.00	2.144.23	5.360.58	3.573.72
0.56	213.38	0.53	444	1116	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.769.23	13.592.31	11.088.46	36.000.00	2.146.15	5.365.38	3.576.92
0.56	212.85	0.53	443	1117	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.801.28	13.604.49	11.098.40	36.000.00	2.148.08	5.370.19	3.580.13
0.56	212.33	0.53	442	1118	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.833.33	13.616.67	11.108.33	36.000.00	2.150.00	5.373.33	3.583.33
0.56	211.80	0.53	441	1119	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.865.38	13.628.85	11.118.27	36.000.00	2.151.92	5.379.81	3.586.54
0.56	211.27	0.53	440	1120	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.897.44	13.641.03	11.128.21	36.000.00	2.153.85	5.384.82	3.589.74
0.56	210.75	0.53	439	1121	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.929.49	13.653.21	11.138.14	36.000.00	2.155.77	5.389.42	3.592.95
0.56	210.22	0.53	438	1122	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.961.54	13.665.38	11.148.08	36.000.00	2.157.69	5.394.23	3.596.15
0.57	209.70	0.53	437	1123	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	71.993.59	13.677.56	11.158.01	36.000.00	2.159.62	5.398.04	3.599.36
0.57	209.17	0.52	436	1124	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.025.64	13.689.74	11.167.95	36.000.00	2.161.54	5.403.85	3.602.56
0.57	208.65	0.52	435	1125	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.057.69	13.701.92	11.177.88	36.000.00	2.163.46	5.408.65	3.605.77
0.57	208.12	0.52	434	1126	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.089.74	13.714.10	11.187.82	36.000.00	2.165.38	5.413.46	3.609.97
0.57	207.60	0.52	433	1127	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.121.79	13.726.28	11.197.76	36.000.00	2.167.31	5.418.27	3.612.18
0.57	207.07	0.52	432	1128	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.153.85	13.738.46	11.207.69	36.000.00	2.169.23	5.423.08	3.615.38
0.57	206.55	0.52	431	1129	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.185.90	13.750.64	11.217.63	36.000.00	2.171.15	5.427.88	3.618.59
0.56	206.03	0.52	430	1130	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.217.95	13.762.82	11.227.56	36.000.00	2.173.08	5.432.69	3.621.79
0.56	205.50	0.52	429	1131	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.250.00	13.775.00	11.237.50	36.000.00	2.175.00	5.437.50	3.625.00
0.56	204.98	0.52	428	1132	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.282.05	13.787.18	11.247.44	36.000.00	2.176.92	5.442.31	3.628.21
0.56	204.46	0.52	427	1133	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.314.10	13.799.36	11.257.37	36.000.00	2.178.85	5.447.12	3.631.41
0.56	203.94	0.52	426	1134	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.346.15	13.811.54	11.267.31	36.000.00	2.180.77	5.451.92	3.634.62
0.56	203.41	0.52	425	1135	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.378.21	13.823.72	11.277.24	36.000.00	2.182.69	5.456.73	3.637.82
0.56	202.89	0.52	424	1136	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.410.26	13.835.90	11.287.18	36.000.00	2.184.62	5.461.54	3.641.03
0.56	202.37	0.52	423	1137	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.442.31	13.848.08	11.297.12	36.000.00	2.186.54	5.466.35	3.644.23
0.56	201.85	0.52	422	1138	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.474.36	13.860.26	11.307.05	36.000.00	2.188.46	5.471.15	3.647.44
0.56	201.33	0.52	421	1139	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.506.41	13.872.44	11.316.99	36.000.00	2.190.38	5.475.96	3.650.64
0.56	200.80	0.52	420	1140	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.538.46	13.884.62	11.326.92	36.000.00	2.192.31	5.480.77	3.653.85
0.55	200.28	0.52	419	1141	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.570.51	13.896.79	11.336.86	36.000.00	2.194.23	5.485.58	3.657.05
0.55	199.76	0.52	418	1142	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.602.56	13.908.97	11.346.79	36.000.00	2.196.15	5.490.38	3.660.26
0.55	199.24	0.52	417	1143	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.634.62	13.921.15	11.356.73	36.000.00	2.198.08	5.495.19	3.663.46
0.54	198.72	0.52	416	1144	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.666.67	13.933.33	11.366.67	36.000.00	2.200.00	5.500.00	3.666.67
0.54	198.20	0.52	415	1145	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.698.72	13.945.51	11.376.60	36.000.00	2.201.92	5.504.81	3.669.87
0.54	197.68	0.52	414	1146	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.730.77	13.957.69	11.386.54	36.000.00	2.203.85	5.509.62	3.673.08
0.54	197.16	0.52	413	1147	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.762.82	13.969.87	11.396.47	36.000.00	2.205.77	5.514.42	3.676.28
0.54	196.64	0.52	412	1148	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.794.87	13.982.05	11.406.41	36.000.00	2.207.69	5.519.23	3.679.49
0.54	196.12	0.52	411	1149	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.826.92	13.994.23	11.416.35	36.000.00	2.209.62	5.524.04	3.682.69
0.54	195.60	0.52	410	1150	Shafts, stapes	7.56E+07	0.05	35.810.81	1.989.19 Wits fractured	72.858.97	14.006.41	11.426.28	3			

0.52	190.43	0.52	400	1180	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,179.49	14,128.21	11,525.64	38,000.00	2,230.77	5,576.92	3,717.85
0.52	189.91	0.52	399	1181	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,211.54	14,140.38	11,535.58	38,000.00	2,232.89	5,581.73	3,721.15
0.52	189.39	0.52	398	1182	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,243.59	14,152.56	11,545.51	38,000.00	2,234.82	5,586.54	3,724.36
0.52	188.88	0.52	397	1183	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,275.64	14,164.74	11,555.45	38,000.00	2,236.54	5,591.35	3,727.56
0.52	188.36	0.52	396	1184	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,307.69	14,176.92	11,565.38	38,000.00	2,238.46	5,596.15	3,730.77
0.51	187.84	0.52	395	1185	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,339.74	14,189.10	11,575.32	38,000.00	2,240.38	5,600.96	3,733.97
0.51	187.33	0.52	394	1186	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,371.79	14,201.28	11,585.26	38,000.00	2,242.31	5,605.77	3,737.18
0.51	186.81	0.51	393	1187	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,403.85	14,213.46	11,595.19	38,000.00	2,244.23	5,610.58	3,740.38
0.51	186.30	0.51	392	1188	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,435.90	14,225.64	11,605.13	38,000.00	2,246.15	5,615.38	3,743.59
0.51	185.78	0.51	391	1189	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,467.95	14,237.82	11,615.06	38,000.00	2,248.08	5,620.19	3,746.79
0.51	185.27	0.51	390	1170	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,500.00	14,250.00	11,625.00	38,000.00	2,250.00	5,625.00	3,750.00
0.51	184.76	0.51	389	1171	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,532.05	14,262.18	11,634.94	38,000.00	2,251.92	5,629.81	3,753.21
0.50	184.24	0.51	388	1172	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,564.10	14,274.36	11,644.87	38,000.00	2,253.85	5,634.62	3,756.41
0.50	183.73	0.51	387	1173	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,596.15	14,286.54	11,654.81	38,000.00	2,255.77	5,639.42	3,759.62
0.50	183.21	0.51	386	1174	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,628.21	14,298.72	11,664.74	38,000.00	2,257.69	5,644.23	3,762.82
0.50	182.70	0.51	385	1175	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,660.26	14,310.90	11,674.68	38,000.00	2,259.62	5,649.04	3,766.03
0.50	182.19	0.51	384	1176	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,692.31	14,323.08	11,684.62	38,000.00	2,261.54	5,653.85	3,769.23
0.50	181.67	0.51	383	1177	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,724.36	14,335.26	11,694.55	38,000.00	2,263.46	5,658.65	3,772.44
0.50	181.16	0.51	382	1178	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,756.41	14,347.44	11,704.49	38,000.00	2,265.38	5,663.46	3,775.64
0.49	180.65	0.51	381	1179	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,788.46	14,359.62	11,714.42	38,000.00	2,267.31	5,668.27	3,778.85
0.49	180.14	0.51	380	1180	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,820.51	14,371.79	11,724.36	38,000.00	2,269.23	5,673.08	3,782.05
0.49	179.63	0.51	379	1181	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,852.56	14,383.97	11,734.29	38,000.00	2,271.15	5,677.88	3,785.26
0.49	179.11	0.51	378	1182	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,884.62	14,396.15	11,744.23	38,000.00	2,273.08	5,682.69	3,788.46
0.49	178.60	0.51	377	1183	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,916.67	14,408.33	11,754.17	38,000.00	2,275.00	5,687.50	3,791.67
0.49	178.09	0.51	376	1184	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,948.72	14,420.51	11,764.10	38,000.00	2,276.92	5,692.31	3,794.87
0.49	177.58	0.51	375	1185	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	73,980.77	14,432.69	11,774.04	38,000.00	2,278.85	5,697.12	3,798.08
0.49	177.07	0.51	374	1186	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,012.82	14,444.87	11,783.97	38,000.00	2,280.77	5,701.92	3,801.28
0.48	176.56	0.51	373	1187	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,044.87	14,457.05	11,793.91	38,000.00	2,282.69	5,706.73	3,804.49
0.48	176.05	0.51	372	1188	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,076.92	14,469.23	11,803.85	38,000.00	2,284.62	5,711.54	3,807.69
0.48	175.54	0.51	371	1189	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,108.97	14,481.41	11,813.78	38,000.00	2,286.54	5,716.35	3,810.90
0.48	175.03	0.51	370	1190	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,141.03	14,493.59	11,823.72	38,000.00	2,288.46	5,721.15	3,814.10
0.48	174.52	0.51	369	1191	Shafts, slopes	7.56E+07	0.05	35,810.81	1,989.19	Wtts fractured	74,173.08	14,505.77	11,833.65	38,000.00	2,290.38	5,725.96	3,817.31
0.48	174.01	0.51	368	1192	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,205.13	14,517.95	11,843.59	38,000.00	2,292.31	5,730.77	3,820.51
0.48	173.50	0.51	367	1193	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,237.18	14,530.13	11,853.53	38,000.00	2,294.23	5,735.58	3,823.72
0.47	172.99	0.51	366	1194	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,269.23	14,542.31	11,863.46	38,000.00	2,296.15	5,740.38	3,826.92
0.47	172.48	0.51	365	1195	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,301.28	14,554.49	11,873.40	38,000.00	2,298.08	5,745.19	3,830.13
0.47	171.97	0.51	364	1196	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,333.33	14,566.67	11,883.33	38,000.00	2,300.00	5,750.00	3,833.33
0.47	171.46	0.51	363	1197	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,365.38	14,578.85	11,893.27	38,000.00	2,301.92	5,754.81	3,836.54
0.47	170.95	0.51	362	1198	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,397.44	14,591.03	11,903.21	38,000.00	2,303.85	5,759.62	3,839.74
0.47	170.44	0.51	361	1199	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,429.49	14,603.21	11,913.14	38,000.00	2,305.77	5,764.42	3,842.95
0.47	169.93	0.51	360	1200	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,461.54	14,615.38	11,923.08	38,000.00	2,307.69	5,769.23	3,846.15
0.46	169.42	0.51	359	1201	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,493.59	14,627.56	11,933.01	38,000.00	2,309.62	5,774.04	3,849.36
0.46	168.91	0.51	358	1202	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,525.64	14,639.74	11,942.95	38,000.00	2,311.54	5,778.85	3,852.56
0.46	168.40	0.51	357	1203	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,557.69	14,651.92	11,952.88	38,000.00	2,313.46	5,783.65	3,855.77
0.46	167.89	0.51	356	1204	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,589.74	14,664.10	11,962.82	38,000.00	2,315.38	5,788.46	3,858.97
0.46	167.38	0.51	355	1205	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,621.79	14,676.28	11,972.76	38,000.00	2,317.31	5,793.27	3,862.18
0.46	166.87	0.51	354	1206	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,653.85	14,688.46	11,982.69	38,000.00	2,319.23	5,798.08	3,865.38
0.46	166.36	0.51	353	1207	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,685.90	14,700.64	11,992.63	38,000.00	2,321.15	5,802.88	3,868.59
0.45	165.85	0.51	352	1208	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,717.95	14,712.82	12,002.56	38,000.00	2,323.08	5,807.69	3,871.79
0.45	165.34	0.51	351	1209	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,750.00	14,725.00	12,012.50	38,000.00	2,325.00	5,812.50	3,875.00
0.45	164.83	0.51	350	1210	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,782.05	14,737.18	12,022.44	38,000.00	2,326.92	5,817.31	3,878.21
0.45	164.32	0.51	349	1211	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,814.10	14,749.36	12,032.37	38,000.00	2,328.85	5,822.12	3,881.41
0.45	163.81	0.51	348	1212	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,846.15	14,761.54	12,042.31	38,000.00	2,330.77	5,826.92	3,884.62
0.45	163.30	0.50	347	1213	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,878.21	14,773.72	12,052.24	38,000.00	2,332.69	5,831.73	3,887.82
0.45	162.79	0.50	346	1214	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,910.26	14,785.90	12,062.18	38,000.00	2,334.62	5,836.54	3,891.03
0.44	162.28	0.50	345	1215	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,942.31	14,798.08	12,072.12	38,000.00	2,336.54	5,841.35	3,894.23
0.44	161.77	0.50	344	1216	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	74,974.36	14,810.26	12,082.05	38,000.00	2,338.46	5,846.15	3,897.44
0.44	161.26	0.50	343	1217	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wtts fractured	75,006.41	14,822.44	12,091.99	38,000.00	2,340.38	5	

0.43	155.30	0.50	331	1229	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,391.03	14,968.59	12,211.22	36,000.00	2,363.46	5,908.65	3,939.10
0.42	154.80	0.50	330	1230	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,423.06	14,980.77	12,221.15	36,000.00	2,365.38	5,913.46	3,942.31
0.42	154.30	0.50	329	1231	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,455.13	14,992.95	12,231.09	36,000.00	2,367.31	5,918.27	3,945.51
0.42	153.80	0.50	328	1232	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,487.18	15,005.13	12,241.03	36,000.00	2,369.23	5,923.08	3,948.72
0.42	153.30	0.50	327	1233	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,519.23	15,017.31	12,250.96	36,000.00	2,371.15	5,927.88	3,951.92
0.42	152.80	0.50	326	1234	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,551.28	15,029.49	12,260.90	36,000.00	2,373.08	5,932.69	3,955.13
0.42	152.30	0.50	325	1235	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,583.33	15,041.67	12,270.83	36,000.00	2,375.00	5,937.50	3,958.33
0.42	151.80	0.50	324	1236	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,615.38	15,053.85	12,280.77	36,000.00	2,376.92	5,942.31	3,961.54
0.41	151.30	0.50	323	1237	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,647.44	15,066.03	12,290.71	36,000.00	2,378.85	5,947.12	3,964.74
0.41	150.80	0.50	322	1238	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,679.49	15,078.21	12,300.64	36,000.00	2,380.77	5,951.92	3,967.95
0.41	150.30	0.50	321	1239	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,711.54	15,090.38	12,310.58	36,000.00	2,382.69	5,956.73	3,971.15
0.41	149.80	0.50	320	1240	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,743.59	15,102.56	12,320.51	36,000.00	2,384.62	5,961.54	3,974.36
0.41	149.30	0.50	319	1241	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,775.64	15,114.74	12,330.45	36,000.00	2,386.54	5,966.35	3,977.56
0.41	148.80	0.50	318	1242	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,807.69	15,126.92	12,340.38	36,000.00	2,388.46	5,971.15	3,980.77
0.41	148.30	0.50	317	1243	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,839.74	15,139.10	12,350.32	36,000.00	2,390.38	5,975.96	3,983.97
0.40	147.81	0.50	316	1244	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,871.79	15,151.28	12,360.26	36,000.00	2,392.31	5,980.77	3,987.18
0.40	147.31	0.50	315	1245	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,903.85	15,163.46	12,370.19	36,000.00	2,394.23	5,985.58	3,990.38
0.40	146.81	0.50	314	1246	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,935.90	15,175.64	12,380.13	36,000.00	2,396.15	5,990.38	3,993.59
0.40	146.31	0.50	313	1247	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	75,967.95	15,187.82	12,390.06	36,000.00	2,398.08	5,995.19	3,996.79
0.40	145.81	0.50	312	1248	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,000.00	15,200.00	12,400.00	36,000.00	2,400.00	6,000.00	4,000.00
0.40	145.32	0.50	311	1249	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,032.05	15,212.18	12,409.94	36,000.00	2,401.92	6,004.81	4,003.21
0.40	144.82	0.50	310	1250	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,064.10	15,224.36	12,419.87	36,000.00	2,403.85	6,009.62	4,006.41
0.40	144.32	0.50	309	1251	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,096.15	15,236.54	12,429.81	36,000.00	2,405.77	6,014.42	4,009.62
0.39	143.83	0.50	308	1252	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,128.21	15,248.72	12,439.74	36,000.00	2,407.69	6,019.23	4,012.82
0.39	143.33	0.50	307	1253	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,160.26	15,260.90	12,449.68	36,000.00	2,409.62	6,024.04	4,016.03
0.39	142.83	0.50	306	1254	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,192.31	15,273.08	12,459.62	36,000.00	2,411.54	6,028.85	4,019.23
0.39	142.34	0.50	305	1255	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,224.36	15,285.26	12,469.55	36,000.00	2,413.46	6,033.65	4,022.44
0.39	141.84	0.50	304	1256	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,256.41	15,297.44	12,479.49	36,000.00	2,415.38	6,038.46	4,025.64
0.39	141.35	0.50	303	1257	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,288.46	15,309.62	12,489.42	36,000.00	2,417.31	6,043.27	4,028.85
0.39	140.85	0.50	302	1258	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,320.51	15,321.79	12,499.36	36,000.00	2,419.23	6,048.08	4,032.05
0.38	140.35	0.50	301	1259	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,352.56	15,333.97	12,509.29	36,000.00	2,421.15	6,052.88	4,035.26
0.38	139.86	0.49	300	1260	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,384.62	15,346.15	12,519.23	36,000.00	2,423.08	6,057.69	4,038.46
0.38	139.36	0.49	299	1261	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,416.67	15,358.33	12,529.17	36,000.00	2,425.00	6,062.50	4,041.67
0.38	138.87	0.49	298	1262	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,448.72	15,370.51	12,539.10	36,000.00	2,426.92	6,067.31	4,044.87
0.38	138.38	0.49	297	1263	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,480.77	15,382.69	12,549.04	36,000.00	2,428.85	6,072.12	4,048.08
0.38	137.88	0.49	296	1264	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,512.82	15,394.87	12,558.97	36,000.00	2,430.77	6,076.92	4,051.28
0.38	137.39	0.49	295	1265	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,544.87	15,407.05	12,568.91	36,000.00	2,432.69	6,081.73	4,054.49
0.38	136.89	0.49	294	1266	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,576.92	15,419.23	12,578.85	36,000.00	2,434.62	6,086.54	4,057.69
0.37	136.40	0.49	293	1267	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,608.97	15,431.41	12,588.78	36,000.00	2,436.54	6,091.35	4,060.90
0.37	135.91	0.49	292	1268	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,641.03	15,443.59	12,598.72	36,000.00	2,438.46	6,096.15	4,064.10
0.37	135.41	0.49	291	1269	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,673.08	15,455.77	12,608.65	36,000.00	2,440.38	6,100.96	4,067.31
0.37	134.92	0.49	290	1270	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,705.13	15,467.95	12,618.59	36,000.00	2,442.31	6,105.77	4,070.51
0.37	134.43	0.49	289	1271	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,737.18	15,480.13	12,628.53	36,000.00	2,444.23	6,110.58	4,073.72
0.37	133.93	0.49	288	1272	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,769.23	15,492.31	12,638.46	36,000.00	2,446.15	6,115.38	4,076.92
0.37	133.44	0.49	287	1273	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,801.28	15,504.49	12,648.40	36,000.00	2,448.08	6,120.19	4,080.13
0.36	132.95	0.49	286	1274	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,833.33	15,516.67	12,658.33	36,000.00	2,450.00	6,125.00	4,083.33
0.36	132.46	0.49	285	1275	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,865.38	15,528.85	12,668.27	36,000.00	2,451.92	6,129.81	4,086.54
0.36	131.97	0.49	284	1276	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,897.44	15,541.03	12,678.21	36,000.00	2,453.85	6,134.62	4,089.74
0.36	131.48	0.49	283	1277	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,929.49	15,553.21	12,688.14	36,000.00	2,455.77	6,139.42	4,092.95
0.36	130.98	0.49	282	1278	Shafts, slopes	7.56E+07	0.05	52,188.51	-14,388.51	Wlts fractured	76,961.54	15,565.38	12,698.08	36,000.00	2,457.69	6,144.23	4,096.15
0.36	130.49	0.49	281	1279	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	76,993.59	15,577.56	12,708.01	36,000.00	2,459.62	6,149.04	4,099.36
0.36	130.00	0.49	280	1280	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,025.64	15,589.74	12,717.95	36,000.00	2,461.54	6,153.85	4,102.56
0.35	129.51	0.49	279	1281	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,057.69	15,601.92	12,727.88	36,000.00	2,463.46	6,158.65	4,105.77
0.35	129.02	0.49	278	1282	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,089.74	15,614.10	12,737.82	36,000.00	2,465.38	6,163.46	4,108.97
0.35	128.53	0.49	277	1283	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,121.79	15,626.28	12,747.76	36,000.00	2,467.31	6,168.27	4,112.18
0.35	128.04	0.49	276	1284	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,153.85	15,638.46	12,757.69	36,000.00	2,469.23	6,173.08	4,115.38
0.35	127.55	0.49	275	1285	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,185.90	15,650.64	12,767.63	36,000.00	2,471.15	6,177.88	4,118.59
0.35	127.06	0.49	274	1286	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wlts fractured	77,217.95	15,662.82	12,777.56</				

0.33	121.20	0.49	282	1298	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,802.56	15,808.97	12,896.79	36,000.00	2,498.15	6,240.38	4,180.26
0.33	120.71	0.49	281	1299	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,834.82	15,821.15	12,906.73	36,000.00	2,498.08	6,245.19	4,183.46
0.33	120.23	0.49	280	1300	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,666.67	15,833.33	12,916.67	36,000.00	2,500.00	6,250.00	4,186.67
0.33	119.74	0.49	259	1301	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,696.72	15,845.51	12,926.60	36,000.00	2,501.92	6,254.81	4,189.87
0.33	119.25	0.49	258	1302	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,730.77	15,857.69	12,936.54	36,000.00	2,503.85	6,259.82	4,193.08
0.33	118.77	0.49	257	1303	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,762.82	15,869.87	12,946.47	36,000.00	2,505.77	6,264.42	4,196.28
0.32	118.28	0.49	256	1304	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,794.87	15,882.05	12,956.41	36,000.00	2,507.69	6,269.23	4,199.49
0.32	117.79	0.49	255	1305	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,826.92	15,894.23	12,966.35	36,000.00	2,509.62	6,274.04	4,182.69
0.32	117.31	0.49	254	1306	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,858.97	15,906.41	12,976.28	36,000.00	2,511.54	6,278.85	4,185.90
0.32	116.82	0.49	253	1307	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,891.03	15,918.59	12,986.22	36,000.00	2,513.46	6,283.85	4,189.10
0.32	116.34	0.49	252	1308	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,923.08	15,930.77	12,996.15	36,000.00	2,515.38	6,288.46	4,192.31
0.32	115.85	0.48	251	1309	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,955.13	15,942.95	13,006.09	36,000.00	2,517.31	6,293.27	4,195.51
0.32	115.37	0.48	250	1310	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	77,987.18	15,955.13	13,016.03	36,000.00	2,519.23	6,298.08	4,198.72
0.31	114.88	0.48	249	1311	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,019.23	15,967.31	13,025.96	36,000.00	2,521.15	6,302.88	4,201.92
0.31	114.40	0.48	248	1312	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,051.28	15,979.49	13,035.90	36,000.00	2,523.08	6,307.69	4,205.13
0.31	113.91	0.48	247	1313	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,083.33	15,991.67	13,045.83	36,000.00	2,525.00	6,312.50	4,208.33
0.31	113.43	0.48	246	1314	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,115.38	16,003.85	13,055.77	36,000.00	2,526.92	6,317.31	4,211.54
0.31	112.95	0.48	245	1315	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,147.44	16,016.03	13,065.71	36,000.00	2,528.85	6,322.12	4,214.74
0.31	112.46	0.48	244	1316	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,179.49	16,028.21	13,075.64	36,000.00	2,530.77	6,326.92	4,217.95
0.31	111.98	0.48	243	1317	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,211.54	16,040.38	13,085.58	36,000.00	2,532.69	6,331.73	4,221.15
0.31	111.50	0.48	242	1318	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,243.59	16,052.56	13,095.51	36,000.00	2,534.62	6,336.54	4,224.36
0.30	111.01	0.48	241	1319	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,275.64	16,064.74	13,105.45	36,000.00	2,536.54	6,341.35	4,227.56
0.30	110.53	0.48	240	1320	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,307.69	16,076.92	13,115.38	36,000.00	2,538.46	6,346.15	4,230.77
0.30	110.05	0.48	239	1321	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,339.74	16,089.10	13,125.32	36,000.00	2,540.38	6,350.96	4,233.97
0.30	109.58	0.48	238	1322	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,371.79	16,101.28	13,135.26	36,000.00	2,542.31	6,355.77	4,237.18
0.30	109.08	0.48	237	1323	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,403.85	16,113.46	13,145.19	36,000.00	2,544.23	6,360.58	4,240.38
0.30	108.60	0.48	236	1324	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,435.90	16,125.64	13,155.13	36,000.00	2,546.15	6,365.38	4,243.59
0.30	108.12	0.48	235	1325	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,467.95	16,137.82	13,165.06	36,000.00	2,548.08	6,370.19	4,246.79
0.29	107.64	0.48	234	1326	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,500.00	16,150.00	13,175.00	36,000.00	2,550.00	6,375.00	4,250.00
0.29	107.15	0.48	233	1327	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,532.05	16,162.18	13,184.94	36,000.00	2,551.92	6,379.81	4,253.21
0.29	106.67	0.48	232	1328	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,564.10	16,174.36	13,194.87	36,000.00	2,553.85	6,384.62	4,256.41
0.29	106.19	0.48	231	1329	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,596.15	16,186.54	13,204.81	36,000.00	2,555.77	6,389.42	4,259.62
0.29	105.71	0.48	230	1330	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,628.21	16,198.72	13,214.74	36,000.00	2,557.69	6,394.23	4,262.82
0.29	105.23	0.48	229	1331	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,660.26	16,210.90	13,224.68	36,000.00	2,559.62	6,399.04	4,266.03
0.29	104.75	0.48	228	1332	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,692.31	16,223.08	13,234.62	36,000.00	2,561.54	6,403.85	4,269.23
0.29	104.27	0.48	227	1333	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,724.36	16,235.26	13,244.55	36,000.00	2,563.46	6,408.65	4,272.44
0.28	103.79	0.48	226	1334	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,756.41	16,247.44	13,254.49	36,000.00	2,565.38	6,413.46	4,275.64
0.28	103.31	0.48	225	1335	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,788.46	16,259.62	13,264.42	36,000.00	2,567.31	6,418.27	4,278.85
0.28	102.83	0.48	224	1336	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,820.51	16,271.79	13,274.36	36,000.00	2,569.23	6,423.08	4,282.05
0.28	102.35	0.48	223	1337	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,852.56	16,283.97	13,284.29	36,000.00	2,571.15	6,427.88	4,285.26
0.28	101.87	0.48	222	1338	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,884.62	16,296.15	13,294.23	36,000.00	2,573.08	6,432.69	4,288.46
0.28	101.39	0.48	221	1339	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,916.67	16,308.33	13,304.17	36,000.00	2,575.00	6,437.50	4,291.67
0.28	100.91	0.48	220	1340	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,948.72	16,320.51	13,314.10	36,000.00	2,576.92	6,442.31	4,294.87
0.28	100.43	0.48	219	1341	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	78,980.77	16,332.69	13,324.04	36,000.00	2,578.85	6,447.12	4,298.08
0.27	99.96	0.48	218	1342	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,012.82	16,344.87	13,333.97	36,000.00	2,580.77	6,451.92	4,301.28
0.27	99.48	0.48	217	1343	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,044.87	16,357.05	13,343.91	36,000.00	2,582.69	6,456.73	4,304.49
0.27	99.00	0.48	216	1344	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,076.92	16,369.23	13,353.85	36,000.00	2,584.62	6,461.54	4,307.69
0.27	98.52	0.48	215	1345	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,108.97	16,381.41	13,363.78	36,000.00	2,586.54	6,466.35	4,310.90
0.27	98.04	0.48	214	1346	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,141.03	16,393.59	13,373.72	36,000.00	2,588.46	6,471.15	4,314.10
0.27	97.56	0.48	213	1347	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,173.08	16,405.77	13,383.65	36,000.00	2,590.38	6,475.96	4,317.31
0.27	97.09	0.48	212	1348	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,205.13	16,417.95	13,393.59	36,000.00	2,592.31	6,480.77	4,320.51
0.26	96.61	0.48	211	1349	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,237.18	16,430.13	13,403.53	36,000.00	2,594.23	6,485.58	4,323.72
0.26	96.13	0.48	210	1350	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,269.23	16,442.31	13,413.46	36,000.00	2,596.15	6,490.38	4,326.92
0.26	95.65	0.48	209	1351	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,301.28	16,454.49	13,423.40	36,000.00	2,598.08	6,495.19	4,330.13
0.26	95.18	0.48	208	1352	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,333.33	16,466.67	13,433.33	36,000.00	2,600.00	6,500.00	4,333.33
0.26	94.70	0.48	207	1353	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,365.38	16,478.85	13,443.27	36,000.00	2,601.92	6,504.81	4,336.54
0.26	94.23	0.48	206	1354	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,397.44	16,491.03	13,453.21	36,000.00	2,603.85	6,509.62	4,339.74
0.26	93.75	0.48	205	1355	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wtts fractured	79,429.49	16,503.21	13,463.14	36,000.00</			

0.24	86.05	0.47	193	1367	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,814.10	16,649.36	13,582.37	36,000.00	2,628.85	6,572.12	4,381.41
0.24	87.58	0.47	192	1368	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,848.15	16,661.54	13,592.31	36,000.00	2,630.77	6,576.92	4,384.62
0.24	87.11	0.47	191	1369	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,878.21	16,673.72	13,602.24	36,000.00	2,632.69	6,581.73	4,387.82
0.24	86.83	0.47	190	1370	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,910.26	16,685.90	13,612.18	36,000.00	2,634.62	6,586.54	4,391.03
0.24	86.16	0.47	189	1371	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,942.31	16,698.08	13,622.12	36,000.00	2,636.54	6,591.35	4,394.23
0.23	85.89	0.47	188	1372	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	79,974.36	16,710.26	13,632.05	36,000.00	2,638.46	6,596.15	4,397.44
0.23	85.21	0.47	187	1373	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,006.41	16,722.44	13,641.99	36,000.00	2,640.38	6,600.96	4,400.64
0.23	84.74	0.47	186	1374	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,038.46	16,734.62	13,651.92	36,000.00	2,642.31	6,605.77	4,403.85
0.23	84.27	0.47	185	1375	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,070.51	16,746.79	13,661.86	36,000.00	2,644.23	6,610.58	4,407.05
0.23	83.80	0.47	184	1376	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,102.56	16,758.97	13,671.79	36,000.00	2,646.15	6,615.38	4,410.26
0.23	83.33	0.47	183	1377	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,134.62	16,771.15	13,681.73	36,000.00	2,648.08	6,620.19	4,413.46
0.23	82.85	0.47	182	1378	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,166.67	16,783.33	13,691.67	36,000.00	2,650.00	6,625.00	4,416.67
0.23	82.38	0.47	181	1379	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,198.72	16,795.51	13,701.60	36,000.00	2,651.92	6,629.81	4,419.87
0.22	81.91	0.47	180	1380	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,230.77	16,807.69	13,711.54	36,000.00	2,653.85	6,634.62	4,423.08
0.22	81.44	0.47	179	1381	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,262.82	16,819.87	13,721.47	36,000.00	2,655.77	6,639.42	4,426.28
0.22	80.97	0.47	178	1382	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,294.87	16,832.05	13,731.41	36,000.00	2,657.69	6,644.23	4,429.48
0.22	80.50	0.47	177	1383	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,326.92	16,844.23	13,741.35	36,000.00	2,659.62	6,649.04	4,432.69
0.22	80.03	0.47	176	1384	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,358.97	16,856.41	13,751.28	36,000.00	2,661.54	6,653.85	4,435.89
0.22	79.56	0.47	175	1385	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,391.03	16,868.59	13,761.22	36,000.00	2,663.46	6,658.65	4,439.10
0.22	79.09	0.47	174	1386	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,423.08	16,880.77	13,771.15	36,000.00	2,665.38	6,663.46	4,442.31
0.22	78.62	0.47	173	1387	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,455.13	16,892.95	13,781.09	36,000.00	2,667.31	6,668.27	4,445.51
0.21	78.15	0.47	172	1388	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,487.18	16,905.13	13,791.03	36,000.00	2,669.23	6,673.08	4,448.72
0.21	77.68	0.47	171	1389	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,519.23	16,917.31	13,800.96	36,000.00	2,671.15	6,677.88	4,451.92
0.21	77.21	0.47	170	1390	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,551.28	16,929.49	13,810.90	36,000.00	2,673.08	6,682.69	4,455.13
0.21	76.74	0.47	169	1391	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,583.33	16,941.67	13,820.83	36,000.00	2,675.00	6,687.50	4,458.33
0.21	76.27	0.47	168	1392	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,615.38	16,953.85	13,830.77	36,000.00	2,676.92	6,692.31	4,461.54
0.21	75.80	0.47	167	1393	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,647.44	16,966.03	13,840.71	36,000.00	2,678.85	6,697.12	4,464.74
0.21	75.33	0.47	166	1394	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,679.49	16,978.21	13,850.64	36,000.00	2,680.77	6,701.92	4,467.95
0.21	74.86	0.47	165	1395	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,711.54	16,990.38	13,860.58	36,000.00	2,682.69	6,706.73	4,471.15
0.20	74.40	0.47	164	1396	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,743.59	17,002.56	13,870.51	36,000.00	2,684.62	6,711.54	4,474.36
0.20	73.93	0.47	163	1397	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,775.64	17,014.74	13,880.45	36,000.00	2,686.54	6,716.35	4,477.56
0.20	73.46	0.47	162	1398	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,807.69	17,026.92	13,890.38	36,000.00	2,688.46	6,721.15	4,480.77
0.20	72.99	0.47	161	1399	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,839.74	17,039.10	13,900.32	36,000.00	2,690.38	6,725.96	4,483.97
0.20	72.52	0.47	160	1400	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,871.79	17,051.28	13,910.26	36,000.00	2,692.31	6,730.77	4,487.18
0.20	72.05	0.47	159	1401	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,903.85	17,063.46	13,920.19	36,000.00	2,694.23	6,735.58	4,490.38
0.20	71.58	0.47	158	1402	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,935.90	17,075.64	13,930.13	36,000.00	2,696.15	6,740.38	4,493.59
0.19	71.12	0.47	157	1403	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	80,967.95	17,087.82	13,940.06	36,000.00	2,698.08	6,745.19	4,496.79
0.19	70.65	0.47	156	1404	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,000.00	17,100.00	13,950.00	36,000.00	2,700.00	6,750.00	4,500.00
0.19	70.19	0.47	155	1405	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,032.05	17,112.18	13,959.94	36,000.00	2,701.92	6,754.81	4,503.21
0.19	69.72	0.47	154	1406	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,064.10	17,124.36	13,969.87	36,000.00	2,703.85	6,759.62	4,506.41
0.19	69.25	0.47	153	1407	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,096.15	17,136.54	13,979.81	36,000.00	2,705.77	6,764.42	4,509.62
0.19	68.78	0.47	152	1408	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,128.21	17,148.72	13,989.74	36,000.00	2,707.69	6,769.23	4,512.82
0.19	68.32	0.47	151	1409	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,160.26	17,160.90	13,999.68	36,000.00	2,709.62	6,774.04	4,516.03
0.19	67.86	0.47	150	1410	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,192.31	17,173.08	14,009.62	36,000.00	2,711.54	6,778.85	4,519.23
0.18	67.39	0.47	149	1411	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,224.36	17,185.26	14,019.55	36,000.00	2,713.46	6,783.65	4,522.44
0.18	66.93	0.47	148	1412	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,256.41	17,197.44	14,029.48	36,000.00	2,715.38	6,788.46	4,525.64
0.18	66.46	0.47	147	1413	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,288.46	17,209.62	14,039.42	36,000.00	2,717.31	6,793.27	4,528.85
0.18	66.00	0.46	146	1414	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,320.51	17,221.79	14,049.36	36,000.00	2,719.23	6,798.08	4,532.05
0.18	65.53	0.46	145	1415	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,352.56	17,233.97	14,059.29	36,000.00	2,721.15	6,802.88	4,535.26
0.18	65.07	0.46	144	1416	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,384.62	17,246.15	14,069.23	36,000.00	2,723.08	6,807.69	4,538.46
0.18	64.60	0.46	143	1417	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,416.67	17,258.33	14,079.17	36,000.00	2,725.00	6,812.50	4,541.67
0.18	64.14	0.46	142	1418	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,448.72	17,270.51	14,089.10	36,000.00	2,726.92	6,817.31	4,544.87
0.17	63.67	0.46	141	1419	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,480.77	17,282.69	14,099.04	36,000.00	2,728.85	6,822.12	4,548.08
0.17	63.21	0.46	140	1420	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,512.82	17,294.87	14,108.97	36,000.00	2,730.77	6,826.92	4,551.28
0.17	62.75	0.46	139	1421	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,544.87	17,307.05	14,118.91	36,000.00	2,732.69	6,831.73	4,554.48
0.17	62.28	0.46	138	1422	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,576.92	17,319.23	14,128.85	36,000.00	2,734.62	6,836.54	4,557.69
0.17	61.82	0.46	137	1423	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,608.97	17,331.41	14,138.78	36,000.00	2,736.54	6,841.35	4,560.89
0.17	61.35	0.46	136	1424	Shafts, slopes	7.56E+07	0.05	13,522.58	24,277.41	Wtts fractured	81,641.03	17,343.59	14,148.72	36,000.00	2,738.46	6,846.15	4,564.10

0.15	55.81	0.46	124	1436	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,025.64	17,489.74	14,267.95	36,000.00	2,761.54	6,903.85	4,602.56
0.15	55.35	0.46	123	1437	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,057.89	17,501.92	14,277.88	36,000.00	2,763.48	6,908.65	4,605.77
0.15	54.88	0.46	122	1438	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,089.74	17,514.10	14,287.62	36,000.00	2,765.38	6,913.46	4,608.97
0.15	54.43	0.46	121	1439	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,121.79	17,526.28	14,297.76	36,000.00	2,767.31	6,918.27	4,612.18
0.15	53.97	0.46	120	1440	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,153.85	17,538.46	14,307.69	36,000.00	2,769.23	6,923.06	4,615.38
0.15	53.51	0.46	119	1441	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,185.90	17,550.64	14,317.63	36,000.00	2,771.15	6,927.88	4,618.59
0.15	53.05	0.46	118	1442	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,217.95	17,562.82	14,327.56	36,000.00	2,773.08	6,932.69	4,621.79
0.14	52.59	0.46	117	1443	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,250.00	17,575.00	14,337.50	36,000.00	2,775.00	6,937.50	4,625.00
0.14	52.13	0.46	116	1444	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,282.05	17,587.18	14,347.44	36,000.00	2,776.92	6,942.31	4,628.21
0.14	51.67	0.46	115	1445	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,314.10	17,599.36	14,357.37	36,000.00	2,778.85	6,947.12	4,631.41
0.14	51.21	0.46	114	1446	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,346.15	17,611.54	14,367.31	36,000.00	2,780.77	6,951.92	4,634.62
0.14	50.75	0.46	113	1447	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,378.21	17,623.72	14,377.24	36,000.00	2,782.69	6,956.73	4,637.82
0.14	50.29	0.46	112	1448	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,410.26	17,635.90	14,387.18	36,000.00	2,784.62	6,961.54	4,641.03
0.14	49.84	0.46	111	1449	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,442.31	17,648.08	14,397.12	36,000.00	2,786.54	6,966.35	4,644.23
0.14	49.38	0.46	110	1450	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,474.36	17,660.26	14,407.05	36,000.00	2,788.46	6,971.15	4,647.44
0.13	48.92	0.46	109	1451	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,506.41	17,672.44	14,416.99	36,000.00	2,790.38	6,975.96	4,650.64
0.13	48.46	0.46	108	1452	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,538.46	17,684.62	14,426.92	36,000.00	2,792.31	6,980.77	4,653.85
0.13	48.00	0.46	107	1453	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,570.51	17,696.79	14,436.86	36,000.00	2,794.23	6,985.58	4,657.05
0.13	47.55	0.46	106	1454	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,602.56	17,708.97	14,446.79	36,000.00	2,796.15	6,990.38	4,660.26
0.13	47.09	0.46	105	1455	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,634.62	17,721.15	14,456.73	36,000.00	2,798.08	6,995.19	4,663.46
0.13	46.63	0.46	104	1456	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,666.67	17,733.33	14,466.67	36,000.00	2,800.00	7,000.00	4,666.67
0.13	46.17	0.46	103	1457	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,698.72	17,745.51	14,476.60	36,000.00	2,801.92	7,004.81	4,669.87
0.13	45.72	0.46	102	1458	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,730.77	17,757.69	14,486.54	36,000.00	2,803.85	7,009.62	4,673.08
0.12	45.26	0.46	101	1459	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,762.82	17,769.87	14,496.47	36,000.00	2,805.77	7,014.42	4,676.28
0.12	44.80	0.46	100	1460	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,794.87	17,782.05	14,506.41	36,000.00	2,807.69	7,019.23	4,679.49
0.12	44.35	0.46	99	1461	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,826.92	17,794.23	14,516.35	36,000.00	2,809.62	7,024.04	4,682.69
0.12	43.89	0.46	98	1462	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,858.97	17,806.41	14,526.28	36,000.00	2,811.54	7,028.85	4,685.90
0.12	43.43	0.46	97	1463	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,891.03	17,818.59	14,536.22	36,000.00	2,813.46	7,033.65	4,689.10
0.12	42.98	0.46	96	1464	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,923.08	17,830.77	14,546.15	36,000.00	2,815.38	7,038.46	4,692.31
0.12	42.52	0.46	95	1465	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,955.13	17,842.95	14,556.09	36,000.00	2,817.31	7,043.27	4,695.51
0.12	42.07	0.46	94	1466	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	82,987.18	17,855.13	14,566.03	36,000.00	2,819.23	7,048.08	4,698.72
0.11	41.61	0.46	93	1467	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,019.23	17,867.31	14,575.96	36,000.00	2,821.15	7,052.88	4,701.92
0.11	41.15	0.46	92	1468	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,051.28	17,879.49	14,585.90	36,000.00	2,823.08	7,057.69	4,705.13
0.11	40.70	0.45	91	1469	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,083.33	17,891.67	14,595.83	36,000.00	2,825.00	7,062.50	4,708.33
0.11	40.24	0.45	90	1470	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,115.38	17,903.85	14,605.77	36,000.00	2,826.92	7,067.31	4,711.54
0.11	39.79	0.45	89	1471	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,147.44	17,916.03	14,615.71	36,000.00	2,828.85	7,072.12	4,714.74
0.11	39.34	0.45	88	1472	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,179.49	17,928.21	14,625.64	36,000.00	2,830.77	7,076.92	4,717.95
0.11	38.88	0.45	87	1473	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,211.54	17,940.38	14,635.58	36,000.00	2,832.69	7,081.73	4,721.15
0.11	38.43	0.45	86	1474	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,243.59	17,952.56	14,645.51	36,000.00	2,834.62	7,086.54	4,724.36
0.10	37.97	0.45	85	1475	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,275.64	17,964.74	14,655.45	36,000.00	2,836.54	7,091.35	4,727.56
0.10	37.52	0.45	84	1476	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,307.69	17,976.92	14,665.38	36,000.00	2,838.46	7,096.15	4,730.77
0.10	37.08	0.45	83	1477	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,339.74	17,989.10	14,675.32	36,000.00	2,840.38	7,100.96	4,733.97
0.10	36.61	0.45	82	1478	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,371.79	18,001.28	14,685.26	36,000.00	2,842.31	7,105.77	4,737.18
0.10	36.18	0.45	81	1479	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,403.85	18,013.46	14,695.19	36,000.00	2,844.23	7,110.58	4,740.38
0.10	35.70	0.45	80	1480	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,435.90	18,025.64	14,705.13	36,000.00	2,846.15	7,115.38	4,743.59
0.10	35.25	0.45	79	1481	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,467.95	18,037.82	14,715.06	36,000.00	2,848.08	7,120.19	4,746.79
0.10	34.80	0.45	78	1482	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,500.00	18,050.00	14,725.00	36,000.00	2,850.00	7,125.00	4,750.00
0.09	34.35	0.45	77	1483	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,532.05	18,062.18	14,734.94	36,000.00	2,851.92	7,129.81	4,753.21
0.09	33.89	0.45	76	1484	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,564.10	18,074.36	14,744.87	36,000.00	2,853.85	7,134.62	4,756.41
0.09	33.44	0.45	75	1485	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,596.15	18,086.54	14,754.81	36,000.00	2,855.77	7,139.42	4,759.62
0.09	32.99	0.45	74	1486	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,628.21	18,098.72	14,764.74	36,000.00	2,857.69	7,144.23	4,762.82
0.09	32.54	0.45	73	1487	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,660.26	18,110.90	14,774.68	36,000.00	2,859.62	7,149.04	4,766.03
0.09	32.08	0.45	72	1488	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,692.31	18,123.08	14,784.62	36,000.00	2,861.54	7,153.85	4,769.23
0.09	31.63	0.45	71	1489	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,724.36	18,135.26	14,794.55	36,000.00	2,863.46	7,158.65	4,772.44
0.09	31.18	0.45	70	1490	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,756.41	18,147.44	14,804.49	36,000.00	2,865.38	7,163.46	4,775.64
0.08	30.73	0.45	69	1491	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,788.46	18,159.62	14,814.42	36,000.00	2,867.31	7,168.27	4,778.85
0.08	30.28	0.45	68	1492	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,820.51	18,171.79	14,824.36	36,000.00	2,869.23	7,173.08	4,782.05
0.08	29.83	0.45	67	1493	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	83,852.56	18,183.97	14,834.29	36,000.00	2,871.15	7,177.88	4,785.26
0.08	29.38	0.45	66	1494	Shafts, slopes	7.56E+07	0.05	13,522.59									

156	58	Flow volumes before flooding	88,000.00	19,000.00	15,500.00	36,000.00	3,000.00	7,500.00	5,000.00
-----	----	------------------------------	-----------	-----------	-----------	-----------	----------	----------	----------

Model parameters
Weathered dolomite
void ratio (%) 1
Fractured dolomite
void ratio (%) 0.1
Fractured w/ls void
ratio (%) 0.1
Inflow rate factor Scaled

Total time (y)	Total time (d)	Time to fill void (d)	Elevation (mamsl)	Depth (m)	Level	Mine development type	Aquifer surface area (m2)	Effective porosity (%)	Mine void volume (m3)	Aquifer void volume (m3)	Aquifer type	Total inflow (m3/d)	storage component (m3/d)	Magazine-	Inflow from	Inflow Simunye	Inflow	Kleinwies
														Panvlakte Dykes (m3/d)	precipitation recharge (m3/d)	and Westonsaria recharge (m3/d)	Laesuspruit recharge (m3/d)	Rietsspruit recharge (m3/d)
13.32	4861.94	20.98	1559	1	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,032.05	12.18	9.94	36,000.00	1.92	4.81	3.21	
13.26	4840.98	20.96	1558	2	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,064.10	24.36	19.87	36,000.00	3.85	9.82	6.41	
13.21	4819.99	20.94	1557	3	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,096.15	36.54	29.81	36,000.00	5.77	14.42	9.62	
13.15	4799.05	20.93	1556	4	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,128.21	48.72	39.74	36,000.00	7.69	19.23	12.82	
13.09	4778.12	20.91	1555	5	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,160.26	60.90	49.88	36,000.00	9.62	24.04	16.03	
13.03	4757.22	20.89	1554	6	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,192.31	73.08	58.82	36,000.00	11.54	28.85	19.23	
12.98	4736.33	20.87	1553	7	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,224.36	85.26	69.55	36,000.00	13.46	33.65	22.44	
12.92	4715.46	20.85	1552	8	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,256.41	97.44	79.49	36,000.00	15.38	38.46	25.64	
12.86	4694.61	20.83	1551	9	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,288.46	109.62	88.42	36,000.00	17.31	43.27	28.85	
12.80	4673.77	20.81	1550	10	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,320.51	121.79	99.36	36,000.00	19.23	48.08	32.05	
12.75	4652.96	20.80	1549	11	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,352.56	133.97	109.29	36,000.00	21.15	52.88	35.26	
12.69	4632.16	20.78	1548	12	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,384.62	146.15	119.23	36,000.00	23.08	57.69	38.46	
12.63	4611.38	20.76	1547	13	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,416.67	158.33	129.17	36,000.00	25.00	62.50	41.67	
12.58	4590.62	20.74	1546	14	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,448.72	170.51	139.10	36,000.00	26.92	67.31	44.87	
12.52	4569.88	20.72	1545	15	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,480.77	182.69	149.04	36,000.00	28.85	72.12	48.08	
12.46	4549.16	20.71	1544	16	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,512.82	194.87	158.97	36,000.00	30.77	76.92	51.28	
12.41	4528.45	20.69	1543	17	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,544.87	207.05	168.91	36,000.00	32.69	81.73	54.49	
12.35	4507.77	20.67	1542	18	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,576.92	219.23	178.85	36,000.00	34.62	86.54	57.69	
12.29	4487.10	20.65	1541	19	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,608.97	231.41	188.78	36,000.00	36.54	91.35	60.90	
12.24	4466.45	20.63	1540	20	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,641.03	243.59	198.72	36,000.00	38.46	96.15	64.10	
12.18	4445.82	20.61	1539	21	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,673.08	255.77	208.65	36,000.00	40.38	100.96	67.31	
12.12	4425.20	20.60	1538	22	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,705.13	267.95	218.59	36,000.00	42.31	105.77	70.51	
12.07	4404.60	20.58	1537	23	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,737.18	280.13	228.53	36,000.00	44.23	110.58	73.72	
12.01	4384.03	20.56	1536	24	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,769.23	292.31	238.46	36,000.00	46.15	115.38	76.92	
11.95	4363.47	20.54	1535	25	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,801.28	304.49	248.40	36,000.00	48.08	120.19	80.13	
11.90	4342.92	20.52	1534	26	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,833.33	316.67	258.33	36,000.00	50.00	125.00	83.33	
11.84	4322.40	20.51	1533	27	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,865.38	328.85	268.27	36,000.00	51.92	129.81	86.54	
11.79	4301.89	20.49	1532	28	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,897.44	341.03	278.21	36,000.00	53.85	134.62	89.74	
11.73	4281.40	20.47	1531	29	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,929.49	353.21	288.14	36,000.00	55.77	139.42	92.95	
11.67	4260.93	20.45	1530	30	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,961.54	365.38	298.08	36,000.00	57.69	144.23	96.15	
11.62	4240.48	20.44	1529	31	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	36,993.59	377.56	308.01	36,000.00	59.62	149.04	99.36	
11.56	4220.04	20.42	1528	32	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,025.64	389.74	317.95	36,000.00	61.54	153.85	102.56	
11.51	4199.62	20.40	1527	33	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,057.69	401.92	327.88	36,000.00	63.46	158.65	105.77	
11.45	4179.22	20.38	1526	34	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,089.74	414.10	337.82	36,000.00	65.38	163.46	108.97	
11.39	4158.84	20.37	1525	35	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,121.79	426.28	347.76	36,000.00	67.31	168.27	112.18	
11.34	4138.47	20.35	1524	36	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,153.85	438.46	357.69	36,000.00	69.23	173.08	115.38	
11.28	4118.13	20.33	1523	37	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,185.90	450.64	367.63	36,000.00	71.15	177.88	118.59	
11.23	4097.79	20.31	1522	38	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,217.95	462.82	377.56	36,000.00	73.08	182.69	121.79	
11.17	4077.48	20.30	1521	39	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,250.00	475.00	387.50	36,000.00	75.00	187.50	125.00	
11.12	4057.19	20.28	1520	40	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,282.05	487.18	397.44	36,000.00	76.92	192.31	128.21	
11.06	4036.91	20.26	1519	41	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,314.10	499.36	407.37	36,000.00	78.85	197.12	131.41	
11.00	4016.65	20.24	1518	42	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,346.15	511.54	417.31	36,000.00	80.77	201.92	134.62	
10.95	3996.41	20.23	1517	43	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,378.21	523.72	427.24	36,000.00	82.69	206.73	137.82	
10.89	3976.18	20.21	1516	44	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,410.26	535.90	437.18	36,000.00	84.62	211.54	141.03	
10.84	3955.97	20.19	1515	45	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,442.31	548.08	447.12	36,000.00	86.54	216.35	144.23	
10.78	3935.78	20.17	1514	46	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,474.36	560.26	457.05	36,000.00	88.46	221.15	147.44	
10.73	3915.61	20.16	1513	47	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,506.41	572.44	466.98	36,000.00	90.38	225.96	150.64	
10.67	3895.45	20.14	1512	48	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,538.46	584.62	476.92	36,000.00	92.31	230.77	153.85	
10.62	3875.31	20.12	1511	49	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,570.51	596.79	486.86	36,000.00	94.23	235.58	157.05	
10.56	3855.19	20.11	1510	50	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,602.56	608.97	496.79	36,000.00	96.15	240.38	160.26	
10.51	3835.08	20.09	1509	51	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,634.62	621.15	506.73	36,000.00	98.08	245.19	163.46	
10.45	3815.00	20.07	1508	52	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,666.67	633.33	516.67	36,000.00	100.00	250.00	166.67	
10.40	3794.92	20.05	1507	53	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,698.72	645.51	526.60	36,000.00	101.92	254.81	169.87	
10.34	3774.87	20.04	1506	54	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,730.77	657.69	536.54	36,000.00	103.85	259.62	173.08	
10.29	3754.83	20.02	1505	55	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, karst, fractured dolomite	37,762.82	669.87	546.47	36,000.00	105.77	264.42	176.28	

10.23	3734.61	20.00	1504	56	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,794.87	682.05	556.41	36,000.00	107.69	269.23	179.49
10.18	3714.61	19.99	1503	57	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,728.92	684.23	566.35	36,000.00	109.62	274.04	182.69
10.12	3684.63	19.97	1502	58	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,658.97	706.41	576.28	36,000.00	111.54	278.85	185.90
10.07	3674.66	19.95	1501	59	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,591.03	718.59	586.22	36,000.00	113.46	283.65	189.10
10.01	3654.61	19.94	1500	60	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,523.06	730.77	596.15	36,000.00	115.38	288.46	192.31
9.96	3634.67	19.92	1499	61	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,455.11	742.95	608.08	36,000.00	117.31	293.27	195.51
9.90	3615.05	19.90	1498	62	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,387.18	755.13	618.03	36,000.00	119.23	298.08	198.72
9.85	3595.15	19.88	1497	63	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,319.23	767.31	625.96	36,000.00	121.15	302.88	201.92
9.80	3575.27	19.87	1496	64	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,251.28	779.49	635.80	36,000.00	123.06	307.69	205.13
9.74	3555.40	19.85	1495	65	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,183.33	791.67	645.63	36,000.00	125.00	312.50	208.33
9.69	3535.55	19.83	1494	66	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,115.38	803.85	655.77	36,000.00	126.92	317.31	211.54
9.63	3515.71	19.82	1493	67	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	37,047.44	816.03	665.71	36,000.00	128.85	322.12	214.74
9.58	3495.98	19.80	1492	68	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,979.49	828.21	675.84	36,000.00	130.77	326.92	217.95
9.52	3476.09	19.78	1491	69	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,911.54	840.38	685.58	36,000.00	132.69	331.73	221.15
9.47	3456.31	19.77	1490	70	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,843.59	852.56	695.51	36,000.00	134.62	336.54	224.36
9.42	3436.54	19.75	1489	71	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,775.64	864.74	705.45	36,000.00	136.54	341.35	227.56
9.36	3416.78	19.73	1488	72	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,707.69	876.92	715.36	36,000.00	138.46	346.15	230.77
9.31	3397.05	19.72	1487	73	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,639.74	889.10	725.32	36,000.00	140.38	350.96	233.97
9.25	3377.34	19.70	1486	74	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,571.79	901.28	735.26	36,000.00	142.31	355.77	237.18
9.20	3357.63	19.69	1485	75	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,503.85	913.46	745.19	36,000.00	144.23	360.58	240.38
9.15	3337.95	19.67	1484	76	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,435.90	925.64	755.13	36,000.00	146.15	365.38	243.59
9.09	3318.28	19.65	1483	77	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,367.95	937.82	765.06	36,000.00	148.08	370.18	246.79
9.04	3298.63	19.64	1482	78	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,300.00	950.00	775.00	36,000.00	150.00	375.00	250.00
8.98	3278.99	19.62	1481	79	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,232.05	962.18	784.94	36,000.00	151.92	379.81	253.21
8.93	3259.37	19.60	1480	80	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,164.10	974.36	794.87	36,000.00	153.85	384.62	256.41
8.88	3239.77	19.59	1479	81	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,096.15	986.54	804.81	36,000.00	155.77	389.42	259.62
8.82	3220.18	19.57	1478	82	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	36,028.21	998.72	814.74	36,000.00	157.69	394.23	262.82
8.77	3200.61	19.55	1477	83	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,960.26	1,010.90	824.66	36,000.00	159.62	399.04	266.03
8.72	3181.05	19.54	1476	84	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,892.31	1,023.08	834.52	36,000.00	161.54	403.85	269.23
8.66	3161.51	19.52	1475	85	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,824.36	1,035.26	844.55	36,000.00	163.46	408.65	272.44
8.61	3141.98	19.51	1474	86	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,756.41	1,047.44	854.49	36,000.00	165.38	413.46	275.64
8.55	3122.48	19.49	1473	87	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,688.46	1,059.62	864.42	36,000.00	167.31	418.27	278.85
8.50	3102.99	19.47	1472	88	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,620.51	1,071.79	874.36	36,000.00	169.23	423.08	282.05
8.45	3083.52	19.46	1471	89	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,552.56	1,083.97	884.29	36,000.00	171.15	427.88	285.26
8.39	3064.06	19.44	1470	90	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,484.62	1,096.15	894.23	36,000.00	173.08	432.69	288.46
8.34	3044.52	19.43	1469	91	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,416.67	1,108.33	904.17	36,000.00	175.00	437.50	291.67
8.29	3025.19	19.41	1468	92	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,348.72	1,120.51	914.10	36,000.00	176.92	442.31	294.87
8.24	3005.78	19.39	1467	93	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,280.77	1,132.69	924.04	36,000.00	178.85	447.12	298.08
8.19	2986.39	19.38	1466	94	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,212.82	1,144.87	933.97	36,000.00	180.77	451.92	301.28
8.13	2967.01	19.36	1465	95	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,144.87	1,157.05	943.91	36,000.00	182.69	456.73	304.49
8.08	2947.65	19.35	1464	96	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,076.92	1,169.23	953.85	36,000.00	184.62	461.54	307.69
8.02	2928.30	19.33	1463	97	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	35,008.97	1,181.41	963.78	36,000.00	186.54	466.35	310.90
7.97	2908.97	19.31	1462	98	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,941.03	1,193.59	973.72	36,000.00	188.46	471.15	314.10
7.92	2889.66	19.30	1461	99	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,873.08	1,205.77	983.65	36,000.00	190.38	475.96	317.31
7.86	2870.36	19.28	1460	100	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,805.13	1,217.95	993.59	36,000.00	192.31	480.77	320.51
7.81	2851.08	19.27	1459	101	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,737.18	1,230.13	1,003.53	36,000.00	194.23	485.58	323.72
7.76	2831.81	19.25	1458	102	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,669.23	1,242.31	1,013.46	36,000.00	196.15	490.38	326.92
7.71	2812.56	19.24	1457	103	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,601.28	1,254.49	1,023.40	36,000.00	198.08	495.19	330.13
7.66	2793.32	19.22	1456	104	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,533.33	1,266.67	1,033.33	36,000.00	200.00	500.00	333.33
7.60	2774.10	19.20	1455	105	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,465.38	1,278.85	1,043.27	36,000.00	201.92	504.81	336.54
7.55	2754.89	19.19	1454	106	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,397.44	1,291.03	1,053.21	36,000.00	203.85	509.62	339.74
7.50	2735.71	19.17	1453	107	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,329.49	1,303.21	1,063.14	36,000.00	205.77	514.42	342.95
7.44	2716.53	19.16	1452	108	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,261.54	1,315.38	1,073.08	36,000.00	207.69	519.23	346.15
7.39	2697.37	19.14	1451	109	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,193.59	1,327.56	1,083.01	36,000.00	209.62	524.04	349.36
7.34	2678.23	19.13	1450	110	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,125.64	1,339.74	1,092.95	36,000.00	211.54	528.85	352.56
7.29	2659.11	19.11	1449	111	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	34,057.69	1,351.92	1,102.88	36,000.00	213.46	533.65	355.77
7.23	2639.99	19.10	1448	112	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	33,989.74	1,364.10	1,112.82	36,000.00	215.38	538.46	358.97
7.18	2620.90	19.09	1447	113	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	33,921.79	1,376.28	1,122.76	36,000.00	217.31	543.27	362.18
7.13	2601.82	19.08	1446	114	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	33,853.85	1,388.46	1,132.69	36,000.00	219.23	548.08	365.38
7.08	2582.75	19.05	1445	115	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	33,785.90	1,400.64	1,142.63	36,000.00	221.15	552.88	368.59
7.02	2563.70	19.03	1444	116	Shafts	7.58E+07	1	40.00	755,960.00	Weathered, kersl, fractured dolomite	33,717.95	1,412.82	1,152.56	36,000.00	223.08		

6.58	2392.95	18.90	1435	125	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,008.41	1,522.44	1,241.99	36,000.00	240.38	600.96	400.64
6.50	2374.05	18.88	1434	126	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,038.46	1,534.82	1,251.92	36,000.00	242.31	605.77	403.85
6.45	2355.17	18.87	1433	127	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,070.51	1,546.79	1,261.86	36,000.00	244.23	610.58	407.05
6.40	2336.30	18.85	1432	128	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,102.56	1,558.97	1,271.79	36,000.00	246.15	615.38	410.26
6.35	2317.45	18.84	1431	129	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,134.62	1,571.15	1,281.73	36,000.00	248.08	620.19	413.46
6.30	2298.61	18.82	1430	130	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,166.67	1,583.33	1,291.67	36,000.00	250.00	625.00	416.67
6.25	2279.79	18.81	1429	131	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,198.72	1,595.51	1,301.60	36,000.00	251.92	629.81	419.87
6.19	2260.98	18.79	1428	132	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,230.77	1,607.69	1,311.54	36,000.00	253.85	634.62	423.08
6.14	2242.19	18.78	1427	133	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,262.82	1,619.87	1,321.47	36,000.00	255.77	639.42	426.28
6.09	2223.42	18.76	1426	134	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,294.87	1,632.05	1,331.41	36,000.00	257.69	644.23	429.49
6.04	2204.65	18.75	1425	135	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,326.92	1,644.23	1,341.35	36,000.00	259.62	649.04	432.69
5.99	2185.91	18.73	1424	136	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,358.97	1,656.41	1,351.28	36,000.00	261.54	653.85	435.90
5.94	2167.16	18.72	1423	137	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,391.03	1,668.59	1,361.22	36,000.00	263.46	658.65	439.10
5.89	2148.46	18.70	1422	138	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,423.08	1,680.77	1,371.15	36,000.00	265.38	663.46	442.31
5.83	2129.76	18.69	1421	139	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,455.13	1,692.95	1,381.09	36,000.00	267.31	668.27	445.51
5.78	2111.07	18.67	1420	140	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,487.18	1,705.13	1,391.03	36,000.00	269.23	673.08	448.72
5.73	2092.40	18.66	1419	141	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,519.23	1,717.31	1,400.96	36,000.00	271.15	677.88	451.92
5.68	2073.74	18.64	1418	142	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,551.28	1,729.49	1,410.90	36,000.00	273.08	682.69	455.13
5.63	2055.09	18.63	1417	143	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,583.33	1,741.67	1,420.83	36,000.00	275.00	687.50	458.33
5.58	2036.47	18.61	1416	144	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,615.38	1,753.85	1,430.77	36,000.00	276.92	692.31	461.54
5.53	2017.85	18.60	1415	145	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,647.44	1,766.03	1,440.71	36,000.00	278.85	697.12	464.74
5.48	1999.25	18.58	1414	146	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,679.49	1,778.21	1,450.64	36,000.00	280.77	701.92	467.95
5.43	1980.67	18.57	1413	147	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,711.54	1,790.38	1,460.58	36,000.00	282.69	706.73	471.15
5.38	1962.10	18.56	1412	148	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,743.59	1,802.56	1,470.51	36,000.00	284.62	711.54	474.36
5.32	1943.55	18.54	1411	149	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,775.64	1,814.74	1,480.45	36,000.00	286.54	716.35	477.56
5.27	1925.00	18.53	1410	150	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,807.69	1,826.92	1,490.38	36,000.00	288.46	721.15	480.77
5.22	1906.48	18.51	1409	151	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,839.74	1,839.10	1,500.32	36,000.00	290.38	725.96	483.97
5.17	1887.97	18.50	1408	152	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,871.79	1,851.28	1,510.26	36,000.00	292.31	730.77	487.18
5.12	1869.47	18.48	1407	153	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,903.85	1,863.46	1,520.19	36,000.00	294.23	735.58	490.38
5.07	1850.99	18.47	1406	154	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,935.90	1,875.64	1,530.13	36,000.00	296.15	740.38	493.59
5.02	1832.52	18.45	1405	155	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	40,967.95	1,887.82	1,540.06	36,000.00	298.08	745.19	496.79
4.97	1814.07	18.44	1404	156	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	41,000.00	1,900.00	1,550.00	36,000.00	300.00	750.00	500.00
4.92	1795.63	18.42	1403	157	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	41,032.05	1,912.18	1,559.94	36,000.00	301.92	754.81	503.21
4.87	1777.20	18.41	1402	158	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	41,064.10	1,924.36	1,569.87	36,000.00	303.85	759.62	506.41
4.82	1758.79	18.40	1401	159	Shafts	7.58E+07	1	40.00	755,980.00	Weathered, karst, fractured dolomite	41,096.15	1,936.54	1,579.81	36,000.00	305.77	764.42	509.62
4.77	1740.40	1.84	1400	160	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,128.21	1,948.72	1,589.74	36,000.00	307.69	769.23	512.82
4.78	1738.56	1.84	1399	161	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,160.26	1,960.90	1,599.68	36,000.00	309.62	774.04	516.03
4.76	1736.72	1.84	1398	162	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,192.31	1,973.08	1,609.62	36,000.00	311.54	778.85	519.23
4.75	1734.89	1.83	1397	163	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,224.36	1,985.26	1,619.55	36,000.00	313.46	783.65	522.44
4.75	1733.05	1.83	1396	164	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,256.41	1,997.44	1,629.49	36,000.00	315.38	788.46	525.64
4.74	1731.22	1.83	1395	165	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,288.46	2,009.62	1,639.42	36,000.00	317.31	793.27	528.85
4.74	1729.39	1.83	1394	166	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,320.51	2,021.79	1,649.36	36,000.00	319.23	798.08	532.05
4.73	1727.56	1.83	1393	167	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,352.56	2,033.97	1,659.29	36,000.00	321.15	802.88	535.26
4.73	1725.73	1.83	1392	168	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,384.62	2,046.15	1,669.23	36,000.00	323.08	807.69	538.46
4.72	1723.90	1.83	1391	169	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,416.67	2,058.33	1,679.17	36,000.00	325.00	812.50	541.67
4.72	1722.08	1.82	1390	170	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,448.72	2,070.51	1,689.10	36,000.00	326.92	817.31	544.87
4.71	1720.26	1.82	1389	171	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,480.77	2,082.69	1,699.04	36,000.00	328.85	822.12	548.08
4.71	1718.43	1.82	1388	172	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,512.82	2,094.87	1,708.97	36,000.00	330.77	826.92	551.28
4.70	1716.61	1.82	1387	173	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,544.87	2,107.05	1,718.91	36,000.00	332.69	831.73	554.49
4.70	1714.79	1.82	1386	174	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,576.92	2,119.23	1,728.85	36,000.00	334.62	836.54	557.69
4.69	1712.97	1.82	1385	175	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,608.97	2,131.41	1,738.78	36,000.00	336.54	841.35	560.90
4.69	1711.16	1.82	1384	176	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,641.03	2,143.59	1,748.72	36,000.00	338.46	846.15	564.10
4.69	1709.34	1.81	1383	177	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,673.08	2,155.77	1,758.65	36,000.00	340.38	850.96	567.31
4.68	1707.53	1.81	1382	178	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,705.13	2,167.95	1,768.59	36,000.00	342.31	855.77	570.51
4.67	1705.71	1.81	1381	179	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,737.18	2,180.13	1,778.53	36,000.00	344.23	860.58	573.72
4.67	1703.90	1.81	1380	180	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,769.23	2,192.31	1,788.46	36,000.00	346.15	865.38	576.92
4.66	1702.09	1.81	1379	181	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,801.28	2,204.49	1,798.40	36,000.00	348.08	870.19	580.13
4.66	1700.28	1.81	1378	182	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,833.33	2,216.67	1,808.33	36,000.00	350.00	875.00	583.33
4.65	1698.48	1.81	1377	183	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,865.38	2,228.85	1,818.27	36,000.00	351.92	879.81	586.54
4.65	1696.67	1.80	1376	184	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,897.44	2,241.03	1,828.21	36,000.00	353.85	884.62	589.74
4.64	1694.87	1.80	1375	185	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	41,929.49	2,253.21	1,838.14	3			

4.60	1878.69	1.79	1386	194	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,217.85	2,362.82	1,927.56	36,000.00	373.08	932.69	621.79
4.59	1876.90	1.79	1385	195	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,250.00	2,375.00	1,937.50	36,000.00	375.00	937.50	625.00
4.59	1875.11	1.79	1384	196	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,282.05	2,387.18	1,947.44	36,000.00	376.92	942.31	628.21
4.58	1873.32	1.79	1383	197	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,314.10	2,399.36	1,957.37	36,000.00	378.85	947.12	631.41
4.58	1871.53	1.79	1382	198	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,346.15	2,411.54	1,967.31	36,000.00	380.77	951.92	634.62
4.57	1869.75	1.78	1381	199	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,378.21	2,423.72	1,977.24	36,000.00	382.69	956.73	637.82
4.57	1867.97	1.78	1380	200	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,410.26	2,435.90	1,987.18	36,000.00	384.62	961.54	641.03
4.56	1866.18	1.78	1359	201	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,442.31	2,448.08	1,997.12	36,000.00	386.54	966.35	644.23
4.56	1864.40	1.78	1358	202	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,474.36	2,460.26	2,007.05	36,000.00	388.46	971.15	647.44
4.56	1862.62	1.78	1357	203	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,506.41	2,472.44	2,016.98	36,000.00	390.38	975.96	650.64
4.55	1860.84	1.78	1356	204	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,538.46	2,484.62	2,026.92	36,000.00	392.31	980.77	653.85
4.55	1859.07	1.78	1355	205	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,570.51	2,496.79	2,036.86	36,000.00	394.23	985.58	657.05
4.54	1857.29	1.77	1354	206	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,602.56	2,508.97	2,046.79	36,000.00	396.15	990.38	660.26
4.54	1855.52	1.77	1353	207	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,634.62	2,521.15	2,056.73	36,000.00	398.08	995.19	663.46
4.53	1853.74	1.77	1352	208	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,666.67	2,533.33	2,066.67	36,000.00	400.00	1,000.00	666.67
4.53	1851.97	1.77	1351	209	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,698.72	2,545.51	2,076.60	36,000.00	401.92	1,004.81	669.87
4.52	1850.20	1.77	1350	210	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,730.77	2,557.69	2,086.54	36,000.00	403.85	1,009.62	673.08
4.52	1848.43	1.77	1349	211	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,762.82	2,569.87	2,096.47	36,000.00	405.77	1,014.42	676.28
4.51	1846.66	1.77	1348	212	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,794.87	2,582.05	2,106.41	36,000.00	407.69	1,019.23	679.49
4.51	1844.90	1.77	1347	213	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,826.92	2,594.23	2,116.35	36,000.00	409.62	1,024.04	682.69
4.50	1843.13	1.76	1346	214	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,858.97	2,606.41	2,126.28	36,000.00	411.54	1,028.85	685.90
4.50	1841.37	1.76	1345	215	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,891.03	2,618.59	2,136.22	36,000.00	413.46	1,033.65	689.10
4.49	1839.60	1.76	1344	216	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,923.08	2,630.77	2,146.15	36,000.00	415.38	1,038.46	692.31
4.49	1837.84	1.76	1343	217	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,955.13	2,642.95	2,156.09	36,000.00	417.31	1,043.27	695.51
4.48	1836.08	1.76	1342	218	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	42,987.18	2,655.13	2,166.03	36,000.00	419.23	1,048.08	698.72
4.48	1834.32	1.76	1341	219	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,019.23	2,667.31	2,175.96	36,000.00	421.15	1,052.88	701.92
4.47	1832.57	1.76	1340	220	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,051.28	2,679.49	2,185.90	36,000.00	423.08	1,057.69	705.13
4.47	1830.81	1.75	1339	221	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,083.33	2,691.67	2,195.83	36,000.00	425.00	1,062.50	708.33
4.46	1829.06	1.75	1338	222	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,115.38	2,703.85	2,205.77	36,000.00	426.92	1,067.31	711.54
4.46	1827.30	1.75	1337	223	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,147.44	2,716.03	2,215.71	36,000.00	428.85	1,072.12	714.74
4.45	1825.55	1.75	1336	224	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,179.49	2,728.21	2,225.64	36,000.00	430.77	1,076.92	717.95
4.45	1823.80	1.75	1335	225	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,211.54	2,740.38	2,235.58	36,000.00	432.69	1,081.73	721.15
4.44	1822.05	1.75	1334	226	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,243.59	2,752.56	2,245.51	36,000.00	434.62	1,086.54	724.36
4.44	1820.30	1.75	1333	227	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,275.64	2,764.74	2,255.45	36,000.00	436.54	1,091.35	727.56
4.43	1818.56	1.75	1332	228	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,307.69	2,776.92	2,265.38	36,000.00	438.46	1,096.15	730.77
4.43	1816.81	1.74	1331	229	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,339.74	2,789.10	2,275.32	36,000.00	440.38	1,100.96	733.97
4.42	1815.07	1.74	1330	230	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,371.79	2,801.28	2,285.26	36,000.00	442.31	1,105.77	737.18
4.42	1813.32	1.74	1329	231	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,403.85	2,813.46	2,295.19	36,000.00	444.23	1,110.58	740.38
4.42	1811.58	1.74	1328	232	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,435.90	2,825.64	2,305.13	36,000.00	446.15	1,115.38	743.59
4.41	1809.84	1.74	1327	233	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,467.95	2,837.82	2,315.06	36,000.00	448.08	1,120.19	746.79
4.41	1808.10	1.74	1326	234	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,500.00	2,850.00	2,325.00	36,000.00	450.00	1,125.00	750.00
4.40	1806.36	1.74	1325	235	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,532.05	2,862.18	2,334.94	36,000.00	451.92	1,129.81	753.21
4.40	1804.63	1.74	1324	236	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,564.10	2,874.36	2,344.87	36,000.00	453.85	1,134.62	756.41
4.39	1802.89	1.73	1323	237	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,596.15	2,886.54	2,354.81	36,000.00	455.77	1,139.42	759.62
4.39	1801.16	1.73	1322	238	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,628.21	2,898.72	2,364.74	36,000.00	457.69	1,144.23	762.82
4.38	1800.42	1.73	1321	239	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,660.26	2,910.90	2,374.68	36,000.00	459.62	1,149.04	766.03
4.38	1800.69	1.73	1320	240	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,692.31	2,923.08	2,384.62	36,000.00	461.54	1,153.85	769.23
4.37	1800.96	1.73	1319	241	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,724.36	2,935.26	2,394.55	36,000.00	463.46	1,158.65	772.44
4.37	1804.23	1.73	1318	242	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,756.41	2,947.44	2,404.49	36,000.00	465.38	1,163.46	775.64
4.36	1802.51	1.73	1317	243	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,788.46	2,959.62	2,414.42	36,000.00	467.31	1,168.27	778.85
4.36	1800.78	1.73	1316	244	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,820.51	2,971.79	2,424.36	36,000.00	469.23	1,173.08	782.05
4.35	1800.05	1.72	1315	245	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,852.56	2,983.97	2,434.29	36,000.00	471.15	1,177.88	785.26
4.35	1807.33	1.72	1314	246	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,884.62	2,996.15	2,444.23	36,000.00	473.08	1,182.69	788.46
4.34	1805.61	1.72	1313	247	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,916.67	3,008.33	2,454.17	36,000.00	475.00	1,187.50	791.67
4.34	1803.89	1.72	1312	248	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,948.72	3,020.51	2,464.10	36,000.00	476.92	1,192.31	794.87
4.33	1802.17	1.72	1311	249	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	43,980.77	3,032.69	2,474.04	36,000.00	478.85	1,197.12	798.08
4.33	1800.45	1.72	1310	250	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	44,012.82	3,044.87	2,483.97	36,000.00	480.77	1,201.92	801.28
4.33	1807.73	1.72	1309	251	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	44,044.87	3,057.05	2,493.91	36,000.00	482.69	1,206.73	804.49
4.32	1807.01	1.72	1308	252	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	44,076.92	3,069.23	2,503.85	36,000.00	484.62	1,211.54	807.69
4.32	1805.30	1.71	1307	253	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	44,108.97	3,081.41	2,513.78	36,000.00	486.54	1,216.35	810.90
4.31	1803.58	1.71	1306	254	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	44,141.03	3,093.59	2,523.72	36,000.00	488.46	1,221.15	814.10

4.27	1558.21	1.70	1297	283	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,429.49	3,203.21	2,613.14	36,000.00	505.77	1,264.42	842.95
4.26	1558.51	1.70	1296	284	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,461.54	3,215.38	2,623.08	36,000.00	507.69	1,269.23	846.15
4.28	1554.81	1.70	1295	285	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,493.59	3,227.56	2,633.01	36,000.00	509.62	1,274.04	849.36
4.26	1553.11	1.70	1294	286	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,525.64	3,239.74	2,642.95	36,000.00	511.54	1,278.85	852.56
4.25	1551.41	1.70	1293	287	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,557.69	3,251.92	2,652.88	36,000.00	513.46	1,283.65	855.77
4.25	1549.72	1.70	1292	288	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,589.74	3,264.10	2,662.82	36,000.00	515.38	1,288.46	858.97
4.24	1548.02	1.69	1291	289	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,621.79	3,276.28	2,672.76	36,000.00	517.31	1,293.27	862.18
4.24	1546.33	1.69	1290	270	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,653.85	3,288.46	2,682.69	36,000.00	519.23	1,298.08	865.38
4.23	1544.64	1.69	1289	271	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,685.90	3,300.64	2,692.63	36,000.00	521.15	1,302.88	868.59
4.23	1542.94	1.69	1288	272	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,717.95	3,312.82	2,702.56	36,000.00	523.08	1,307.69	871.79
4.22	1541.25	1.69	1287	273	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,750.00	3,325.00	2,712.50	36,000.00	525.00	1,312.50	875.00
4.22	1539.56	1.69	1286	274	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,782.05	3,337.18	2,722.44	36,000.00	526.92	1,317.31	878.21
4.21	1537.86	1.69	1285	275	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,814.10	3,349.36	2,732.37	36,000.00	528.85	1,322.12	881.41
4.21	1536.19	1.69	1284	276	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,846.15	3,361.54	2,742.31	36,000.00	530.77	1,326.92	884.62
4.20	1534.50	1.68	1283	277	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,878.21	3,373.72	2,752.24	36,000.00	532.69	1,331.73	887.82
4.20	1532.82	1.68	1282	278	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,910.26	3,385.90	2,762.18	36,000.00	534.62	1,336.54	891.03
4.19	1531.13	1.68	1281	279	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,942.31	3,398.08	2,772.12	36,000.00	536.54	1,341.35	894.23
4.19	1529.45	1.68	1280	280	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,974.36	3,410.26	2,782.05	36,000.00	538.46	1,346.15	897.44
4.19	1527.77	1.68	1279	281	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,006.41	3,422.44	2,791.99	36,000.00	540.38	1,350.96	900.64
4.18	1526.09	1.68	1278	282	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,038.46	3,434.62	2,801.92	36,000.00	542.31	1,355.77	903.85
4.18	1524.41	1.68	1277	283	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,070.51	3,446.79	2,811.86	36,000.00	544.23	1,360.58	907.05
4.17	1522.74	1.68	1276	284	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,102.56	3,458.97	2,821.79	36,000.00	546.15	1,365.38	910.26
4.17	1521.06	1.67	1275	285	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,134.62	3,471.15	2,831.73	36,000.00	548.08	1,370.19	913.46
4.16	1519.38	1.67	1274	286	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,166.67	3,483.33	2,841.67	36,000.00	550.00	1,375.00	916.67
4.16	1517.71	1.67	1273	287	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,198.72	3,495.51	2,851.60	36,000.00	551.92	1,379.81	919.87
4.15	1516.04	1.67	1272	288	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,230.77	3,507.69	2,861.54	36,000.00	553.85	1,384.62	923.08
4.15	1514.37	1.67	1271	289	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,262.82	3,519.87	2,871.47	36,000.00	555.77	1,389.42	926.28
4.14	1512.70	1.67	1270	290	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,294.87	3,532.05	2,881.41	36,000.00	557.69	1,394.23	929.49
4.14	1511.03	1.67	1269	291	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,326.92	3,544.23	2,891.35	36,000.00	559.62	1,399.04	932.69
4.14	1509.36	1.67	1268	292	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,358.97	3,556.41	2,901.28	36,000.00	561.54	1,403.85	935.90
4.13	1507.69	1.67	1267	293	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,391.03	3,568.59	2,911.22	36,000.00	563.46	1,408.65	939.10
4.13	1506.03	1.66	1266	294	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,423.08	3,580.77	2,921.15	36,000.00	565.38	1,413.46	942.31
4.12	1504.36	1.66	1265	295	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,455.13	3,592.95	2,931.09	36,000.00	567.31	1,418.27	945.51
4.12	1502.70	1.66	1264	296	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,487.18	3,605.13	2,941.03	36,000.00	569.23	1,423.08	948.72
4.11	1501.04	1.66	1263	297	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,519.23	3,617.31	2,950.96	36,000.00	571.15	1,427.88	951.92
4.11	1499.38	1.66	1262	298	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,551.28	3,629.49	2,960.90	36,000.00	573.08	1,432.69	955.13
4.10	1497.72	1.66	1261	299	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,583.33	3,641.67	2,970.83	36,000.00	575.00	1,437.50	958.33
4.10	1496.06	1.66	1260	300	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,615.38	3,653.85	2,980.77	36,000.00	576.92	1,442.31	961.54
4.09	1494.40	1.66	1259	301	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,647.44	3,666.03	2,990.71	36,000.00	578.85	1,447.12	964.74
4.09	1492.75	1.66	1258	302	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,679.49	3,678.21	3,000.64	36,000.00	580.77	1,451.92	967.95
4.09	1491.09	1.65	1257	303	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,711.54	3,690.38	3,010.58	36,000.00	582.69	1,456.73	971.15
4.08	1489.44	1.65	1256	304	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,743.59	3,702.56	3,020.51	36,000.00	584.62	1,461.54	974.36
4.08	1487.78	1.65	1255	305	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,775.64	3,714.74	3,030.45	36,000.00	586.54	1,466.35	977.56
4.07	1486.13	1.65	1254	306	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,807.69	3,726.92	3,040.38	36,000.00	588.46	1,471.15	980.77
4.07	1484.48	1.65	1253	307	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,839.74	3,739.10	3,050.32	36,000.00	590.38	1,475.96	983.97
4.06	1482.83	1.65	1252	308	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,871.79	3,751.28	3,060.26	36,000.00	592.31	1,480.77	987.18
4.06	1481.18	1.65	1251	309	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,903.85	3,763.46	3,070.19	36,000.00	594.23	1,485.58	990.38
4.05	1479.54	1.65	1250	310	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,935.90	3,775.64	3,080.13	36,000.00	596.15	1,490.38	993.59
4.05	1477.89	1.64	1249	311	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	45,967.95	3,787.82	3,090.06	36,000.00	598.08	1,495.19	996.79
4.04	1476.25	1.64	1248	312	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,000.00	3,800.00	3,100.00	36,000.00	600.00	1,500.00	1,000.00
4.04	1474.60	1.64	1247	313	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,032.05	3,812.18	3,109.94	36,000.00	601.92	1,504.81	1,003.21
4.04	1472.96	1.64	1246	314	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,064.10	3,824.36	3,119.87	36,000.00	603.85	1,509.62	1,006.41
4.03	1471.32	1.64	1245	315	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,096.15	3,836.54	3,129.81	36,000.00	605.77	1,514.42	1,009.62
4.03	1469.68	1.64	1244	316	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,128.21	3,848.72	3,139.74	36,000.00	607.69	1,519.23	1,012.82
4.02	1468.04	1.64	1243	317	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,160.26	3,860.90	3,149.68	36,000.00	609.62	1,524.04	1,016.03
4.02	1466.40	1.64	1242	318	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,192.31	3,873.08	3,159.62	36,000.00	611.54	1,528.85	1,019.23
4.01	1464.77	1.64	1241	319	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,224.36	3,885.26	3,169.55	36,000.00	613.46	1,533.65	1,022.44
4.01	1463.13	1.63	1240	320	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,256.41	3,897.44	3,179.49	36,000.00	615.38	1,538.46	1,025.64
4.00	1461.50	1.63	1239	321	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,288.46	3,909.62	3,189.42	36,000.00	617.31	1,543.27	1,028.85
4.00	1459.86	1.63	1238	322	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,320.51	3,921.79	3,199.36	36,000.00	619.23	1,548.08	1,032.05
4.00	1458.23	1.63	1237	323	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,352.56	3,933.97	3,209.29				

1.62	3.96	1443.59	1228	332	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	46.641.03	4.043.59	3.288.72	36.000.00	638.46	1.596.15	1.084.10
1.62	3.95	1441.97	1227	333	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	46.673.08	4.055.77	3.303.65	36.000.00	640.38	1.600.96	1.087.31
1.62	3.95	1440.35	1226	334	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	46.705.13	4.067.95	3.316.59	36.000.00	642.31	1.605.77	1.070.51
1.62	3.94	1439.73	1225	335	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.737.18	4.080.13	3.328.53	36.000.00	644.23	1.610.58	1.073.72
1.62	3.94	1437.12	1224	336	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.769.23	4.092.31	3.338.46	36.000.00	646.15	1.615.38	1.076.92
1.62	3.93	1435.50	1223	337	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.801.28	4.104.49	3.348.40	36.000.00	648.06	1.620.19	1.080.13
1.61	3.93	1433.88	1222	338	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.833.33	4.116.67	3.358.33	36.000.00	650.00	1.625.00	1.083.33
1.61	3.92	1432.27	1221	339	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.865.38	4.128.85	3.368.27	36.000.00	651.92	1.629.81	1.086.54
1.61	3.92	1430.66	1220	340	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.897.44	4.141.03	3.378.21	36.000.00	653.85	1.634.62	1.089.74
1.61	3.91	1429.05	1219	341	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.929.49	4.153.21	3.388.14	36.000.00	655.77	1.639.42	1.092.95
1.61	3.91	1427.43	1218	342	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.961.54	4.165.38	3.398.08	36.000.00	657.69	1.644.23	1.096.15
1.61	3.91	1425.82	1217	343	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.993.59	4.177.56	3.408.01	36.000.00	659.62	1.649.04	1.099.36
1.61	3.90	1424.22	1216	344	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.025.64	4.189.74	3.417.95	36.000.00	661.54	1.653.85	1.102.57
1.61	3.89	1422.61	1215	345	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.057.69	4.201.92	3.427.88	36.000.00	663.46	1.658.65	1.105.77
1.60	3.89	1419.40	1214	346	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.089.74	4.214.10	3.437.82	36.000.00	665.38	1.663.46	1.108.97
1.60	3.88	1417.79	1213	347	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.121.79	4.226.28	3.447.76	36.000.00	667.31	1.668.27	1.112.18
1.60	3.88	1416.19	1212	348	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.153.85	4.238.46	3.457.69	36.000.00	669.23	1.673.08	1.115.38
1.60	3.87	1414.58	1211	349	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.185.90	4.250.64	3.467.63	36.000.00	671.15	1.677.88	1.118.59
1.60	3.87	1412.96	1210	350	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.217.95	4.262.82	3.477.56	36.000.00	673.06	1.682.69	1.121.79
1.60	3.87	1411.35	1209	351	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.250.00	4.275.00	3.487.50	36.000.00	675.00	1.687.50	1.125.00
1.60	3.86	1409.78	1208	352	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.282.05	4.287.18	3.497.44	36.000.00	676.92	1.692.31	1.128.21
1.60	3.86	1408.19	1207	353	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.314.10	4.299.36	3.507.37	36.000.00	678.85	1.697.12	1.131.41
1.60	3.85	1406.59	1206	354	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.346.15	4.311.54	3.517.31	36.000.00	680.77	1.701.92	1.134.62
1.59	3.85	1405.00	1205	355	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.378.21	4.323.72	3.527.24	36.000.00	682.69	1.706.73	1.137.82
1.59	3.84	1403.40	1204	356	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.410.26	4.335.90	3.537.18	36.000.00	684.62	1.711.54	1.141.03
1.59	3.84	1401.81	1203	357	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.442.31	4.348.08	3.547.12	36.000.00	686.54	1.716.35	1.144.23
1.59	3.83	1399.62	1202	358	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.474.36	4.360.26	3.557.05	36.000.00	688.46	1.721.15	1.147.44
1.59	3.83	1398.02	1201	359	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.506.41	4.372.44	3.566.98	36.000.00	690.38	1.725.96	1.150.64
1.59	3.82	1396.43	1200	360	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.538.46	4.384.62	3.576.92	36.000.00	692.31	1.730.77	1.153.85
1.59	3.82	1395.44	1199	361	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.570.51	4.396.79	3.586.86	36.000.00	694.23	1.735.58	1.157.05
1.59	3.81	1393.86	1198	362	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.602.56	4.408.97	3.596.79	36.000.00	696.15	1.740.38	1.160.26
1.59	3.81	1392.27	1197	363	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.634.62	4.421.15	3.606.73	36.000.00	698.08	1.745.19	1.163.46
1.59	3.81	1390.68	1196	364	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.666.67	4.433.33	3.616.67	36.000.00	700.00	1.750.00	1.166.67
1.58	3.81	1389.10	1195	365	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.698.72	4.445.51	3.626.60	36.000.00	701.92	1.754.81	1.169.87
1.58	3.80	1387.51	1194	366	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.730.77	4.457.69	3.636.54	36.000.00	703.85	1.759.62	1.173.08
1.58	3.80	1385.93	1193	367	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.762.82	4.469.87	3.646.47	36.000.00	705.77	1.764.42	1.176.28
1.58	3.79	1384.35	1192	368	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.794.87	4.482.05	3.656.41	36.000.00	707.69	1.769.23	1.179.49
1.58	3.79	1382.77	1191	369	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.826.92	4.494.23	3.666.35	36.000.00	709.62	1.774.04	1.182.69
1.58	3.78	1381.19	1190	370	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.858.97	4.506.41	3.676.28	36.000.00	711.54	1.778.85	1.185.90
1.58	3.78	1379.61	1189	371	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.891.03	4.518.59	3.686.22	36.000.00	713.46	1.783.65	1.189.10
1.58	3.78	1378.03	1188	372	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.923.08	4.530.77	3.696.15	36.000.00	715.38	1.788.46	1.192.31
1.58	3.77	1376.45	1187	373	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.955.13	4.542.95	3.706.09	36.000.00	717.31	1.793.27	1.195.51
1.58	3.77	1374.88	1186	374	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	49.987.18	4.555.13	3.716.03	36.000.00	719.23	1.798.08	1.198.72
1.57	3.76	1373.31	1185	375	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.019.23	4.567.31	3.725.98	36.000.00	721.15	1.802.88	1.201.92
1.57	3.76	1371.73	1184	376	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.051.28	4.579.49	3.735.90	36.000.00	723.08	1.807.69	1.205.13
1.57	3.75	1370.16	1183	377	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.083.33	4.591.67	3.745.83	36.000.00	725.00	1.812.50	1.208.33
1.57	3.75	1368.59	1182	378	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.115.38	4.603.85	3.755.77	36.000.00	726.92	1.817.31	1.211.54
1.57	3.75	1367.02	1181	379	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.147.44	4.616.03	3.765.71	36.000.00	728.85	1.822.12	1.214.74
1.57	3.74	1365.45	1180	380	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.179.49	4.628.21	3.775.64	36.000.00	730.77	1.826.92	1.217.95
1.57	3.74	1363.86	1179	381	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.211.54	4.640.38	3.785.58	36.000.00	732.69	1.831.73	1.221.15
1.57	3.74	1362.27	1178	382	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.243.59	4.652.56	3.795.51	36.000.00	734.62	1.836.54	1.224.36
1.56	3.73	1360.69	1177	383	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.275.64	4.664.74	3.805.45	36.000.00	736.54	1.841.35	1.227.56
1.56	3.73	1359.10	1176	384	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.307.69	4.676.92	3.815.38	36.000.00	738.46	1.846.15	1.230.77
1.56	3.72	1357.52	1175	385	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.339.74	4.689.10	3.825.32	36.000.00	740.38	1.850.96	1.233.97
1.56	3.72	1355.95	1174	386	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.371.79	4.701.28	3.835.26	36.000.00	742.31	1.855.77	1.237.18
1.56	3.71	1354.35	1173	387	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.403.85	4.713.46	3.845.19	36.000.00	744.23	1.860.58	1.240.38
1.56	3.71	1352.77	1172	388	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.435.90	4.725.64	3.855.13	36.000.00	746.15	1.865.38	1.243.59
1.56	3.71	1351.19	1171	389	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.467.95	4.737.82	3.865.06	36.000.00	748.08	1.870.19	1.246.79
1.56	3.70	1349.62	1170	390	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.500.00	4.750.00	3.875.00	36.000.00	750.00	1.875.00	1.250.00
1.56	3.69	1348.05	1169	391	Shafts	7.58E+07	0.1	40.00	75.560.00	Fractured dolomite	48.532.05	4.762.18	3.884.94	36.000.00	751.92	1.879.81	1.253.21
1.56	3.69	1346.47	1168	392	Shafts</												

3.86	1334.29	1.55	1159	401	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,852.56	4,883.97	3,984.29	36,000.00	771.15	1,927.58	1,285.26
3.85	1332.74	1.55	1158	402	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,884.62	4,896.15	3,984.23	36,000.00	773.08	1,932.69	1,288.46
3.85	1331.19	1.55	1157	403	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,916.67	4,908.33	4,004.17	36,000.00	775.00	1,937.50	1,291.67
3.84	1329.65	1.54	1156	404	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,948.72	4,920.51	4,014.10	36,000.00	776.92	1,942.31	1,294.87
3.84	1328.10	1.54	1155	405	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,980.77	4,932.69	4,024.04	36,000.00	778.85	1,947.12	1,298.08
3.83	1326.56	1.54	1154	406	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,012.82	4,944.87	4,033.97	36,000.00	780.77	1,951.92	1,301.28
3.83	1325.02	1.54	1153	407	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,044.87	4,957.05	4,043.91	36,000.00	782.69	1,956.73	1,304.49
3.83	1323.47	1.54	1152	408	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,076.92	4,969.23	4,053.85	36,000.00	784.62	1,961.54	1,307.69
3.82	1321.93	1.54	1151	409	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,108.97	4,981.41	4,063.78	36,000.00	786.54	1,966.35	1,310.90
3.82	1320.39	1.54	1150	410	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,141.03	4,993.59	4,073.72	36,000.00	788.48	1,971.15	1,314.10
3.81	1318.86	1.54	1149	411	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,173.08	5,005.77	4,083.65	36,000.00	790.38	1,975.96	1,317.31
3.81	1317.32	1.54	1148	412	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,205.13	5,017.95	4,093.59	36,000.00	792.31	1,980.77	1,320.51
3.80	1315.78	1.54	1147	413	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,237.18	5,030.13	4,103.53	36,000.00	794.23	1,985.58	1,323.72
3.80	1314.25	1.53	1146	414	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,269.23	5,042.31	4,113.48	36,000.00	796.15	1,990.38	1,326.92
3.80	1312.71	1.53	1145	415	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,301.28	5,054.49	4,123.40	36,000.00	798.08	1,995.19	1,330.13
3.59	1311.19	1.53	1144	416	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,333.33	5,066.67	4,133.33	36,000.00	800.00	2,000.00	1,333.33
3.59	1309.65	1.53	1143	417	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,365.38	5,078.85	4,143.27	36,000.00	801.92	2,004.81	1,336.54
3.58	1308.12	1.53	1142	418	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,397.44	5,091.03	4,153.21	36,000.00	803.85	2,009.62	1,339.74
3.58	1306.58	1.53	1141	419	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,429.49	5,103.21	4,163.14	36,000.00	805.77	2,014.42	1,342.95
3.58	1305.06	1.53	1140	420	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,461.54	5,115.38	4,173.08	36,000.00	807.69	2,019.23	1,346.15
3.57	1303.53	1.53	1139	421	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,493.59	5,127.56	4,183.01	36,000.00	809.62	2,024.04	1,349.36
3.57	1302.00	1.53	1138	422	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,525.64	5,139.74	4,192.95	36,000.00	811.54	2,028.85	1,352.56
3.56	1300.47	1.53	1137	423	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,557.69	5,151.92	4,202.88	36,000.00	813.46	2,033.65	1,355.77
3.56	1298.95	1.52	1136	424	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,589.74	5,164.10	4,212.82	36,000.00	815.38	2,038.46	1,358.97
3.55	1297.42	1.52	1135	425	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,621.79	5,176.28	4,222.76	36,000.00	817.31	2,043.27	1,362.18
3.55	1295.90	1.52	1134	426	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,653.85	5,188.46	4,232.69	36,000.00	819.23	2,048.08	1,365.38
3.55	1294.38	1.52	1133	427	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,685.90	5,200.64	4,242.63	36,000.00	821.15	2,052.88	1,368.59
3.54	1292.86	1.52	1132	428	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,717.95	5,212.82	4,252.56	36,000.00	823.08	2,057.69	1,371.79
3.54	1291.33	1.52	1131	429	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,750.00	5,225.00	4,262.50	36,000.00	825.00	2,062.50	1,375.00
3.53	1289.82	1.52	1130	430	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,782.05	5,237.18	4,272.44	36,000.00	826.92	2,067.31	1,378.21
3.53	1288.30	1.52	1129	431	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,814.10	5,249.36	4,282.37	36,000.00	828.85	2,072.12	1,381.41
3.53	1286.78	1.52	1128	432	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,846.15	5,261.54	4,292.31	36,000.00	830.77	2,076.92	1,384.62
3.52	1285.26	1.52	1127	433	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,878.21	5,273.72	4,302.24	36,000.00	832.69	2,081.73	1,387.82
3.52	1283.75	1.51	1126	434	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,910.26	5,285.90	4,312.18	36,000.00	834.62	2,086.54	1,391.03
3.51	1282.23	1.51	1125	435	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,942.31	5,298.08	4,322.12	36,000.00	836.54	2,091.35	1,394.23
3.51	1280.72	1.51	1124	436	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,974.36	5,310.26	4,332.05	36,000.00	838.46	2,096.15	1,397.44
3.50	1279.21	1.51	1123	437	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,006.41	5,322.44	4,341.99	36,000.00	840.38	2,100.96	1,400.64
3.50	1277.69	1.51	1122	438	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,038.46	5,334.62	4,351.92	36,000.00	842.31	2,105.77	1,403.85
3.50	1276.18	1.51	1121	439	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,070.51	5,346.79	4,361.86	36,000.00	844.23	2,110.58	1,407.05
3.49	1274.67	1.51	1120	440	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,102.56	5,358.97	4,371.79	36,000.00	846.15	2,115.38	1,410.26
3.49	1273.16	1.51	1119	441	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,134.62	5,371.15	4,381.73	36,000.00	848.08	2,120.19	1,413.46
3.48	1271.66	1.51	1118	442	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,166.67	5,383.33	4,391.67	36,000.00	850.00	2,125.00	1,416.67
3.48	1270.15	1.51	1117	443	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,198.72	5,395.51	4,401.60	36,000.00	851.92	2,129.81	1,419.87
3.48	1268.64	1.51	1116	444	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,230.77	5,407.69	4,411.54	36,000.00	853.85	2,134.62	1,423.08
3.47	1267.14	1.50	1115	445	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,262.82	5,419.87	4,421.47	36,000.00	855.77	2,139.42	1,426.28
3.47	1265.63	1.50	1114	446	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,294.87	5,432.05	4,431.41	36,000.00	857.69	2,144.23	1,429.49
3.46	1264.13	1.50	1113	447	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,326.92	5,444.23	4,441.35	36,000.00	859.62	2,149.04	1,432.69
3.46	1262.63	1.50	1112	448	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,358.97	5,456.41	4,451.28	36,000.00	861.54	2,153.85	1,435.90
3.46	1261.13	1.50	1111	449	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,391.03	5,468.59	4,461.22	36,000.00	863.46	2,158.65	1,439.10
3.45	1259.63	1.50	1110	450	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,423.08	5,480.77	4,471.15	36,000.00	865.38	2,163.46	1,442.31
3.45	1258.13	1.50	1109	451	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,455.13	5,492.95	4,481.09	36,000.00	867.31	2,168.27	1,445.51
3.44	1256.63	1.50	1108	452	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,487.18	5,505.13	4,491.03	36,000.00	869.23	2,173.08	1,448.72
3.44	1255.13	1.50	1107	453	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,519.23	5,517.31	4,500.96	36,000.00	871.15	2,177.88	1,451.92
3.43	1253.64	1.50	1106	454	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,551.28	5,529.49	4,510.90	36,000.00	873.08	2,182.69	1,455.13
3.43	1252.14	1.49	1105	455	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,583.33	5,541.67	4,520.83	36,000.00	875.00	2,187.50	1,458.33
3.43	1250.65	1.49	1104	456	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,615.38	5,553.85	4,530.77	36,000.00	876.92	2,192.31	1,461.54
3.42	1249.15	1.49	1103	457	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,647.44	5,566.03	4,540.71	36,000.00	878.85	2,197.12	1,464.74
3.42	1247.66	1.49	1102	458	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,679.49	5,578.21	4,550.64	36,000.00	880.77	2,201.92	1,467.95
3.41	1246.17	1.49	1101	459	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,711.54	5,590.38	4,560.58	36,000.00	882.69	2,206.73	1,471.15
3.41	1244.68	1.49	1100	460	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,743.59	5,602.56	4,570.51	36,000.00	884.62	2,211.54	1,474.36
3.41	1243.19	1.49	1099	461	Shafts</												

3.37	1229.82	1.48	1090	470	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,084.10	5,724.36	4,689.87	36,000.00	903.85	2,259.62	1,506.41
3.37	1228.34	1.48	1089	471	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,098.15	5,736.54	4,679.81	36,000.00	905.77	2,264.42	1,509.62
3.38	1226.86	1.48	1088	472	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,128.21	5,748.72	4,689.74	36,000.00	907.69	2,269.23	1,512.82
3.38	1225.38	1.48	1087	473	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,160.26	5,780.90	4,699.68	36,000.00	909.62	2,274.04	1,516.03
3.35	1223.90	1.48	1086	474	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,182.31	5,773.08	4,709.62	36,000.00	911.54	2,278.85	1,519.23
3.35	1222.43	1.48	1085	475	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,224.36	5,785.26	4,719.55	36,000.00	913.46	2,283.65	1,522.44
3.35	1220.95	1.47	1084	476	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,256.41	5,787.44	4,729.49	36,000.00	915.38	2,288.46	1,525.64
3.34	1219.48	1.47	1083	477	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,288.46	5,809.62	4,739.42	36,000.00	917.31	2,293.27	1,528.85
3.34	1218.00	1.47	1082	478	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,320.51	5,821.79	4,749.38	36,000.00	919.23	2,298.08	1,532.05
3.33	1216.53	1.47	1081	479	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,352.56	5,833.97	4,759.29	36,000.00	921.15	2,302.88	1,535.26
3.33	1215.06	1.47	1080	480	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,384.62	5,846.15	4,769.23	36,000.00	923.08	2,307.69	1,538.46
3.32	1213.58	1.47	1079	481	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,416.67	5,858.33	4,779.17	36,000.00	925.00	2,312.50	1,541.67
3.32	1212.12	1.47	1078	482	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,448.72	5,870.51	4,789.10	36,000.00	926.92	2,317.31	1,544.87
3.32	1210.65	1.47	1077	483	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,480.77	5,882.69	4,799.04	36,000.00	928.85	2,322.12	1,548.08
3.31	1209.18	1.47	1076	484	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,512.82	5,894.87	4,808.97	36,000.00	930.77	2,326.92	1,551.28
3.31	1207.71	1.47	1075	485	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,544.87	5,907.05	4,818.91	36,000.00	932.69	2,331.73	1,554.49
3.30	1206.24	1.47	1074	486	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,576.92	5,919.23	4,828.85	36,000.00	934.62	2,336.54	1,557.69
3.30	1204.78	1.46	1073	487	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,608.97	5,931.41	4,838.78	36,000.00	936.54	2,341.35	1,560.80
3.30	1203.31	1.46	1072	488	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,641.03	5,943.59	4,848.72	36,000.00	938.46	2,346.15	1,564.10
3.29	1201.85	1.46	1071	489	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,673.08	5,955.77	4,858.65	36,000.00	940.38	2,350.96	1,567.31
3.29	1200.38	1.46	1070	490	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,705.13	5,967.95	4,868.59	36,000.00	942.31	2,355.77	1,570.51
3.28	1198.92	1.46	1069	491	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,737.18	5,980.13	4,878.53	36,000.00	944.23	2,360.58	1,573.72
3.28	1197.46	1.46	1068	492	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,769.23	5,992.31	4,888.46	36,000.00	946.15	2,365.38	1,576.92
3.28	1196.00	1.46	1067	493	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,801.28	6,004.49	4,898.40	36,000.00	948.08	2,370.19	1,580.13
3.27	1194.54	1.46	1066	494	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,833.33	6,016.67	4,908.33	36,000.00	950.00	2,375.00	1,583.33
3.27	1193.08	1.46	1065	495	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,865.38	6,028.85	4,918.27	36,000.00	951.92	2,379.81	1,586.54
3.26	1191.63	1.46	1064	496	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,897.44	6,041.03	4,928.21	36,000.00	953.85	2,384.62	1,589.74
3.26	1190.17	1.46	1063	497	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,929.49	6,053.21	4,938.14	36,000.00	955.77	2,389.42	1,592.95
3.26	1188.71	1.45	1062	498	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	51,961.54	6,065.38	4,948.08	36,000.00	957.69	2,394.23	1,596.15
3.25	1187.26	1.45	1061	499	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	51,993.59	6,077.56	4,958.01	36,000.00	959.62	2,399.04	1,599.36
3.25	1185.80	1.45	1060	500	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,025.64	6,089.74	4,967.95	36,000.00	961.54	2,403.85	1,602.56
3.24	1184.35	1.45	1059	501	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,057.69	6,101.92	4,977.88	36,000.00	963.46	2,408.65	1,605.77
3.24	1182.90	1.45	1058	502	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,089.74	6,114.10	4,987.82	36,000.00	965.38	2,413.46	1,608.97
3.24	1181.45	1.45	1057	503	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,121.79	6,126.28	4,997.76	36,000.00	967.31	2,418.27	1,612.18
3.23	1180.00	1.45	1056	504	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,153.85	6,138.46	5,007.69	36,000.00	969.23	2,423.08	1,615.38
3.23	1178.55	1.45	1055	505	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,185.90	6,150.64	5,017.63	36,000.00	971.15	2,427.88	1,618.58
3.22	1177.10	1.45	1054	506	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,217.95	6,162.82	5,027.56	36,000.00	973.08	2,432.69	1,621.79
3.22	1175.65	1.45	1053	507	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,250.00	6,175.00	5,037.50	36,000.00	975.00	2,437.50	1,625.00
3.22	1174.20	1.45	1052	508	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,282.05	6,187.18	5,047.44	36,000.00	976.92	2,442.31	1,628.21
3.21	1172.78	1.45	1051	509	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,314.10	6,199.36	5,057.37	36,000.00	978.85	2,447.12	1,631.41
3.21	1171.31	1.44	1050	510	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,346.15	6,211.54	5,067.31	36,000.00	980.77	2,451.92	1,634.62
3.21	1169.87	1.44	1049	511	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,378.21	6,223.72	5,077.24	36,000.00	982.69	2,456.73	1,637.82
3.20	1168.43	1.44	1048	512	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,410.26	6,235.90	5,087.18	36,000.00	984.62	2,461.54	1,641.03
3.20	1166.98	1.44	1047	513	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,442.31	6,248.08	5,097.12	36,000.00	986.54	2,466.35	1,644.23
3.19	1165.54	1.44	1046	514	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,474.36	6,260.26	5,107.05	36,000.00	988.46	2,471.15	1,647.44
3.19	1164.10	1.44	1045	515	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,506.41	6,272.44	5,116.99	36,000.00	990.38	2,475.96	1,650.64
3.19	1162.66	1.44	1044	516	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,538.46	6,284.62	5,126.92	36,000.00	992.31	2,480.77	1,653.85
3.18	1161.22	1.44	1043	517	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,570.51	6,296.79	5,136.86	36,000.00	994.23	2,485.58	1,657.05
3.18	1159.78	1.44	1042	518	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,602.56	6,308.97	5,146.79	36,000.00	996.15	2,490.38	1,660.26
3.17	1158.35	1.44	1041	519	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,634.62	6,321.15	5,156.73	36,000.00	998.08	2,495.19	1,663.46
3.17	1156.91	1.44	1040	520	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,666.67	6,333.33	5,166.67	36,000.00	1,000.00	2,500.00	1,666.67
3.17	1155.48	1.43	1039	521	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,698.72	6,345.51	5,176.60	36,000.00	1,001.92	2,504.81	1,669.87
3.16	1154.04	1.43	1038	522	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,730.77	6,357.69	5,186.54	36,000.00	1,003.85	2,509.62	1,673.08
3.16	1152.61	1.43	1037	523	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,762.82	6,369.87	5,196.47	36,000.00	1,005.77	2,514.42	1,676.28
3.15	1151.17	1.43	1036	524	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,794.87	6,382.05	5,206.41	36,000.00	1,007.69	2,519.23	1,679.49
3.15	1149.74	1.43	1035	525	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,826.92	6,394.23	5,216.35	36,000.00	1,009.62	2,524.04	1,682.69
3.15	1148.31	1.43	1034	526	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,858.97	6,406.41	5,226.28	36,000.00	1,011.54	2,528.85	1,685.90
3.14	1146.88	1.43	1033	527	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,891.03	6,418.59	5,236.22	36,000.00	1,013.46	2,533.65	1,689.10
3.14	1145.45	1.43	1032	528	Shafts	7.58E+07	0.1	40.00	75,560.00	Fractured dolomite	52,923.08	6,430.77	5,246.15	36,000.00	1,015.38	2,538.46	1,692.31
3.13	1144.02	1.43	1031	529	Shafts	7.58E+07	0.1	40.00	75,580.00	Fractured dolomite	52,955.13	6,442.95	5,256.09	36,000.00	1,017.31	2,543.27	1,695.51
3.13	1142.60	1.43															

3.10	1129.79	1.42	1021	539	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,275.64	6,564.74	5,355.45	36,000.00	1,036.54	2,591.35	1,727.56
3.09	1128.37	1.42	1020	540	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,307.69	6,576.92	5,365.38	36,000.00	1,038.46	2,596.15	1,730.77
3.09	1128.95	1.42	1019	541	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,339.74	6,589.10	5,375.32	36,000.00	1,040.38	2,600.96	1,733.97
3.08	1125.53	1.42	1018	542	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,371.79	6,601.28	5,385.26	36,000.00	1,042.31	2,605.77	1,737.18
3.08	1124.11	1.42	1017	543	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,403.85	6,613.46	5,395.19	36,000.00	1,044.23	2,610.58	1,740.38
3.08	1122.70	1.41	1016	544	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,435.90	6,625.64	5,405.13	36,000.00	1,046.15	2,615.38	1,743.59
3.07	1121.28	1.41	1015	545	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,467.95	6,637.82	5,415.06	36,000.00	1,048.08	2,620.19	1,746.79
3.07	1119.87	1.41	1014	546	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,500.00	6,650.00	5,425.00	36,000.00	1,050.00	2,625.00	1,750.00
3.08	1118.46	1.41	1013	547	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,532.05	6,662.18	5,434.94	36,000.00	1,051.92	2,629.81	1,753.21
3.08	1117.05	1.41	1012	548	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,564.10	6,674.36	5,444.87	36,000.00	1,053.85	2,634.62	1,756.41
3.08	1115.63	1.41	1011	549	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,596.15	6,686.54	5,454.81	36,000.00	1,055.77	2,639.42	1,759.62
3.05	1114.22	1.41	1010	550	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,628.21	6,698.72	5,464.74	36,000.00	1,057.69	2,644.23	1,762.82
3.05	1112.81	1.41	1009	551	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,660.26	6,710.90	5,474.68	36,000.00	1,059.62	2,649.04	1,766.03
3.04	1111.40	1.41	1008	552	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,692.31	6,723.08	5,484.62	36,000.00	1,061.54	2,653.85	1,769.23
3.04	1110.00	1.41	1007	553	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,724.36	6,735.26	5,494.55	36,000.00	1,063.46	2,658.65	1,772.44
3.04	1108.59	1.41	1006	554	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,756.41	6,747.44	5,504.49	36,000.00	1,065.38	2,663.46	1,775.64
3.03	1107.18	1.41	1005	555	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,788.46	6,759.62	5,514.42	36,000.00	1,067.31	2,668.27	1,778.85
3.03	1105.78	1.40	1004	556	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,820.51	6,771.79	5,524.36	36,000.00	1,069.23	2,673.08	1,782.05
3.03	1104.37	1.40	1003	557	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,852.56	6,783.97	5,534.29	36,000.00	1,071.15	2,677.88	1,785.26
3.02	1102.97	1.40	1002	558	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,884.62	6,796.15	5,544.23	36,000.00	1,073.08	2,682.69	1,788.46
3.02	1101.57	1.40	1001	559	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,916.67	6,808.33	5,554.17	36,000.00	1,075.00	2,687.50	1,791.67
3.01	1100.16	1.40	1000	560	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,948.72	6,820.51	5,564.10	36,000.00	1,076.92	2,692.31	1,794.87
3.01	1098.76	1.40	999	561	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	53,980.77	6,832.69	5,574.04	36,000.00	1,078.85	2,697.12	1,798.08
3.01	1097.35	1.40	998	562	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,012.82	6,844.87	5,583.97	36,000.00	1,080.77	2,701.92	1,801.28
3.00	1095.96	1.40	997	563	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,044.87	6,857.05	5,593.91	36,000.00	1,082.69	2,706.73	1,804.49
3.00	1094.56	1.40	996	564	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,076.92	6,869.23	5,603.85	36,000.00	1,084.62	2,711.54	1,807.69
2.99	1093.17	1.40	995	565	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,108.97	6,881.41	5,613.78	36,000.00	1,086.54	2,716.35	1,810.90
2.99	1091.77	1.40	994	566	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,141.03	6,893.59	5,623.72	36,000.00	1,088.46	2,721.15	1,814.10
2.99	1090.37	1.40	993	567	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,173.08	6,905.77	5,633.65	36,000.00	1,090.38	2,725.96	1,817.31
2.98	1088.98	1.39	992	568	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,205.13	6,917.95	5,643.59	36,000.00	1,092.31	2,730.77	1,820.51
2.98	1087.58	1.39	991	569	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,237.18	6,930.13	5,653.53	36,000.00	1,094.23	2,735.58	1,823.72
2.98	1086.19	1.39	990	570	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,269.23	6,942.31	5,663.46	36,000.00	1,096.15	2,740.38	1,826.92
2.97	1084.79	1.39	989	571	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,301.28	6,954.49	5,673.40	36,000.00	1,098.08	2,745.19	1,830.13
2.97	1083.40	1.39	988	572	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,333.33	6,966.67	5,683.33	36,000.00	1,100.00	2,750.00	1,833.33
2.96	1082.01	1.39	987	573	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,365.38	6,978.85	5,693.27	36,000.00	1,101.92	2,754.81	1,836.54
2.96	1080.62	1.39	986	574	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,397.44	6,991.03	5,703.21	36,000.00	1,103.85	2,759.62	1,839.74
2.96	1079.23	1.39	985	575	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,429.49	7,003.21	5,713.14	36,000.00	1,105.77	2,764.42	1,842.95
2.95	1077.84	1.39	984	576	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,461.54	7,015.38	5,723.08	36,000.00	1,107.69	2,769.23	1,846.15
2.95	1076.45	1.39	983	577	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,493.59	7,027.56	5,733.01	36,000.00	1,109.62	2,774.04	1,849.36
2.95	1075.07	1.39	982	578	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,525.64	7,039.74	5,742.95	36,000.00	1,111.54	2,778.85	1,852.56
2.94	1073.68	1.39	981	579	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,557.69	7,051.92	5,752.88	36,000.00	1,113.46	2,783.65	1,855.77
2.94	1072.29	1.38	980	580	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,589.74	7,064.10	5,762.82	36,000.00	1,115.38	2,788.46	1,858.97
2.93	1070.91	1.38	979	581	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,621.79	7,076.28	5,772.76	36,000.00	1,117.31	2,793.27	1,862.18
2.93	1069.53	1.38	978	582	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,653.85	7,088.46	5,782.69	36,000.00	1,119.23	2,798.08	1,865.38
2.93	1068.14	1.38	977	583	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,685.90	7,100.64	5,792.63	36,000.00	1,121.15	2,802.88	1,868.59
2.92	1066.76	1.38	976	584	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,717.95	7,112.82	5,802.56	36,000.00	1,123.08	2,807.69	1,871.79
2.92	1065.38	1.38	975	585	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,750.00	7,125.00	5,812.50	36,000.00	1,125.00	2,812.50	1,875.00
2.92	1064.00	1.38	974	586	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,782.05	7,137.18	5,822.44	36,000.00	1,126.92	2,817.31	1,878.21
2.91	1062.62	1.38	973	587	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,814.10	7,149.36	5,832.37	36,000.00	1,128.85	2,822.12	1,881.41
2.91	1061.24	1.38	972	588	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,846.15	7,161.54	5,842.31	36,000.00	1,130.77	2,826.92	1,884.62
2.90	1059.86	1.38	971	589	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,878.21	7,173.72	5,852.24	36,000.00	1,132.69	2,831.73	1,887.82
2.90	1058.48	1.38	970	590	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,910.26	7,185.90	5,862.18	36,000.00	1,134.62	2,836.54	1,891.03
2.90	1057.11	1.38	969	591	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,942.31	7,198.08	5,872.12	36,000.00	1,136.54	2,841.35	1,894.23
2.89	1055.73	1.38	968	592	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	54,974.36	7,210.26	5,882.05	36,000.00	1,138.46	2,846.15	1,897.44
2.89	1054.35	1.37	967	593	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,006.41	7,222.44	5,891.99	36,000.00	1,140.38	2,850.96	1,900.64
2.88	1052.98	1.37	966	594	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,038.46	7,234.62	5,901.92	36,000.00	1,142.31	2,855.77	1,903.85
2.88	1051.61	1.37	965	595	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,070.51	7,246.79	5,911.86	36,000.00	1,144.23	2,860.58	1,907.05
2.88	1050.23	1.37	964	596	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,102.56	7,258.97	5,921.79	36,000.00	1,146.15	2,865.38	1,910.26
2.87	1048.86	1.37	963	597	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,134.62	7,271.15	5,931.73	36,000.00	1,148.08	2,870.19	1,913.46
2.87	1047.49	1.37	962	598	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,166.67	7,283.33	5,941.67	36,000.00	1,150.00		

2.83	1033.82	1.36	952	608	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,487.18	7,405.13	6,041.03	36,000.00	1,189.23	2,923.08	1,948.72
2.83	1032.48	1.36	951	609	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,519.23	7,417.31	6,050.96	36,000.00	1,171.15	2,927.88	1,951.82
2.82	1031.10	1.36	950	610	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,551.28	7,429.49	6,060.90	36,000.00	1,173.08	2,932.69	1,955.13
2.82	1029.74	1.36	949	611	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,583.33	7,441.67	6,070.83	36,000.00	1,175.00	2,937.50	1,958.33
2.82	1028.38	1.36	948	612	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,615.38	7,453.85	6,080.77	36,000.00	1,176.92	2,942.31	1,961.54
2.81	1027.02	1.36	947	613	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,647.44	7,466.03	6,090.71	36,000.00	1,178.85	2,947.12	1,964.74
2.81	1025.66	1.36	946	614	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,679.49	7,478.21	6,100.64	36,000.00	1,180.77	2,951.92	1,967.95
2.81	1024.30	1.36	945	615	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,711.54	7,490.38	6,110.58	36,000.00	1,182.69	2,956.73	1,971.15
2.80	1022.94	1.36	944	616	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,743.59	7,502.56	6,120.51	36,000.00	1,184.62	2,961.54	1,974.36
2.80	1021.59	1.36	943	617	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,775.64	7,514.74	6,130.45	36,000.00	1,186.54	2,966.35	1,977.56
2.80	1020.23	1.35	942	618	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,807.69	7,526.92	6,140.38	36,000.00	1,188.46	2,971.15	1,980.77
2.79	1018.88	1.35	941	619	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,839.74	7,539.10	6,150.32	36,000.00	1,190.38	2,975.96	1,983.97
2.79	1017.52	1.35	940	620	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,871.79	7,551.28	6,160.26	36,000.00	1,192.31	2,980.77	1,987.18
2.78	1016.17	1.35	939	621	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,903.85	7,563.46	6,170.19	36,000.00	1,194.23	2,985.58	1,990.38
2.78	1014.82	1.35	938	622	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,935.90	7,575.64	6,180.13	36,000.00	1,196.15	2,990.38	1,993.59
2.78	1013.47	1.35	937	623	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	55,967.95	7,587.82	6,190.06	36,000.00	1,198.08	2,995.19	1,996.79
2.77	1012.12	1.35	936	624	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,000.00	7,600.00	6,200.00	36,000.00	1,200.00	3,000.00	2,000.00
2.77	1010.77	1.35	935	625	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,032.05	7,612.18	6,209.94	36,000.00	1,201.92	3,004.81	2,003.21
2.77	1009.42	1.35	934	626	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,064.10	7,624.36	6,219.87	36,000.00	1,203.85	3,009.62	2,006.41
2.76	1008.07	1.35	933	627	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,096.15	7,636.54	6,229.81	36,000.00	1,205.77	3,014.42	2,009.62
2.76	1006.72	1.35	932	628	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,128.21	7,648.72	6,239.74	36,000.00	1,207.69	3,019.23	2,012.82
2.75	1005.37	1.35	931	629	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,160.26	7,660.90	6,249.68	36,000.00	1,209.62	3,024.04	2,016.03
2.75	1004.03	1.35	930	630	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,192.31	7,673.08	6,259.62	36,000.00	1,211.54	3,028.85	2,019.23
2.75	1002.68	1.34	929	631	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,224.36	7,685.26	6,269.55	36,000.00	1,213.46	3,033.65	2,022.44
2.74	1001.34	1.34	928	632	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,256.41	7,697.44	6,279.49	36,000.00	1,215.38	3,038.46	2,025.64
2.74	999.99	1.34	927	633	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,288.46	7,709.62	6,289.42	36,000.00	1,217.31	3,043.27	2,028.85
2.74	998.65	1.34	926	634	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,320.51	7,721.79	6,299.36	36,000.00	1,219.23	3,048.08	2,032.05
2.73	997.31	1.34	925	635	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,352.56	7,733.97	6,309.29	36,000.00	1,221.15	3,052.88	2,035.26
2.73	995.97	1.34	924	636	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,384.62	7,746.15	6,319.23	36,000.00	1,223.08	3,057.69	2,038.46
2.73	994.63	1.34	923	637	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,416.67	7,758.33	6,329.17	36,000.00	1,225.00	3,062.50	2,041.67
2.72	993.29	1.34	922	638	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,448.72	7,770.51	6,339.10	36,000.00	1,226.92	3,067.31	2,044.87
2.72	991.95	1.34	921	639	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,480.77	7,782.69	6,349.04	36,000.00	1,228.85	3,072.12	2,048.08
2.71	990.61	1.34	920	640	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,512.82	7,794.87	6,358.97	36,000.00	1,230.77	3,076.92	2,051.28
2.71	989.27	1.34	919	641	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,544.87	7,807.05	6,368.91	36,000.00	1,232.69	3,081.73	2,054.49
2.71	987.93	1.34	918	642	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,576.92	7,819.23	6,378.85	36,000.00	1,234.62	3,086.54	2,057.69
2.70	986.60	1.34	917	643	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,608.97	7,831.41	6,388.78	36,000.00	1,236.54	3,091.35	2,060.90
2.70	985.26	1.33	916	644	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,641.03	7,843.59	6,398.72	36,000.00	1,238.46	3,096.15	2,064.10
2.70	983.93	1.33	915	645	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,673.08	7,855.77	6,408.65	36,000.00	1,240.38	3,100.96	2,067.31
2.69	982.59	1.33	914	646	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,705.13	7,867.95	6,418.59	36,000.00	1,242.31	3,105.77	2,070.51
2.69	981.26	1.33	913	647	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,737.18	7,880.13	6,428.53	36,000.00	1,244.23	3,110.58	2,073.72
2.68	979.93	1.33	912	648	Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,769.23	7,892.31	6,438.46	36,000.00	1,246.15	3,115.38	2,076.92
2.68	978.60	1.33	911	649	32 Shafts	7.56E+07	0.1	40.00	75,580.00	Fractured dolomite	56,801.28	7,904.49	6,448.40	36,000.00	1,248.08	3,120.19	2,080.13
2.68	977.26	1.33	910	650	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,833.33	7,916.67	6,458.33	36,000.00	1,250.00	3,125.00	2,083.33
2.67	975.93	1.33	909	651	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,865.38	7,928.85	6,468.27	36,000.00	1,251.92	3,129.81	2,086.54
2.67	974.61	1.33	908	652	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,897.44	7,941.03	6,478.21	36,000.00	1,253.85	3,134.62	2,089.74
2.67	973.28	1.33	907	653	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,929.49	7,953.21	6,488.14	36,000.00	1,255.77	3,139.42	2,092.95
2.66	971.95	1.33	906	654	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,961.54	7,965.38	6,498.08	36,000.00	1,257.69	3,144.23	2,096.15
2.66	970.62	1.33	905	655	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	56,993.59	7,977.56	6,508.01	36,000.00	1,259.62	3,149.04	2,099.36
2.66	969.29	1.33	904	656	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,025.64	7,989.74	6,517.95	36,000.00	1,261.54	3,153.85	2,102.56
2.65	967.97	1.32	903	657	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,057.69	8,001.92	6,527.88	36,000.00	1,263.46	3,158.65	2,105.77
2.65	966.64	1.32	902	658	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,089.74	8,014.10	6,537.82	36,000.00	1,265.38	3,163.46	2,108.97
2.64	965.32	1.32	901	659	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,121.79	8,026.28	6,547.76	36,000.00	1,267.31	3,168.27	2,112.18
2.64	964.00	1.32	900	660	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,153.85	8,038.46	6,557.69	36,000.00	1,269.23	3,173.08	2,115.38
2.64	962.67	1.32	899	661	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,185.90	8,050.64	6,567.63	36,000.00	1,271.15	3,177.88	2,118.59
2.63	961.35	1.32	898	662	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,217.95	8,062.82	6,577.56	36,000.00	1,273.08	3,182.69	2,121.79
2.63	960.03	1.32	897	663	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,250.00	8,075.00	6,587.50	36,000.00	1,275.00	3,187.50	2,125.00
2.63	958.71	1.32	896	664	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,282.05	8,087.18	6,597.44	36,000.00	1,276.92	3,192.31	2,128.21
2.62	957.39	1.32	895	665	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,314.10	8,099.36	6,607.37	36,000.00	1,278.85	3,197.12	2,131.41
2.62	956.07	1.32	894	666	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,346.15	8,111.54	6,617.31	36,000.00	1,280.77	3,201.92	2,134.62
2.62	954.75	1.32	893	667	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00	Wlts fractured	57,378.21						

2.56	941.81	1.31	883	677	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,898.72	8,245.51	8,728.60	36,000.00	1,301.92	3,254.81	2,189.87
2.56	940.30	1.31	882	678	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,730.77	8,257.69	8,736.54	36,000.00	1,303.85	3,258.62	2,173.08
2.57	938.99	1.31	881	679	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,762.82	8,289.87	8,746.47	36,000.00	1,305.77	3,264.42	2,176.28
2.57	937.68	1.31	880	680	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,794.87	8,282.05	8,756.41	36,000.00	1,307.69	3,269.23	2,179.49
2.57	936.37	1.31	879	681	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,826.92	8,294.23	8,766.35	36,000.00	1,309.62	3,274.04	2,182.69
2.56	935.07	1.31	878	682	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,858.97	8,306.41	8,776.28	36,000.00	1,311.54	3,278.85	2,185.90
2.56	933.76	1.31	877	683	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,891.03	8,318.59	8,786.22	36,000.00	1,313.46	3,283.65	2,189.10
2.55	932.45	1.31	876	684	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,923.08	8,330.77	8,796.15	36,000.00	1,315.38	3,288.46	2,192.31
2.55	931.15	1.30	875	685	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,955.13	8,342.95	8,806.09	36,000.00	1,317.31	3,293.27	2,195.51
2.55	929.84	1.30	874	686	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	57,987.18	8,355.13	8,816.03	36,000.00	1,319.23	3,298.08	2,198.72
2.54	928.54	1.30	873	687	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,019.23	8,367.31	8,825.96	36,000.00	1,321.15	3,302.88	2,201.92
2.54	927.24	1.30	872	688	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,051.28	8,379.49	8,835.90	36,000.00	1,323.08	3,307.69	2,205.13
2.54	925.93	1.30	871	689	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,083.33	8,391.67	8,845.83	36,000.00	1,325.00	3,312.50	2,208.33
2.53	924.63	1.30	870	690	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,115.38	8,403.85	8,855.77	36,000.00	1,326.92	3,317.31	2,211.54
2.53	923.33	1.30	869	691	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,147.44	8,416.03	8,865.71	36,000.00	1,328.85	3,322.12	2,214.74
2.53	922.03	1.30	868	692	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,179.49	8,428.21	8,875.64	36,000.00	1,330.77	3,326.92	2,217.95
2.52	920.73	1.30	867	693	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,211.54	8,440.38	8,885.58	36,000.00	1,332.69	3,331.73	2,221.15
2.52	919.43	1.30	866	694	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,243.59	8,452.56	8,895.51	36,000.00	1,334.62	3,336.54	2,224.36
2.52	918.14	1.30	865	695	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,275.64	8,464.74	8,905.45	36,000.00	1,336.54	3,341.35	2,227.56
2.51	916.84	1.30	864	696	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,307.69	8,476.92	8,915.38	36,000.00	1,338.46	3,346.15	2,230.77
2.51	915.54	1.30	863	697	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,339.74	8,489.10	8,925.32	36,000.00	1,340.38	3,350.96	2,233.97
2.50	914.25	1.30	862	698	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,371.79	8,501.28	8,935.26	36,000.00	1,342.31	3,355.77	2,237.18
2.50	912.95	1.29	861	699	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,403.85	8,513.46	8,945.19	36,000.00	1,344.23	3,360.58	2,240.38
2.50	911.66	1.29	860	700	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,435.90	8,525.64	8,955.13	36,000.00	1,346.15	3,365.38	2,243.58
2.49	910.36	1.29	859	701	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,467.95	8,537.82	8,965.06	36,000.00	1,348.08	3,370.19	2,246.79
2.49	909.07	1.29	858	702	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,500.00	8,550.00	8,975.00	36,000.00	1,350.00	3,375.00	2,250.00
2.49	907.78	1.29	857	703	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,532.05	8,562.18	8,984.94	36,000.00	1,351.92	3,379.81	2,253.21
2.48	906.49	1.28	856	704	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,564.10	8,574.36	8,994.87	36,000.00	1,353.85	3,384.62	2,256.41
2.48	905.20	1.28	855	705	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,596.15	8,586.54	9,004.81	36,000.00	1,355.77	3,389.42	2,259.62
2.48	903.90	1.28	854	706	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,628.21	8,598.72	9,014.74	36,000.00	1,357.69	3,394.23	2,262.82
2.47	902.62	1.28	853	707	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,660.26	8,610.90	9,024.68	36,000.00	1,359.62	3,399.04	2,266.03
2.47	901.33	1.28	852	708	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,692.31	8,623.08	9,034.62	36,000.00	1,361.54	3,403.85	2,269.23
2.47	900.04	1.28	851	709	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,724.36	8,635.26	9,044.55	36,000.00	1,363.46	3,408.65	2,272.44
2.46	898.75	1.28	850	710	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,756.41	8,647.44	9,054.49	36,000.00	1,365.38	3,413.46	2,275.64
2.46	897.46	1.29	849	711	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,788.46	8,659.62	9,064.42	36,000.00	1,367.31	3,418.27	2,278.85
2.46	896.16	1.29	848	712	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,820.51	8,671.79	9,074.36	36,000.00	1,369.23	3,423.08	2,282.05
2.45	894.89	1.28	847	713	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,852.56	8,683.97	9,084.29	36,000.00	1,371.15	3,427.88	2,285.26
2.45	893.61	1.28	846	714	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,884.62	8,696.15	9,094.23	36,000.00	1,373.08	3,432.69	2,288.46
2.44	892.32	1.28	845	715	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,916.67	8,708.33	9,104.17	36,000.00	1,375.00	3,437.50	2,291.67
2.44	891.04	1.28	844	716	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,948.72	8,720.51	9,114.10	36,000.00	1,376.92	3,442.31	2,294.87
2.44	889.76	1.28	843	717	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	58,980.77	8,732.69	9,124.04	36,000.00	1,378.85	3,447.12	2,298.08
2.43	888.48	1.28	842	718	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,012.82	8,744.87	9,133.97	36,000.00	1,380.77	3,451.92	2,301.28
2.43	887.20	1.28	841	719	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,044.87	8,757.05	9,143.91	36,000.00	1,382.69	3,456.73	2,304.49
2.43	885.92	1.28	840	720	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,076.92	8,769.23	9,153.85	36,000.00	1,384.62	3,461.54	2,307.69
2.42	884.64	1.28	839	721	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,108.97	8,781.41	9,163.78	36,000.00	1,386.54	3,466.35	2,310.90
2.42	883.36	1.28	838	722	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,141.03	8,793.59	9,173.72	36,000.00	1,388.46	3,471.15	2,314.10
2.42	882.08	1.28	837	723	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,173.08	8,805.77	9,183.65	36,000.00	1,390.38	3,475.96	2,317.31
2.41	880.80	1.28	836	724	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,205.13	8,817.95	9,193.59	36,000.00	1,392.31	3,480.77	2,320.51
2.41	879.52	1.28	835	725	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,237.18	8,830.13	9,203.53	36,000.00	1,394.23	3,485.58	2,323.72
2.41	878.25	1.28	834	726	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,269.23	8,842.31	9,213.46	36,000.00	1,396.15	3,490.38	2,326.92
2.40	876.97	1.27	833	727	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,301.28	8,854.49	9,223.40	36,000.00	1,398.08	3,495.19	2,330.13
2.40	875.70	1.27	832	728	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,333.33	8,866.67	9,233.33	36,000.00	1,400.00	3,500.00	2,333.33
2.40	874.42	1.27	831	729	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,365.38	8,878.85	9,243.27	36,000.00	1,401.92	3,504.81	2,336.54
2.39	873.15	1.27	830	730	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,397.44	8,891.03	9,253.21	36,000.00	1,403.85	3,509.62	2,339.74
2.39	871.88	1.27	829	731	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,429.49	8,903.21	9,263.14	36,000.00	1,405.77	3,514.42	2,342.95
2.39	870.61	1.27	828	732	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,461.54	8,915.38	9,273.08	36,000.00	1,407.69	3,519.23	2,346.15
2.38	869.33	1.27	827	733	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,493.59	8,927.56	9,283.01	36,000.00	1,409.62	3,524.04	2,349.36
2.38	868.06	1.27	826	734	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,525.64	8,939.74	9,292.95	36,000.00	1,411.54	3,528.85	2,352.56
2.37	866.78	1.27	825	735	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,557.69	8,951.92	9,302.88	36,000.00	1,413.46	3,533.65	2,355.77
2.37	865.52	1.27	824	736	Shafts, stopes	7.56E+07	0.1	42,827.00	32,773.00 Wits fractured	59,589.74	8,964.10	9,312.82	36,000.00	1,415.38	3,538.46	2,358.97
2.37	864.26	1.27	823	737	Shafts, stopes											

2.34	852.87	1.28	814	746	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	59,910.26	9,085.90	7,412.18	36,000.00	1,434.62	3,586.54	2,391.03
2.33	851.61	1.26	813	747	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	59,942.31	9,098.08	7,422.12	36,000.00	1,436.54	3,591.35	2,394.23
2.33	850.34	1.26	812	748	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	59,974.36	9,110.26	7,432.05	36,000.00	1,438.46	3,596.15	2,397.44
2.33	849.08	1.26	811	749	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,006.41	9,122.44	7,441.99	36,000.00	1,440.38	3,600.96	2,400.64
2.32	847.82	1.26	810	750	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,038.46	9,134.62	7,451.92	36,000.00	1,442.31	3,605.77	2,403.85
2.32	846.57	1.26	809	751	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,070.51	9,146.79	7,461.86	36,000.00	1,444.23	3,610.58	2,407.05
2.32	845.31	1.26	808	752	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,102.56	9,158.87	7,471.79	36,000.00	1,446.15	3,615.38	2,410.26
2.31	844.05	1.26	807	753	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,134.62	9,171.15	7,481.73	36,000.00	1,448.08	3,620.19	2,413.46
2.31	842.79	1.26	806	754	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,166.67	9,183.33	7,491.67	36,000.00	1,450.00	3,625.00	2,416.67
2.31	841.53	1.26	805	755	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,198.72	9,195.51	7,501.60	36,000.00	1,451.92	3,629.81	2,419.87
2.30	840.28	1.26	804	756	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,230.77	9,207.69	7,511.54	36,000.00	1,453.85	3,634.62	2,423.08
2.30	839.02	1.25	803	757	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,262.82	9,219.87	7,521.47	36,000.00	1,455.77	3,639.42	2,426.28
2.30	837.77	1.25	802	758	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,294.87	9,232.05	7,531.41	36,000.00	1,457.69	3,644.23	2,429.48
2.29	836.52	1.25	801	759	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,326.92	9,244.23	7,541.35	36,000.00	1,459.62	3,649.04	2,432.69
2.29	835.26	1.25	800	760	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,358.97	9,256.41	7,551.28	36,000.00	1,461.54	3,653.85	2,435.90
2.28	834.01	1.25	799	761	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,391.03	9,268.59	7,561.22	36,000.00	1,463.46	3,658.65	2,439.10
2.28	832.76	1.25	798	762	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,423.08	9,280.77	7,571.15	36,000.00	1,465.38	3,663.46	2,442.31
2.28	831.51	1.25	797	763	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,455.13	9,292.95	7,581.09	36,000.00	1,467.31	3,668.27	2,445.51
2.27	830.26	1.25	796	764	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,487.18	9,305.13	7,591.03	36,000.00	1,469.23	3,673.08	2,448.72
2.27	829.01	1.25	795	765	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,519.23	9,317.31	7,600.96	36,000.00	1,471.15	3,677.88	2,451.92
2.27	827.76	1.25	794	766	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,551.28	9,329.49	7,610.90	36,000.00	1,473.08	3,682.69	2,455.13
2.28	826.51	1.25	793	767	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,583.33	9,341.67	7,620.83	36,000.00	1,475.00	3,687.50	2,458.33
2.28	825.26	1.25	792	768	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,615.38	9,353.85	7,630.77	36,000.00	1,476.92	3,692.31	2,461.54
2.28	824.01	1.25	791	769	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,647.44	9,366.03	7,640.71	36,000.00	1,478.85	3,697.12	2,464.74
2.25	822.77	1.25	790	770	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,679.49	9,378.21	7,650.64	36,000.00	1,480.77	3,701.92	2,467.95
2.25	821.52	1.25	789	771	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,711.54	9,390.38	7,660.58	36,000.00	1,482.69	3,706.73	2,471.15
2.25	820.28	1.24	788	772	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,743.59	9,402.56	7,670.51	36,000.00	1,484.62	3,711.54	2,474.36
2.24	819.03	1.24	787	773	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,775.64	9,414.74	7,680.45	36,000.00	1,486.54	3,716.35	2,477.56
2.24	817.79	1.24	786	774	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,807.69	9,426.92	7,690.38	36,000.00	1,488.46	3,721.15	2,480.77
2.24	816.54	1.24	785	775	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,839.74	9,439.10	7,700.32	36,000.00	1,490.38	3,725.96	2,483.97
2.23	815.30	1.24	784	776	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,871.79	9,451.28	7,710.26	36,000.00	1,492.31	3,730.77	2,487.18
2.23	814.08	1.24	783	777	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,903.85	9,463.46	7,720.19	36,000.00	1,494.23	3,735.58	2,490.38
2.23	812.82	1.24	782	778	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,935.90	9,475.64	7,730.13	36,000.00	1,496.15	3,740.38	2,493.58
2.22	811.58	1.24	781	779	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	60,967.95	9,487.82	7,740.06	36,000.00	1,498.08	3,745.19	2,496.79
2.22	810.34	1.24	780	780	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,000.00	9,500.00	7,750.00	36,000.00	1,500.00	3,750.00	2,500.00
2.22	809.10	1.24	779	781	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,032.05	9,512.18	7,759.94	36,000.00	1,501.92	3,754.81	2,503.21
2.21	807.86	1.24	778	782	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,064.10	9,524.36	7,769.87	36,000.00	1,503.85	3,759.62	2,506.41
2.21	806.62	1.24	777	783	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,096.15	9,536.54	7,779.81	36,000.00	1,505.77	3,764.42	2,509.62
2.21	805.38	1.24	776	784	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,128.21	9,548.72	7,789.74	36,000.00	1,507.69	3,769.23	2,512.82
2.20	804.15	1.24	775	785	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,160.26	9,560.90	7,799.68	36,000.00	1,509.62	3,774.04	2,516.03
2.20	802.91	1.24	774	786	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,192.31	9,573.08	7,809.62	36,000.00	1,511.54	3,778.85	2,519.23
2.20	801.66	1.23	773	787	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,224.36	9,585.26	7,819.55	36,000.00	1,513.46	3,783.65	2,522.44
2.19	800.44	1.23	772	788	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,256.41	9,597.44	7,829.49	36,000.00	1,515.38	3,788.46	2,525.64
2.19	799.21	1.23	771	789	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,288.46	9,609.62	7,839.42	36,000.00	1,517.31	3,793.27	2,528.85
2.19	797.97	1.23	770	790	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,320.51	9,621.79	7,849.36	36,000.00	1,519.23	3,798.08	2,532.05
2.18	796.74	1.23	769	791	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,352.56	9,633.97	7,859.29	36,000.00	1,521.15	3,802.88	2,535.26
2.18	795.51	1.23	768	792	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,384.62	9,646.15	7,869.23	36,000.00	1,523.08	3,807.69	2,538.46
2.18	794.28	1.23	767	793	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,416.67	9,658.33	7,879.17	36,000.00	1,525.00	3,812.50	2,541.67
2.17	793.05	1.23	766	794	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,448.72	9,670.51	7,889.10	36,000.00	1,526.92	3,817.31	2,544.87
2.17	791.82	1.23	765	795	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,480.77	9,682.69	7,899.04	36,000.00	1,528.85	3,822.12	2,548.08
2.17	790.59	1.23	764	796	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,512.82	9,694.87	7,908.97	36,000.00	1,530.77	3,826.92	2,551.28
2.16	789.36	1.23	763	797	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,544.87	9,707.05	7,918.91	36,000.00	1,532.69	3,831.73	2,554.48
2.16	788.13	1.23	762	798	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,576.92	9,719.23	7,928.85	36,000.00	1,534.62	3,836.54	2,557.69
2.16	786.90	1.23	761	799	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,608.97	9,731.41	7,938.78	36,000.00	1,536.54	3,841.35	2,560.90
2.15	785.67	1.23	760	800	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,641.03	9,743.59	7,948.72	36,000.00	1,538.46	3,846.15	2,564.10
2.15	784.45	1.23	759	801	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,673.08	9,755.77	7,958.65	36,000.00	1,540.38	3,850.96	2,567.31
2.15	783.22	1.23	758	802	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,705.13	9,767.95	7,968.59	36,000.00	1,542.31	3,855.77	2,570.51
2.14	782.00	1.22	757	803	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,737.18	9,780.13	7,978.53	36,000.00	1,544.23	3,860.58	2,573.72
2.14	780.77	1.22	756	804	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,769.23	9,792.31	7,988.46	36,000.00	1,546.15	3,865.38	2,576.92
2.14	779.55	1.22	755	805	Shafts, stipes	7.58E+07	0.1	42,827.00	32,773.00 Wits fractured	61,801.28	9,804.49	7,998.40	36,000.00	1,548.08	3,870.19	2,580.13
2.13	778.32	1.22	754	806	Shafts, stipes											

2.10	767.34	1.22	745	815	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,121.79	9,926.28	8,097.76	36,000.00	1,567.31	3,919.27	2,612.16
2.10	766.13	1.22	744	816	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,153.85	9,938.46	8,107.69	36,000.00	1,569.23	3,923.08	2,615.36
2.10	764.91	1.22	743	817	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,185.90	9,950.64	8,117.63	36,000.00	1,571.15	3,927.88	2,616.59
2.09	763.69	1.21	742	818	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,217.65	9,962.82	8,127.56	36,000.00	1,573.08	3,932.69	2,621.79
2.09	762.48	1.21	741	819	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,250.00	9,975.00	8,137.50	36,000.00	1,575.00	3,937.50	2,625.00
2.08	761.27	1.21	740	820	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,282.05	9,987.18	8,147.44	36,000.00	1,576.92	3,942.31	2,628.21
2.08	760.05	1.21	739	821	Shifts, slopes	7.56E+07	0.1	42,827.00	32,773.00	Wits fractured	62,314.10	9,999.36	8,157.37	36,000.00	1,578.85	3,947.12	2,631.41
2.08	758.84	1.21	738	822	Shifts, slopes	7.56E+07	0.1	42,868.73	42,630.27	Wits fractured	62,346.15	10,011.54	8,167.31	36,000.00	1,580.77	3,951.92	2,634.62
2.07	756.61	1.21	737	823	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,378.21	10,023.72	8,177.24	36,000.00	1,582.69	3,956.73	2,637.82
2.07	755.40	1.21	736	824	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,410.26	10,035.90	8,187.18	36,000.00	1,584.62	3,961.54	2,641.03
2.07	753.99	1.21	735	825	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,442.31	10,048.08	8,197.12	36,000.00	1,586.54	3,966.35	2,644.23
2.06	752.78	1.21	734	826	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,474.36	10,060.26	8,207.05	36,000.00	1,588.46	3,971.15	2,647.44
2.06	751.57	1.21	733	827	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,506.41	10,072.44	8,216.99	36,000.00	1,590.38	3,975.96	2,650.64
2.06	750.36	1.21	732	828	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,538.46	10,084.62	8,226.92	36,000.00	1,592.31	3,980.77	2,653.85
2.05	749.15	1.21	731	829	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,570.51	10,096.79	8,236.86	36,000.00	1,594.23	3,985.58	2,657.05
2.05	747.95	1.21	729	831	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,602.56	10,108.97	8,246.79	36,000.00	1,596.15	3,990.38	2,660.26
2.05	746.74	1.21	728	832	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,634.62	10,121.15	8,256.73	36,000.00	1,598.08	3,995.19	2,663.46
2.04	744.53	1.21	727	833	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,666.67	10,133.33	8,266.67	36,000.00	1,600.00	4,000.00	2,666.67
2.04	743.32	1.20	726	834	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,698.72	10,145.51	8,276.60	36,000.00	1,601.92	4,004.81	2,669.87
2.04	743.12	1.20	725	835	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,730.77	10,157.69	8,286.54	36,000.00	1,603.85	4,009.62	2,673.06
2.03	741.92	1.20	724	836	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,762.82	10,169.87	8,296.47	36,000.00	1,605.77	4,014.42	2,676.26
2.03	740.71	1.20	723	837	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,794.87	10,182.05	8,306.41	36,000.00	1,607.69	4,019.23	2,679.46
2.03	738.51	1.20	722	838	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,826.92	10,194.23	8,316.35	36,000.00	1,609.62	4,024.04	2,682.69
2.03	736.31	1.20	721	839	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,858.97	10,206.41	8,326.28	36,000.00	1,611.54	4,028.85	2,685.90
2.02	734.11	1.20	720	840	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,891.03	10,218.59	8,336.22	36,000.00	1,613.46	4,033.65	2,689.10
2.02	732.90	1.20	719	841	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,923.08	10,230.77	8,346.15	36,000.00	1,615.38	4,038.46	2,692.31
2.01	731.70	1.20	718	842	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,955.13	10,242.95	8,356.09	36,000.00	1,617.31	4,043.27	2,695.51
2.01	730.50	1.20	717	843	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	62,987.18	10,255.13	8,365.93	36,000.00	1,619.23	4,048.08	2,698.72
2.01	732.30	1.20	716	844	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,019.23	10,267.31	8,375.86	36,000.00	1,621.15	4,052.88	2,701.92
2.00	729.91	1.20	715	845	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,051.28	10,279.49	8,385.80	36,000.00	1,623.08	4,057.69	2,705.13
2.00	728.71	1.20	714	846	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,083.33	10,291.67	8,395.73	36,000.00	1,625.00	4,062.50	2,708.33
1.99	727.51	1.20	713	847	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,115.38	10,303.85	8,405.67	36,000.00	1,626.92	4,067.31	2,711.54
1.98	726.32	1.20	712	848	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,147.44	10,316.03	8,415.61	36,000.00	1,628.85	4,072.12	2,714.74
1.98	725.12	1.20	711	849	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,179.49	10,328.21	8,425.54	36,000.00	1,630.77	4,076.92	2,717.95
1.98	723.92	1.19	709	851	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,211.54	10,340.38	8,435.48	36,000.00	1,632.69	4,081.73	2,721.15
1.98	722.73	1.19	708	852	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,243.59	10,352.56	8,445.41	36,000.00	1,634.62	4,086.54	2,724.36
1.97	721.53	1.19	707	853	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,275.64	10,364.74	8,455.35	36,000.00	1,636.54	4,091.35	2,727.56
1.97	719.15	1.19	706	854	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,307.69	10,376.92	8,465.28	36,000.00	1,638.46	4,096.15	2,730.77
1.97	717.96	1.19	705	855	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,339.74	10,389.10	8,475.22	36,000.00	1,640.38	4,100.96	2,733.97
1.97	716.78	1.19	704	856	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,371.79	10,401.28	8,485.16	36,000.00	1,642.31	4,105.77	2,737.18
1.96	715.57	1.19	703	857	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,403.85	10,413.46	8,495.10	36,000.00	1,644.23	4,110.58	2,740.38
1.96	714.38	1.19	702	858	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,435.90	10,425.64	8,505.13	36,000.00	1,646.15	4,115.38	2,743.59
1.95	713.19	1.19	701	859	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,467.95	10,437.82	8,515.08	36,000.00	1,648.08	4,120.19	2,746.79
1.95	712.00	1.19	699	861	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,500.00	10,450.00	8,525.00	36,000.00	1,650.00	4,125.00	2,750.00
1.95	710.81	1.19	698	862	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,532.05	10,462.18	8,534.94	36,000.00	1,651.92	4,129.81	2,753.21
1.94	709.63	1.19	697	863	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,564.10	10,474.36	8,544.87	36,000.00	1,653.85	4,134.62	2,756.41
1.94	708.44	1.19	696	864	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,596.15	10,486.54	8,554.81	36,000.00	1,655.77	4,139.42	2,759.62
1.94	707.25	1.19	695	865	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,628.21	10,498.72	8,564.74	36,000.00	1,657.69	4,144.23	2,762.82
1.94	706.07	1.19	694	866	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,660.26	10,510.90	8,574.68	36,000.00	1,659.62	4,149.04	2,766.03
1.93	704.88	1.19	693	867	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,692.31	10,523.08	8,584.62	36,000.00	1,661.54	4,153.85	2,769.23
1.93	703.69	1.19	692	868	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,724.36	10,535.26	8,594.55	36,000.00	1,663.46	4,158.65	2,772.44
1.93	702.51	1.18	691	869	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,756.41	10,547.44	8,604.48	36,000.00	1,665.38	4,163.46	2,775.64
1.92	701.33	1.18	690	870	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,788.46	10,559.62	8,614.42	36,000.00	1,667.31	4,168.27	2,778.85
1.92	700.14	1.18	689	871	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,820.51	10,571.79	8,624.36	36,000.00	1,669.23	4,173.08	2,782.05
1.92	698.98	1.18	688	872	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,852.56	10,583.97	8,634.29	36,000.00	1,671.15	4,177.88	2,785.26
1.91	697.79	1.18	687	873	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,884.62	10,596.15	8,644.23	36,000.00	1,673.08	4,182.69	2,788.46
1.91	696.60	1.18	686	874	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,916.67	10,608.33	8,654.17	36,000.00	1,675.00	4,187.50	2,791.67
1.91	695.41	1.18	685	875	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,948.72	10,620.51	8,664.10	36,000.00	1,676.92	4,192.31	2,794.87
1.90	694.23	1.18	684	876	Shifts, slopes	7.56E+07	0.1	42,968.73	42,630.27	Wits fractured	63,980.77	10,632.69	8,674.04	36,000.00	1,678.85		

1.88	884.81	1.18	676	884	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,333.33	10,766.67	8,783.33	36,000.00	1,700.00	4,250.00	2,833.33
1.87	883.84	1.17	675	885	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,365.38	10,778.85	8,793.27	36,000.00	1,701.92	4,254.81	2,836.54
1.87	882.46	1.17	674	886	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,397.44	10,791.03	8,803.21	36,000.00	1,703.85	4,259.62	2,839.74
1.87	881.29	1.17	673	887	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,429.49	10,803.21	8,813.14	36,000.00	1,705.77	4,264.42	2,842.95
1.86	880.12	1.17	672	888	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,461.54	10,815.38	8,823.08	36,000.00	1,707.69	4,269.23	2,846.15
1.86	878.94	1.17	671	889	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,493.59	10,827.56	8,833.01	36,000.00	1,709.62	4,274.04	2,849.36
1.86	877.77	1.17	670	890	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,525.64	10,839.74	8,842.95	36,000.00	1,711.54	4,278.85	2,852.56
1.85	876.60	1.17	669	891	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,557.69	10,851.92	8,852.88	36,000.00	1,713.46	4,283.65	2,855.77
1.85	875.43	1.17	668	892	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,589.74	10,864.10	8,862.82	36,000.00	1,715.38	4,288.46	2,858.97
1.85	874.26	1.17	667	893	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,621.79	10,876.28	8,872.76	36,000.00	1,717.31	4,293.27	2,862.18
1.84	873.09	1.17	666	894	Shafts, stopes	7.56E+07	0.1	32,969.73	42,830.27	Wits fractured	84,653.85	10,888.46	8,882.69	36,000.00	1,719.23	4,298.08	2,865.38
1.84	871.92	1.17	665	895	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,685.90	10,900.64	8,892.63	36,000.00	1,721.15	4,302.88	2,868.59
1.84	870.75	1.17	664	896	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,717.95	10,912.82	8,902.56	36,000.00	1,723.08	4,307.69	2,871.79
1.83	869.58	1.17	663	897	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,750.00	10,925.00	8,912.50	36,000.00	1,725.00	4,312.50	2,875.00
1.83	868.41	1.17	662	898	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,782.05	10,937.18	8,922.44	36,000.00	1,726.92	4,317.31	2,878.21
1.83	867.25	1.17	661	899	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,814.10	10,949.36	8,932.37	36,000.00	1,728.85	4,322.12	2,881.41
1.82	866.08	1.17	660	900	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,846.15	10,961.54	8,942.31	36,000.00	1,730.77	4,326.92	2,884.62
1.82	864.91	1.17	659	901	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,878.21	10,973.72	8,952.24	36,000.00	1,732.69	4,331.73	2,887.82
1.82	863.75	1.16	658	902	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,910.26	10,985.90	8,962.18	36,000.00	1,734.62	4,336.54	2,891.03
1.82	862.58	1.16	657	903	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,942.31	10,998.08	8,972.12	36,000.00	1,736.54	4,341.35	2,894.23
1.81	861.42	1.16	656	904	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	84,974.36	11,010.26	8,982.05	36,000.00	1,738.46	4,346.15	2,897.44
1.81	860.26	1.16	655	905	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,006.41	11,022.44	8,991.99	36,000.00	1,740.38	4,350.96	2,900.64
1.81	859.09	1.16	654	906	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,038.46	11,034.62	9,001.92	36,000.00	1,742.31	4,355.77	2,903.85
1.80	857.93	1.16	653	907	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,070.51	11,046.79	9,011.86	36,000.00	1,744.23	4,360.58	2,907.05
1.80	856.77	1.16	652	908	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,102.56	11,058.97	9,021.79	36,000.00	1,746.15	4,365.38	2,910.26
1.80	855.61	1.16	651	909	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,134.62	11,071.15	9,031.73	36,000.00	1,748.08	4,370.19	2,913.46
1.79	854.45	1.16	650	910	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,166.67	11,083.33	9,041.67	36,000.00	1,750.00	4,375.00	2,916.67
1.79	853.29	1.16	649	911	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,198.72	11,095.51	9,051.60	36,000.00	1,751.92	4,379.81	2,919.87
1.79	852.13	1.16	648	912	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,230.77	11,107.69	9,061.54	36,000.00	1,753.85	4,384.62	2,923.08
1.78	850.97	1.16	647	913	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,262.82	11,119.87	9,071.47	36,000.00	1,755.77	4,389.42	2,926.28
1.78	849.81	1.16	646	914	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,294.87	11,132.05	9,081.41	36,000.00	1,757.69	4,394.23	2,929.49
1.78	848.65	1.16	645	915	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,326.92	11,144.23	9,091.35	36,000.00	1,759.62	4,399.04	2,932.69
1.77	847.50	1.16	644	916	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,358.97	11,156.41	9,101.28	36,000.00	1,761.54	4,403.85	2,935.90
1.77	846.34	1.16	643	917	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,391.03	11,168.59	9,111.22	36,000.00	1,763.46	4,408.65	2,939.10
1.77	845.18	1.16	642	918	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,423.08	11,180.77	9,121.15	36,000.00	1,765.38	4,413.46	2,942.31
1.78	844.03	1.15	641	919	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,455.13	11,192.95	9,131.09	36,000.00	1,767.31	4,418.27	2,945.51
1.76	842.87	1.15	640	920	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,487.18	11,205.13	9,141.03	36,000.00	1,769.23	4,423.08	2,948.72
1.76	841.72	1.15	639	921	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,519.23	11,217.31	9,150.96	36,000.00	1,771.15	4,427.88	2,951.92
1.75	840.56	1.15	638	922	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,551.28	11,229.49	9,160.90	36,000.00	1,773.08	4,432.69	2,955.13
1.75	839.41	1.15	637	923	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,583.33	11,241.67	9,170.83	36,000.00	1,775.00	4,437.50	2,958.33
1.75	838.26	1.15	636	924	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,615.38	11,253.85	9,180.77	36,000.00	1,776.92	4,442.31	2,961.54
1.75	837.11	1.15	635	925	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,647.44	11,266.03	9,190.71	36,000.00	1,778.85	4,447.12	2,964.74
1.74	835.95	1.15	634	926	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,679.49	11,278.21	9,200.64	36,000.00	1,780.77	4,451.92	2,967.95
1.74	834.80	1.15	633	927	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,711.54	11,290.38	9,210.58	36,000.00	1,782.69	4,456.73	2,971.15
1.74	833.65	1.15	632	928	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,743.59	11,302.56	9,220.51	36,000.00	1,784.62	4,461.54	2,974.36
1.73	832.50	1.15	631	929	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,775.64	11,314.74	9,230.45	36,000.00	1,786.54	4,466.35	2,977.56
1.73	831.35	1.15	630	930	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,807.69	11,326.92	9,240.38	36,000.00	1,788.46	4,471.15	2,980.77
1.73	830.20	1.15	629	931	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,839.74	11,339.10	9,250.32	36,000.00	1,790.38	4,475.96	2,983.97
1.72	829.06	1.15	628	932	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,871.79	11,351.28	9,260.26	36,000.00	1,792.31	4,480.77	2,987.18
1.72	827.91	1.15	627	933	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,903.85	11,363.46	9,270.19	36,000.00	1,794.23	4,485.58	2,990.38
1.72	826.76	1.15	626	934	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,935.90	11,375.64	9,280.13	36,000.00	1,796.15	4,490.38	2,993.59
1.71	825.61	1.15	625	935	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	85,967.95	11,387.82	9,290.06	36,000.00	1,798.08	4,495.19	2,996.79
1.71	824.47	1.15	624	936	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,000.00	11,400.00	9,300.00	36,000.00	1,800.00	4,500.00	3,000.00
1.71	823.32	1.14	623	937	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,032.05	11,412.18	9,309.94	36,000.00	1,801.92	4,504.81	3,003.21
1.70	822.18	1.14	622	938	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,064.10	11,424.36	9,319.87	36,000.00	1,803.85	4,509.62	3,006.41
1.70	821.03	1.14	621	939	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,096.15	11,436.54	9,329.81	36,000.00	1,805.77	4,514.42	3,009.62
1.70	819.89	1.14	620	940	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,128.21	11,448.72	9,339.74	36,000.00	1,807.69	4,519.23	3,012.82
1.70	818.75	1.14	619	941	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	86,160.26	11,460.90	9,349.68	36,000.00	1,809.62	4,524.04	3,016.03
1.69	817.60	1.14	618	942	Shafts, stopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured							

1.86	605.07	1.14	607	953	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,544.87	11,607.05	9,468.91	36,000.00	1,832.69	4,581.73	3,054.49
1.85	603.94	1.14	606	954	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,576.92	11,619.23	9,478.85	36,000.00	1,834.62	4,586.54	3,057.69
1.85	602.80	1.13	605	955	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,608.97	11,631.41	9,488.78	36,000.00	1,836.54	4,591.35	3,060.90
1.85	601.66	1.13	604	956	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,641.03	11,643.59	9,498.72	36,000.00	1,838.46	4,596.15	3,064.10
1.85	600.53	1.13	603	957	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,673.08	11,655.77	9,508.65	36,000.00	1,840.38	4,600.96	3,067.31
1.84	599.40	1.13	602	958	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,705.13	11,667.95	9,518.59	36,000.00	1,842.31	4,605.77	3,070.51
1.84	598.26	1.13	601	959	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,737.18	11,680.13	9,528.53	36,000.00	1,844.23	4,610.58	3,073.72
1.84	597.13	1.13	600	960	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,769.23	11,692.31	9,538.46	36,000.00	1,846.15	4,615.38	3,076.92
1.83	596.00	1.13	599	961	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,801.28	11,704.49	9,548.40	36,000.00	1,848.08	4,620.19	3,080.13
1.83	594.87	1.13	598	962	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,833.33	11,716.67	9,558.33	36,000.00	1,850.00	4,625.00	3,083.33
1.83	593.74	1.13	597	963	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,865.38	11,728.85	9,568.27	36,000.00	1,851.92	4,629.81	3,086.54
1.82	592.60	1.13	596	964	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,897.44	11,741.03	9,578.21	36,000.00	1,853.85	4,634.62	3,089.74
1.82	591.47	1.13	595	965	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,929.49	11,753.21	9,588.14	36,000.00	1,855.77	4,639.42	3,092.95
1.82	590.34	1.13	594	966	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,961.54	11,765.38	9,598.08	36,000.00	1,857.69	4,644.23	3,096.15
1.81	589.22	1.13	593	967	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	66,993.59	11,777.56	9,608.01	36,000.00	1,859.62	4,649.04	3,099.36
1.81	588.09	1.13	592	968	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,025.64	11,789.74	9,617.95	36,000.00	1,861.54	4,653.85	3,102.56
1.81	586.96	1.13	591	969	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,057.69	11,801.92	9,627.88	36,000.00	1,863.46	4,658.65	3,105.77
1.81	585.83	1.13	590	970	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,089.74	11,814.10	9,637.82	36,000.00	1,865.38	4,663.46	3,108.97
1.80	584.71	1.13	589	971	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,121.79	11,826.28	9,647.76	36,000.00	1,867.31	4,668.27	3,112.18
1.80	583.58	1.13	588	972	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,153.85	11,838.46	9,657.69	36,000.00	1,869.23	4,673.08	3,115.38
1.80	582.45	1.13	587	973	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,185.90	11,850.64	9,667.63	36,000.00	1,871.15	4,677.88	3,118.58
1.59	581.33	1.12	586	974	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,217.95	11,862.82	9,677.56	36,000.00	1,873.08	4,682.69	3,121.79
1.59	580.20	1.12	585	975	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,250.00	11,875.00	9,687.50	36,000.00	1,875.00	4,687.50	3,125.00
1.59	579.08	1.12	584	976	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,282.05	11,887.18	9,697.44	36,000.00	1,876.92	4,692.31	3,128.21
1.58	577.96	1.12	583	977	Shafts, slopes	7.56E+07	0.1	34,708.46	40,891.54	Wits fractured	67,314.10	11,899.36	9,707.37	36,000.00	1,878.85	4,697.12	3,131.41
1.58	576.83	1.12	582	978	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,346.15	11,911.54	9,717.31	36,000.00	1,880.77	4,701.92	3,134.62
1.58	575.71	1.12	581	979	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,378.21	11,923.72	9,727.24	36,000.00	1,882.69	4,706.73	3,137.82
1.57	574.58	1.12	580	980	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,410.26	11,935.90	9,737.18	36,000.00	1,884.62	4,711.54	3,141.03
1.57	573.47	1.12	579	981	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,442.31	11,948.08	9,747.12	36,000.00	1,886.54	4,716.35	3,144.23
1.57	572.35	1.12	578	982	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,474.36	11,960.26	9,757.05	36,000.00	1,888.46	4,721.15	3,147.44
1.56	571.22	1.12	577	983	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,506.41	11,972.44	9,766.99	36,000.00	1,890.38	4,725.96	3,150.64
1.56	570.10	1.12	576	984	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,538.46	11,984.62	9,776.92	36,000.00	1,892.31	4,730.77	3,153.85
1.56	568.96	1.12	575	985	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,570.51	11,996.79	9,786.86	36,000.00	1,894.23	4,735.58	3,157.05
1.56	567.87	1.12	574	986	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,602.56	12,008.97	9,796.79	36,000.00	1,896.15	4,740.38	3,160.26
1.55	566.75	1.12	573	987	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,634.62	12,021.15	9,806.73	36,000.00	1,898.08	4,745.19	3,163.46
1.55	565.63	1.12	572	988	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,666.67	12,033.33	9,816.67	36,000.00	1,900.00	4,750.00	3,166.67
1.55	564.51	1.12	571	989	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,698.72	12,045.51	9,826.60	36,000.00	1,901.92	4,754.81	3,169.87
1.54	563.40	1.12	570	990	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,730.77	12,057.69	9,836.54	36,000.00	1,903.85	4,759.62	3,173.08
1.54	562.28	1.12	569	991	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,762.82	12,069.87	9,846.47	36,000.00	1,905.77	4,764.42	3,176.28
1.54	561.16	1.12	568	992	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,794.87	12,082.05	9,856.41	36,000.00	1,907.69	4,769.23	3,179.49
1.53	560.05	1.11	567	993	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,826.92	12,094.23	9,866.35	36,000.00	1,909.62	4,774.04	3,182.69
1.53	558.94	1.11	566	994	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,858.97	12,106.41	9,876.28	36,000.00	1,911.54	4,778.85	3,185.90
1.53	557.82	1.11	565	995	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,891.03	12,118.59	9,886.22	36,000.00	1,913.46	4,783.65	3,189.10
1.53	556.71	1.11	564	996	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,923.08	12,130.77	9,896.15	36,000.00	1,915.38	4,788.46	3,192.31
1.52	555.59	1.11	563	997	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,955.13	12,142.95	9,906.09	36,000.00	1,917.31	4,793.27	3,195.51
1.52	554.48	1.11	562	998	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	67,987.18	12,155.13	9,916.03	36,000.00	1,919.23	4,798.08	3,198.72
1.52	553.37	1.11	561	999	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,019.23	12,167.31	9,925.96	36,000.00	1,921.15	4,802.88	3,201.92
1.51	552.26	1.11	560	1000	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,051.28	12,179.49	9,935.90	36,000.00	1,923.08	4,807.69	3,205.13
1.51	551.15	1.11	559	1001	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,083.33	12,191.67	9,945.83	36,000.00	1,925.00	4,812.50	3,208.33
1.51	550.04	1.11	558	1002	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,115.38	12,203.85	9,955.77	36,000.00	1,926.92	4,817.31	3,211.54
1.50	548.93	1.11	557	1003	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,147.44	12,216.03	9,965.71	36,000.00	1,928.85	4,822.12	3,214.74
1.50	547.82	1.11	556	1004	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,179.49	12,228.21	9,975.64	36,000.00	1,930.77	4,826.92	3,217.95
1.50	546.71	1.11	555	1005	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,211.54	12,240.38	9,985.58	36,000.00	1,932.69	4,831.73	3,221.15
1.49	545.60	1.11	554	1006	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,243.59	12,252.56	9,995.51	36,000.00	1,934.62	4,836.54	3,224.36
1.49	544.49	1.11	553	1007	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,275.64	12,264.74	10,005.45	36,000.00	1,936.54	4,841.35	3,227.56
1.49	543.39	1.11	552	1008	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,307.69	12,276.92	10,015.38	36,000.00	1,938.46	4,846.15	3,230.77
1.49	542.28	1.11	551	1009	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,339.74	12,289.10	10,025.32	36,000.00	1,940.38	4,850.96	3,233.97
1.48	541.17	1.11	550	1010	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,371.79	12,301.28	10,035.26	36,000.00	1,942.31	4,855.77	3,237.18
1.48	540.07	1.11	549	1011	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.88	Wits fractured	68,403.85	12,313.46	10,045.19	3			

1.45	527.94	1.10	538	1022	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,756.41	12,447.44	10,154.49	36,000.00	1,965.38	4,913.46	3,275.64
1.44	526.84	1.10	537	1023	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,786.46	12,459.62	10,164.42	36,000.00	1,967.31	4,918.27	3,276.65
1.44	525.74	1.10	536	1024	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,820.51	12,471.79	10,174.36	36,000.00	1,969.23	4,923.08	3,282.05
1.44	524.64	1.10	535	1025	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,852.56	12,483.97	10,184.29	36,000.00	1,971.15	4,927.88	3,285.26
1.43	523.54	1.10	534	1026	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,884.62	12,496.15	10,194.23	36,000.00	1,973.08	4,932.69	3,288.46
1.43	522.45	1.10	533	1027	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,916.67	12,508.33	10,204.17	36,000.00	1,975.00	4,937.50	3,291.67
1.43	521.35	1.10	532	1028	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,948.72	12,520.51	10,214.10	36,000.00	1,976.92	4,942.31	3,294.87
1.43	520.25	1.10	531	1029	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,980.77	12,532.69	10,224.04	36,000.00	1,978.85	4,947.12	3,298.08
1.42	519.16	1.10	530	1030	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	68,012.82	12,544.87	10,233.97	36,000.00	1,980.77	4,951.92	3,301.28
1.42	518.06	1.09	529	1031	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,044.87	12,557.05	10,243.91	36,000.00	1,982.69	4,956.73	3,304.49
1.42	516.97	1.09	528	1032	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,076.92	12,569.23	10,253.85	36,000.00	1,984.62	4,961.54	3,307.69
1.41	515.87	1.09	527	1033	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,108.97	12,581.41	10,263.78	36,000.00	1,986.54	4,966.35	3,310.90
1.41	514.78	1.09	526	1034	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,141.03	12,593.58	10,273.72	36,000.00	1,988.46	4,971.15	3,314.10
1.41	513.68	1.09	525	1035	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,173.08	12,605.77	10,283.65	36,000.00	1,990.38	4,975.96	3,317.31
1.40	512.59	1.09	524	1036	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,205.13	12,617.95	10,293.59	36,000.00	1,992.31	4,980.77	3,320.51
1.40	511.50	1.09	523	1037	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,237.18	12,630.13	10,303.53	36,000.00	1,994.23	4,985.58	3,323.72
1.40	510.41	1.09	522	1038	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,269.23	12,642.31	10,313.46	36,000.00	1,996.15	4,990.38	3,326.92
1.40	509.32	1.09	521	1039	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,301.28	12,654.49	10,323.40	36,000.00	1,998.08	4,995.19	3,330.13
1.39	508.22	1.09	520	1040	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,333.33	12,666.67	10,333.33	36,000.00	2,000.00	5,000.00	3,333.33
1.39	507.13	1.09	519	1041	Shafts, slopes	7.56E+07	0.1	60,759.32	14,840.68	Wlts fractured	69,365.38	12,678.85	10,343.27	36,000.00	2,001.92	5,004.81	3,336.54
1.39	506.04	1.09	518	1042	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,397.44	12,691.03	10,353.21	36,000.00	2,003.85	5,009.62	3,339.74
1.38	504.96	1.09	517	1043	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,429.49	12,703.21	10,363.14	36,000.00	2,005.77	5,014.42	3,342.95
1.38	503.87	1.09	516	1044	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,461.54	12,715.38	10,373.08	36,000.00	2,007.69	5,019.23	3,346.15
1.38	502.78	1.09	515	1045	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,493.59	12,727.56	10,383.01	36,000.00	2,009.62	5,024.04	3,349.36
1.37	501.68	1.09	514	1046	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,525.64	12,739.74	10,392.95	36,000.00	2,011.54	5,028.85	3,352.56
1.37	500.59	1.09	513	1047	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,557.69	12,751.92	10,402.88	36,000.00	2,013.46	5,033.65	3,355.77
1.37	499.50	1.09	512	1048	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,589.74	12,764.10	10,412.82	36,000.00	2,015.38	5,038.46	3,358.97
1.37	498.41	1.09	511	1049	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,621.79	12,776.28	10,422.76	36,000.00	2,017.31	5,043.27	3,362.18
1.36	497.32	1.09	510	1050	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,653.85	12,788.46	10,432.69	36,000.00	2,019.23	5,048.08	3,365.38
1.36	496.23	1.08	509	1051	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,685.90	12,800.64	10,442.63	36,000.00	2,021.15	5,052.88	3,368.59
1.36	495.14	1.08	508	1052	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,717.95	12,812.82	10,452.56	36,000.00	2,023.08	5,057.69	3,371.79
1.35	494.05	1.08	507	1053	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,750.00	12,825.00	10,462.50	36,000.00	2,025.00	5,062.50	3,375.00
1.35	493.00	1.08	506	1054	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,782.05	12,837.18	10,472.44	36,000.00	2,026.92	5,067.31	3,378.21
1.35	491.92	1.08	505	1055	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,814.10	12,849.36	10,482.37	36,000.00	2,028.85	5,072.12	3,381.41
1.34	490.84	1.08	504	1056	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,846.15	12,861.54	10,492.31	36,000.00	2,030.77	5,076.92	3,384.62
1.34	489.76	1.08	503	1057	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,878.21	12,873.72	10,502.24	36,000.00	2,032.69	5,081.73	3,387.82
1.34	488.67	1.08	502	1058	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,910.26	12,885.90	10,512.18	36,000.00	2,034.62	5,086.54	3,391.03
1.34	487.59	1.08	501	1059	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,942.31	12,898.08	10,522.12	36,000.00	2,036.54	5,091.35	3,394.23
1.33	486.51	1.08	500	1060	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	69,974.36	12,910.26	10,532.05	36,000.00	2,038.46	5,096.15	3,397.44
1.33	485.43	1.08	499	1061	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,006.41	12,922.44	10,541.99	36,000.00	2,040.38	5,100.96	3,400.64
1.33	484.35	1.08	498	1062	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,038.46	12,934.62	10,551.92	36,000.00	2,042.31	5,105.77	3,403.85
1.32	483.27	1.08	497	1063	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,070.51	12,946.79	10,561.86	36,000.00	2,044.23	5,110.58	3,407.05
1.32	482.19	1.08	496	1064	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,102.56	12,958.97	10,571.79	36,000.00	2,046.15	5,115.38	3,410.26
1.32	481.12	1.08	495	1065	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,134.62	12,971.15	10,581.73	36,000.00	2,048.08	5,120.19	3,413.46
1.32	480.04	1.08	494	1066	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,166.67	12,983.33	10,591.67	36,000.00	2,050.00	5,125.00	3,416.67
1.31	478.96	1.08	493	1067	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,198.72	12,995.51	10,601.60	36,000.00	2,051.92	5,129.81	3,419.87
1.31	477.88	1.08	492	1068	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,230.77	13,007.69	10,611.54	36,000.00	2,053.85	5,134.62	3,423.08
1.31	476.81	1.08	491	1069	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,262.82	13,019.87	10,621.47	36,000.00	2,055.77	5,139.42	3,426.28
1.30	475.73	1.08	490	1070	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,294.87	13,032.05	10,631.41	36,000.00	2,057.69	5,144.23	3,429.49
1.30	474.65	1.07	489	1071	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,326.92	13,044.23	10,641.35	36,000.00	2,059.62	5,149.04	3,432.69
1.30	473.56	1.07	488	1072	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,358.97	13,056.41	10,651.28	36,000.00	2,061.54	5,153.85	3,435.90
1.29	472.51	1.07	487	1073	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,391.03	13,068.59	10,661.22	36,000.00	2,063.46	5,158.65	3,439.10
1.29	471.43	1.07	486	1074	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,423.08	13,080.77	10,671.15	36,000.00	2,065.38	5,163.46	3,442.31
1.29	470.36	1.07	485	1075	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,455.13	13,092.95	10,681.09	36,000.00	2,067.31	5,168.27	3,445.51
1.29	469.28	1.07	484	1076	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,487.18	13,105.13	10,691.03	36,000.00	2,069.23	5,173.08	3,448.72
1.28	468.21	1.07	483	1077	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,519.23	13,117.31	10,700.96	36,000.00	2,071.15	5,177.88	3,451.92
1.28	467.14	1.07	482	1078	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,551.28	13,129.49	10,710.90	36,000.00	2,073.08	5,182.69	3,455.13
1.28	466.07	1.07	481	1079	Shafts, slopes	7.56E+07	0.1	37,858.67	37,741.33	Wlts fractured	70,583.33	13,141.67	10,720.83	36,000.00	2,075.00	5,187.50	3,458.33

1.24	453.25	1.07	489	1091	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	70,967.95	13,287.82	10,840.06	36,000.00	2,088.08	5,245.19	3,496.79
1.24	452.16	1.06	468	1092	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,000.00	13,300.00	10,850.00	36,000.00	2,100.00	5,250.00	3,500.00
1.24	451.12	1.06	467	1093	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,032.05	13,312.18	10,859.94	36,000.00	2,101.92	5,250.81	3,503.21
1.23	450.05	1.06	466	1094	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,064.10	13,324.36	10,869.67	36,000.00	2,103.85	5,259.62	3,506.41
1.23	448.99	1.06	465	1095	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,096.15	13,336.54	10,879.81	36,000.00	2,105.77	5,264.42	3,509.62
1.23	447.93	1.06	464	1096	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,128.21	13,348.72	10,889.74	36,000.00	2,107.69	5,269.23	3,512.82
1.22	446.86	1.06	463	1097	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,160.26	13,360.90	10,899.68	36,000.00	2,109.62	5,274.04	3,516.03
1.22	445.80	1.06	462	1098	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,192.31	13,373.08	10,909.62	36,000.00	2,111.54	5,278.85	3,519.23
1.22	444.74	1.06	461	1099	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,224.36	13,385.26	10,919.55	36,000.00	2,113.46	5,283.65	3,522.44
1.22	443.68	1.06	460	1100	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,256.41	13,397.44	10,929.49	36,000.00	2,115.38	5,288.46	3,525.64
1.21	442.62	1.06	459	1101	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,288.46	13,409.62	10,939.42	36,000.00	2,117.31	5,293.27	3,528.85
1.21	441.56	1.06	458	1102	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,320.51	13,421.79	10,949.36	36,000.00	2,119.23	5,298.08	3,532.05
1.21	440.50	1.06	457	1103	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,352.56	13,433.97	10,959.29	36,000.00	2,121.15	5,302.88	3,535.26
1.20	439.44	1.06	456	1104	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,384.62	13,446.15	10,969.23	36,000.00	2,123.08	5,307.69	3,538.46
1.20	438.38	1.06	455	1105	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,416.67	13,458.33	10,979.17	36,000.00	2,125.00	5,312.50	3,541.67
1.20	437.32	1.06	454	1106	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,448.72	13,470.51	10,989.10	36,000.00	2,126.92	5,317.31	3,544.87
1.20	436.26	1.06	453	1107	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,480.77	13,482.69	10,999.04	36,000.00	2,128.85	5,322.12	3,548.08
1.19	435.20	1.06	452	1108	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,512.82	13,494.87	11,008.97	36,000.00	2,130.77	5,326.92	3,551.28
1.19	434.15	1.06	451	1109	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,544.87	13,507.05	11,018.91	36,000.00	2,132.69	5,331.73	3,554.49
1.19	433.09	1.06	450	1110	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,576.92	13,519.23	11,028.85	36,000.00	2,134.62	5,336.54	3,557.69
1.18	432.03	1.06	449	1111	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,608.97	13,531.41	11,038.78	36,000.00	2,136.54	5,341.35	3,560.90
1.18	430.98	1.06	448	1112	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,641.03	13,543.59	11,048.72	36,000.00	2,138.46	5,346.15	3,564.10
1.18	429.92	1.05	447	1113	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,673.08	13,555.77	11,058.65	36,000.00	2,140.38	5,350.96	3,567.31
1.17	428.87	1.05	446	1114	Shafts, stopes	7.56E+07	0.1	37,858.67	37,741.33	Wtts fractured	71,705.13	13,567.95	11,068.59	36,000.00	2,142.31	5,355.77	3,570.51
1.17	427.81	1.05	445	1115	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,737.18	13,580.13	11,078.53	36,000.00	2,144.23	5,360.58	3,573.72
1.17	426.76	1.05	444	1116	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,769.23	13,592.31	11,088.46	36,000.00	2,146.15	5,365.38	3,576.92
1.17	425.71	1.05	443	1117	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,801.28	13,604.49	11,098.40	36,000.00	2,148.08	5,370.19	3,580.13
1.16	424.65	1.05	442	1118	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,833.33	13,616.67	11,108.33	36,000.00	2,150.00	5,375.00	3,583.33
1.16	423.60	1.05	441	1119	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,865.38	13,628.85	11,118.27	36,000.00	2,151.92	5,379.81	3,586.54
1.16	422.55	1.05	440	1120	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,897.44	13,641.03	11,128.21	36,000.00	2,153.85	5,384.62	3,589.74
1.15	421.50	1.05	439	1121	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,929.49	13,653.21	11,138.14	36,000.00	2,155.77	5,389.42	3,592.95
1.15	420.45	1.05	438	1122	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,961.54	13,665.38	11,148.08	36,000.00	2,157.69	5,394.23	3,596.15
1.15	419.40	1.05	437	1123	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	71,993.59	13,677.56	11,158.01	36,000.00	2,159.62	5,399.04	3,599.36
1.15	418.35	1.05	436	1124	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,025.64	13,689.74	11,167.95	36,000.00	2,161.54	5,403.85	3,602.56
1.14	417.30	1.05	435	1125	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,057.69	13,701.92	11,177.88	36,000.00	2,163.46	5,408.65	3,605.77
1.14	416.25	1.05	434	1126	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,089.74	13,714.10	11,187.82	36,000.00	2,165.38	5,413.46	3,608.97
1.14	415.20	1.05	433	1127	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,121.79	13,726.28	11,197.76	36,000.00	2,167.31	5,418.27	3,612.18
1.13	414.15	1.05	432	1128	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,153.85	13,738.46	11,207.69	36,000.00	2,169.23	5,423.08	3,615.38
1.13	413.10	1.05	431	1129	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,185.90	13,750.64	11,217.63	36,000.00	2,171.15	5,427.88	3,618.59
1.13	412.05	1.05	430	1130	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,217.95	13,762.82	11,227.56	36,000.00	2,173.08	5,432.69	3,621.79
1.13	411.01	1.05	429	1131	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,250.00	13,775.00	11,237.50	36,000.00	2,175.00	5,437.50	3,625.00
1.12	409.96	1.05	428	1132	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,282.05	13,787.18	11,247.44	36,000.00	2,176.92	5,442.31	3,628.21
1.12	408.92	1.05	427	1133	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,314.10	13,799.36	11,257.37	36,000.00	2,178.85	5,447.12	3,631.41
1.12	407.87	1.04	426	1134	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,346.15	13,811.54	11,267.31	36,000.00	2,180.77	5,451.92	3,634.62
1.11	406.83	1.04	425	1135	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,378.21	13,823.72	11,277.24	36,000.00	2,182.69	5,456.73	3,637.82
1.11	405.78	1.04	424	1136	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,410.26	13,835.90	11,287.18	36,000.00	2,184.62	5,461.54	3,641.03
1.11	404.74	1.04	423	1137	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,442.31	13,848.08	11,297.12	36,000.00	2,186.54	5,466.35	3,644.23
1.11	403.69	1.04	422	1138	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,474.36	13,860.26	11,307.05	36,000.00	2,188.46	5,471.15	3,647.44
1.10	402.65	1.04	421	1139	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,506.41	13,872.44	11,316.99	36,000.00	2,190.38	5,475.96	3,650.64
1.10	401.61	1.04	420	1140	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,538.46	13,884.62	11,326.92	36,000.00	2,192.31	5,480.77	3,653.85
1.10	400.57	1.04	419	1141	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,570.51	13,896.79	11,336.86	36,000.00	2,194.23	5,485.58	3,657.05
1.09	399.52	1.04	418	1142	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,602.56	13,908.97	11,346.79	36,000.00	2,196.15	5,490.38	3,660.26
1.09	398.48	1.04	417	1143	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,634.62	13,921.15	11,356.73	36,000.00	2,198.08	5,495.19	3,663.46
1.09	397.44	1.04	416	1144	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,666.67	13,933.33	11,366.67	36,000.00	2,200.00	5,500.00	3,666.67
1.09	396.40	1.04	415	1145	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,698.72	13,945.51	11,376.60	36,000.00	2,201.92	5,504.81	3,669.87
1.08	395.36	1.04	414	1146	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,730.77	13,957.69	11,386.54	36,000.00	2,203.85	5,509.62	3,673.08
1.08	394.32	1.04	413	1147	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,762.82	13,969.87	11,396.47	36,000.00	2,205.77	5,514.42	3,676.28
1.08	393.28	1.04	412	1148	Shafts, stopes	7.56E+07	0.1	35,810.81	39,789.19	Wtts fractured	72,794.87	13,982.05	11,406.41</				

1.04	380.85	1.03	400	1160	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,179.49	14,128.21	11,525.64	36,000.00	2,230.77	5,576.92	3,717.95
1.04	379.82	1.03	399	1161	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,211.54	14,140.38	11,535.58	36,000.00	2,232.69	5,581.73	3,721.15
1.04	378.78	1.03	398	1162	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,243.59	14,152.56	11,545.51	36,000.00	2,234.62	5,586.54	3,724.36
1.03	377.75	1.03	397	1163	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,275.64	14,164.74	11,555.45	36,000.00	2,236.54	5,591.35	3,727.56
1.03	376.72	1.03	396	1164	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,307.69	14,176.92	11,565.38	36,000.00	2,238.46	5,596.15	3,730.77
1.03	375.69	1.03	395	1165	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,339.74	14,189.10	11,575.32	36,000.00	2,240.38	5,600.96	3,733.97
1.03	374.66	1.03	394	1166	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,371.79	14,201.28	11,585.26	36,000.00	2,242.31	5,605.77	3,737.18
1.02	373.63	1.03	393	1167	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,403.85	14,213.46	11,595.19	36,000.00	2,244.23	5,610.58	3,740.38
1.02	372.60	1.03	392	1168	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,435.90	14,225.64	11,605.13	36,000.00	2,246.15	5,615.38	3,743.59
1.02	371.57	1.03	391	1169	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,467.95	14,237.82	11,615.06	36,000.00	2,248.08	5,620.19	3,746.79
1.02	370.54	1.03	390	1170	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,500.00	14,250.00	11,625.00	36,000.00	2,250.00	5,625.00	3,750.00
1.01	369.51	1.03	389	1171	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,532.05	14,262.18	11,634.94	36,000.00	2,251.92	5,629.81	3,753.21
1.01	368.48	1.03	388	1172	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,564.10	14,274.36	11,644.87	36,000.00	2,253.85	5,634.62	3,756.41
1.01	367.46	1.03	387	1173	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,596.15	14,286.54	11,654.81	36,000.00	2,255.77	5,639.42	3,759.62
1.00	366.43	1.03	386	1174	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,628.21	14,298.72	11,664.74	36,000.00	2,257.69	5,644.23	3,762.82
1.00	365.40	1.03	385	1175	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,660.26	14,310.90	11,674.68	36,000.00	2,259.62	5,649.04	3,766.03
1.00	364.38	1.03	384	1176	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,692.31	14,323.08	11,684.62	36,000.00	2,261.54	5,653.85	3,769.23
1.00	363.35	1.03	383	1177	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,724.36	14,335.26	11,694.55	36,000.00	2,263.46	5,658.65	3,772.44
0.99	362.32	1.02	382	1178	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,756.41	14,347.44	11,704.49	36,000.00	2,265.38	5,663.46	3,775.64
0.99	361.30	1.02	381	1179	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,788.46	14,359.62	11,714.42	36,000.00	2,267.31	5,668.27	3,778.85
0.99	360.27	1.02	380	1180	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,820.51	14,371.79	11,724.36	36,000.00	2,269.23	5,673.08	3,782.05
0.98	359.25	1.02	379	1181	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,852.56	14,383.97	11,734.29	36,000.00	2,271.15	5,677.88	3,785.26
0.98	358.23	1.02	378	1182	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,884.62	14,396.15	11,744.23	36,000.00	2,273.08	5,682.69	3,788.46
0.98	357.20	1.02	377	1183	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,916.67	14,408.33	11,754.17	36,000.00	2,275.00	5,687.50	3,791.67
0.98	356.18	1.02	376	1184	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,948.72	14,420.51	11,764.10	36,000.00	2,276.92	5,692.31	3,794.87
0.97	355.16	1.02	375	1185	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	73,980.77	14,432.69	11,774.04	36,000.00	2,278.85	5,697.12	3,798.08
0.97	354.14	1.02	374	1186	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,012.82	14,444.87	11,783.97	36,000.00	2,280.77	5,701.92	3,801.28
0.97	353.11	1.02	373	1187	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,044.87	14,457.05	11,793.91	36,000.00	2,282.69	5,706.73	3,804.49
0.96	352.09	1.02	372	1188	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,076.92	14,469.23	11,803.85	36,000.00	2,284.62	5,711.54	3,807.69
0.96	351.07	1.02	371	1189	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,108.97	14,481.41	11,813.78	36,000.00	2,286.54	5,716.35	3,810.90
0.96	350.05	1.02	370	1190	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,141.03	14,493.59	11,823.72	36,000.00	2,288.46	5,721.15	3,814.10
0.96	349.03	1.02	369	1191	Shafts, slopes	7.56E+07	0.1	35,810.81	39,789.19	WtIs fractured	74,173.08	14,505.77	11,833.65	36,000.00	2,290.38	5,725.96	3,817.31
0.95	348.01	1.02	368	1192	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,205.13	14,517.95	11,843.59	36,000.00	2,292.31	5,730.77	3,820.51
0.95	347.00	1.02	367	1193	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,237.18	14,530.13	11,853.53	36,000.00	2,294.23	5,735.58	3,823.72
0.95	345.98	1.02	366	1194	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,269.23	14,542.31	11,863.46	36,000.00	2,296.15	5,740.38	3,826.92
0.95	344.96	1.02	365	1195	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,301.28	14,554.49	11,873.40	36,000.00	2,298.08	5,745.19	3,830.13
0.94	343.94	1.02	364	1196	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,333.33	14,566.67	11,883.33	36,000.00	2,300.00	5,750.00	3,833.33
0.94	342.92	1.02	363	1197	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,365.38	14,578.85	11,893.27	36,000.00	2,301.92	5,754.81	3,836.54
0.94	341.91	1.02	362	1198	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,397.44	14,591.03	11,903.21	36,000.00	2,303.85	5,759.62	3,839.74
0.93	340.89	1.02	361	1199	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,429.49	14,603.21	11,913.14	36,000.00	2,305.77	5,764.42	3,842.95
0.93	339.88	1.02	360	1200	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,461.54	14,615.38	11,923.08	36,000.00	2,307.69	5,769.23	3,846.15
0.93	338.86	1.01	359	1201	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,493.59	14,627.56	11,933.01	36,000.00	2,309.62	5,774.04	3,849.36
0.93	337.85	1.01	358	1202	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,525.64	14,639.74	11,942.95	36,000.00	2,311.54	5,778.85	3,852.56
0.92	336.83	1.01	357	1203	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,557.69	14,651.92	11,952.88	36,000.00	2,313.46	5,783.65	3,855.77
0.92	335.82	1.01	356	1204	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,589.74	14,664.10	11,962.82	36,000.00	2,315.38	5,788.46	3,858.97
0.92	334.80	1.01	355	1205	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,621.79	14,676.28	11,972.76	36,000.00	2,317.31	5,793.27	3,862.18
0.91	333.79	1.01	354	1206	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,653.85	14,688.46	11,982.69	36,000.00	2,319.23	5,798.08	3,865.38
0.91	332.76	1.01	353	1207	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,685.90	14,700.64	11,992.63	36,000.00	2,321.15	5,802.88	3,868.59
0.91	331.77	1.01	352	1208	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,717.95	14,712.82	12,002.56	36,000.00	2,323.08	5,807.69	3,871.79
0.91	330.75	1.01	351	1209	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,750.00	14,725.00	12,012.50	36,000.00	2,325.00	5,812.50	3,875.00
0.90	329.74	1.01	350	1210	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,782.05	14,737.18	12,022.44	36,000.00	2,326.92	5,817.31	3,878.21
0.90	328.73	1.01	349	1211	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,814.10	14,749.36	12,032.37	36,000.00	2,328.85	5,822.12	3,881.41
0.90	327.72	1.01	348	1212	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,846.15	14,761.54	12,042.31	36,000.00	2,330.77	5,826.92	3,884.62
0.90	326.71	1.01	347	1213	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,878.21	14,773.72	12,052.24	36,000.00	2,332.69	5,831.73	3,887.82
0.89	325.70	1.01	346	1214	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,910.26	14,785.90	12,062.18	36,000.00	2,334.62	5,836.54	3,891.03
0.89	324.69	1.01	345	1215	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,942.31	14,798.08	12,072.12	36,000.00	2,336.54	5,841.35	3,894.23
0.89	323.68	1.01	344	1216	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	74,974.36	14,810.26	12,082.05	36,000.00	2,338.46	5,846.15	3,897.44
0.88	322.68	1.01	343	1217	Shafts, slopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,006.41	14,822.44	12,091.99	36,000.00	2,340.38	5,850.96	3,900.64

0.65	310.61	1.00	331	1229	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,381.03	14,968.59	12,211.22	36,000.00	2,363.46	5,908.65	3,939.10
0.65	308.61	1.00	330	1230	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,423.08	14,980.77	12,221.15	36,000.00	2,365.38	5,913.46	3,942.31
0.65	306.60	1.00	329	1231	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,455.13	14,992.95	12,231.09	36,000.00	2,367.31	5,918.27	3,945.51
0.64	307.60	1.00	328	1232	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,487.18	15,005.13	12,241.03	36,000.00	2,369.23	5,923.08	3,948.72
0.64	306.60	1.00	327	1233	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,519.23	15,017.31	12,250.96	36,000.00	2,371.15	5,927.68	3,951.92
0.64	305.60	1.00	326	1234	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,551.28	15,029.49	12,260.90	36,000.00	2,373.08	5,932.69	3,955.13
0.63	304.60	1.00	325	1235	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,583.33	15,041.67	12,270.83	36,000.00	2,375.00	5,937.50	3,958.33
0.63	303.60	1.00	324	1236	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,615.38	15,053.85	12,280.77	36,000.00	2,376.92	5,942.31	3,961.54
0.63	302.60	1.00	323	1237	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,647.44	15,066.03	12,290.71	36,000.00	2,378.85	5,947.12	3,964.74
0.63	301.60	1.00	322	1238	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,679.49	15,078.21	12,300.64	36,000.00	2,380.77	5,951.92	3,967.95
0.62	300.60	1.00	321	1239	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,711.54	15,090.38	12,310.56	36,000.00	2,382.69	5,956.73	3,971.15
0.62	299.60	1.00	320	1240	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,743.58	15,102.56	12,320.51	36,000.00	2,384.62	5,961.54	3,974.36
0.62	298.60	1.00	319	1241	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,775.64	15,114.74	12,330.45	36,000.00	2,386.54	5,966.35	3,977.56
0.62	297.61	1.00	318	1242	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,807.69	15,126.92	12,340.38	36,000.00	2,388.46	5,971.15	3,980.77
0.61	296.61	1.00	317	1243	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,839.74	15,139.10	12,350.32	36,000.00	2,390.38	5,975.96	3,983.97
0.61	295.61	1.00	316	1244	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,871.79	15,151.28	12,360.26	36,000.00	2,392.31	5,980.77	3,987.18
0.61	294.62	1.00	315	1245	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,903.85	15,163.46	12,370.19	36,000.00	2,394.23	5,985.58	3,990.38
0.60	293.62	1.00	314	1246	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,935.90	15,175.64	12,380.13	36,000.00	2,396.15	5,990.38	3,993.59
0.60	292.62	1.00	313	1247	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	75,967.95	15,187.82	12,390.06	36,000.00	2,398.08	5,995.19	3,996.79
0.60	291.63	0.99	312	1248	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,000.00	15,200.00	12,400.00	36,000.00	2,400.00	6,000.00	4,000.00
0.60	290.63	0.99	311	1249	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,032.05	15,212.18	12,409.94	36,000.00	2,401.92	6,000.61	4,003.21
0.79	289.64	0.99	310	1250	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,064.10	15,224.36	12,419.87	36,000.00	2,403.85	6,009.62	4,006.41
0.79	288.65	0.99	309	1251	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,096.15	15,236.54	12,429.81	36,000.00	2,405.77	6,014.42	4,009.62
0.79	287.65	0.99	308	1252	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,128.21	15,248.72	12,439.74	36,000.00	2,407.69	6,019.23	4,012.82
0.79	286.66	0.99	307	1253	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,160.26	15,260.90	12,449.68	36,000.00	2,409.62	6,024.04	4,016.03
0.78	285.67	0.99	306	1254	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,192.31	15,273.08	12,459.62	36,000.00	2,411.54	6,028.85	4,019.23
0.78	284.67	0.99	305	1255	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,224.36	15,285.26	12,469.55	36,000.00	2,413.46	6,033.65	4,022.44
0.78	283.68	0.99	304	1256	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,256.41	15,297.44	12,479.49	36,000.00	2,415.38	6,038.46	4,025.64
0.77	282.69	0.99	303	1257	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,288.46	15,309.62	12,489.42	36,000.00	2,417.31	6,043.27	4,028.85
0.77	281.70	0.99	302	1258	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,320.51	15,321.79	12,499.36	36,000.00	2,419.23	6,048.08	4,032.05
0.77	280.71	0.99	301	1259	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,352.56	15,333.97	12,509.29	36,000.00	2,421.15	6,052.88	4,035.26
0.77	279.72	0.99	300	1260	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,384.62	15,346.15	12,519.23	36,000.00	2,423.08	6,057.69	4,038.46
0.76	278.73	0.99	299	1261	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,416.67	15,358.33	12,529.17	36,000.00	2,425.00	6,062.50	4,041.67
0.76	277.74	0.99	298	1262	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,448.72	15,370.51	12,539.10	36,000.00	2,426.92	6,067.31	4,044.87
0.76	276.75	0.99	297	1263	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,480.77	15,382.69	12,549.04	36,000.00	2,428.85	6,072.12	4,048.08
0.76	275.76	0.99	296	1264	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,512.82	15,394.87	12,558.97	36,000.00	2,430.77	6,076.92	4,051.28
0.75	274.77	0.99	295	1265	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,544.87	15,407.05	12,568.91	36,000.00	2,432.69	6,081.73	4,054.48
0.75	273.79	0.99	294	1266	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,576.92	15,419.23	12,578.85	36,000.00	2,434.62	6,086.54	4,057.69
0.75	272.80	0.99	293	1267	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,608.97	15,431.41	12,588.78	36,000.00	2,436.54	6,091.35	4,060.90
0.74	271.81	0.99	292	1268	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,641.03	15,443.59	12,598.72	36,000.00	2,438.46	6,096.15	4,064.10
0.74	270.83	0.99	291	1269	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,673.08	15,455.77	12,608.65	36,000.00	2,440.38	6,100.96	4,067.31
0.74	269.84	0.99	290	1270	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,705.13	15,467.95	12,618.59	36,000.00	2,442.31	6,105.77	4,070.51
0.74	268.86	0.99	289	1271	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,737.18	15,480.13	12,628.53	36,000.00	2,444.23	6,110.58	4,073.72
0.73	267.87	0.98	288	1272	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,769.23	15,492.31	12,638.46	36,000.00	2,446.15	6,115.38	4,076.92
0.73	266.89	0.98	287	1273	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,801.28	15,504.49	12,648.40	36,000.00	2,448.08	6,120.19	4,080.13
0.73	265.90	0.98	286	1274	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,833.33	15,516.67	12,658.33	36,000.00	2,450.00	6,125.00	4,083.33
0.73	264.92	0.98	285	1275	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,865.38	15,528.85	12,668.27	36,000.00	2,451.92	6,129.81	4,086.54
0.72	263.93	0.98	284	1276	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,897.44	15,541.03	12,678.21	36,000.00	2,453.85	6,134.62	4,089.74
0.72	262.95	0.98	283	1277	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,929.49	15,553.21	12,688.14	36,000.00	2,455.77	6,139.42	4,092.95
0.72	261.97	0.98	282	1278	Shafts, stopes	7.56E+07	0.1	52,188.51	23,411.49	WtIs fractured	76,961.54	15,565.38	12,698.08	36,000.00	2,457.69	6,144.23	4,096.15
0.72	260.99	0.98	281	1279	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	76,993.59	15,577.56	12,708.01	36,000.00	2,459.62	6,149.04	4,099.36
0.71	260.00	0.98	280	1280	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,025.64	15,589.74	12,717.95	36,000.00	2,461.54	6,153.85	4,102.56
0.71	259.02	0.98	279	1281	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,057.69	15,601.92	12,727.88	36,000.00	2,463.46	6,158.65	4,105.77
0.71	258.04	0.98	278	1282	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,089.74	15,614.10	12,737.82	36,000.00	2,465.38	6,163.46	4,108.97
0.70	257.06	0.98	277	1283	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,121.79	15,626.28	12,747.76	36,000.00	2,467.31	6,168.27	4,112.18
0.70	256.08	0.98	276	1284	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,153.85	15,638.46	12,757.69	36,000.00	2,469.23	6,173.08	4,115.38
0.70	255.10	0.98	275	1285	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,185.90	15,650.64	12,767.63	36,000.00	2,471.15	6,177.88	4,118.59
0.70	254.12	0.98	274	1286	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	WtIs fractured	77,217.95	15,662.82	12,777.56</				

0.66	242.40	0.97	262	1298	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,602.56	15,808.97	12,696.79	36,000.00	2,496.15	6,240.38	4,180.26
0.66	241.42	0.97	261	1299	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,634.62	15,821.15	12,906.73	36,000.00	2,498.08	6,245.19	4,183.46
0.66	240.45	0.97	260	1300	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,666.67	15,833.33	12,916.67	36,000.00	2,500.00	6,250.00	4,186.67
0.66	239.48	0.97	259	1301	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,698.72	15,845.51	12,926.60	36,000.00	2,501.92	6,254.81	4,189.87
0.65	238.50	0.97	258	1302	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,730.77	15,857.69	12,936.54	36,000.00	2,503.85	6,259.62	4,173.08
0.65	237.53	0.97	257	1303	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,762.82	15,869.87	12,946.47	36,000.00	2,505.77	6,264.42	4,176.28
0.65	236.56	0.97	256	1304	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,794.87	15,882.05	12,956.41	36,000.00	2,507.69	6,269.23	4,179.49
0.65	235.59	0.97	255	1305	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,826.92	15,894.23	12,966.35	36,000.00	2,509.62	6,274.04	4,182.69
0.64	234.62	0.97	254	1306	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,858.97	15,906.41	12,976.28	36,000.00	2,511.54	6,278.85	4,185.90
0.64	233.65	0.97	253	1307	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,891.03	15,918.59	12,986.22	36,000.00	2,513.46	6,283.65	4,189.10
0.64	232.67	0.97	252	1308	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,923.08	15,930.77	12,996.15	36,000.00	2,515.38	6,288.46	4,192.31
0.63	231.70	0.97	251	1309	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,955.13	15,942.95	13,006.09	36,000.00	2,517.31	6,293.27	4,195.51
0.63	230.73	0.97	250	1310	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	77,987.18	15,955.13	13,016.03	36,000.00	2,519.23	6,298.08	4,198.72
0.63	229.77	0.97	249	1311	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,019.23	15,967.31	13,025.96	36,000.00	2,521.15	6,302.88	4,201.92
0.63	228.80	0.97	248	1312	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,051.28	15,979.49	13,035.90	36,000.00	2,523.08	6,307.69	4,205.13
0.62	227.83	0.97	247	1313	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,083.33	15,991.67	13,045.83	36,000.00	2,525.00	6,312.50	4,208.33
0.62	226.86	0.97	246	1314	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,115.38	16,003.85	13,055.77	36,000.00	2,526.92	6,317.31	4,211.54
0.62	225.89	0.97	245	1315	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,147.44	16,016.03	13,065.71	36,000.00	2,528.85	6,322.12	4,214.74
0.62	224.92	0.97	244	1316	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,179.49	16,028.21	13,075.64	36,000.00	2,530.77	6,326.92	4,217.95
0.61	223.96	0.97	243	1317	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,211.54	16,040.38	13,085.58	36,000.00	2,532.69	6,331.73	4,221.15
0.61	222.99	0.97	242	1318	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,243.59	16,052.56	13,095.51	36,000.00	2,534.62	6,336.54	4,224.36
0.61	222.02	0.97	241	1319	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,275.64	16,064.74	13,105.45	36,000.00	2,536.54	6,341.35	4,227.56
0.61	221.06	0.97	240	1320	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,307.69	16,076.92	13,115.38	36,000.00	2,538.46	6,346.15	4,230.77
0.60	220.09	0.97	239	1321	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,339.74	16,089.10	13,125.32	36,000.00	2,540.38	6,350.96	4,233.97
0.60	219.13	0.96	238	1322	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,371.79	16,101.28	13,135.26	36,000.00	2,542.31	6,355.77	4,237.18
0.60	218.16	0.96	237	1323	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,403.85	16,113.46	13,145.19	36,000.00	2,544.23	6,360.58	4,240.38
0.60	217.20	0.96	236	1324	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,435.90	16,125.64	13,155.13	36,000.00	2,546.15	6,365.38	4,243.59
0.59	216.24	0.96	235	1325	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,467.95	16,137.82	13,165.06	36,000.00	2,548.08	6,370.19	4,246.79
0.59	215.27	0.96	234	1326	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,500.00	16,150.00	13,175.00	36,000.00	2,550.00	6,375.00	4,250.00
0.59	214.31	0.96	233	1327	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,532.05	16,162.18	13,184.94	36,000.00	2,551.92	6,379.81	4,253.21
0.58	213.35	0.96	232	1328	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,564.10	16,174.36	13,194.87	36,000.00	2,553.85	6,384.62	4,256.41
0.58	212.38	0.96	231	1329	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,596.15	16,186.54	13,204.81	36,000.00	2,555.77	6,389.42	4,259.62
0.58	211.42	0.96	230	1330	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,628.21	16,198.72	13,214.74	36,000.00	2,557.69	6,394.23	4,262.82
0.58	210.46	0.96	229	1331	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,660.26	16,210.90	13,224.68	36,000.00	2,559.62	6,399.04	4,266.03
0.57	209.50	0.96	228	1332	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,692.31	16,223.08	13,234.62	36,000.00	2,561.54	6,403.85	4,269.23
0.57	208.54	0.96	227	1333	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,724.36	16,235.26	13,244.55	36,000.00	2,563.46	6,408.65	4,272.44
0.57	207.58	0.96	226	1334	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,756.41	16,247.44	13,254.49	36,000.00	2,565.38	6,413.46	4,275.64
0.57	206.62	0.96	225	1335	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,788.46	16,259.62	13,264.42	36,000.00	2,567.31	6,418.27	4,278.85
0.56	205.66	0.96	224	1336	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,820.51	16,271.79	13,274.36	36,000.00	2,569.23	6,423.08	4,282.05
0.56	204.70	0.96	223	1337	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,852.56	16,283.97	13,284.29	36,000.00	2,571.15	6,427.88	4,285.26
0.56	203.74	0.96	222	1338	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,884.62	16,296.15	13,294.23	36,000.00	2,573.08	6,432.69	4,288.46
0.56	202.78	0.96	221	1339	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,916.67	16,308.33	13,304.17	36,000.00	2,575.00	6,437.50	4,291.67
0.55	201.82	0.96	220	1340	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,948.72	16,320.51	13,314.10	36,000.00	2,576.92	6,442.31	4,294.87
0.55	200.87	0.96	219	1341	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	78,980.77	16,332.69	13,324.04	36,000.00	2,578.85	6,447.12	4,298.08
0.55	199.91	0.96	218	1342	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,012.82	16,344.87	13,333.97	36,000.00	2,580.77	6,451.92	4,301.28
0.55	198.95	0.96	217	1343	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,044.87	16,357.05	13,343.91	36,000.00	2,582.69	6,456.73	4,304.49
0.54	198.00	0.96	216	1344	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,076.92	16,369.23	13,353.85	36,000.00	2,584.62	6,461.54	4,307.69
0.54	197.04	0.96	215	1345	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,108.97	16,381.41	13,363.78	36,000.00	2,586.54	6,466.35	4,310.90
0.54	196.09	0.96	214	1346	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,141.03	16,393.59	13,373.72	36,000.00	2,588.46	6,471.15	4,314.10
0.53	195.13	0.95	213	1347	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,173.08	16,405.77	13,383.65	36,000.00	2,590.38	6,475.96	4,317.31
0.53	194.18	0.95	212	1348	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,205.13	16,417.95	13,393.59	36,000.00	2,592.31	6,480.77	4,320.51
0.53	193.22	0.95	211	1349	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,237.18	16,430.13	13,403.53	36,000.00	2,594.23	6,485.58	4,323.72
0.53	192.27	0.95	210	1350	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,269.23	16,442.31	13,413.46	36,000.00	2,596.15	6,490.38	4,326.92
0.52	191.31	0.95	209	1351	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,301.28	16,454.49	13,423.40	36,000.00	2,598.08	6,495.19	4,330.13
0.52	190.36	0.95	208	1352	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,333.33	16,466.67	13,433.33	36,000.00	2,600.00	6,500.00	4,333.33
0.52	189.41	0.95	207	1353	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,365.38	16,478.85	13,443.27	36,000.00	2,601.92	6,504.81	4,336.54
0.52	188.45	0.95	206	1354	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,397.44	16,491.03	13,453.21	36,000.00	2,603.85	6,509.62	4,339.74
0.51	187.50	0.95	205	1355	Shafts, stipes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,429.49	16,503.21	13,463.14	36,000.00	2,605.77	6,514.42	4,342.95

0.48	176.11	0.95	193	1367	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,814.10	16,649.36	13,582.37	36,000.00	2,628.85	6,572.12	4,381.41
0.48	175.16	0.95	192	1368	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,846.15	16,861.54	13,592.31	36,000.00	2,630.77	6,576.92	4,384.62
0.48	174.21	0.95	191	1369	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,878.21	16,873.72	13,602.24	36,000.00	2,632.69	6,581.73	4,387.82
0.47	173.27	0.95	190	1370	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,910.26	16,885.90	13,612.18	36,000.00	2,634.62	6,586.54	4,391.03
0.47	172.32	0.95	189	1371	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,942.31	16,898.08	13,622.12	36,000.00	2,636.54	6,591.35	4,394.23
0.47	171.37	0.95	188	1372	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	79,974.36	16,910.26	13,632.05	36,000.00	2,638.46	6,596.15	4,397.44
0.47	170.43	0.94	187	1373	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,006.41	16,922.44	13,641.99	36,000.00	2,640.38	6,600.96	4,400.64
0.46	169.48	0.94	186	1374	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,038.46	16,934.62	13,651.92	36,000.00	2,642.31	6,605.77	4,403.85
0.46	168.54	0.94	185	1375	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,070.51	16,946.79	13,661.86	36,000.00	2,644.23	6,610.58	4,407.05
0.46	167.59	0.94	184	1376	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,102.56	16,958.97	13,671.79	36,000.00	2,646.15	6,615.38	4,410.26
0.46	166.65	0.94	183	1377	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,134.62	16,971.15	13,681.73	36,000.00	2,648.08	6,620.19	4,413.46
0.45	165.71	0.94	182	1378	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,166.67	16,983.33	13,691.67	36,000.00	2,650.00	6,625.00	4,416.67
0.45	164.76	0.94	181	1379	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,198.72	16,995.51	13,701.60	36,000.00	2,651.92	6,629.81	4,419.87
0.45	163.82	0.94	180	1380	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,230.77	16,807.69	13,711.54	36,000.00	2,653.85	6,634.62	4,423.08
0.45	162.88	0.94	179	1381	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,262.82	16,819.87	13,721.47	36,000.00	2,655.77	6,639.42	4,426.28
0.44	161.94	0.94	178	1382	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,294.87	16,832.05	13,731.41	36,000.00	2,657.69	6,644.23	4,429.49
0.44	161.00	0.94	177	1383	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,326.92	16,844.23	13,741.35	36,000.00	2,659.62	6,649.04	4,432.69
0.44	160.05	0.94	176	1384	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,358.97	16,856.41	13,751.28	36,000.00	2,661.54	6,653.85	4,435.90
0.44	159.11	0.94	175	1385	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,391.03	16,868.59	13,761.22	36,000.00	2,663.46	6,658.65	4,439.10
0.43	158.17	0.94	174	1386	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,423.08	16,880.77	13,771.15	36,000.00	2,665.38	6,663.46	4,442.31
0.43	157.23	0.94	173	1387	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,455.13	16,892.95	13,781.09	36,000.00	2,667.31	6,668.27	4,445.51
0.43	156.29	0.94	172	1388	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,487.18	16,905.13	13,791.03	36,000.00	2,669.23	6,673.08	4,448.72
0.43	155.35	0.94	171	1389	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,519.23	16,917.31	13,800.96	36,000.00	2,671.15	6,677.88	4,451.92
0.42	154.42	0.94	170	1390	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,551.28	16,929.49	13,810.90	36,000.00	2,673.08	6,682.69	4,455.13
0.42	153.48	0.94	169	1391	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,583.33	16,941.67	13,820.83	36,000.00	2,675.00	6,687.50	4,458.33
0.42	152.54	0.94	168	1392	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,615.38	16,953.85	13,830.77	36,000.00	2,676.92	6,692.31	4,461.54
0.42	151.60	0.94	167	1393	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,647.44	16,966.03	13,840.71	36,000.00	2,678.85	6,697.12	4,464.74
0.41	150.68	0.94	166	1394	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,679.49	16,978.21	13,850.64	36,000.00	2,680.77	6,701.92	4,467.95
0.41	149.73	0.94	165	1395	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,711.54	16,990.38	13,860.58	36,000.00	2,682.69	6,706.73	4,471.15
0.41	148.79	0.94	164	1396	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,743.59	17,002.56	13,870.51	36,000.00	2,684.62	6,711.54	4,474.36
0.41	147.85	0.94	163	1397	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,775.64	17,014.74	13,880.45	36,000.00	2,686.54	6,716.35	4,477.56
0.40	146.92	0.94	162	1398	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,807.69	17,026.92	13,890.38	36,000.00	2,688.46	6,721.15	4,480.77
0.40	145.98	0.94	161	1399	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,839.74	17,039.10	13,900.32	36,000.00	2,690.38	6,725.96	4,483.97
0.40	145.05	0.93	160	1400	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,871.79	17,051.28	13,910.26	36,000.00	2,692.31	6,730.77	4,487.18
0.39	144.11	0.93	159	1401	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,903.85	17,063.46	13,920.19	36,000.00	2,694.23	6,735.58	4,490.38
0.39	143.16	0.93	158	1402	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,935.90	17,075.64	13,930.13	36,000.00	2,696.15	6,740.38	4,493.59
0.39	142.24	0.93	157	1403	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	80,967.95	17,087.82	13,940.06	36,000.00	2,698.08	6,745.19	4,496.79
0.39	141.31	0.93	156	1404	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,000.00	17,100.00	13,950.00	36,000.00	2,700.00	6,750.00	4,500.00
0.38	140.38	0.93	155	1405	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,032.05	17,112.18	13,959.94	36,000.00	2,701.92	6,754.81	4,503.21
0.38	139.44	0.93	154	1406	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,064.10	17,124.36	13,969.87	36,000.00	2,703.85	6,759.62	4,506.41
0.38	138.51	0.93	153	1407	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,096.15	17,136.54	13,979.81	36,000.00	2,705.77	6,764.42	4,509.62
0.38	137.58	0.93	152	1408	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,128.21	17,148.72	13,989.74	36,000.00	2,707.69	6,769.23	4,512.82
0.37	136.65	0.93	151	1409	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,160.26	17,160.90	13,999.68	36,000.00	2,709.62	6,774.04	4,516.03
0.37	135.72	0.93	150	1410	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,192.31	17,173.08	14,009.62	36,000.00	2,711.54	6,778.85	4,519.23
0.37	134.78	0.93	149	1411	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,224.36	17,185.26	14,019.55	36,000.00	2,713.46	6,783.65	4,522.44
0.37	133.85	0.93	148	1412	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,256.41	17,197.44	14,029.49	36,000.00	2,715.38	6,788.46	4,525.64
0.36	132.92	0.93	147	1413	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,288.46	17,209.62	14,039.42	36,000.00	2,717.31	6,793.27	4,528.85
0.36	131.99	0.93	146	1414	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,320.51	17,221.79	14,049.36	36,000.00	2,719.23	6,798.08	4,532.05
0.36	131.06	0.93	145	1415	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,352.56	17,233.97	14,059.29	36,000.00	2,721.15	6,802.88	4,535.26
0.36	130.13	0.93	144	1416	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,384.62	17,246.15	14,069.23	36,000.00	2,723.08	6,807.69	4,538.46
0.35	129.21	0.93	143	1417	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,416.67	17,258.33	14,079.17	36,000.00	2,725.00	6,812.50	4,541.67
0.35	128.28	0.93	142	1418	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,448.72	17,270.51	14,089.10	36,000.00	2,726.92	6,817.31	4,544.87
0.35	127.35	0.93	141	1419	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,480.77	17,282.69	14,099.04	36,000.00	2,728.85	6,822.12	4,548.08
0.35	126.42	0.93	140	1420	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,512.82	17,294.87	14,108.97	36,000.00	2,730.77	6,826.92	4,551.28
0.34	125.49	0.93	139	1421	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,544.87	17,307.05	14,118.91	36,000.00	2,732.69	6,831.73	4,554.49
0.34	124.57	0.93	138	1422	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,576.92	17,319.23	14,128.85	36,000.00	2,734.62	6,836.54	4,557.69
0.34	123.64	0.93	137	1423	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,608.97	17,331.41	14,138.78	36,000.00	2,736.54	6,841.35	4,560.90
0.34	122.71	0.93	136	1424	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	81,641.03	17,343.59	14,148.72	36,000.00	2,738.46	6,846.15	4,564.10

0.31	111.83	0.92	124	1436	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,025.64	17,489.74	14,287.95	36,000.00	2,781.54	6,903.85	4,802.56
0.30	110.70	0.92	123	1437	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,057.89	17,501.92	14,277.88	36,000.00	2,783.48	6,908.65	4,805.77
0.30	109.78	0.92	122	1438	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,089.74	17,514.10	14,287.82	36,000.00	2,765.38	6,913.48	4,808.97
0.30	108.88	0.92	121	1439	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,121.79	17,526.28	14,297.76	36,000.00	2,787.31	6,918.27	4,812.18
0.30	107.94	0.92	120	1440	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,153.85	17,538.46	14,307.69	36,000.00	2,769.23	6,923.08	4,815.38
0.29	107.02	0.92	119	1441	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,185.90	17,550.64	14,317.63	36,000.00	2,771.15	6,927.88	4,818.59
0.29	106.10	0.92	118	1442	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,217.95	17,562.82	14,327.56	36,000.00	2,773.08	6,932.69	4,821.79
0.29	105.18	0.92	117	1443	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,250.00	17,575.00	14,337.50	36,000.00	2,775.00	6,937.50	4,825.00
0.29	104.26	0.92	116	1444	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,282.05	17,587.18	14,347.44	36,000.00	2,776.92	6,942.31	4,828.21
0.28	103.34	0.92	115	1445	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,314.10	17,599.36	14,357.37	36,000.00	2,778.85	6,947.12	4,831.41
0.28	102.42	0.92	114	1446	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,346.15	17,611.54	14,367.31	36,000.00	2,780.77	6,951.92	4,834.62
0.28	101.51	0.92	113	1447	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,378.21	17,623.72	14,377.24	36,000.00	2,782.69	6,958.73	4,837.82
0.28	100.59	0.92	112	1448	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,410.26	17,635.90	14,387.18	36,000.00	2,784.62	6,961.54	4,841.03
0.27	99.67	0.92	111	1449	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,442.31	17,648.08	14,397.12	36,000.00	2,786.54	6,966.35	4,844.23
0.27	98.75	0.92	110	1450	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,474.36	17,660.26	14,407.05	36,000.00	2,788.46	6,971.15	4,847.44
0.27	97.84	0.92	109	1451	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,506.41	17,672.44	14,416.99	36,000.00	2,790.38	6,975.96	4,850.64
0.27	96.92	0.92	108	1452	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,538.46	17,684.62	14,426.92	36,000.00	2,792.31	6,980.77	4,853.85
0.26	96.01	0.92	107	1453	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,570.51	17,696.79	14,436.86	36,000.00	2,794.23	6,985.58	4,857.05
0.26	95.09	0.92	106	1454	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,602.56	17,708.97	14,446.79	36,000.00	2,796.15	6,990.38	4,860.26
0.26	94.17	0.91	105	1455	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,634.62	17,721.15	14,456.73	36,000.00	2,798.08	6,995.19	4,863.46
0.26	93.26	0.91	104	1456	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,666.67	17,733.33	14,466.67	36,000.00	2,800.00	7,000.00	4,866.67
0.25	92.35	0.91	103	1457	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,698.72	17,745.51	14,476.60	36,000.00	2,801.92	7,004.81	4,869.87
0.25	91.43	0.91	102	1458	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,730.77	17,757.69	14,486.54	36,000.00	2,803.85	7,009.62	4,873.08
0.25	90.52	0.91	101	1459	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,762.82	17,769.87	14,496.47	36,000.00	2,805.77	7,014.42	4,876.28
0.25	89.60	0.91	100	1460	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,794.87	17,782.05	14,506.41	36,000.00	2,807.69	7,019.23	4,879.48
0.24	88.69	0.91	99	1461	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,826.92	17,794.23	14,516.35	36,000.00	2,809.62	7,024.04	4,882.69
0.24	87.78	0.91	98	1462	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,858.97	17,806.41	14,526.28	36,000.00	2,811.54	7,028.85	4,885.90
0.24	86.87	0.91	97	1463	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,891.03	17,818.59	14,536.22	36,000.00	2,813.46	7,033.65	4,889.10
0.24	85.95	0.91	96	1464	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,923.08	17,830.77	14,546.15	36,000.00	2,815.38	7,038.46	4,892.31
0.23	85.04	0.91	95	1465	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,955.13	17,842.95	14,556.09	36,000.00	2,817.31	7,043.27	4,895.51
0.23	84.13	0.91	94	1466	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	82,987.18	17,855.13	14,566.03	36,000.00	2,819.23	7,048.08	4,898.72
0.23	83.22	0.91	93	1467	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,019.23	17,867.31	14,575.96	36,000.00	2,821.15	7,052.88	4,901.92
0.23	82.31	0.91	92	1468	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,051.28	17,879.49	14,585.90	36,000.00	2,823.08	7,057.69	4,905.13
0.22	81.40	0.91	91	1469	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,083.33	17,891.67	14,595.83	36,000.00	2,825.00	7,062.50	4,908.33
0.22	80.49	0.91	90	1470	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,115.38	17,903.85	14,605.77	36,000.00	2,826.92	7,067.31	4,911.54
0.22	79.58	0.91	89	1471	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,147.44	17,916.03	14,615.71	36,000.00	2,828.85	7,072.12	4,914.74
0.22	78.67	0.91	88	1472	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,179.49	17,928.21	14,625.64	36,000.00	2,830.77	7,076.92	4,917.95
0.21	77.76	0.91	87	1473	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,211.54	17,940.38	14,635.58	36,000.00	2,832.69	7,081.73	4,921.15
0.21	76.85	0.91	86	1474	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,243.59	17,952.56	14,645.51	36,000.00	2,834.62	7,086.54	4,924.36
0.21	75.94	0.91	85	1475	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,275.64	17,964.74	14,655.45	36,000.00	2,836.54	7,091.35	4,927.56
0.21	75.04	0.91	84	1476	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,307.69	17,976.92	14,665.38	36,000.00	2,838.46	7,096.15	4,930.77
0.20	74.13	0.91	83	1477	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,339.74	17,989.10	14,675.32	36,000.00	2,840.38	7,100.96	4,933.97
0.20	73.22	0.91	82	1478	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,371.79	18,001.28	14,685.26	36,000.00	2,842.31	7,105.77	4,937.18
0.20	72.32	0.91	81	1479	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,403.85	18,013.46	14,695.19	36,000.00	2,844.23	7,110.58	4,940.38
0.20	71.41	0.91	80	1480	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,435.90	18,025.64	14,705.13	36,000.00	2,846.15	7,115.38	4,943.59
0.19	70.50	0.91	79	1481	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,467.95	18,037.82	14,715.06	36,000.00	2,848.08	7,120.19	4,946.79
0.19	69.60	0.91	78	1482	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,500.00	18,050.00	14,725.00	36,000.00	2,850.00	7,125.00	4,950.00
0.19	68.69	0.91	77	1483	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,532.05	18,062.18	14,734.94	36,000.00	2,851.92	7,129.81	4,953.21
0.19	67.79	0.90	76	1484	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,564.10	18,074.36	14,744.87	36,000.00	2,853.85	7,134.62	4,956.41
0.18	66.88	0.90	75	1485	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,596.15	18,086.54	14,754.81	36,000.00	2,855.77	7,139.42	4,959.62
0.18	65.98	0.90	74	1486	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,628.21	18,098.72	14,764.74	36,000.00	2,857.69	7,144.23	4,962.82
0.18	65.07	0.90	73	1487	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,660.26	18,110.90	14,774.68	36,000.00	2,859.62	7,149.04	4,966.03
0.18	64.17	0.90	72	1488	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,692.31	18,123.08	14,784.62	36,000.00	2,861.54	7,153.85	4,969.23
0.17	63.27	0.90	71	1489	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,724.36	18,135.26	14,794.55	36,000.00	2,863.46	7,158.65	4,972.44
0.17	62.36	0.90	70	1490	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,756.41	18,147.44	14,804.49	36,000.00	2,865.38	7,163.46	4,975.64
0.17	61.46	0.90	69	1491	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,788.46	18,159.62	14,814.42	36,000.00	2,867.31	7,168.27	4,978.85
0.17	60.56	0.90	68	1492	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,820.51	18,171.79	14,824.36	36,000.00	2,869.23	7,173.08	4,982.05
0.16	59.66	0.90	67	1493	Shafts, stopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	83,852.56	18,183.97	14,834.29	36,000.00	2,871.15	7,177.88	4,985.26
0.16	58.76	0.90	66	1494	Shafts, stopes	7.56E+07	0.1										

0.13	48.86	0.90	55	1505	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,237.18	18,330.13	14,953.53	36,000.00	2,894.23	7,235.58	4,823.72		
0.13	47.96	0.90	54	1508	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,289.23	18,342.31	14,963.46	36,000.00	2,896.15	7,240.38	4,826.92		
0.13	47.07	0.90	53	1507	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,301.28	18,354.49	14,973.40	36,000.00	2,898.08	7,245.19	4,830.13		
0.13	46.17	0.90	52	1508	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,333.33	18,368.67	14,983.33	36,000.00	2,900.00	7,250.00	4,833.33		
0.12	45.27	0.90	51	1509	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,365.38	18,378.85	14,993.27	36,000.00	2,901.92	7,254.81	4,836.54		
0.12	44.38	0.90	50	1510	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,397.44	18,391.03	15,003.21	36,000.00	2,903.85	7,259.62	4,839.74		
0.12	43.48	0.90	49	1511	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,429.49	18,403.21	15,013.14	36,000.00	2,905.77	7,264.42	4,842.95		
0.12	42.59	0.90	48	1512	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,461.54	18,415.38	15,023.08	36,000.00	2,907.69	7,269.23	4,846.15		
0.11	41.69	0.89	47	1513	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,493.59	18,427.56	15,033.01	36,000.00	2,909.62	7,274.04	4,849.36		
0.11	40.80	0.89	46	1514	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,525.84	18,439.74	15,042.95	36,000.00	2,911.54	7,278.85	4,852.58		
0.11	39.89	0.89	45	1515	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,557.99	18,451.92	15,052.88	36,000.00	2,913.48	7,283.65	4,855.77		
0.11	39.01	0.89	44	1518	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,589.74	18,464.10	15,062.82	36,000.00	2,915.38	7,288.46	4,858.97		
0.10	38.11	0.89	43	1517	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,621.79	18,476.28	15,072.76	36,000.00	2,917.31	7,293.27	4,862.18		
0.10	37.22	0.89	42	1518	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,653.85	18,488.46	15,082.69	36,000.00	2,919.23	7,298.08	4,865.38		
0.10	36.33	0.89	41	1519	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,685.90	18,500.64	15,092.63	36,000.00	2,921.15	7,302.88	4,868.59		
0.10	35.43	0.89	40	1520	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,717.95	18,512.82	15,102.56	36,000.00	2,923.08	7,307.69	4,871.79		
0.09	34.54	0.89	39	1521	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,750.00	18,525.00	15,112.50	36,000.00	2,925.00	7,312.50	4,875.00		
0.09	33.65	0.89	38	1522	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,782.05	18,537.18	15,122.44	36,000.00	2,926.92	7,317.31	4,878.21		
0.09	32.76	0.89	37	1523	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,814.10	18,549.36	15,132.37	36,000.00	2,928.85	7,322.12	4,881.41		
0.09	31.87	0.89	36	1524	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,846.15	18,561.54	15,142.31	36,000.00	2,930.77	7,328.92	4,884.62		
0.08	30.98	0.89	35	1525	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,878.21	18,573.72	15,152.24	36,000.00	2,932.69	7,331.73	4,887.82		
0.08	30.08	0.89	34	1526	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,910.26	18,585.90	15,162.18	36,000.00	2,934.62	7,336.54	4,891.03		
0.08	29.19	0.89	33	1527	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,942.31	18,598.08	15,172.12	36,000.00	2,936.54	7,341.35	4,894.23		
0.08	28.30	0.89	32	1528	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	84,974.36	18,610.26	15,182.05	36,000.00	2,938.48	7,346.15	4,897.44		
0.08	27.41	0.89	31	1529	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,006.41	18,622.44	15,191.99	36,000.00	2,940.38	7,350.96	4,900.64		
0.07	26.53	0.89	30	1530	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,038.46	18,634.62	15,201.92	36,000.00	2,942.31	7,355.77	4,903.85		
0.07	25.64	0.89	29	1531	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,070.51	18,646.79	15,211.86	36,000.00	2,944.23	7,360.58	4,907.05		
0.07	24.75	0.89	28	1532	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,102.56	18,658.97	15,221.79	36,000.00	2,946.15	7,365.38	4,910.26		
0.07	23.86	0.89	27	1533	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,134.62	18,671.15	15,231.73	36,000.00	2,948.08	7,370.19	4,913.46		
0.06	22.97	0.89	26	1534	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,166.67	18,683.33	15,241.67	36,000.00	2,950.00	7,375.00	4,916.67		
0.06	22.08	0.89	25	1535	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,198.72	18,695.51	15,251.60	36,000.00	2,951.92	7,379.81	4,919.87		
0.06	21.20	0.89	24	1536	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,230.77	18,707.69	15,261.54	36,000.00	2,953.85	7,384.62	4,923.08		
0.06	20.31	0.89	23	1537	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,262.82	18,719.87	15,271.47	36,000.00	2,955.77	7,389.42	4,926.28		
0.05	19.42	0.89	22	1538	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,294.87	18,732.05	15,281.41	36,000.00	2,957.69	7,394.23	4,929.49		
0.05	18.54	0.89	21	1539	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,326.92	18,744.23	15,291.35	36,000.00	2,959.62	7,399.04	4,932.69		
0.05	17.65	0.89	20	1540	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,358.97	18,756.41	15,301.28	36,000.00	2,961.54	7,403.85	4,935.90		
0.05	16.76	0.89	19	1541	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,391.03	18,768.59	15,311.22	36,000.00	2,963.48	7,408.65	4,939.10		
0.04	15.88	0.89	18	1542	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,423.08	18,780.77	15,321.15	36,000.00	2,965.38	7,413.46	4,942.31		
0.04	14.99	0.88	17	1543	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,455.13	18,792.95	15,331.09	36,000.00	2,967.31	7,418.27	4,945.51		
0.04	14.11	0.88	16	1544	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,487.18	18,805.13	15,341.03	36,000.00	2,969.23	7,423.08	4,948.72		
0.04	13.23	0.88	15	1545	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,519.23	18,817.31	15,350.96	36,000.00	2,971.15	7,427.88	4,951.92		
0.03	12.34	0.88	14	1546	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,551.28	18,829.49	15,360.90	36,000.00	2,973.08	7,432.69	4,955.13		
0.03	11.46	0.88	13	1547	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,583.33	18,841.67	15,370.83	36,000.00	2,975.00	7,437.50	4,958.33		
0.03	10.57	0.88	12	1548	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,615.38	18,853.85	15,380.77	36,000.00	2,976.92	7,442.31	4,961.54		
0.03	9.69	0.88	11	1549	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,647.44	18,866.03	15,390.71	36,000.00	2,978.85	7,447.12	4,964.74		
0.02	8.81	0.88	10	1550	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,679.49	18,878.21	15,400.64	36,000.00	2,980.77	7,451.92	4,967.95		
0.02	7.93	0.88	9	1551	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,711.54	18,890.38	15,410.58	36,000.00	2,982.69	7,456.73	4,971.15		
0.02	7.04	0.88	8	1552	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,743.59	18,902.56	15,420.51	36,000.00	2,984.62	7,461.54	4,974.36		
0.02	6.16	0.88	7	1553	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,775.64	18,914.74	15,430.45	36,000.00	2,986.54	7,466.35	4,977.56		
0.01	5.28	0.88	6	1554	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,807.69	18,926.92	15,440.38	36,000.00	2,988.48	7,471.15	4,980.77		
0.01	4.40	0.88	5	1555	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,839.74	18,939.10	15,450.32	36,000.00	2,990.38	7,475.96	4,983.97		
0.01	3.52	0.88	4	1556	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,871.79	18,951.28	15,460.26	36,000.00	2,992.31	7,480.77	4,987.18		
0.01	2.64	0.88	3	1557	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,903.85	18,963.46	15,470.19	36,000.00	2,994.23	7,485.58	4,990.38		
0.00	1.76	0.88	2	1558	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,935.90	18,975.64	15,480.13	36,000.00	2,996.15	7,490.38	4,993.59		
0.00	0.88	0.88	1	1559	Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	85,967.95	18,987.82	15,490.06	36,000.00	2,998.08	7,495.19	4,996.79		
0.00	0	0.88	0	1580	55 Shafts, slopes	7.56E+07	0.1	13,522.59	62,077.41	Wits fractured	86,000.00	19,000.00	15,500.00	36,000.00	3,000.00	7,500.00	5,000.00		
											Flow volumes before flooding		86,000.00	19,000.00	15,500.00	36,000.00	3,000.00	7,500.00	5,000.00

Model parameters

Weathered dolomite

void ratio (%) 5

Fractured dolomite

void ratio (%) 0.1

Fractured with void

ratio (%) 0.05

Inflow rate factor Scaled

Inflow

Total time (y)	Total time (d)	Time to fill void (d)	Elevation (m)	Depth (m)	Level	Mine development type	Aquifer surface area (m2)	Effective porosity (%)	Mine void volume (m3)	Aquifer void volume (m3)	Aquifer type	Total inflow (m3/d)	storage component (m3/d)		Megazine-Panvalde Dykes (m3/d)		Inflow from precipitation and recharge (m3/d)		Inflow from Simunje and Westonaria recharge (m3/d)		Inflow from Lesauaput recharge (m3/d)		Klatwae Rietaput recharge (m3/d)	
46.19	16659.46	104.91	1559	1	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,032.05	12.18	9.94	36,000.00	1.92	4.81	3.21							
45.90	16754.56	104.81	1558	2	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,064.10	24.36	19.87	36,000.00	3.85	9.62	6.41							
45.62	16849.74	104.72	1557	3	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,096.15	36.54	29.81	36,000.00	5.77	14.42	9.82							
45.33	16945.02	104.63	1556	4	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,128.21	48.72	39.74	36,000.00	7.69	19.23	12.82							
45.04	17040.40	104.53	1555	5	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,160.26	60.90	49.68	36,000.00	9.62	24.04	16.03							
44.76	17135.86	104.44	1554	6	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,192.31	73.08	59.62	36,000.00	11.54	28.85	19.23							
44.47	17231.42	104.35	1553	7	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,224.36	85.26	69.55	36,000.00	13.46	33.65	22.44							
44.18	17327.07	104.26	1552	8	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,256.41	97.44	79.49	36,000.00	15.38	38.46	25.84							
43.90	17422.81	104.17	1551	9	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,288.46	109.62	89.42	36,000.00	17.31	43.27	28.85							
43.61	17518.55	104.07	1550	10	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,320.51	121.79	99.35	36,000.00	19.23	48.06	32.05							
43.33	17614.57	103.98	1549	11	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,352.56	133.97	109.29	36,000.00	21.15	52.88	35.26							
43.04	17710.59	103.89	1548	12	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,384.62	146.15	119.23	36,000.00	23.06	57.69	38.46							
42.76	17806.70	103.80	1547	13	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,416.67	158.33	129.17	36,000.00	25.00	62.50	41.67							
42.47	17902.90	103.71	1546	14	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,448.72	170.51	139.10	36,000.00	26.92	67.31	44.87							
42.19	18000.20	103.62	1545	15	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,480.77	182.69	149.04	36,000.00	28.85	72.12	48.06							
41.91	18098.58	103.53	1544	16	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,512.82	194.87	158.97	36,000.00	30.77	76.92	51.28							
41.62	18197.05	103.43	1543	17	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,544.87	207.05	168.91	36,000.00	32.69	81.73	54.49							
41.34	18295.62	103.34	1542	18	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,576.92	219.23	178.85	36,000.00	34.62	86.54	57.69							
41.06	18394.28	103.25	1541	19	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,608.97	231.41	188.78	36,000.00	36.54	91.35	60.90							
40.77	18492.02	103.16	1540	20	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,641.03	243.59	198.72	36,000.00	38.46	96.15	64.10							
40.49	18590.86	103.07	1539	21	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,673.08	255.77	208.65	36,000.00	40.38	100.96	67.31							
40.21	18689.79	102.98	1538	22	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,705.13	267.95	218.59	36,000.00	42.31	105.77	70.51							
39.93	18788.60	102.89	1537	23	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,737.18	280.13	228.53	36,000.00	44.23	110.58	73.72							
39.64	18887.91	102.80	1536	24	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,769.23	292.31	238.46	36,000.00	46.15	115.38	76.92							
39.36	18987.11	102.71	1535	25	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,801.28	304.49	248.40	36,000.00	48.06	120.19	80.13							
39.08	19086.39	102.62	1534	26	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,833.33	316.67	258.33	36,000.00	50.00	125.00	83.33							
38.80	19185.77	102.54	1533	27	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,865.38	328.85	268.27	36,000.00	51.92	129.81	86.54							
38.52	19285.23	102.45	1532	28	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,897.44	341.03	278.21	36,000.00	53.85	134.62	89.74							
38.24	19384.79	102.36	1531	29	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,929.49	353.21	288.14	36,000.00	55.77	139.42	92.95							
37.96	19484.43	102.27	1530	30	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,961.54	365.38	298.08	36,000.00	57.69	144.23	96.15							
37.68	19584.16	102.18	1529	31	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	36,993.59	377.56	308.01	36,000.00	59.62	149.04	99.36							
37.40	19683.86	102.09	1528	32	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,025.64	389.74	317.95	36,000.00	61.54	153.85	102.56							
37.12	19783.59	102.00	1527	33	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,057.69	401.92	327.88	36,000.00	63.46	158.65	105.77							
36.84	19883.29	101.91	1526	34	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,089.74	414.10	337.82	36,000.00	65.38	163.46	108.97							
36.56	19983.07	101.83	1525	35	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,121.79	426.28	347.76	36,000.00	67.31	168.27	112.18							
36.28	20082.85	101.74	1524	36	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,153.85	438.46	357.69	36,000.00	69.23	173.08	115.38							
36.00	20182.72	101.65	1523	37	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,185.90	450.64	367.63	36,000.00	71.15	177.88	118.59							
35.72	20308.75	101.58	1522	38	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,217.95	462.82	377.56	36,000.00	73.06	182.69	121.79							
35.44	20397.19	101.48	1521	39	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,250.00	475.00	387.50	36,000.00	75.00	187.50	125.00							
35.17	20485.71	101.39	1520	40	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,282.05	487.18	397.44	36,000.00	76.92	192.31	128.21							
34.89	20584.33	101.30	1519	41	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,314.10	499.36	407.37	36,000.00	78.85	197.12	131.41							
34.61	20683.02	101.22	1518	42	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,346.15	511.54	417.31	36,000.00	80.77	201.92	134.62							
34.33	20783.81	101.13	1517	43	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,378.21	523.72	427.24	36,000.00	82.69	206.73	137.82							
34.06	20884.66	101.04	1516	44	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,410.26	535.90	437.18	36,000.00	84.62	211.54	141.03							
33.78	21239.64	100.96	1515	45	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,442.31	548.08	447.12	36,000.00	86.54	216.35	144.23							
33.50	21228.68	100.87	1514	46	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,474.36	560.26	457.05	36,000.00	88.46	221.15	147.44							
33.23	21217.81	100.78	1513	47	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,506.41	572.44	466.99	36,000.00										

30.75	11223.85	100.01	1504	56	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,794.87	682.05	556.41	36,000.00	107.69	269.23	179.49
30.48	11123.84	99.93	1503	57	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,828.92	694.23	566.35	36,000.00	109.62	274.04	182.69
30.20	11023.91	99.84	1502	58	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,858.97	706.41	576.28	36,000.00	111.54	278.85	185.90
29.93	10924.07	99.76	1501	59	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,891.03	718.59	586.22	36,000.00	113.46	283.65	189.10
29.65	10824.31	99.68	1500	60	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,923.08	730.77	596.15	36,000.00	115.38	288.46	192.31
29.38	10724.63	99.59	1499	61	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,955.13	742.95	606.09	36,000.00	117.31	293.27	195.51
29.11	10625.04	99.51	1498	62	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	37,987.18	755.13	616.03	36,000.00	119.23	298.08	198.72
28.84	10525.53	99.42	1497	63	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,019.23	767.31	626.98	36,000.00	121.15	302.88	201.92
28.56	10426.11	99.34	1496	64	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,051.28	779.49	636.90	36,000.00	123.08	307.69	205.13
28.29	10326.77	99.26	1495	65	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,083.33	791.67	646.83	36,000.00	125.00	312.50	208.33
28.02	10227.51	99.17	1494	66	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,115.38	803.85	656.77	36,000.00	126.92	317.31	211.54
27.75	10128.34	99.09	1493	67	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,147.44	816.03	666.71	36,000.00	128.85	322.12	214.74
27.48	10029.25	99.01	1492	68	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,179.49	828.21	676.64	36,000.00	130.77	326.92	217.95
27.21	9930.25	98.92	1491	69	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,211.54	840.38	686.58	36,000.00	132.69	331.73	221.15
26.94	9831.32	98.84	1490	70	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,243.59	852.56	696.51	36,000.00	134.62	336.54	224.36
26.68	9732.48	98.76	1489	71	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,275.64	864.74	706.45	36,000.00	136.54	341.35	227.56
26.39	9633.73	98.67	1488	72	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,307.69	876.92	716.38	36,000.00	138.46	346.15	230.77
26.12	9535.05	98.59	1487	73	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,339.74	889.10	726.32	36,000.00	140.38	350.96	233.97
25.85	9436.46	98.51	1486	74	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,371.79	901.28	736.25	36,000.00	142.31	355.77	237.18
25.58	9337.95	98.43	1485	75	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,403.85	913.46	746.19	36,000.00	144.23	360.58	240.38
25.31	9239.52	98.35	1484	76	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,435.90	925.64	756.13	36,000.00	146.15	365.38	243.59
25.04	9141.18	98.26	1483	77	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,467.95	937.82	766.06	36,000.00	148.08	370.19	246.79
24.78	9042.91	98.18	1482	78	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,500.00	950.00	776.00	36,000.00	150.00	375.00	250.00
24.51	8944.73	98.10	1481	79	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,532.05	962.18	786.94	36,000.00	151.92	379.81	253.21
24.24	8846.63	98.02	1480	80	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,564.10	974.36	797.87	36,000.00	153.85	384.62	256.41
23.97	8748.61	97.94	1479	81	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,596.15	986.54	808.81	36,000.00	155.77	389.42	259.62
23.70	8650.67	97.86	1478	82	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,628.21	998.72	819.74	36,000.00	157.69	394.23	262.82
23.43	8552.82	97.77	1477	83	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,660.26	1,010.90	829.68	36,000.00	159.62	399.04	266.03
23.16	8455.04	97.69	1476	84	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,692.31	1,023.08	839.62	36,000.00	161.54	403.85	269.23
22.90	8357.35	97.61	1475	85	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,724.36	1,035.26	849.55	36,000.00	163.46	408.65	272.44
22.63	8259.74	97.53	1474	86	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,756.41	1,047.44	859.49	36,000.00	165.38	413.46	275.64
22.36	8162.20	97.45	1473	87	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,788.46	1,059.62	869.42	36,000.00	167.31	418.27	278.85
22.10	8064.75	97.37	1472	88	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,820.51	1,071.79	879.36	36,000.00	169.23	423.08	282.05
21.83	7967.38	97.29	1471	89	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,852.56	1,083.97	889.29	36,000.00	171.15	427.88	285.25
21.56	7870.09	97.21	1470	90	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,884.62	1,096.15	899.23	36,000.00	173.08	432.69	288.46
21.30	7772.88	97.13	1469	91	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,916.67	1,108.33	909.17	36,000.00	175.00	437.50	291.67
21.03	7675.75	97.05	1468	92	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,948.72	1,120.51	919.10	36,000.00	176.92	442.31	294.87
20.76	7578.70	96.97	1467	93	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	38,980.77	1,132.69	929.04	36,000.00	178.85	447.12	298.08
20.50	7481.73	96.89	1466	94	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,012.82	1,144.87	938.97	36,000.00	180.77	451.92	301.28
20.23	7384.84	96.81	1465	95	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,044.87	1,157.05	948.91	36,000.00	182.69	456.73	304.49
19.97	7288.03	96.73	1464	96	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,076.92	1,169.23	958.85	36,000.00	184.62	461.54	307.69
19.70	7191.29	96.65	1463	97	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,108.97	1,181.41	968.78	36,000.00	186.54	466.35	310.90
19.44	7094.64	96.57	1462	98	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,141.03	1,193.59	978.72	36,000.00	188.46	471.15	314.10
19.17	6998.07	96.49	1461	99	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,173.08	1,205.77	988.65	36,000.00	190.38	475.96	317.31
18.91	6901.57	96.42	1460	100	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,205.13	1,217.95	998.59	36,000.00	192.31	480.77	320.51
18.64	6805.16	96.34	1459	101	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,237.18	1,230.13	1,008.53	36,000.00	194.23	485.58	323.72
18.38	6708.82	96.26	1458	102	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,269.23	1,242.31	1,018.46	36,000.00	196.15	490.38	326.92
18.12	6612.58	96.18	1457	103	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,301.28	1,254.49	1,028.40	36,000.00	198.08	495.19	330.13
17.85	6516.38	96.10	1456	104	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,333.33	1,266.67	1,038.33	36,000.00	200.00	500.00	333.33
17.59	6420.28	96.02	1455	105	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,365.38	1,278.85	1,048.27	36,000.00	201.92	504.81	336.54
17.33	6324.25	95.95	1454	106	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,397.44	1,291.03	1,058.21	36,000.00	203.85	509.62	339.74
17.06	6228.31	95.87	1453	107	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,429.49	1,303.21	1,068.14	36,000.00	205.77	514.42	342.95
16.80	6132.44	95.79	1452	108	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,461.54	1,315.38	1,078.08	36,000.00	207.69	519.23	346.15
16.54	6036.65	95.71	1451	109	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,493.59	1,327.56	1,088.01	36,000.00	209.62	524.04	349.36
16.28	5940.94	95.63	1450	110	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,525.64	1,339.74	1,097.95	36,000.00	211.54	528.85	352.56
16.01	5845.31	95.55	1449	111	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,557.69	1,351.92	1,107.88	36,000.00	213.46	533.65	355.77
15.75	5749.75	95.48	1448	112	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,589.74	1,364.10	1,117.82	36,000.00	215.38	538.46	358.97
15.49	5654.27	95.40	1447	113	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,621.79	1,376.28	1,127.76	36,000.00	217.31	543.27	362.18
15.23	5558.87	95.32	1446	114	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,653.85	1,388.46	1,137.69	36,000.00	219.23	548.08	365.38
14.97	5463.54	95.25	1445	115	Shafts	7.56E+07	5	40.00	3,779,980.00	Weathered, karst, fractured dolomite	39,685.90	1,400.64	1,147.63	36,000.00	221.15	552.88	368.59
14.71	5368.30	95.17	1444	116													

12.37	4514.51	94.48	1435	125	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,008.41	1,522.44	1,241.99	36,000.00	240.38	600.96	400.64
12.11	4420.02	94.41	1434	128	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,038.45	1,534.62	1,251.92	36,000.00	242.31	605.77	403.85
11.85	4325.61	94.33	1433	127	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,070.51	1,548.79	1,261.86	36,000.00	244.23	610.59	407.05
11.59	4231.28	94.26	1432	128	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,102.56	1,558.97	1,271.79	36,000.00	246.15	615.38	410.26
11.33	4137.02	94.18	1431	129	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,134.62	1,571.15	1,281.73	36,000.00	248.08	620.19	413.46
11.08	4042.84	94.11	1430	130	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,166.67	1,583.33	1,291.67	36,000.00	250.00	625.00	416.67
10.82	3948.73	94.03	1429	131	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,198.72	1,595.51	1,301.60	36,000.00	251.92	629.81	419.87
10.56	3854.70	93.96	1428	132	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,230.77	1,607.69	1,311.54	36,000.00	253.85	634.62	423.06
10.30	3760.74	93.88	1427	133	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,262.82	1,619.87	1,321.47	36,000.00	255.77	639.42	426.26
10.05	3666.86	93.81	1426	134	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,294.87	1,632.05	1,331.41	36,000.00	257.69	644.23	429.49
9.79	3573.05	93.73	1425	135	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,326.92	1,644.23	1,341.35	36,000.00	259.62	649.04	432.69
9.53	3479.31	93.66	1424	136	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,358.97	1,656.41	1,351.28	36,000.00	261.54	653.85	435.90
9.28	3385.66	93.59	1423	137	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,391.03	1,668.59	1,361.22	36,000.00	263.46	658.65	439.10
9.02	3292.07	93.51	1422	138	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,423.08	1,680.77	1,371.15	36,000.00	265.38	663.46	442.31
8.76	3198.56	93.44	1421	139	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,455.13	1,692.95	1,381.09	36,000.00	267.31	668.27	445.51
8.51	3105.12	93.36	1420	140	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,487.18	1,705.13	1,391.03	36,000.00	269.23	673.08	448.72
8.25	3011.78	93.29	1419	141	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,519.23	1,717.31	1,400.96	36,000.00	271.15	677.88	451.92
8.00	2918.47	93.22	1418	142	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,551.28	1,729.49	1,410.90	36,000.00	273.08	682.69	455.13
7.74	2825.26	93.14	1417	143	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,583.33	1,741.67	1,420.83	36,000.00	275.00	687.50	458.33
7.49	2732.11	93.07	1416	144	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,615.38	1,753.85	1,430.77	36,000.00	276.92	692.31	461.54
7.23	2639.05	92.99	1415	145	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,647.44	1,766.03	1,440.71	36,000.00	278.85	697.12	464.74
6.96	2546.05	92.92	1414	146	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,679.49	1,778.21	1,450.64	36,000.00	280.77	701.92	467.95
6.72	2453.13	92.85	1413	147	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,711.54	1,790.38	1,460.58	36,000.00	282.69	706.73	471.15
6.47	2360.28	92.78	1412	148	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,743.59	1,802.56	1,470.51	36,000.00	284.62	711.54	474.36
6.21	2267.51	92.70	1411	149	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,775.64	1,814.74	1,480.45	36,000.00	286.54	716.35	477.56
5.96	2174.80	92.63	1410	150	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,807.69	1,826.92	1,490.38	36,000.00	288.46	721.15	480.77
5.70	2082.17	92.56	1409	151	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,839.74	1,839.10	1,500.32	36,000.00	290.38	725.96	483.97
5.45	1989.62	92.48	1408	152	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,871.79	1,851.28	1,510.26	36,000.00	292.31	730.77	487.18
5.20	1897.13	92.41	1407	153	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,903.85	1,863.46	1,520.19	36,000.00	294.23	735.58	490.38
4.94	1804.72	92.34	1406	154	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,935.90	1,875.64	1,530.13	36,000.00	296.15	740.39	493.59
4.69	1712.38	92.27	1405	155	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	40,967.95	1,887.82	1,540.06	36,000.00	298.08	745.19	496.79
4.44	1620.11	92.20	1404	156	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	41,000.00	1,900.00	1,550.00	36,000.00	300.00	750.00	500.00
4.19	1527.92	92.12	1403	157	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	41,032.05	1,912.18	1,559.94	36,000.00	301.92	754.81	503.21
3.93	1435.80	92.05	1402	158	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	41,064.10	1,924.36	1,569.87	36,000.00	303.85	759.62	506.41
3.68	1343.74	91.98	1401	159	Shafts	7.56E+07	5	40.00	3,779,960.00	Weathered, karst, fractured dolomite	41,096.15	1,936.54	1,579.81	36,000.00	305.77	764.42	509.62
3.43	1251.76	1.84	1400	160	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,128.21	1,948.72	1,589.74	36,000.00	307.69	769.23	512.82
3.42	1246.93	1.84	1399	161	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,160.26	1,960.90	1,599.68	36,000.00	309.62	774.04	516.03
3.42	1248.09	1.84	1398	162	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,192.31	1,973.08	1,609.62	36,000.00	311.54	778.85	519.23
3.41	1246.25	1.83	1397	163	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,224.36	1,985.26	1,619.55	36,000.00	313.46	783.65	522.44
3.41	1244.42	1.83	1396	164	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,256.41	1,997.44	1,629.49	36,000.00	315.38	788.46	525.64
3.40	1242.59	1.83	1395	165	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,288.46	2,009.62	1,639.42	36,000.00	317.31	793.27	528.85
3.40	1240.76	1.83	1394	166	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,320.51	2,021.79	1,649.36	36,000.00	319.23	798.08	532.05
3.39	1238.93	1.83	1393	167	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,352.56	2,033.97	1,659.29	36,000.00	321.15	802.88	535.26
3.39	1237.10	1.83	1392	168	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,384.62	2,046.15	1,669.23	36,000.00	323.08	807.69	538.46
3.38	1235.27	1.83	1391	169	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,416.67	2,058.33	1,679.17	36,000.00	325.00	812.50	541.67
3.38	1233.45	1.82	1390	170	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,448.72	2,070.51	1,689.10	36,000.00	326.92	817.31	544.87
3.37	1231.62	1.82	1389	171	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,480.77	2,082.69	1,699.04	36,000.00	328.85	822.12	548.06
3.37	1229.80	1.82	1388	172	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,512.82	2,094.87	1,708.97	36,000.00	330.77	826.92	551.26
3.36	1227.98	1.82	1387	173	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,544.87	2,107.05	1,718.91	36,000.00	332.69	831.73	554.49
3.36	1226.16	1.82	1386	174	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,576.92	2,119.23	1,728.85	36,000.00	334.62	836.54	557.69
3.35	1224.34	1.82	1385	175	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,608.97	2,131.41	1,738.78	36,000.00	336.54	841.35	560.90
3.35	1222.52	1.82	1384	176	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,641.03	2,143.59	1,748.72	36,000.00	338.46	846.15	564.10
3.34	1220.71	1.81	1383	177	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,673.08	2,155.77	1,758.65	36,000.00	340.38	850.96	567.31
3.34	1218.89	1.81	1382	178	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,705.13	2,167.95	1,768.59	36,000.00	342.31	855.77	570.51
3.33	1217.08	1.81	1381	179	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,737.18	2,180.13	1,778.53	36,000.00	344.23	860.58	573.72
3.33	1215.27	1.81	1380	180	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,769.23	2,192.31	1,788.46	36,000.00	346.15	865.38	576.92
3.32	1213.46	1.81	1379	181	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,801.28	2,204.49	1,798.40	36,000.00	348.08	870.19	580.13
3.32	1211.65	1.81	1378	182	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,833.33	2,216.67	1,808.33	36,000.00	350.00	875.00	583.33
3.31	1209.85	1.81	1377	183	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,865.38	2,228.85	1,818.27	36,000.00	351.92	879.81	586.54
3.31	1208.04	1.80	1376	184	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	41,897.44	2,241.03	1,828.21	36,000.00	353.85	884.62	589.74
3.30	1206.24	1.80	1375	185	Shafts	7.56E+07	0.1										

3.26	1180.06	1.79	1366	194	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,217.95	2,362.82	1,827.58	36,000.00	373.08	932.69	621.79
3.26	1188.27	1.79	1365	195	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,250.00	2,375.00	1,837.50	36,000.00	375.00	937.50	625.00
3.25	1186.48	1.79	1364	198	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,282.05	2,387.18	1,847.44	36,000.00	376.92	942.31	628.21
3.25	1184.69	1.79	1363	197	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,314.10	2,399.36	1,857.37	36,000.00	378.85	947.12	631.41
3.24	1182.90	1.79	1362	198	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,346.15	2,411.54	1,867.31	36,000.00	380.77	951.82	634.62
3.24	1181.12	1.78	1361	199	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,378.21	2,423.72	1,877.24	36,000.00	382.69	956.73	637.82
3.23	1179.33	1.78	1360	200	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,410.26	2,435.90	1,887.18	36,000.00	384.62	961.54	641.03
3.23	1177.55	1.78	1359	201	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,442.31	2,448.08	1,897.12	36,000.00	386.54	966.35	644.23
3.22	1175.77	1.78	1358	202	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,474.36	2,460.26	2,007.05	36,000.00	388.46	971.15	647.44
3.22	1173.99	1.78	1357	203	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,506.41	2,472.44	2,016.99	36,000.00	390.38	975.96	650.64
3.21	1172.21	1.78	1356	204	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,538.46	2,484.62	2,026.92	36,000.00	392.31	980.77	653.85
3.21	1170.43	1.78	1355	205	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,570.51	2,496.79	2,036.86	36,000.00	394.23	985.58	657.05
3.20	1168.66	1.77	1354	206	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,602.56	2,508.97	2,046.79	36,000.00	396.15	990.39	660.26
3.20	1166.88	1.77	1353	207	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,634.62	2,521.15	2,056.73	36,000.00	398.08	995.19	663.46
3.19	1165.11	1.77	1352	208	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,666.67	2,533.33	2,066.67	36,000.00	400.00	1,000.00	666.67
3.19	1163.34	1.77	1351	209	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,698.72	2,545.51	2,076.60	36,000.00	401.92	1,004.81	669.87
3.18	1161.57	1.77	1350	210	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,730.77	2,557.69	2,086.54	36,000.00	403.85	1,009.62	673.08
3.18	1159.80	1.77	1349	211	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,762.82	2,569.87	2,096.47	36,000.00	405.77	1,014.42	676.28
3.17	1158.03	1.77	1348	212	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,794.87	2,582.05	2,106.41	36,000.00	407.69	1,019.23	679.49
3.17	1156.26	1.77	1347	213	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,826.92	2,594.23	2,116.35	36,000.00	409.62	1,024.04	682.69
3.16	1154.50	1.76	1346	214	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,858.97	2,606.41	2,126.28	36,000.00	411.54	1,028.85	685.90
3.16	1152.73	1.76	1345	215	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,891.03	2,618.59	2,136.22	36,000.00	413.46	1,033.65	689.10
3.15	1150.97	1.76	1344	216	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,923.08	2,630.77	2,146.15	36,000.00	415.38	1,038.46	692.31
3.15	1149.21	1.76	1343	217	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,955.13	2,642.95	2,156.09	36,000.00	417.31	1,043.27	695.51
3.14	1147.45	1.76	1342	218	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	42,987.18	2,655.13	2,166.03	36,000.00	419.23	1,048.08	698.72
3.14	1145.69	1.76	1341	219	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,019.23	2,667.31	2,175.96	36,000.00	421.15	1,052.89	701.92
3.13	1143.93	1.76	1340	220	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,051.28	2,679.49	2,185.90	36,000.00	423.08	1,057.69	705.13
3.13	1142.16	1.75	1339	221	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,083.33	2,691.67	2,195.83	36,000.00	425.00	1,062.50	708.33
3.12	1140.42	1.75	1338	222	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,115.38	2,703.85	2,205.77	36,000.00	426.92	1,067.31	711.54
3.12	1138.67	1.75	1337	223	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,147.44	2,716.03	2,215.71	36,000.00	428.85	1,072.12	714.74
3.11	1136.92	1.75	1336	224	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,179.49	2,728.21	2,225.64	36,000.00	430.77	1,076.92	717.95
3.11	1135.17	1.75	1335	225	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,211.54	2,740.38	2,235.58	36,000.00	432.69	1,081.73	721.15
3.11	1133.42	1.75	1334	226	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,243.59	2,752.56	2,245.51	36,000.00	434.62	1,086.54	724.36
3.10	1131.67	1.75	1333	227	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,275.64	2,764.74	2,255.45	36,000.00	436.54	1,091.35	727.56
3.10	1129.92	1.75	1332	228	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,307.69	2,776.92	2,265.38	36,000.00	438.46	1,096.15	730.77
3.09	1128.18	1.74	1331	229	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,339.74	2,789.10	2,275.32	36,000.00	440.38	1,100.96	733.97
3.09	1126.43	1.74	1330	230	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,371.79	2,801.28	2,285.26	36,000.00	442.31	1,105.77	737.18
3.08	1124.69	1.74	1329	231	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,403.85	2,813.46	2,295.19	36,000.00	444.23	1,110.58	740.38
3.08	1122.95	1.74	1328	232	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,435.90	2,825.64	2,305.13	36,000.00	446.15	1,115.38	743.59
3.07	1121.21	1.74	1327	233	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,467.95	2,837.82	2,315.06	36,000.00	448.08	1,120.19	746.79
3.07	1119.47	1.74	1326	234	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,500.00	2,850.00	2,325.00	36,000.00	450.00	1,125.00	750.00
3.06	1117.73	1.74	1325	235	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,532.05	2,862.18	2,334.94	36,000.00	451.92	1,129.81	753.21
3.06	1115.99	1.74	1324	236	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,564.10	2,874.36	2,344.87	36,000.00	453.85	1,134.62	756.41
3.05	1114.26	1.73	1323	237	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,596.15	2,886.54	2,354.81	36,000.00	455.77	1,139.42	759.62
3.05	1112.52	1.73	1322	238	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,628.21	2,898.72	2,364.74	36,000.00	457.69	1,144.23	762.82
3.04	1110.79	1.73	1321	239	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,660.26	2,910.90	2,374.68	36,000.00	459.62	1,149.04	766.03
3.04	1109.06	1.73	1320	240	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,692.31	2,923.08	2,384.62	36,000.00	461.54	1,153.85	769.23
3.03	1107.33	1.73	1319	241	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,724.36	2,935.26	2,394.55	36,000.00	463.46	1,158.65	772.44
3.03	1105.60	1.73	1318	242	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,756.41	2,947.44	2,404.49	36,000.00	465.38	1,163.46	775.64
3.02	1103.87	1.73	1317	243	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,788.46	2,959.62	2,414.42	36,000.00	467.31	1,168.27	778.85
3.02	1102.15	1.73	1316	244	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,820.51	2,971.79	2,424.36	36,000.00	469.23	1,173.08	782.05
3.01	1100.42	1.72	1315	245	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,852.56	2,983.97	2,434.29	36,000.00	471.15	1,177.88	785.26
3.01	1098.70	1.72	1314	246	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,884.62	2,996.15	2,444.23	36,000.00	473.08	1,182.69	788.46
3.01	1096.97	1.72	1313	247	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,916.67	3,008.33	2,454.17	36,000.00	475.00	1,187.50	791.67
3.00	1095.25	1.72	1312	248	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,948.72	3,020.51	2,464.10	36,000.00	476.92	1,192.31	794.87
3.00	1093.53	1.72	1311	249	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	43,980.77	3,032.69	2,474.04	36,000.00	478.85	1,197.12	798.08
2.99	1091.81	1.72	1310	250	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,012.82	3,044.87	2,483.97	36,000.00	480.77	1,201.92	801.28
2.99	1090.10	1.72	1309	251	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,044.87	3,057.05	2,493.91	36,000.00	482.69	1,206.73	804.49
2.98	1088.38	1.72	1308	252	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,076.92	3,069.23	2,503.85	36,000.00	484.62	1,211.54	807.69
2.98	1086.66	1.71	1307	253	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,108.97	3,081.41	2,513.78	36,000.00	486.54	1,216.35	810.90
2.97	1084.95	1.71	1306	254	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	44,141.03	3,093.59	2,523.72	36,000.00	488.46	1,221.15	814.10

2.93	1096.56	1.70	1297	263	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,429.49	3,203.21	2,513.14	36,000.00	505.77	1,294.42	842.95
2.93	1097.86	1.70	1298	264	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,461.54	3,215.38	2,523.08	36,000.00	507.99	1,296.23	846.15
2.92	1098.16	1.70	1299	265	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,493.69	3,227.55	2,533.01	36,000.00	509.52	1,274.04	849.36
2.92	1098.48	1.70	1300	266	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,525.84	3,239.74	2,542.95	36,000.00	511.54	1,276.85	852.58
2.91	1098.78	1.70	1301	267	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,557.99	3,251.92	2,552.89	36,000.00	513.46	1,283.65	855.77
2.91	1099.08	1.70	1302	268	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,590.14	3,264.10	2,562.82	36,000.00	515.38	1,286.46	858.97
2.90	1099.39	1.69	1303	269	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,622.29	3,276.28	2,572.76	36,000.00	517.31	1,293.27	862.18
2.90	1099.70	1.69	1304	270	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,654.44	3,288.46	2,582.69	36,000.00	519.23	1,296.08	865.38
2.89	1099.99	1.69	1305	271	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,686.59	3,300.64	2,592.63	36,000.00	521.15	1,302.86	868.59
2.89	1099.31	1.69	1306	272	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,718.75	3,312.82	2,602.56	36,000.00	523.08	1,307.69	871.79
2.89	1099.62	1.69	1307	273	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,750.90	3,325.00	2,612.50	36,000.00	525.00	1,312.50	875.00
2.89	1099.93	1.69	1308	274	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,783.05	3,337.18	2,622.44	36,000.00	526.92	1,317.31	878.21
2.87	1099.24	1.68	1309	275	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,815.10	3,349.36	2,632.37	36,000.00	528.85	1,322.12	881.41
2.87	1099.56	1.68	1310	276	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,847.25	3,361.54	2,642.31	36,000.00	530.77	1,326.92	884.62
2.87	1099.87	1.68	1311	277	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,879.40	3,373.72	2,652.24	36,000.00	532.69	1,331.73	887.82
2.86	1099.19	1.68	1312	278	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,911.55	3,385.90	2,662.18	36,000.00	534.62	1,336.54	891.03
2.86	1099.50	1.68	1313	279	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,943.70	3,398.08	2,672.12	36,000.00	536.54	1,341.35	894.23
2.85	1099.82	1.68	1314	280	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	44,975.85	3,410.26	2,682.05	36,000.00	538.46	1,346.15	897.44
2.85	1099.14	1.68	1315	281	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,008.00	3,422.44	2,691.99	36,000.00	540.38	1,350.96	900.64
2.84	1099.46	1.68	1316	282	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,040.15	3,434.62	2,701.92	36,000.00	542.31	1,355.77	903.85
2.84	1099.78	1.68	1317	283	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,072.30	3,446.79	2,711.86	36,000.00	544.23	1,360.58	907.05
2.83	1099.10	1.68	1318	284	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,104.45	3,458.97	2,721.79	36,000.00	546.15	1,365.38	910.26
2.83	1099.43	1.67	1319	285	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,136.60	3,471.15	2,731.73	36,000.00	548.08	1,370.19	913.46
2.82	1099.75	1.67	1320	286	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,168.75	3,483.33	2,741.67	36,000.00	550.00	1,375.00	916.67
2.82	1099.08	1.67	1321	287	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,200.90	3,495.51	2,751.60	36,000.00	551.92	1,379.81	919.87
2.81	1099.41	1.67	1322	288	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,233.05	3,507.69	2,761.54	36,000.00	553.85	1,384.62	923.08
2.81	1099.73	1.67	1323	289	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,265.20	3,519.87	2,771.47	36,000.00	555.77	1,389.42	926.28
2.81	1099.05	1.67	1324	290	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,297.35	3,532.05	2,781.41	36,000.00	557.69	1,394.23	929.49
2.80	1099.37	1.67	1325	291	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,329.50	3,544.23	2,791.35	36,000.00	559.62	1,399.04	932.69
2.80	1099.69	1.67	1326	292	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,361.65	3,556.41	2,801.28	36,000.00	561.54	1,403.85	935.90
2.79	1099.01	1.67	1327	293	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,393.80	3,568.59	2,811.22	36,000.00	563.46	1,408.65	939.10
2.79	1099.33	1.66	1328	294	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,425.95	3,580.77	2,821.16	36,000.00	565.38	1,413.46	942.31
2.78	1099.65	1.66	1329	295	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,458.10	3,592.95	2,831.09	36,000.00	567.31	1,418.27	945.51
2.78	1099.97	1.66	1330	296	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,490.25	3,605.13	2,841.03	36,000.00	569.23	1,423.08	948.72
2.77	1099.29	1.66	1331	297	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,522.40	3,617.31	2,850.96	36,000.00	571.16	1,427.88	951.92
2.77	1099.61	1.66	1332	298	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,554.55	3,629.49	2,860.90	36,000.00	573.08	1,432.69	955.13
2.76	1099.93	1.66	1333	299	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,586.70	3,641.67	2,870.83	36,000.00	575.00	1,437.50	958.33
2.76	1099.25	1.66	1334	300	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,618.85	3,653.85	2,880.77	36,000.00	576.92	1,442.31	961.54
2.76	1099.57	1.66	1335	301	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,651.00	3,666.03	2,890.71	36,000.00	578.85	1,447.12	964.74
2.75	1099.89	1.66	1336	302	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,683.15	3,678.21	2,900.64	36,000.00	580.77	1,451.92	967.95
2.75	1099.21	1.65	1337	303	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,715.30	3,690.39	2,910.58	36,000.00	582.69	1,456.73	971.15
2.74	1099.53	1.65	1338	304	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,747.45	3,702.57	2,920.51	36,000.00	584.62	1,461.54	974.36
2.74	1099.85	1.65	1339	305	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,779.60	3,714.74	2,930.45	36,000.00	586.54	1,466.35	977.56
2.73	1099.17	1.65	1340	306	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,811.75	3,726.92	2,940.38	36,000.00	588.46	1,471.15	980.77
2.73	1099.49	1.65	1341	307	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,843.90	3,739.10	2,950.32	36,000.00	590.38	1,475.96	983.97
2.72	1099.81	1.65	1342	308	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,876.05	3,751.28	2,960.25	36,000.00	592.31	1,480.77	987.18
2.72	1099.13	1.65	1343	309	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,908.20	3,763.46	2,970.19	36,000.00	594.23	1,485.58	990.39
2.71	1099.45	1.65	1344	310	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,940.35	3,775.64	2,980.13	36,000.00	596.15	1,490.38	993.59
2.71	1099.77	1.64	1345	311	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	45,972.50	3,787.82	2,990.06	36,000.00	598.08	1,495.19	996.79
2.71	1099.09	1.64	1346	312	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,004.65	3,800.00	3,000.00	36,000.00	600.00	1,500.00	1,000.00
2.70	1099.41	1.64	1347	313	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,036.80	3,812.18	3,010.94	36,000.00	601.92	1,504.81	1,003.21
2.70	1099.73	1.64	1348	314	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,068.95	3,824.36	3,020.87	36,000.00	603.85	1,509.62	1,006.41
2.69	1099.05	1.64	1349	315	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,101.10	3,836.54	3,030.80	36,000.00	605.77	1,514.42	1,009.62
2.69	1099.37	1.64	1350	316	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,133.25	3,848.72	3,040.74	36,000.00	607.69	1,519.23	1,012.82
2.68	1099.69	1.64	1351	317	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,165.40	3,860.90	3,050.68	36,000.00	609.62	1,524.04	1,016.03
2.68	1099.01	1.64	1352	318	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,197.55	3,873.08	3,060.62	36,000.00	611.54	1,528.85	1,019.23
2.67	1099.33	1.64	1353	319	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,229.70	3,885.26	3,070.55	36,000.00	613.46	1,533.65	1,022.44
2.67	1099.65	1.63	1354	320	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,261.85	3,897.44	3,080.49	36,000.00	615.38	1,538.46	1,025.64
2.67	1099.97	1.63	1355	321	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,294.00	3,909.62	3,090.42	36,000.00	617.31	1,543.27	1,028.85
2.66	1099.29	1.63	1356	322	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,326.15	3,921.79	3,100.36	36,000.00	619.23	1,548.08	1,032.05
2.66	1099.61	1.63	1357	323	Sheets	7.96E+07	0.1	40.00	75.590.00	Fractured dolomite	46,358.30	3,933.97	3,110.29				

2.62	954.98	1.62	1228	332	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,841.03	4,043.59	3,298.72	36,000.00	638.46	1,596.15	1,084.10
2.61	953.34	1.62	1227	333	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,873.06	4,055.77	3,308.65	36,000.00	640.38	1,600.96	1,087.31
2.61	951.72	1.62	1228	334	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,705.13	4,057.95	3,318.59	36,000.00	642.31	1,605.77	1,070.51
2.60	950.10	1.62	1225	335	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,737.18	4,050.13	3,328.53	36,000.00	644.23	1,610.58	1,073.72
2.60	948.48	1.62	1224	336	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,769.23	4,062.31	3,338.46	36,000.00	646.15	1,615.38	1,076.92
2.59	946.87	1.62	1223	337	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,801.28	4,104.49	3,348.40	36,000.00	648.08	1,620.19	1,080.13
2.59	945.25	1.61	1222	338	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,833.33	4,116.67	3,358.33	36,000.00	650.00	1,625.00	1,083.33
2.59	943.64	1.61	1221	339	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,865.38	4,128.85	3,368.27	36,000.00	651.92	1,629.81	1,086.54
2.58	942.02	1.61	1220	340	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,897.44	4,141.03	3,378.21	36,000.00	653.85	1,634.62	1,089.74
2.58	940.41	1.61	1219	341	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,929.49	4,153.21	3,388.14	36,000.00	655.77	1,639.42	1,092.95
2.57	938.80	1.61	1218	342	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,961.54	4,165.38	3,398.08	36,000.00	657.69	1,644.23	1,096.15
2.57	937.19	1.61	1217	343	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	46,993.59	4,177.56	3,408.01	36,000.00	659.62	1,649.04	1,099.36
2.56	935.58	1.61	1216	344	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,025.64	4,189.74	3,417.95	36,000.00	661.54	1,653.85	1,102.56
2.56	933.98	1.61	1215	345	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,057.69	4,201.92	3,427.88	36,000.00	663.46	1,658.65	1,105.77
2.55	932.37	1.61	1214	346	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,089.74	4,214.10	3,437.82	36,000.00	665.38	1,663.46	1,108.97
2.55	930.76	1.60	1213	347	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,121.79	4,226.28	3,447.76	36,000.00	667.31	1,668.27	1,112.18
2.55	929.16	1.60	1212	348	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,153.85	4,238.46	3,457.69	36,000.00	669.23	1,673.08	1,115.38
2.54	927.55	1.60	1211	349	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,185.90	4,250.64	3,467.63	36,000.00	671.15	1,677.88	1,118.59
2.54	925.95	1.60	1210	350	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,217.95	4,262.82	3,477.56	36,000.00	673.08	1,682.69	1,121.79
2.53	924.35	1.60	1209	351	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,250.00	4,275.00	3,487.50	36,000.00	675.00	1,687.50	1,125.00
2.53	922.75	1.60	1208	352	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,282.05	4,287.18	3,497.44	36,000.00	676.92	1,692.31	1,128.21
2.52	921.15	1.60	1207	353	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,314.10	4,299.36	3,507.37	36,000.00	678.85	1,697.12	1,131.41
2.52	919.56	1.60	1206	354	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,346.15	4,311.54	3,517.31	36,000.00	680.77	1,701.92	1,134.62
2.51	917.96	1.60	1205	355	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,378.21	4,323.72	3,527.24	36,000.00	682.69	1,706.73	1,137.82
2.51	916.36	1.59	1204	356	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,410.26	4,335.90	3,537.18	36,000.00	684.62	1,711.54	1,141.03
2.51	914.77	1.59	1203	357	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,442.31	4,348.08	3,547.12	36,000.00	686.54	1,716.35	1,144.23
2.50	913.18	1.59	1202	358	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,474.36	4,360.26	3,557.05	36,000.00	688.46	1,721.15	1,147.44
2.50	911.58	1.59	1201	359	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,506.41	4,372.44	3,566.99	36,000.00	690.38	1,725.96	1,150.64
2.49	909.99	1.59	1200	360	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,538.46	4,384.62	3,576.92	36,000.00	692.31	1,730.77	1,153.85
2.49	908.40	1.59	1199	361	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,570.51	4,396.79	3,586.85	36,000.00	694.23	1,735.58	1,157.05
2.48	906.81	1.59	1198	362	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,602.56	4,408.97	3,596.79	36,000.00	696.15	1,740.38	1,160.26
2.48	905.22	1.59	1197	363	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,634.62	4,421.15	3,606.73	36,000.00	698.08	1,745.19	1,163.46
2.48	903.64	1.59	1196	364	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,666.67	4,433.33	3,616.67	36,000.00	700.00	1,750.00	1,166.67
2.47	902.05	1.58	1195	365	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,698.72	4,445.51	3,626.60	36,000.00	701.92	1,754.81	1,169.87
2.47	900.47	1.58	1194	366	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,730.77	4,457.69	3,636.54	36,000.00	703.85	1,759.62	1,173.08
2.46	898.88	1.58	1193	367	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,762.82	4,469.87	3,646.47	36,000.00	705.77	1,764.42	1,176.28
2.46	897.30	1.58	1192	368	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,794.87	4,482.05	3,656.41	36,000.00	707.69	1,769.23	1,179.49
2.45	895.72	1.58	1191	369	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,826.92	4,494.23	3,666.35	36,000.00	709.62	1,774.04	1,182.69
2.45	894.14	1.58	1190	370	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,858.97	4,506.41	3,676.28	36,000.00	711.54	1,778.85	1,185.90
2.45	892.56	1.58	1189	371	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,891.03	4,518.59	3,686.22	36,000.00	713.46	1,783.65	1,189.10
2.44	890.98	1.58	1188	372	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,923.08	4,530.77	3,696.15	36,000.00	715.38	1,788.46	1,192.31
2.44	889.40	1.58	1187	373	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,955.13	4,542.95	3,706.09	36,000.00	717.31	1,793.27	1,195.51
2.43	887.82	1.58	1186	374	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	47,987.18	4,555.13	3,716.03	36,000.00	719.23	1,798.08	1,198.72
2.43	886.25	1.57	1185	375	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,019.23	4,567.31	3,725.96	36,000.00	721.15	1,802.88	1,201.92
2.42	884.67	1.57	1184	376	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,051.28	4,579.49	3,735.90	36,000.00	723.08	1,807.69	1,205.13
2.42	883.10	1.57	1183	377	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,083.33	4,591.67	3,745.83	36,000.00	725.00	1,812.50	1,208.33
2.42	881.53	1.57	1182	378	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,115.38	4,603.85	3,755.77	36,000.00	726.92	1,817.31	1,211.54
2.41	879.96	1.57	1181	379	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,147.44	4,616.03	3,765.71	36,000.00	728.85	1,822.12	1,214.74
2.41	878.39	1.57	1180	380	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,179.49	4,628.21	3,775.64	36,000.00	730.77	1,826.92	1,217.95
2.40	876.82	1.57	1179	381	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,211.54	4,640.38	3,785.58	36,000.00	732.69	1,831.73	1,221.15
2.40	875.25	1.57	1178	382	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,243.59	4,652.56	3,795.51	36,000.00	734.62	1,836.54	1,224.36
2.39	873.68	1.57	1177	383	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,275.64	4,664.74	3,805.45	36,000.00	736.54	1,841.35	1,227.56
2.39	872.12	1.56	1176	384	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,307.69	4,676.92	3,815.38	36,000.00	738.46	1,846.15	1,230.77
2.39	870.55	1.56	1175	385	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,339.74	4,689.10	3,825.32	36,000.00	740.38	1,850.96	1,233.97
2.38	868.99	1.56	1174	386	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,371.79	4,701.28	3,835.25	36,000.00	742.31	1,855.77	1,237.18
2.38	867.43	1.56	1173	387	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,403.85	4,713.46	3,845.19	36,000.00	744.23	1,860.58	1,240.38
2.37	865.86	1.56	1172	388	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,435.90	4,725.64	3,855.13	36,000.00	746.15	1,865.38	1,243.59
2.37	864.30	1.56	1171	389	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,467.95	4,737.82	3,865.06	36,000.00	748.08	1,870.19	1,246.79
2.36	862.74	1.56	1170	390	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,500.00	4,750.00	3,875.00	36,000.00	750.00	1,875.00	1,250.00
2.36	861.18	1.56	1169	391	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,532.05	4,762.18	3,884.94	36,000.00	751.92	1,879.81	1,253.21
2.36	859.63	1.56	1168	392	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48						

2.32	845.65	1.55	1159	401	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,852.56	4,863.97	3,984.29	36,000.00	771.15	1,927.88	1,285.26
2.31	844.11	1.55	1158	402	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,864.62	4,866.15	3,994.23	36,000.00	773.08	1,932.69	1,286.46
2.31	842.56	1.55	1157	403	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,916.67	4,908.33	4,004.17	36,000.00	775.00	1,937.50	1,291.67
2.30	841.01	1.54	1156	404	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,948.72	4,920.51	4,014.10	36,000.00	776.92	1,942.31	1,294.87
2.30	839.47	1.54	1155	405	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	48,980.77	4,932.69	4,024.04	36,000.00	778.85	1,947.12	1,299.08
2.30	837.93	1.54	1154	406	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,012.82	4,944.87	4,033.97	36,000.00	780.77	1,951.92	1,301.28
2.29	836.39	1.54	1153	407	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,044.87	4,957.05	4,043.91	36,000.00	782.69	1,956.73	1,304.49
2.29	834.84	1.54	1152	408	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,076.92	4,969.23	4,053.85	36,000.00	784.62	1,961.54	1,307.69
2.28	833.30	1.54	1151	409	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,108.97	4,981.41	4,063.78	36,000.00	786.54	1,966.35	1,310.90
2.28	831.76	1.54	1150	410	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,141.03	4,993.59	4,073.72	36,000.00	788.46	1,971.15	1,314.10
2.27	830.22	1.54	1149	411	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,173.08	5,005.77	4,083.65	36,000.00	790.38	1,975.96	1,317.31
2.27	828.69	1.54	1148	412	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,205.13	5,017.95	4,093.59	36,000.00	792.31	1,980.77	1,320.51
2.27	827.15	1.54	1147	413	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,237.18	5,030.13	4,103.53	36,000.00	794.23	1,985.58	1,323.72
2.26	825.61	1.53	1146	414	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,269.23	5,042.31	4,113.46	36,000.00	796.15	1,990.38	1,326.92
2.26	824.06	1.53	1145	415	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,301.28	5,054.49	4,123.40	36,000.00	798.08	1,995.19	1,330.13
2.25	822.52	1.53	1144	416	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,333.33	5,066.67	4,133.33	36,000.00	800.00	2,000.00	1,333.33
2.25	821.01	1.53	1143	417	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,365.38	5,078.85	4,143.27	36,000.00	801.92	2,004.81	1,336.54
2.25	819.48	1.53	1142	418	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,397.44	5,091.03	4,153.21	36,000.00	803.85	2,009.62	1,339.74
2.24	817.95	1.53	1141	419	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,429.49	5,103.21	4,163.14	36,000.00	805.77	2,014.42	1,342.95
2.24	816.42	1.53	1140	420	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,461.54	5,115.38	4,173.08	36,000.00	807.69	2,019.23	1,346.15
2.23	814.89	1.53	1139	421	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,493.59	5,127.56	4,183.01	36,000.00	809.62	2,024.04	1,349.36
2.23	813.37	1.53	1138	422	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,525.64	5,139.74	4,192.95	36,000.00	811.54	2,028.85	1,352.56
2.22	811.84	1.53	1137	423	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,557.69	5,151.92	4,202.88	36,000.00	813.46	2,033.65	1,355.77
2.22	810.32	1.52	1136	424	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,589.74	5,164.10	4,212.82	36,000.00	815.38	2,038.46	1,358.97
2.22	808.79	1.52	1135	425	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,621.79	5,176.28	4,222.76	36,000.00	817.31	2,043.27	1,362.18
2.21	807.27	1.52	1134	426	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,653.85	5,188.46	4,232.69	36,000.00	819.23	2,048.08	1,365.38
2.21	805.74	1.52	1133	427	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,685.90	5,200.64	4,242.63	36,000.00	821.15	2,052.89	1,368.59
2.20	804.22	1.52	1132	428	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,717.95	5,212.82	4,252.56	36,000.00	823.08	2,057.69	1,371.79
2.20	802.70	1.52	1131	429	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,750.00	5,225.00	4,262.50	36,000.00	825.00	2,062.50	1,375.00
2.20	801.18	1.52	1130	430	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,782.05	5,237.18	4,272.44	36,000.00	826.92	2,067.31	1,378.21
2.19	799.66	1.52	1129	431	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,814.10	5,249.36	4,282.37	36,000.00	828.85	2,072.12	1,381.41
2.19	798.15	1.52	1128	432	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,846.15	5,261.54	4,292.31	36,000.00	830.77	2,076.92	1,384.62
2.18	796.63	1.52	1127	433	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,878.21	5,273.72	4,302.24	36,000.00	832.69	2,081.73	1,387.82
2.18	795.11	1.51	1126	434	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,910.26	5,285.90	4,312.18	36,000.00	834.62	2,086.54	1,391.03
2.17	793.60	1.51	1125	435	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,942.31	5,298.08	4,322.12	36,000.00	836.54	2,091.35	1,394.23
2.17	792.09	1.51	1124	436	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	49,974.36	5,310.26	4,332.05	36,000.00	838.46	2,096.15	1,397.44
2.17	790.57	1.51	1123	437	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,006.41	5,322.44	4,341.99	36,000.00	840.38	2,100.96	1,400.64
2.16	789.06	1.51	1122	438	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,038.46	5,334.62	4,351.92	36,000.00	842.31	2,105.77	1,403.85
2.16	787.55	1.51	1121	439	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,070.51	5,346.79	4,361.86	36,000.00	844.23	2,110.58	1,407.05
2.15	786.04	1.51	1120	440	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,102.56	5,358.97	4,371.79	36,000.00	846.15	2,115.39	1,410.26
2.15	784.53	1.51	1119	441	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,134.62	5,371.15	4,381.73	36,000.00	848.08	2,120.19	1,413.46
2.15	783.02	1.51	1118	442	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,166.67	5,383.33	4,391.67	36,000.00	850.00	2,125.00	1,416.67
2.14	781.52	1.51	1117	443	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,198.72	5,395.51	4,401.60	36,000.00	851.92	2,129.81	1,419.87
2.14	780.01	1.51	1116	444	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,230.77	5,407.69	4,411.54	36,000.00	853.85	2,134.62	1,423.08
2.13	778.51	1.50	1115	445	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,262.82	5,419.87	4,421.47	36,000.00	855.77	2,139.42	1,426.28
2.13	777.00	1.50	1114	446	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,294.87	5,432.05	4,431.41	36,000.00	857.69	2,144.23	1,429.49
2.12	775.50	1.50	1113	447	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,326.92	5,444.23	4,441.35	36,000.00	859.62	2,149.04	1,432.69
2.12	774.00	1.50	1112	448	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,358.97	5,456.41	4,451.28	36,000.00	861.54	2,153.85	1,435.90
2.12	772.49	1.50	1111	449	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,391.03	5,468.59	4,461.22	36,000.00	863.46	2,158.65	1,439.10
2.11	770.99	1.50	1110	450	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,423.08	5,480.77	4,471.15	36,000.00	865.38	2,163.46	1,442.31
2.11	769.50	1.50	1109	451	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,455.13	5,492.95	4,481.09	36,000.00	867.31	2,168.27	1,445.51
2.10	768.00	1.50	1108	452	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,487.18	5,505.13	4,491.03	36,000.00	869.23	2,173.08	1,448.72
2.10	766.50	1.50	1107	453	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,519.23	5,517.31	4,500.96	36,000.00	871.15	2,177.89	1,451.92
2.10	765.00	1.50	1106	454	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,551.28	5,529.49	4,510.90	36,000.00	873.08	2,182.69	1,455.13
2.09	763.51	1.49	1105	455	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,583.33	5,541.67	4,520.83	36,000.00	875.00	2,187.50	1,458.33
2.09	762.01	1.49	1104	456	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,615.38	5,553.85	4,530.77	36,000.00	876.92	2,192.31	1,461.54
2.08	760.52	1.49	1103	457	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,647.44	5,566.03	4,540.71	36,000.00	878.85	2,197.12	1,464.74
2.08	759.03	1.49	1102	458	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,679.49	5,578.21	4,550.64	36,000.00	880.77	2,201.92	1,467.95
2.08	757.53	1.49	1101	459	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,711.54	5,590.38	4,560.58	36,000.00	882.69	2,206.73	1,471.15
2.07	756.04	1.49	1100	460	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50,743.59	5,602.56	4,570.51	36,000.00	884.62	2,211.54	1,474.36
2.07	754.55	1.49	1099	461	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	50						

2.03	741.19	1.48	1090	470	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,084.10	5,724.36	4,899.87	36,000.00	903.85	2,259.62	1,506.41
2.03	739.71	1.48	1089	471	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,086.15	5,736.54	4,679.81	36,000.00	905.77	2,264.42	1,509.62
2.02	738.23	1.48	1088	472	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,128.21	5,748.72	4,699.74	36,000.00	907.69	2,269.23	1,512.82
2.02	736.75	1.48	1087	473	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,160.26	5,760.90	4,699.68	36,000.00	909.62	2,274.04	1,516.03
2.01	735.27	1.48	1086	474	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,192.31	5,773.08	4,709.82	36,000.00	911.54	2,278.85	1,519.23
2.01	733.79	1.48	1085	475	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,224.36	5,785.26	4,719.55	36,000.00	913.46	2,283.65	1,522.44
2.01	732.32	1.47	1084	476	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,256.41	5,797.44	4,729.49	36,000.00	915.38	2,288.46	1,525.64
2.00	730.84	1.47	1083	477	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,288.46	5,809.62	4,739.42	36,000.00	917.31	2,293.27	1,528.85
2.00	729.37	1.47	1082	478	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,320.51	5,821.79	4,749.38	36,000.00	919.23	2,298.08	1,532.05
1.99	727.90	1.47	1081	479	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,352.56	5,833.97	4,759.29	36,000.00	921.15	2,302.88	1,535.26
1.99	726.42	1.47	1080	480	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,384.62	5,846.15	4,769.23	36,000.00	923.08	2,307.69	1,538.46
1.99	724.95	1.47	1079	481	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,416.67	5,858.33	4,779.17	36,000.00	925.00	2,312.50	1,541.67
1.98	723.48	1.47	1078	482	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,448.72	5,870.51	4,789.10	36,000.00	926.92	2,317.31	1,544.87
1.98	722.01	1.47	1077	483	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,480.77	5,882.69	4,799.04	36,000.00	928.85	2,322.12	1,548.08
1.97	720.55	1.47	1076	484	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,512.82	5,894.87	4,808.97	36,000.00	930.77	2,326.92	1,551.28
1.97	719.08	1.47	1075	485	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,544.87	5,907.05	4,818.91	36,000.00	932.69	2,331.73	1,554.49
1.97	717.61	1.47	1074	486	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,576.92	5,919.23	4,828.85	36,000.00	934.62	2,336.54	1,557.69
1.96	716.15	1.46	1073	487	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,608.97	5,931.41	4,838.78	36,000.00	936.54	2,341.35	1,560.90
1.96	714.68	1.46	1072	488	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,641.03	5,943.59	4,848.72	36,000.00	938.46	2,346.15	1,564.10
1.95	713.22	1.46	1071	489	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,673.08	5,955.77	4,858.65	36,000.00	940.38	2,350.96	1,567.31
1.95	711.75	1.46	1070	490	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,705.13	5,967.95	4,868.59	36,000.00	942.31	2,355.77	1,570.51
1.95	710.29	1.46	1069	491	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,737.18	5,980.13	4,878.53	36,000.00	944.23	2,360.58	1,573.72
1.94	708.83	1.46	1068	492	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,769.23	5,992.31	4,888.46	36,000.00	946.15	2,365.38	1,576.92
1.94	707.37	1.46	1067	493	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,801.28	6,004.49	4,898.40	36,000.00	948.08	2,370.19	1,580.13
1.93	705.91	1.46	1066	494	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,833.33	6,016.67	4,908.33	36,000.00	950.00	2,375.00	1,583.33
1.93	704.45	1.46	1065	495	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,865.38	6,028.85	4,918.27	36,000.00	951.92	2,379.81	1,586.54
1.93	702.99	1.46	1064	496	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,897.44	6,041.03	4,928.21	36,000.00	953.85	2,384.62	1,589.74
1.92	701.54	1.46	1063	497	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,929.49	6,053.21	4,938.14	36,000.00	955.77	2,389.42	1,592.95
1.92	700.08	1.45	1062	498	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,961.54	6,065.38	4,948.08	36,000.00	957.69	2,394.23	1,596.15
1.91	698.63	1.45	1061	499	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	51,993.59	6,077.56	4,958.01	36,000.00	959.62	2,399.04	1,599.36
1.91	697.17	1.45	1060	500	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,025.64	6,089.74	4,967.95	36,000.00	961.54	2,403.85	1,602.56
1.91	695.72	1.45	1059	501	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,057.69	6,101.92	4,977.88	36,000.00	963.46	2,408.65	1,605.77
1.90	694.27	1.45	1058	502	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,089.74	6,114.10	4,987.82	36,000.00	965.38	2,413.46	1,608.97
1.90	692.82	1.45	1057	503	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,121.79	6,126.28	4,997.76	36,000.00	967.31	2,418.27	1,612.18
1.89	691.37	1.45	1056	504	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,153.85	6,138.46	5,007.69	36,000.00	969.23	2,423.08	1,615.38
1.89	689.92	1.45	1055	505	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,185.90	6,150.64	5,017.63	36,000.00	971.15	2,427.88	1,618.59
1.89	688.47	1.45	1054	506	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,217.95	6,162.82	5,027.56	36,000.00	973.08	2,432.69	1,621.79
1.88	687.02	1.45	1053	507	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,250.00	6,175.00	5,037.50	36,000.00	975.00	2,437.50	1,625.00
1.88	685.57	1.45	1052	508	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,282.06	6,187.18	5,047.44	36,000.00	976.92	2,442.31	1,628.21
1.87	684.13	1.45	1051	509	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,314.10	6,199.36	5,057.37	36,000.00	978.85	2,447.12	1,631.41
1.87	682.68	1.44	1050	510	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,346.15	6,211.54	5,067.31	36,000.00	980.77	2,451.92	1,634.62
1.87	681.24	1.44	1049	511	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,378.21	6,223.72	5,077.24	36,000.00	982.69	2,456.73	1,637.82
1.86	679.79	1.44	1048	512	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,410.26	6,235.90	5,087.18	36,000.00	984.62	2,461.54	1,641.03
1.86	678.35	1.44	1047	513	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,442.31	6,248.08	5,097.12	36,000.00	986.54	2,466.35	1,644.23
1.85	676.91	1.44	1046	514	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,474.36	6,260.26	5,107.05	36,000.00	988.46	2,471.15	1,647.44
1.85	675.47	1.44	1045	515	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,506.41	6,272.44	5,116.99	36,000.00	990.38	2,475.96	1,650.64
1.85	674.03	1.44	1044	516	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,538.46	6,284.62	5,126.92	36,000.00	992.31	2,480.77	1,653.85
1.84	672.59	1.44	1043	517	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,570.51	6,296.79	5,136.86	36,000.00	994.23	2,485.58	1,657.05
1.84	671.15	1.44	1042	518	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,602.56	6,308.97	5,146.79	36,000.00	996.15	2,490.38	1,660.26
1.83	669.71	1.44	1041	519	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,634.62	6,321.15	5,156.73	36,000.00	998.08	2,495.19	1,663.46
1.83	668.28	1.44	1040	520	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,666.67	6,333.33	5,166.67	36,000.00	1,000.00	2,500.00	1,666.67
1.83	666.84	1.43	1039	521	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,698.72	6,345.51	5,176.60	36,000.00	1,001.92	2,504.81	1,669.87
1.82	665.41	1.43	1038	522	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,730.77	6,357.69	5,186.54	36,000.00	1,003.85	2,509.62	1,673.08
1.82	663.97	1.43	1037	523	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,762.82	6,369.87	5,196.47	36,000.00	1,005.77	2,514.42	1,676.28
1.82	662.54	1.43	1036	524	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,794.87	6,382.05	5,206.41	36,000.00	1,007.69	2,519.23	1,679.49
1.81	661.11	1.43	1035	525	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,826.92	6,394.23	5,216.35	36,000.00	1,009.62	2,524.04	1,682.69
1.81	659.68	1.43	1034	526	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,858.97	6,406.41	5,226.28	36,000.00	1,011.54	2,528.85	1,685.90
1.80	658.25	1.43	1033	527	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,891.03	6,418.59	5,236.22	36,000.00	1,013.46	2,533.65	1,689.10
1.80	656.82	1.43	1032	528	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,923.08	6,430.77	5,246.15	36,000.00	1,015.38	2,538.46	1,692.31
1.80	655.39	1.43	1031	529	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	52,955.13	6,442.95	5,256.09	36,000.00	1,017.31	2,543.27	1,695.51
1.79	653.95	1.43	1030	530	Shafts	7.56E+07	0.1	40.00	75,560								

1.76	641.15	1.42	1021	539	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,275.64	6,594.74	5,355.45	36,000.00	1,036.54	2,591.35	1,727.56
1.75	639.73	1.42	1020	540	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,307.69	6,576.92	5,365.38	36,000.00	1,038.46	2,585.15	1,730.97
1.74	638.32	1.42	1019	541	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,339.74	6,559.10	5,375.22	36,000.00	1,040.38	2,600.96	1,733.77
1.74	636.46	1.42	1018	542	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,371.79	6,501.26	5,365.26	36,000.00	1,042.31	2,605.77	1,737.18
1.74	634.07	1.41	1017	543	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,403.85	6,613.46	5,365.19	36,000.00	1,044.23	2,610.36	1,740.36
1.73	632.85	1.41	1016	545	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,435.90	6,625.64	5,405.13	36,000.00	1,046.15	2,615.36	1,743.59
1.73	631.24	1.41	1015	546	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,467.95	6,637.82	5,415.06	36,000.00	1,048.08	2,620.19	1,746.78
1.73	629.82	1.41	1014	548	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,500.00	6,650.00	5,425.00	36,000.00	1,050.00	2,625.00	1,750.00
1.72	628.41	1.41	1013	547	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,532.05	6,662.18	5,434.94	36,000.00	1,051.92	2,629.81	1,753.21
1.72	627.00	1.41	1012	548	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,564.10	6,674.36	5,444.87	36,000.00	1,053.85	2,634.62	1,756.41
1.71	625.59	1.41	1011	549	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,596.15	6,686.54	5,454.81	36,000.00	1,055.77	2,639.42	1,759.62
1.71	624.18	1.41	1010	550	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,628.21	6,698.72	5,464.74	36,000.00	1,057.69	2,644.23	1,762.82
1.71	622.77	1.41	1009	551	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,660.26	6,710.90	5,474.68	36,000.00	1,059.62	2,649.04	1,766.03
1.71	621.36	1.41	1008	552	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,692.31	6,723.08	5,484.62	36,000.00	1,061.54	2,653.85	1,769.23
1.70	619.95	1.41	1007	553	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,724.36	6,735.26	5,494.55	36,000.00	1,063.46	2,658.66	1,772.44
1.70	618.55	1.41	1006	554	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,756.41	6,747.44	5,504.49	36,000.00	1,065.38	2,663.47	1,775.64
1.69	617.15	1.41	1005	555	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,788.46	6,759.62	5,514.42	36,000.00	1,067.31	2,668.27	1,778.85
1.69	615.74	1.40	1004	556	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,820.51	6,771.79	5,524.36	36,000.00	1,069.23	2,673.08	1,782.05
1.68	614.34	1.40	1003	557	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,852.56	6,783.97	5,534.29	36,000.00	1,071.15	2,677.89	1,785.26
1.68	612.93	1.40	1002	558	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,884.62	6,796.15	5,544.23	36,000.00	1,073.08	2,682.69	1,788.46
1.68	611.53	1.40	1001	559	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,916.67	6,808.33	5,554.17	36,000.00	1,075.00	2,687.50	1,791.67
1.67	610.13	1.40	1000	560	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,948.72	6,820.51	5,564.10	36,000.00	1,076.92	2,692.31	1,794.87
1.67	608.73	1.40	999	561	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	53,980.77	6,832.69	5,574.04	36,000.00	1,078.85	2,697.12	1,798.08
1.67	607.33	1.40	998	562	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,012.82	6,844.87	5,583.97	36,000.00	1,080.77	2,701.92	1,801.28
1.66	605.93	1.40	997	563	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,044.87	6,857.05	5,593.91	36,000.00	1,082.69	2,706.73	1,804.49
1.66	604.53	1.40	996	564	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,076.92	6,869.23	5,603.85	36,000.00	1,084.62	2,711.54	1,807.69
1.66	603.14	1.40	995	565	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,108.97	6,881.41	5,613.78	36,000.00	1,086.54	2,716.35	1,810.90
1.65	601.74	1.40	994	566	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,141.03	6,893.59	5,623.72	36,000.00	1,088.46	2,721.15	1,814.10
1.64	600.34	1.39	993	567	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,173.08	6,905.77	5,633.65	36,000.00	1,090.38	2,725.96	1,817.31
1.64	598.95	1.39	992	568	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,205.13	6,917.95	5,643.59	36,000.00	1,092.31	2,730.77	1,820.51
1.64	597.55	1.39	991	569	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,237.18	6,930.13	5,653.53	36,000.00	1,094.23	2,735.58	1,823.72
1.63	596.16	1.39	990	570	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,269.23	6,942.31	5,663.46	36,000.00	1,096.15	2,740.38	1,826.92
1.63	594.77	1.39	989	571	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,301.28	6,954.49	5,673.40	36,000.00	1,098.08	2,745.19	1,830.13
1.63	593.38	1.39	988	572	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,333.33	6,966.67	5,683.33	36,000.00	1,100.00	2,750.00	1,833.33
1.63	591.98	1.39	987	573	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,365.38	6,978.85	5,693.27	36,000.00	1,101.92	2,754.81	1,836.54
1.62	590.59	1.39	986	574	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,397.44	6,991.03	5,703.21	36,000.00	1,103.85	2,759.62	1,839.74
1.62	589.20	1.39	985	575	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,429.49	7,003.21	5,713.14	36,000.00	1,105.77	2,764.42	1,842.95
1.61	587.81	1.39	984	576	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,461.54	7,015.39	5,723.08	36,000.00	1,107.69	2,769.23	1,846.15
1.61	586.42	1.39	983	577	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,493.59	7,027.56	5,733.01	36,000.00	1,109.62	2,774.04	1,849.36
1.61	585.03	1.39	982	578	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,525.64	7,039.74	5,742.95	36,000.00	1,111.54	2,778.85	1,852.56
1.60	583.65	1.39	981	579	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,557.69	7,051.92	5,752.88	36,000.00	1,113.46	2,783.66	1,855.77
1.60	582.26	1.39	980	580	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,589.74	7,064.10	5,762.82	36,000.00	1,115.38	2,788.46	1,858.97
1.59	580.89	1.39	979	581	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,621.79	7,076.28	5,772.75	36,000.00	1,117.31	2,793.27	1,862.17
1.59	579.51	1.39	978	582	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,653.85	7,088.46	5,782.69	36,000.00	1,119.23	2,798.08	1,865.38
1.59	578.13	1.39	977	583	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,685.90	7,100.64	5,792.63	36,000.00	1,121.15	2,802.89	1,868.59
1.59	576.75	1.39	976	584	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,717.95	7,112.82	5,802.56	36,000.00	1,123.08	2,807.69	1,871.79
1.59	575.36	1.39	975	585	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,750.00	7,125.00	5,812.50	36,000.00	1,125.00	2,812.50	1,875.00
1.59	573.98	1.39	974	586	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,782.05	7,137.18	5,822.44	36,000.00	1,126.92	2,817.31	1,878.21
1.57	572.61	1.39	973	587	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,814.10	7,149.36	5,832.37	36,000.00	1,128.85	2,822.12	1,881.41
1.57	571.23	1.39	972	588	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,846.15	7,161.54	5,842.31	36,000.00	1,130.77	2,826.92	1,884.62
1.57	569.85	1.39	971	589	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,878.21	7,173.72	5,852.24	36,000.00	1,132.69	2,831.73	1,887.82
1.56	568.47	1.39	970	590	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,910.26	7,185.90	5,862.18	36,000.00	1,134.62	2,836.54	1,891.03
1.56	567.10	1.39	969	591	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,942.31	7,198.08	5,872.12	36,000.00	1,136.54	2,841.35	1,894.23
1.55	565.72	1.37	968	592	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	54,974.36	7,210.26	5,882.05	36,000.00	1,138.46	2,846.15	1,897.44
1.55	564.35	1.37	967	593	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,006.41	7,222.44	5,891.99	36,000.00	1,140.38	2,850.96	1,900.64
1.54	562.97	1.37	966	594	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,038.46	7,234.62	5,901.92	36,000.00	1,142.31	2,855.77	1,903.85
1.54	561.60	1.37	965	595	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,070.51	7,246.79	5,911.86	36,000.00	1,144.23	2,860.58	1,907.05
1.53	560.23	1.37	964	596	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,102.56	7,258.97	5,921.79	36,000.00	1,146.15	2,865.38	1,910.26
1.53	558.86	1.37	963	597	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,134.62	7,271.15	5,931.73	36,000.00	1,148.08	2,870.19	1,913.46
1.53	557.49	1.37	962	598	Shifts	7.95E+07	0.1	40.00	75,500.00	Fractured dolomite	55,166.67	7,283.33	5,941.67	36,000.00	1,150.00	2,875.00	1,916.67
1.52	556.12	1.37	961	599	Shifts	7.95E+07	0.1	40.00	75,500								

1.49	545.19	1.36	952	608	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,487.18	7,405.13	6,041.03	36,000.00	1,169.23	2,923.08	1,948.72
1.49	543.83	1.36	951	609	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,519.23	7,417.31	6,050.98	36,000.00	1,171.15	2,927.88	1,951.92
1.49	542.47	1.36	950	610	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,551.28	7,429.49	6,060.90	36,000.00	1,173.08	2,932.69	1,955.13
1.48	541.10	1.36	949	611	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,583.33	7,441.67	6,070.83	36,000.00	1,175.00	2,937.50	1,958.33
1.48	539.74	1.36	948	612	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,615.38	7,453.85	6,080.77	36,000.00	1,176.92	2,942.31	1,961.54
1.48	538.38	1.36	947	613	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,647.44	7,466.03	6,090.71	36,000.00	1,178.85	2,947.12	1,964.74
1.47	537.03	1.36	946	614	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,679.49	7,478.21	6,100.64	36,000.00	1,180.77	2,951.92	1,967.95
1.47	535.67	1.36	945	615	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,711.54	7,490.39	6,110.58	36,000.00	1,182.69	2,956.73	1,971.15
1.46	534.31	1.36	944	616	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,743.59	7,502.56	6,120.51	36,000.00	1,184.62	2,961.54	1,974.36
1.46	532.95	1.36	943	617	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,775.64	7,514.74	6,130.45	36,000.00	1,186.54	2,966.35	1,977.56
1.46	531.60	1.35	942	618	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,807.69	7,526.92	6,140.38	36,000.00	1,188.46	2,971.15	1,980.77
1.45	530.25	1.35	941	619	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,839.74	7,539.10	6,150.32	36,000.00	1,190.38	2,975.96	1,983.97
1.45	528.89	1.35	940	620	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,871.79	7,551.28	6,160.25	36,000.00	1,192.31	2,980.77	1,987.18
1.45	527.54	1.35	939	621	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,903.85	7,563.46	6,170.19	36,000.00	1,194.23	2,985.58	1,990.38
1.44	526.19	1.35	938	622	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,935.90	7,575.64	6,180.13	36,000.00	1,196.15	2,990.38	1,993.59
1.44	524.83	1.35	937	623	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	55,967.95	7,587.82	6,190.06	36,000.00	1,198.08	2,995.19	1,996.79
1.43	523.48	1.35	936	624	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,000.00	7,600.00	6,200.00	36,000.00	1,200.00	3,000.00	2,000.00
1.43	522.13	1.35	935	625	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,032.05	7,612.18	6,209.94	36,000.00	1,201.92	3,004.81	2,003.21
1.43	520.78	1.35	934	626	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,064.10	7,624.36	6,219.87	36,000.00	1,203.85	3,009.62	2,006.41
1.42	519.44	1.35	933	627	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,096.15	7,636.54	6,229.81	36,000.00	1,205.77	3,014.42	2,009.62
1.42	518.09	1.35	932	628	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,128.21	7,648.72	6,239.74	36,000.00	1,207.69	3,019.23	2,012.82
1.42	516.74	1.35	931	629	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,160.26	7,660.90	6,249.68	36,000.00	1,209.62	3,024.04	2,016.03
1.41	515.40	1.35	930	630	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,192.31	7,673.08	6,259.62	36,000.00	1,211.54	3,028.85	2,019.23
1.41	514.05	1.34	929	631	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,224.36	7,685.26	6,269.55	36,000.00	1,213.46	3,033.65	2,022.44
1.40	512.71	1.34	928	632	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,256.41	7,697.44	6,279.49	36,000.00	1,215.38	3,038.46	2,025.64
1.40	511.36	1.34	927	633	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,288.46	7,709.62	6,289.42	36,000.00	1,217.31	3,043.27	2,028.85
1.40	510.02	1.34	926	634	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,320.51	7,721.79	6,299.36	36,000.00	1,219.23	3,048.08	2,032.05
1.39	508.68	1.34	925	635	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,352.56	7,733.97	6,309.29	36,000.00	1,221.15	3,052.88	2,035.26
1.39	507.33	1.34	924	636	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,384.62	7,746.15	6,319.23	36,000.00	1,223.08	3,057.69	2,038.46
1.39	505.99	1.34	923	637	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,416.67	7,758.33	6,329.17	36,000.00	1,225.00	3,062.50	2,041.67
1.38	504.65	1.34	922	638	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,448.72	7,770.51	6,339.10	36,000.00	1,226.92	3,067.31	2,044.87
1.38	503.31	1.34	921	639	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,480.77	7,782.69	6,349.04	36,000.00	1,228.85	3,072.12	2,048.08
1.38	501.96	1.34	920	640	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,512.82	7,794.87	6,358.97	36,000.00	1,230.77	3,076.92	2,051.28
1.37	500.64	1.34	919	641	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,544.87	7,807.05	6,368.91	36,000.00	1,232.69	3,081.73	2,054.49
1.37	499.30	1.34	918	642	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,576.92	7,819.23	6,378.85	36,000.00	1,234.62	3,086.54	2,057.69
1.36	497.96	1.34	917	643	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,608.97	7,831.41	6,388.78	36,000.00	1,236.54	3,091.35	2,060.90
1.36	496.63	1.33	916	644	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,641.03	7,843.59	6,398.72	36,000.00	1,238.46	3,096.15	2,064.10
1.36	495.29	1.33	915	645	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,673.08	7,855.77	6,408.65	36,000.00	1,240.38	3,100.96	2,067.31
1.35	493.95	1.33	914	646	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,705.13	7,867.95	6,418.59	36,000.00	1,242.31	3,105.77	2,070.51
1.35	492.63	1.33	913	647	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,737.18	7,880.13	6,428.53	36,000.00	1,244.23	3,110.58	2,073.72
1.35	491.30	1.33	912	648	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,769.23	7,892.31	6,438.46	36,000.00	1,246.15	3,115.38	2,076.92
1.34	489.96	1.33	911	649	Shafts	7.56E+07	0.1	40.00	75,560.00	Fractured dolomite	56,801.28	7,904.49	6,448.40	36,000.00	1,248.08	3,120.19	2,080.13
1.34	488.63	0.87	910	650	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,833.33	7,916.67	6,458.33	36,000.00	1,250.00	3,125.00	2,083.33
1.34	487.29	0.86	909	651	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,865.38	7,928.85	6,468.27	36,000.00	1,251.92	3,129.81	2,086.54
1.34	487.00	0.86	908	652	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,897.44	7,941.03	6,478.21	36,000.00	1,253.85	3,134.62	2,089.74
1.33	485.64	0.86	907	653	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,929.49	7,953.21	6,488.14	36,000.00	1,255.77	3,139.42	2,092.95
1.33	485.97	0.86	906	654	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,961.54	7,965.39	6,498.08	36,000.00	1,257.69	3,144.23	2,096.15
1.33	485.31	0.86	905	655	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	56,993.59	7,977.56	6,508.01	36,000.00	1,259.62	3,149.04	2,099.36
1.33	484.65	0.86	904	656	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,025.64	7,989.74	6,517.95	36,000.00	1,261.54	3,153.85	2,102.56
1.33	483.99	0.86	903	657	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,057.69	8,001.92	6,527.88	36,000.00	1,263.46	3,158.65	2,105.77
1.32	483.32	0.86	902	658	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,089.74	8,014.10	6,537.82	36,000.00	1,265.38	3,163.46	2,108.97
1.32	482.66	0.86	901	659	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,121.79	8,026.28	6,547.76	36,000.00	1,267.31	3,168.27	2,112.18
1.32	482.00	0.86	900	660	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,153.85	8,038.46	6,557.69	36,000.00	1,269.23	3,173.08	2,115.38
1.32	481.34	0.86	899	661	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,185.90	8,050.64	6,567.63	36,000.00	1,271.15	3,177.88	2,118.59
1.32	480.68	0.86	898	662	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,217.95	8,062.82	6,577.56	36,000.00	1,273.08	3,182.69	2,121.79
1.32	480.02	0.86	897	663	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,250.00	8,075.00	6,587.50	36,000.00	1,275.00	3,187.50	2,125.00
1.31	479.35	0.86	896	664	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,282.05	8,087.18	6,597.44	36,000.00	1,276.92	3,192.31	2,128.21
1.31	478.69	0.86	895	665	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,314.10	8,099.36	6,607.37	36,000.00	1,278.85	3,197.12	2,131.41
1.31	478.04	0.86	894	666	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,346.15	8,111.54	6,617.31	36,000.00	1,280.77	3,201.92	2,134.62
1.31	477.38	0.86	893	667	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wtts fractured	57,378.21	8,123.72	6,627.24	36,000.00	1,28		

1.29	470.80	0.66	883	677	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,866.72	8,245.51	6,728.60	36,000.00	1,301.92	3,254.81	2,169.87
1.29	470.15	0.65	882	678	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,730.77	8,257.69	6,736.54	36,000.00	1,303.85	3,259.62	2,173.06
1.29	469.50	0.65	881	679	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,762.82	8,269.87	6,746.47	36,000.00	1,305.77	3,264.42	2,176.28
1.28	468.84	0.65	880	680	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,794.87	8,282.05	6,756.41	36,000.00	1,307.69	3,269.23	2,179.49
1.28	468.19	0.65	879	681	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,826.92	8,294.23	6,766.35	36,000.00	1,309.62	3,274.04	2,182.69
1.28	467.53	0.65	878	682	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,858.97	8,306.41	6,776.28	36,000.00	1,311.54	3,278.85	2,185.90
1.28	466.88	0.65	877	683	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,891.03	8,318.59	6,786.22	36,000.00	1,313.46	3,283.65	2,189.10
1.28	466.23	0.65	876	684	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,923.08	8,330.77	6,796.15	36,000.00	1,315.38	3,288.46	2,192.31
1.28	465.57	0.65	875	685	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,955.13	8,342.95	6,806.09	36,000.00	1,317.31	3,293.27	2,195.51
1.27	464.92	0.65	874	686	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	57,987.18	8,355.13	6,816.03	36,000.00	1,319.23	3,298.08	2,198.72
1.27	464.27	0.65	873	687	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,019.23	8,367.31	6,825.96	36,000.00	1,321.15	3,302.88	2,201.92
1.27	463.62	0.65	872	688	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,051.28	8,379.49	6,835.90	36,000.00	1,323.08	3,307.69	2,205.13
1.27	462.97	0.65	871	689	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,083.33	8,391.67	6,845.83	36,000.00	1,325.00	3,312.50	2,208.33
1.27	462.32	0.65	870	690	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,115.38	8,403.85	6,855.77	36,000.00	1,326.92	3,317.31	2,211.54
1.26	461.67	0.65	869	691	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,147.44	8,416.03	6,865.71	36,000.00	1,328.85	3,322.12	2,214.74
1.26	461.02	0.65	868	692	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,179.49	8,428.21	6,875.64	36,000.00	1,330.77	3,326.92	2,217.95
1.26	460.37	0.65	867	693	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,211.54	8,440.38	6,885.58	36,000.00	1,332.69	3,331.73	2,221.15
1.26	459.72	0.65	866	694	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,243.59	8,452.56	6,895.51	36,000.00	1,334.62	3,336.54	2,224.36
1.26	459.07	0.65	865	695	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,275.64	8,464.74	6,905.45	36,000.00	1,336.54	3,341.35	2,227.56
1.26	458.42	0.65	864	696	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,307.69	8,476.92	6,915.38	36,000.00	1,338.46	3,346.15	2,230.77
1.25	457.77	0.65	863	697	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,339.74	8,489.10	6,925.32	36,000.00	1,340.38	3,350.96	2,233.97
1.25	457.12	0.65	862	698	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,371.79	8,501.28	6,935.26	36,000.00	1,342.31	3,355.77	2,237.18
1.25	456.48	0.65	861	699	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,403.85	8,513.46	6,945.19	36,000.00	1,344.23	3,360.58	2,240.38
1.25	455.83	0.65	860	700	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,435.90	8,525.64	6,955.13	36,000.00	1,346.15	3,365.38	2,243.59
1.25	455.18	0.65	859	701	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,467.95	8,537.82	6,965.06	36,000.00	1,348.08	3,370.19	2,246.79
1.25	454.53	0.65	858	702	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,500.00	8,550.00	6,975.00	36,000.00	1,350.00	3,375.00	2,250.00
1.24	453.88	0.65	857	703	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,532.05	8,562.18	6,984.94	36,000.00	1,351.92	3,379.81	2,253.21
1.24	453.24	0.65	856	704	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,564.10	8,574.36	6,994.87	36,000.00	1,353.85	3,384.62	2,256.41
1.24	452.60	0.65	855	705	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,596.15	8,586.54	7,004.81	36,000.00	1,355.77	3,389.42	2,259.62
1.24	451.95	0.64	854	706	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,628.21	8,598.72	7,014.74	36,000.00	1,357.69	3,394.23	2,262.82
1.24	451.31	0.64	853	707	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,660.26	8,610.90	7,024.68	36,000.00	1,359.62	3,399.04	2,266.03
1.23	450.66	0.64	852	708	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,692.31	8,623.08	7,034.62	36,000.00	1,361.54	3,403.85	2,269.23
1.23	450.02	0.64	851	709	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,724.36	8,635.26	7,044.55	36,000.00	1,363.46	3,408.65	2,272.44
1.23	449.38	0.64	850	710	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,756.41	8,647.44	7,054.49	36,000.00	1,365.38	3,413.46	2,275.64
1.23	448.73	0.64	849	711	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,788.46	8,659.62	7,064.42	36,000.00	1,367.31	3,418.27	2,278.85
1.23	448.09	0.64	848	712	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,820.51	8,671.79	7,074.36	36,000.00	1,369.23	3,423.08	2,282.05
1.23	447.45	0.64	847	713	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,852.56	8,683.97	7,084.29	36,000.00	1,371.15	3,427.88	2,285.26
1.22	446.80	0.64	846	714	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,884.62	8,696.15	7,094.23	36,000.00	1,373.08	3,432.69	2,288.46
1.22	446.16	0.64	845	715	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,916.67	8,708.33	7,104.17	36,000.00	1,375.00	3,437.50	2,291.67
1.22	445.52	0.64	844	716	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,948.72	8,720.51	7,114.10	36,000.00	1,376.92	3,442.31	2,294.87
1.22	444.88	0.64	843	717	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	58,980.77	8,732.69	7,124.04	36,000.00	1,378.85	3,447.12	2,298.08
1.22	444.24	0.64	842	718	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,012.82	8,744.87	7,133.97	36,000.00	1,380.77	3,451.92	2,301.28
1.22	443.60	0.64	841	719	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,044.87	8,757.05	7,143.91	36,000.00	1,382.69	3,456.73	2,304.49
1.21	442.96	0.64	840	720	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,076.92	8,769.23	7,153.85	36,000.00	1,384.62	3,461.54	2,307.69
1.21	442.32	0.64	839	721	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,108.97	8,781.41	7,163.78	36,000.00	1,386.54	3,466.35	2,310.90
1.21	441.68	0.64	838	722	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,141.03	8,793.59	7,173.72	36,000.00	1,388.46	3,471.15	2,314.10
1.21	441.04	0.64	837	723	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,173.08	8,805.77	7,183.65	36,000.00	1,390.38	3,475.96	2,317.31
1.21	440.40	0.64	836	724	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,205.13	8,817.95	7,193.59	36,000.00	1,392.31	3,480.77	2,320.51
1.20	439.76	0.64	835	725	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,237.18	8,830.13	7,203.53	36,000.00	1,394.23	3,485.58	2,323.72
1.20	439.12	0.64	834	726	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,269.23	8,842.31	7,213.46	36,000.00	1,396.15	3,490.38	2,326.92
1.20	438.49	0.64	833	727	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,301.28	8,854.49	7,223.40	36,000.00	1,398.08	3,495.19	2,330.13
1.20	437.85	0.64	832	728	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,333.33	8,866.67	7,233.33	36,000.00	1,400.00	3,500.00	2,333.33
1.20	437.21	0.64	831	729	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,365.38	8,878.85	7,243.27	36,000.00	1,401.92	3,504.81	2,336.54
1.20	436.58	0.64	830	730	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,397.44	8,891.03	7,253.21	36,000.00	1,403.85	3,509.62	2,339.74
1.19	435.94	0.64	829	731	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,429.49	8,903.21	7,263.14	36,000.00	1,405.77	3,514.42	2,342.95
1.19	435.30	0.64	828	732	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,461.54	8,915.38	7,273.08	36,000.00	1,407.69	3,519.23	2,346.15
1.19	434.67	0.64	827	733	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,493.59	8,927.56	7,283.01	36,000.00	1,409.62	3,524.04	2,349.36
1.19	434.03	0.64	826	734	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,525.64	8,939.74	7,292.95	36,000.00	1,411.54	3,528.85	2,352.56
1.19	433.40	0.63	825	735	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,557.69	8,951.92	7,302.88	36,000.00	1,413.46	3,533.65	2,355.77
1.19	432.76																

1.17	426.43	0.63	814	746	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,910.26	9,085.90	7,412.18	36,000.00	1,434.82	3,586.54	2,391.03
1.17	426.80	0.63	813	747	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,942.31	9,086.08	7,422.12	36,000.00	1,436.54	3,591.35	2,394.23
1.16	426.17	0.63	812	748	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	59,974.36	9,110.26	7,432.05	36,000.00	1,438.46	3,596.15	2,397.44
1.16	424.54	0.63	811	749	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,006.41	9,122.44	7,441.99	36,000.00	1,440.38	3,600.96	2,400.64
1.16	423.91	0.63	810	750	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,038.46	9,134.62	7,451.92	36,000.00	1,442.31	3,605.77	2,403.85
1.16	423.28	0.63	809	751	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,070.51	9,146.79	7,461.86	36,000.00	1,444.23	3,610.58	2,407.05
1.16	422.65	0.63	808	752	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,102.56	9,158.97	7,471.79	36,000.00	1,446.15	3,615.38	2,410.26
1.16	422.02	0.63	807	753	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,134.62	9,171.15	7,481.73	36,000.00	1,448.08	3,620.19	2,413.46
1.15	421.40	0.63	806	754	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,166.67	9,183.33	7,491.67	36,000.00	1,450.00	3,625.00	2,416.67
1.15	420.77	0.63	805	755	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,198.72	9,195.51	7,501.60	36,000.00	1,451.92	3,629.81	2,419.87
1.15	420.14	0.63	804	756	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,230.77	9,207.69	7,511.54	36,000.00	1,453.85	3,634.62	2,423.08
1.15	419.51	0.63	803	757	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,262.82	9,219.87	7,521.47	36,000.00	1,455.77	3,639.42	2,426.28
1.15	418.88	0.63	802	758	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,294.87	9,232.05	7,531.41	36,000.00	1,457.69	3,644.23	2,429.49
1.15	418.25	0.63	801	759	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,326.92	9,244.23	7,541.35	36,000.00	1,459.62	3,649.04	2,432.69
1.14	417.63	0.63	800	760	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,358.97	9,256.41	7,551.28	36,000.00	1,461.54	3,653.85	2,435.90
1.14	417.00	0.63	799	761	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,391.03	9,268.59	7,561.22	36,000.00	1,463.46	3,658.65	2,439.10
1.14	416.38	0.63	798	762	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,423.08	9,280.77	7,571.15	36,000.00	1,465.38	3,663.46	2,442.31
1.14	415.75	0.63	797	763	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,455.13	9,292.95	7,581.09	36,000.00	1,467.31	3,668.27	2,445.51
1.14	415.13	0.62	796	764	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,487.18	9,305.13	7,591.03	36,000.00	1,469.23	3,673.08	2,448.72
1.14	414.50	0.62	795	765	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,519.23	9,317.31	7,600.96	36,000.00	1,471.15	3,677.88	2,451.92
1.13	413.88	0.62	794	766	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,551.28	9,329.49	7,610.90	36,000.00	1,473.08	3,682.69	2,455.13
1.13	413.25	0.62	793	767	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,583.33	9,341.67	7,620.83	36,000.00	1,475.00	3,687.50	2,458.33
1.13	412.63	0.62	792	768	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,615.38	9,353.85	7,630.77	36,000.00	1,476.92	3,692.31	2,461.54
1.13	412.01	0.62	791	769	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,647.44	9,366.03	7,640.71	36,000.00	1,478.85	3,697.12	2,464.74
1.13	411.38	0.62	790	770	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,679.49	9,378.21	7,650.64	36,000.00	1,480.77	3,701.92	2,467.95
1.13	410.76	0.62	789	771	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,711.54	9,390.38	7,660.58	36,000.00	1,482.69	3,706.73	2,471.15
1.12	410.14	0.62	788	772	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,743.59	9,402.56	7,670.51	36,000.00	1,484.62	3,711.54	2,474.36
1.12	409.52	0.62	787	773	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,775.64	9,414.74	7,680.45	36,000.00	1,486.54	3,716.35	2,477.56
1.12	408.90	0.62	786	774	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,807.69	9,426.92	7,690.38	36,000.00	1,488.46	3,721.15	2,480.77
1.12	408.27	0.62	785	775	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,839.74	9,439.10	7,700.32	36,000.00	1,490.38	3,725.96	2,483.97
1.12	407.65	0.62	784	776	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,871.79	9,451.28	7,710.26	36,000.00	1,492.31	3,730.77	2,487.18
1.12	407.03	0.62	783	777	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,903.85	9,463.46	7,720.19	36,000.00	1,494.23	3,735.58	2,490.38
1.11	406.41	0.62	782	778	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,935.90	9,475.64	7,730.13	36,000.00	1,496.15	3,740.38	2,493.59
1.11	405.79	0.62	781	779	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	60,967.95	9,487.82	7,740.06	36,000.00	1,498.08	3,745.19	2,496.79
1.11	405.17	0.62	780	780	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,000.00	9,500.00	7,750.00	36,000.00	1,500.00	3,750.00	2,500.00
1.11	404.55	0.62	779	781	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,032.05	9,512.18	7,760.94	36,000.00	1,501.92	3,754.81	2,503.21
1.11	403.93	0.62	778	782	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,064.10	9,524.36	7,769.87	36,000.00	1,503.85	3,759.62	2,506.41
1.10	403.31	0.62	777	783	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,096.15	9,536.54	7,779.81	36,000.00	1,505.77	3,764.42	2,509.62
1.10	402.69	0.62	776	784	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,128.21	9,548.72	7,789.74	36,000.00	1,507.69	3,769.23	2,512.82
1.10	402.07	0.62	775	785	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,160.26	9,560.90	7,799.68	36,000.00	1,509.62	3,774.04	2,516.03
1.10	401.45	0.62	774	786	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,192.31	9,573.08	7,809.62	36,000.00	1,511.54	3,778.85	2,519.23
1.10	400.84	0.62	773	787	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,224.36	9,585.26	7,819.55	36,000.00	1,513.46	3,783.65	2,522.44
1.10	400.22	0.62	772	788	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,256.41	9,597.44	7,829.49	36,000.00	1,515.38	3,788.46	2,525.64
1.09	399.60	0.62	771	789	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,288.46	9,609.62	7,839.42	36,000.00	1,517.31	3,793.27	2,528.85
1.09	398.98	0.62	770	790	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,320.51	9,621.79	7,849.36	36,000.00	1,519.23	3,798.08	2,532.05
1.09	398.37	0.62	769	791	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,352.56	9,633.97	7,859.29	36,000.00	1,521.15	3,802.88	2,535.26
1.09	397.75	0.62	768	792	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,384.62	9,646.15	7,869.23	36,000.00	1,523.08	3,807.69	2,538.46
1.09	397.14	0.62	767	793	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,416.67	9,658.33	7,879.17	36,000.00	1,525.00	3,812.50	2,541.67
1.09	396.52	0.62	766	794	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,448.72	9,670.51	7,889.10	36,000.00	1,526.92	3,817.31	2,544.87
1.08	395.91	0.61	765	795	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,480.77	9,682.69	7,899.04	36,000.00	1,528.85	3,822.12	2,548.08
1.08	395.29	0.61	764	796	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,512.82	9,694.87	7,908.97	36,000.00	1,530.77	3,826.92	2,551.28
1.08	394.68	0.61	763	797	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,544.87	9,707.05	7,918.91	36,000.00	1,532.69	3,831.73	2,554.49
1.08	394.06	0.61	762	798	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,576.92	9,719.23	7,928.85	36,000.00	1,534.62	3,836.54	2,557.69
1.08	393.45	0.61	761	799	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,608.97	9,731.41	7,938.78	36,000.00	1,536.54	3,841.35	2,560.90
1.08	392.84	0.61	760	800	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,641.03	9,743.59	7,948.72	36,000.00	1,538.46	3,846.15	2,564.10
1.07	392.22	0.61	759	801	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,673.08	9,755.77	7,958.65	36,000.00	1,540.38	3,850.96	2,567.31
1.07	391.61	0.61	758	802	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,705.13	9,767.95	7,968.59	36,000.00	1,542.31	3,855.77	2,570.51
1.07	391.00	0.61	757	803	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,737.18	9,780.13	7,978.53	36,000.00	1,544.23	3,860.58	2,573.72
1.07	390.39	0.61	756	804	Shafts, slopes	7.56E+07	0.05	42,827.00	-5,027.00	Wits fractured	61,769.23	9,792.31	7,988.46	36,000.00	1,546.15	3,865.38	2,576.92
1.07	389.77																

1.05	383.67	0.81	745	815	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,121.79	9,928.28	8,097.78	36,000.00	1,567.31	3,918.27	2,612.18
1.05	383.05	0.81	744	816	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,153.85	9,938.46	8,107.69	36,000.00	1,569.23	3,923.08	2,615.36
1.05	382.46	0.81	743	817	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,185.90	9,950.84	8,117.83	36,000.00	1,571.15	3,927.88	2,618.59
1.05	381.85	0.81	742	818	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,217.95	9,962.82	8,127.96	36,000.00	1,573.08	3,932.69	2,621.79
1.04	381.24	0.81	741	819	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,250.00	9,975.00	8,137.50	36,000.00	1,575.00	3,937.50	2,625.00
1.04	380.63	0.81	740	820	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,282.05	9,987.18	8,147.44	36,000.00	1,576.92	3,942.31	2,628.21
1.04	380.03	0.81	739	821	Shafts, slopes	7.58E+07	0.05	42,827.00	-5,027.00 Wits fractured	82,314.10	9,999.36	8,157.37	36,000.00	1,578.85	3,947.12	2,631.41
1.04	379.42	0.81	738	822	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,346.15	10,011.54	8,167.31	36,000.00	1,580.77	3,951.92	2,634.62
1.04	378.81	0.81	737	823	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,378.21	10,023.72	8,177.24	36,000.00	1,582.69	3,956.73	2,637.82
1.04	378.21	0.81	736	824	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,410.26	10,035.90	8,187.18	36,000.00	1,584.62	3,961.54	2,641.03
1.03	377.60	0.81	735	825	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,442.31	10,048.08	8,197.12	36,000.00	1,586.54	3,966.35	2,644.23
1.03	377.00	0.81	734	826	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,474.36	10,060.26	8,207.05	36,000.00	1,588.46	3,971.15	2,647.44
1.03	376.39	0.80	733	827	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,506.41	10,072.44	8,216.99	36,000.00	1,590.38	3,975.96	2,650.64
1.03	375.79	0.80	732	828	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,538.46	10,084.62	8,226.92	36,000.00	1,592.31	3,980.77	2,653.85
1.03	375.18	0.80	731	829	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,570.51	10,096.79	8,236.86	36,000.00	1,594.23	3,985.58	2,657.05
1.03	374.58	0.80	730	830	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,602.56	10,108.97	8,246.79	36,000.00	1,596.15	3,990.38	2,660.26
1.02	373.97	0.80	729	831	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,634.62	10,121.15	8,256.73	36,000.00	1,598.08	3,995.19	2,663.46
1.02	373.37	0.80	728	832	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,666.67	10,133.33	8,266.67	36,000.00	1,600.00	4,000.00	2,666.67
1.02	372.77	0.80	727	833	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,698.72	10,145.51	8,276.60	36,000.00	1,601.92	4,004.81	2,669.87
1.02	372.16	0.80	726	834	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,730.77	10,157.69	8,286.54	36,000.00	1,603.85	4,009.62	2,673.08
1.02	371.56	0.80	725	835	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,762.82	10,169.87	8,296.47	36,000.00	1,605.77	4,014.42	2,676.28
1.02	370.95	0.80	724	836	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,794.87	10,182.05	8,306.41	36,000.00	1,607.69	4,019.23	2,679.49
1.01	370.36	0.80	723	837	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,826.92	10,194.23	8,316.35	36,000.00	1,609.62	4,024.04	2,682.69
1.01	369.76	0.80	722	838	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,858.97	10,206.41	8,326.28	36,000.00	1,611.54	4,028.85	2,685.90
1.01	369.15	0.80	721	839	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,891.03	10,218.59	8,336.22	36,000.00	1,613.46	4,033.65	2,689.10
1.01	368.55	0.80	720	840	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,923.08	10,230.77	8,346.15	36,000.00	1,615.38	4,038.46	2,692.31
1.01	367.95	0.80	719	841	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,955.13	10,242.95	8,356.09	36,000.00	1,617.31	4,043.27	2,695.51
1.01	367.35	0.80	718	842	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	82,987.18	10,255.13	8,366.03	36,000.00	1,619.23	4,048.08	2,698.72
1.00	366.75	0.80	717	843	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,019.23	10,267.31	8,375.96	36,000.00	1,621.15	4,052.89	2,701.92
1.00	366.15	0.80	716	844	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,051.28	10,279.49	8,385.90	36,000.00	1,623.08	4,057.69	2,705.13
1.00	365.55	0.80	715	845	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,083.33	10,291.67	8,395.83	36,000.00	1,625.00	4,062.50	2,708.33
1.00	364.95	0.80	714	846	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,115.38	10,303.85	8,405.77	36,000.00	1,626.92	4,067.31	2,711.54
1.00	364.35	0.80	713	847	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,147.44	10,316.03	8,415.71	36,000.00	1,628.85	4,072.12	2,714.74
1.00	363.75	0.80	712	848	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,179.49	10,328.21	8,425.64	36,000.00	1,630.77	4,076.92	2,717.95
0.99	363.15	0.80	711	849	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,211.54	10,340.38	8,435.58	36,000.00	1,632.69	4,081.73	2,721.15
0.99	362.55	0.80	710	850	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,243.59	10,352.56	8,445.51	36,000.00	1,634.62	4,086.54	2,724.36
0.99	361.95	0.80	709	851	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,275.64	10,364.74	8,455.45	36,000.00	1,636.54	4,091.35	2,727.56
0.99	361.35	0.80	708	852	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,307.69	10,376.92	8,465.38	36,000.00	1,638.46	4,096.15	2,730.77
0.99	360.77	0.80	707	853	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,339.74	10,389.10	8,475.32	36,000.00	1,640.38	4,100.96	2,733.97
0.99	360.17	0.80	706	854	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,371.79	10,401.28	8,485.26	36,000.00	1,642.31	4,105.77	2,737.18
0.99	359.57	0.80	705	855	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,403.85	10,413.46	8,495.19	36,000.00	1,644.23	4,110.58	2,740.38
0.98	358.98	0.80	704	856	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,435.90	10,425.64	8,505.13	36,000.00	1,646.15	4,115.38	2,743.59
0.98	358.38	0.80	703	857	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,467.95	10,437.82	8,515.06	36,000.00	1,648.08	4,120.19	2,746.79
0.98	357.79	0.80	702	858	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,500.00	10,450.00	8,525.00	36,000.00	1,650.00	4,125.00	2,750.00
0.98	357.19	0.59	701	859	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,532.05	10,462.18	8,534.94	36,000.00	1,651.92	4,129.81	2,753.21
0.98	356.60	0.59	700	860	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,564.10	10,474.36	8,544.87	36,000.00	1,653.85	4,134.62	2,756.41
0.98	356.00	0.59	699	861	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,596.15	10,486.54	8,554.81	36,000.00	1,655.77	4,139.42	2,759.62
0.97	355.41	0.59	698	862	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,628.21	10,498.72	8,564.74	36,000.00	1,657.69	4,144.23	2,762.82
0.97	354.81	0.59	697	863	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,660.26	10,510.90	8,574.68	36,000.00	1,659.62	4,149.04	2,766.03
0.97	354.22	0.59	696	864	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,692.31	10,523.08	8,584.62	36,000.00	1,661.54	4,153.85	2,769.23
0.97	353.63	0.59	695	865	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,724.36	10,535.26	8,594.55	36,000.00	1,663.46	4,158.65	2,772.44
0.97	353.03	0.59	694	866	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,756.41	10,547.44	8,604.49	36,000.00	1,665.38	4,163.46	2,775.64
0.97	352.44	0.59	693	867	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,788.46	10,559.62	8,614.42	36,000.00	1,667.31	4,168.27	2,778.85
0.96	351.85	0.59	692	868	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,820.51	10,571.79	8,624.36	36,000.00	1,669.23	4,173.08	2,782.05
0.96	351.25	0.59	691	869	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,852.56	10,583.97	8,634.29	36,000.00	1,671.15	4,177.88	2,785.26
0.96	350.66	0.59	690	870	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,884.62	10,596.15	8,644.23	36,000.00	1,673.08	4,182.69	2,788.46
0.96	350.07	0.59	689	871	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,916.67	10,608.33	8,654.17	36,000.00	1,675.00	4,187.50	2,791.67
0.96	349.48	0.59	688	872	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,948.72	10,620.51	8,664.10	36,000.00	1,676.92	4,192.31	2,794.87
0.96	348.89	0.59	687	873	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	83,980.77	10,632.69	8,674.04	36,000.00	1,678.85	4,197.12	2,798.08
0.95	348.30	0.59	686	874	Shafts, slopes	7.58E+07	0.05	32,999.73	4,830.27 Wits fractured	84,012.82	10,644.87	8,683.97	36,000.00	1,680.77	4,201.92	2,801.28
0.95	347.71	0.59	685	875	Shafts, slopes	7.5										

0.94	342.41	0.59	876	884	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,333.33	10,786.67	8,783.33	36,000.00	1,700.00	4,250.00	2,833.33
0.94	341.82	0.59	875	885	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,365.38	10,776.65	8,793.27	36,000.00	1,701.92	4,254.81	2,836.54
0.93	341.23	0.59	874	886	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,397.44	10,791.03	8,803.21	36,000.00	1,703.85	4,259.62	2,839.74
0.93	340.64	0.59	873	887	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,429.49	10,803.21	8,813.14	36,000.00	1,705.77	4,264.42	2,842.96
0.93	340.06	0.59	872	888	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,461.54	10,815.38	8,823.08	36,000.00	1,707.69	4,269.23	2,846.15
0.93	339.47	0.59	871	889	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,493.59	10,827.56	8,833.01	36,000.00	1,709.62	4,274.04	2,849.36
0.93	338.89	0.59	870	890	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,525.64	10,839.74	8,842.95	36,000.00	1,711.54	4,278.85	2,852.56
0.93	338.30	0.59	869	891	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,557.69	10,851.92	8,852.88	36,000.00	1,713.46	4,283.65	2,855.77
0.93	337.71	0.59	868	892	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,589.74	10,864.10	8,862.82	36,000.00	1,715.38	4,288.46	2,858.97
0.92	337.13	0.58	867	893	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,621.79	10,876.28	8,872.76	36,000.00	1,717.31	4,293.27	2,862.18
0.92	336.54	0.58	866	894	Shafts, stopes	7.58E+07	0.05	32,989.73	4,830.27	Wits fractured	64,653.85	10,888.46	8,882.69	36,000.00	1,719.23	4,298.08	2,865.38
0.92	335.95	0.58	865	895	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,685.90	10,900.64	8,892.63	36,000.00	1,721.15	4,302.88	2,868.59
0.92	335.37	0.58	864	896	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,717.95	10,912.82	8,902.56	36,000.00	1,723.08	4,307.69	2,871.79
0.92	334.79	0.58	863	897	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,750.00	10,925.00	8,912.50	36,000.00	1,725.00	4,312.50	2,875.00
0.92	334.21	0.58	862	898	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,782.05	10,937.18	8,922.44	36,000.00	1,726.92	4,317.31	2,878.21
0.91	333.62	0.58	861	899	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,814.10	10,949.36	8,932.37	36,000.00	1,728.85	4,322.12	2,881.41
0.91	333.04	0.58	860	900	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,846.15	10,961.54	8,942.31	36,000.00	1,730.77	4,326.92	2,884.62
0.91	332.46	0.58	859	901	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,878.21	10,973.72	8,952.24	36,000.00	1,732.69	4,331.73	2,887.82
0.91	331.87	0.58	858	902	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,910.26	10,985.90	8,962.18	36,000.00	1,734.62	4,336.54	2,891.03
0.91	331.29	0.58	857	903	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,942.31	10,998.08	8,972.12	36,000.00	1,736.54	4,341.35	2,894.23
0.91	330.71	0.58	856	904	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	64,974.36	11,010.26	8,982.05	36,000.00	1,738.46	4,346.15	2,897.44
0.90	330.13	0.58	855	905	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,006.41	11,022.44	8,991.99	36,000.00	1,740.38	4,350.96	2,900.64
0.90	329.55	0.58	854	906	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,038.46	11,034.62	8,001.92	36,000.00	1,742.31	4,355.77	2,903.85
0.90	328.97	0.58	853	907	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,070.51	11,046.79	8,011.86	36,000.00	1,744.23	4,360.58	2,907.05
0.90	328.39	0.58	852	908	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,102.56	11,058.97	8,021.79	36,000.00	1,746.15	4,365.38	2,910.26
0.90	327.80	0.58	851	909	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,134.62	11,071.15	8,031.73	36,000.00	1,748.08	4,370.19	2,913.46
0.90	327.22	0.58	850	910	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,166.67	11,083.33	8,041.67	36,000.00	1,750.00	4,375.00	2,916.67
0.89	326.64	0.58	849	911	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,198.72	11,095.51	8,051.60	36,000.00	1,751.92	4,379.81	2,919.87
0.89	326.06	0.58	848	912	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,230.77	11,107.69	8,061.54	36,000.00	1,753.85	4,384.62	2,923.08
0.89	325.48	0.58	847	913	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,262.82	11,119.87	8,071.47	36,000.00	1,755.77	4,389.42	2,926.28
0.89	324.91	0.58	846	914	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,294.87	11,132.05	8,081.41	36,000.00	1,757.69	4,394.23	2,929.49
0.89	324.33	0.58	845	915	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,326.92	11,144.23	8,091.35	36,000.00	1,759.62	4,399.04	2,932.69
0.89	323.75	0.58	844	916	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,358.97	11,156.41	8,101.28	36,000.00	1,761.54	4,403.85	2,935.90
0.89	323.17	0.58	843	917	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,391.03	11,168.59	8,111.22	36,000.00	1,763.46	4,408.65	2,939.10
0.88	322.59	0.58	842	918	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,423.08	11,180.77	8,121.15	36,000.00	1,765.38	4,413.46	2,942.31
0.88	322.01	0.58	841	919	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,455.13	11,192.95	8,131.09	36,000.00	1,767.31	4,418.27	2,945.51
0.88	321.44	0.58	840	920	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,487.18	11,205.13	8,141.03	36,000.00	1,769.23	4,423.08	2,948.72
0.88	320.86	0.58	839	921	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,519.23	11,217.31	8,150.96	36,000.00	1,771.15	4,427.88	2,951.92
0.88	320.28	0.58	838	922	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,551.28	11,229.49	8,160.90	36,000.00	1,773.08	4,432.69	2,955.13
0.88	319.71	0.58	837	923	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,583.33	11,241.67	8,170.83	36,000.00	1,775.00	4,437.50	2,958.33
0.87	319.13	0.58	836	924	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,615.38	11,253.85	8,180.77	36,000.00	1,776.92	4,442.31	2,961.54
0.87	318.55	0.58	835	925	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,647.44	11,266.03	8,190.71	36,000.00	1,778.85	4,447.12	2,964.74
0.87	317.98	0.58	834	926	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,679.49	11,278.21	8,200.64	36,000.00	1,780.77	4,451.92	2,967.95
0.87	317.40	0.58	833	927	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,711.54	11,290.39	8,210.58	36,000.00	1,782.69	4,456.73	2,971.15
0.87	316.83	0.57	832	928	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,743.59	11,302.58	8,220.51	36,000.00	1,784.62	4,461.54	2,974.36
0.87	316.25	0.57	831	929	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,775.64	11,314.74	8,230.45	36,000.00	1,786.54	4,466.35	2,977.56
0.86	315.68	0.57	830	930	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,807.69	11,326.92	8,240.38	36,000.00	1,788.46	4,471.15	2,980.77
0.86	315.10	0.57	829	931	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,839.74	11,339.10	8,250.32	36,000.00	1,790.38	4,475.96	2,983.97
0.86	314.53	0.57	828	932	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,871.79	11,351.28	8,260.26	36,000.00	1,792.31	4,480.77	2,987.18
0.86	313.95	0.57	827	933	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,903.85	11,363.46	8,270.19	36,000.00	1,794.23	4,485.58	2,990.38
0.86	313.38	0.57	826	934	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,935.90	11,375.64	8,280.13	36,000.00	1,796.15	4,490.38	2,993.59
0.86	312.81	0.57	825	935	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	65,967.95	11,387.82	8,290.06	36,000.00	1,798.08	4,495.19	2,996.79
0.86	312.23	0.57	824	936	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,000.00	11,400.00	8,300.00	36,000.00	1,800.00	4,500.00	3,000.00
0.85	311.66	0.57	823	937	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,032.05	11,412.18	8,309.94	36,000.00	1,801.92	4,504.81	3,003.21
0.85	311.09	0.57	822	938	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,064.10	11,424.36	8,319.87	36,000.00	1,803.85	4,509.62	3,006.41
0.85	310.52	0.57	821	939	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,096.15	11,436.54	8,329.81	36,000.00	1,805.77	4,514.42	3,009.62
0.85	309.95	0.57	820	940	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,128.21	11,448.72	8,339.74	36,000.00	1,807.69	4,519.23	3,012.82
0.85	309.37	0.57	819	941	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured	66,160.26	11,460.90	8,349.68	36,000.00	1,809.62	4,524.04	3,016.03
0.85	308.80	0.57	818	942	Shafts, stopes	7.58E+07	0.05	34,708.46	3,091.54	Wits fractured							

0.83	302.54	0.57	607	953	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,544.87	11,607.05	9,486.91	36,000.00	1,832.69	4,581.73	3,054.49
0.83	301.97	0.57	606	954	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,576.92	11,619.23	9,478.85	36,000.00	1,834.62	4,586.54	3,057.69
0.83	301.40	0.57	605	955	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,608.97	11,631.41	9,486.78	36,000.00	1,836.54	4,591.35	3,060.90
0.82	300.83	0.57	604	956	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,641.03	11,643.59	9,496.72	36,000.00	1,838.46	4,596.15	3,064.10
0.82	300.27	0.57	603	957	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,673.08	11,655.77	9,506.65	36,000.00	1,840.38	4,600.96	3,067.31
0.82	299.70	0.57	602	958	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,705.13	11,667.95	9,518.59	36,000.00	1,842.31	4,605.77	3,070.51
0.82	299.13	0.57	601	959	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,737.18	11,680.13	9,528.53	36,000.00	1,844.23	4,610.58	3,073.72
0.82	298.57	0.57	600	960	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,769.23	11,692.31	9,538.46	36,000.00	1,846.15	4,615.38	3,076.92
0.82	298.00	0.57	599	961	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,801.28	11,704.49	9,548.40	36,000.00	1,848.08	4,620.19	3,080.13
0.81	297.43	0.57	598	962	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,833.33	11,716.67	9,558.33	36,000.00	1,850.00	4,625.00	3,083.33
0.81	296.87	0.57	597	963	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,865.38	11,728.85	9,568.27	36,000.00	1,851.92	4,629.81	3,086.54
0.81	296.30	0.57	596	964	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,897.44	11,741.03	9,578.21	36,000.00	1,853.85	4,634.62	3,089.74
0.81	295.74	0.56	595	965	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,929.49	11,753.21	9,588.14	36,000.00	1,855.77	4,639.42	3,092.95
0.81	295.17	0.56	594	966	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,961.54	11,765.38	9,598.06	36,000.00	1,857.69	4,644.23	3,096.15
0.81	294.61	0.56	593	967	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	66,993.59	11,777.56	9,608.01	36,000.00	1,859.62	4,649.04	3,099.36
0.81	294.04	0.56	592	968	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,025.64	11,789.74	9,617.95	36,000.00	1,861.54	4,653.85	3,102.56
0.80	293.48	0.56	591	969	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,057.69	11,801.92	9,627.88	36,000.00	1,863.46	4,658.65	3,105.77
0.80	292.92	0.56	590	970	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,089.74	11,814.10	9,637.82	36,000.00	1,865.38	4,663.46	3,108.97
0.80	292.35	0.56	589	971	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,121.79	11,826.28	9,647.76	36,000.00	1,867.31	4,668.27	3,112.18
0.80	291.79	0.56	588	972	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,153.85	11,838.46	9,657.69	36,000.00	1,869.23	4,673.08	3,115.38
0.80	291.23	0.56	587	973	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,185.90	11,850.64	9,667.63	36,000.00	1,871.15	4,677.88	3,118.59
0.80	290.66	0.56	586	974	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,217.95	11,862.82	9,677.56	36,000.00	1,873.08	4,682.69	3,121.79
0.79	290.10	0.56	585	975	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,250.00	11,875.00	9,687.50	36,000.00	1,875.00	4,687.50	3,125.00
0.79	289.54	0.56	584	976	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,282.05	11,887.18	9,697.44	36,000.00	1,876.92	4,692.31	3,128.21
0.79	288.98	0.56	583	977	Shafts, stopes	7.56E+07	0.05	34,708.46	3,091.54	Wits fractured	67,314.10	11,899.36	9,707.37	36,000.00	1,878.85	4,697.12	3,131.41
0.79	288.42	0.56	582	978	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,346.15	11,911.54	9,717.31	36,000.00	1,880.77	4,701.92	3,134.62
0.79	287.85	0.56	581	979	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,378.21	11,923.72	9,727.24	36,000.00	1,882.69	4,706.73	3,137.82
0.79	287.29	0.56	580	980	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,410.26	11,935.90	9,737.18	36,000.00	1,884.62	4,711.54	3,141.03
0.79	286.73	0.56	579	981	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,442.31	11,948.08	9,747.12	36,000.00	1,886.54	4,716.35	3,144.23
0.78	286.17	0.56	578	982	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,474.36	11,960.26	9,757.05	36,000.00	1,888.46	4,721.15	3,147.44
0.78	285.61	0.56	577	983	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,506.41	11,972.44	9,766.99	36,000.00	1,890.38	4,725.96	3,150.64
0.78	285.05	0.56	576	984	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,538.46	11,984.62	9,776.92	36,000.00	1,892.31	4,730.77	3,153.85
0.78	284.49	0.56	575	985	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,570.51	11,996.79	9,786.86	36,000.00	1,894.23	4,735.58	3,157.05
0.78	283.93	0.56	574	986	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,602.56	12,008.97	9,796.79	36,000.00	1,896.15	4,740.38	3,160.26
0.78	283.37	0.56	573	987	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,634.61	12,021.15	9,806.73	36,000.00	1,898.08	4,745.19	3,163.46
0.77	282.82	0.56	572	988	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,666.67	12,033.33	9,816.67	36,000.00	1,900.00	4,750.00	3,166.67
0.77	282.26	0.56	571	989	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,698.72	12,045.51	9,826.60	36,000.00	1,901.92	4,754.81	3,169.87
0.77	281.70	0.56	570	990	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,730.77	12,057.69	9,836.54	36,000.00	1,903.85	4,759.62	3,173.08
0.77	281.14	0.56	569	991	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,762.82	12,069.87	9,846.47	36,000.00	1,905.77	4,764.42	3,176.28
0.77	280.58	0.56	568	992	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,794.87	12,082.05	9,856.41	36,000.00	1,907.69	4,769.23	3,179.49
0.77	280.02	0.56	567	993	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,826.92	12,094.23	9,866.35	36,000.00	1,909.62	4,774.04	3,182.69
0.77	279.47	0.56	566	994	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,858.97	12,106.41	9,876.28	36,000.00	1,911.54	4,778.85	3,185.90
0.76	278.91	0.56	565	995	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,891.03	12,118.59	9,886.22	36,000.00	1,913.46	4,783.65	3,189.10
0.76	278.35	0.56	564	996	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,923.08	12,130.77	9,896.15	36,000.00	1,915.38	4,788.46	3,192.31
0.76	277.79	0.56	563	997	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,955.13	12,142.95	9,906.09	36,000.00	1,917.31	4,793.27	3,195.51
0.76	277.24	0.56	562	998	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	67,987.18	12,155.13	9,916.03	36,000.00	1,919.23	4,798.08	3,198.72
0.76	276.69	0.56	561	999	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,019.23	12,167.31	9,925.96	36,000.00	1,921.15	4,802.88	3,201.92
0.76	276.13	0.56	560	1000	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,051.28	12,179.49	9,935.90	36,000.00	1,923.08	4,807.69	3,205.13
0.75	275.57	0.56	559	1001	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,083.33	12,191.67	9,945.83	36,000.00	1,925.00	4,812.50	3,208.33
0.75	275.02	0.55	558	1002	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,115.38	12,203.85	9,955.77	36,000.00	1,926.92	4,817.31	3,211.54
0.75	274.46	0.55	557	1003	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,147.44	12,216.03	9,965.71	36,000.00	1,928.85	4,822.12	3,214.74
0.75	273.91	0.55	556	1004	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,179.49	12,228.21	9,975.64	36,000.00	1,930.77	4,826.92	3,217.95
0.75	273.35	0.55	555	1005	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,211.54	12,240.38	9,985.58	36,000.00	1,932.69	4,831.73	3,221.15
0.75	272.80	0.55	554	1006	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,243.59	12,252.56	9,995.51	36,000.00	1,934.62	4,836.54	3,224.36
0.75	272.25	0.55	553	1007	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,275.64	12,264.74	10,005.45	36,000.00	1,936.54	4,841.35	3,227.56
0.74	271.69	0.55	552	1008	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,307.69	12,276.92	10,015.38	36,000.00	1,938.46	4,846.15	3,230.77
0.74	271.14	0.55	551	1009	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,339.74	12,289.10	10,025.32	36,000.00	1,940.38	4,850.96	3,233.97
0.74	270.59	0.55	550	1010	Shafts, stopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,371.79	12,301.28	10,035.26	36,000.00	1,942.31	4,855.77	3,237.18
0.74	270.03	0.55	549	1011	Shafts, stopes	7.56E+07											

0.72	263.97	0.55	538	1022	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,756.41	12,447.44	10,154.49	36,000.00	1,965.38	4,913.46	3,275.64
0.72	263.42	0.55	537	1023	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,788.46	12,450.62	10,164.42	36,000.00	1,967.31	4,918.27	3,278.85
0.72	262.87	0.55	536	1024	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,820.51	12,471.79	10,174.36	36,000.00	1,969.23	4,923.08	3,282.05
0.72	262.32	0.55	535	1025	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,852.56	12,483.97	10,184.29	36,000.00	1,971.15	4,927.88	3,285.26
0.72	261.77	0.55	534	1026	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,884.62	12,496.15	10,194.23	36,000.00	1,973.08	4,932.69	3,288.46
0.72	261.22	0.55	533	1027	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,916.67	12,508.33	10,204.17	36,000.00	1,975.00	4,937.50	3,291.67
0.71	260.67	0.55	532	1028	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,948.72	12,520.51	10,214.10	36,000.00	1,976.92	4,942.31	3,294.87
0.71	260.13	0.55	531	1029	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	68,980.77	12,532.69	10,224.04	36,000.00	1,978.85	4,947.12	3,298.08
0.71	259.58	0.55	530	1030	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,012.82	12,544.87	10,233.97	36,000.00	1,980.77	4,951.92	3,301.28
0.71	259.03	0.55	529	1031	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,044.87	12,557.05	10,243.91	36,000.00	1,982.69	4,956.73	3,304.49
0.71	258.48	0.55	528	1032	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,076.92	12,569.23	10,253.85	36,000.00	1,984.62	4,961.54	3,307.69
0.71	257.94	0.55	527	1033	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,108.97	12,581.41	10,263.78	36,000.00	1,986.54	4,966.35	3,310.90
0.71	257.39	0.55	526	1034	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,141.03	12,593.59	10,273.72	36,000.00	1,988.46	4,971.15	3,314.10
0.70	256.84	0.55	525	1035	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,173.08	12,605.77	10,283.65	36,000.00	1,990.38	4,975.96	3,317.31
0.70	256.30	0.55	524	1036	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,205.13	12,617.95	10,293.59	36,000.00	1,992.31	4,980.77	3,320.51
0.70	255.75	0.55	523	1037	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,237.18	12,630.13	10,303.53	36,000.00	1,994.23	4,985.58	3,323.72
0.70	255.20	0.55	522	1038	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,269.23	12,642.31	10,313.46	36,000.00	1,996.15	4,990.38	3,326.92
0.70	254.66	0.55	521	1039	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,301.28	12,654.49	10,323.40	36,000.00	1,998.08	4,995.19	3,330.13
0.70	254.11	0.55	520	1040	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,333.33	12,666.67	10,333.33	36,000.00	2,000.00	5,000.00	3,333.33
0.69	253.57	0.54	519	1041	Shafts, slopes	7.56E+07	0.05	60,759.32	-22,959.32	Wits fractured	69,365.38	12,678.85	10,343.27	36,000.00	2,001.92	5,004.81	3,336.54
0.69	253.02	0.54	518	1042	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,397.44	12,691.03	10,353.21	36,000.00	2,003.85	5,009.62	3,339.74
0.69	252.48	0.54	517	1043	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,429.49	12,703.21	10,363.14	36,000.00	2,005.77	5,014.42	3,342.95
0.69	251.93	0.54	516	1044	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,461.54	12,715.38	10,373.08	36,000.00	2,007.69	5,019.23	3,346.15
0.69	251.39	0.54	515	1045	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,493.59	12,727.56	10,383.01	36,000.00	2,009.62	5,024.04	3,349.36
0.69	250.84	0.54	514	1046	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,525.64	12,739.74	10,392.95	36,000.00	2,011.54	5,028.85	3,352.56
0.69	250.30	0.54	513	1047	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,557.69	12,751.92	10,402.88	36,000.00	2,013.46	5,033.65	3,355.77
0.68	249.76	0.54	512	1048	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,589.74	12,764.10	10,412.82	36,000.00	2,015.38	5,038.46	3,358.97
0.68	249.21	0.54	511	1049	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,621.79	12,776.28	10,422.76	36,000.00	2,017.31	5,043.27	3,362.18
0.68	248.67	0.54	510	1050	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,653.85	12,788.46	10,432.69	36,000.00	2,019.23	5,048.08	3,365.38
0.68	248.13	0.54	509	1051	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,685.90	12,800.64	10,442.63	36,000.00	2,021.15	5,052.88	3,368.59
0.68	247.59	0.54	508	1052	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,717.95	12,812.82	10,452.56	36,000.00	2,023.08	5,057.69	3,371.79
0.68	247.04	0.54	507	1053	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,750.00	12,825.00	10,462.50	36,000.00	2,025.00	5,062.50	3,375.00
0.68	246.50	0.54	506	1054	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,782.05	12,837.18	10,472.44	36,000.00	2,026.92	5,067.31	3,378.21
0.67	245.96	0.54	505	1055	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,814.10	12,849.36	10,482.37	36,000.00	2,028.85	5,072.12	3,381.41
0.67	245.42	0.54	504	1056	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,846.15	12,861.54	10,492.31	36,000.00	2,030.77	5,076.92	3,384.62
0.67	244.88	0.54	503	1057	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,878.21	12,873.72	10,502.24	36,000.00	2,032.69	5,081.73	3,387.82
0.67	244.34	0.54	502	1058	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,910.26	12,885.90	10,512.18	36,000.00	2,034.62	5,086.54	3,391.03
0.67	243.80	0.54	501	1059	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,942.31	12,898.08	10,522.12	36,000.00	2,036.54	5,091.35	3,394.23
0.67	243.26	0.54	500	1060	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	69,974.36	12,910.26	10,532.05	36,000.00	2,038.46	5,096.15	3,397.44
0.66	242.72	0.54	499	1061	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,006.41	12,922.44	10,541.99	36,000.00	2,040.38	5,100.96	3,400.64
0.66	242.18	0.54	498	1062	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,038.46	12,934.62	10,551.92	36,000.00	2,042.31	5,105.77	3,403.85
0.66	241.64	0.54	497	1063	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,070.51	12,946.79	10,561.86	36,000.00	2,044.23	5,110.58	3,407.05
0.66	241.10	0.54	496	1064	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,102.56	12,958.97	10,571.79	36,000.00	2,046.15	5,115.38	3,410.26
0.66	240.56	0.54	495	1065	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,134.62	12,971.15	10,581.73	36,000.00	2,048.08	5,120.19	3,413.46
0.66	240.02	0.54	494	1066	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,166.67	12,983.33	10,591.67	36,000.00	2,050.00	5,125.00	3,416.67
0.66	239.48	0.54	493	1067	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,198.72	12,995.51	10,601.60	36,000.00	2,051.92	5,129.81	3,419.87
0.65	238.94	0.54	492	1068	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,230.77	13,007.69	10,611.54	36,000.00	2,053.85	5,134.62	3,423.08
0.65	238.40	0.54	491	1069	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,262.82	13,019.87	10,621.47	36,000.00	2,055.77	5,139.42	3,426.28
0.65	237.87	0.54	490	1070	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,294.87	13,032.05	10,631.41	36,000.00	2,057.69	5,144.23	3,429.49
0.65	237.33	0.54	489	1071	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,326.92	13,044.23	10,641.35	36,000.00	2,059.62	5,149.04	3,432.69
0.65	236.79	0.54	488	1072	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,358.97	13,056.41	10,651.28	36,000.00	2,061.54	5,153.85	3,435.90
0.65	236.25	0.54	487	1073	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,391.03	13,068.59	10,661.22	36,000.00	2,063.46	5,158.65	3,439.10
0.65	235.72	0.54	486	1074	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,423.08	13,080.77	10,671.15	36,000.00	2,065.38	5,163.46	3,442.31
0.64	235.18	0.54	485	1075	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,455.13	13,092.95	10,681.09	36,000.00	2,067.31	5,168.27	3,445.51
0.64	234.64	0.54	484	1076	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,487.18	13,105.13	10,691.03	36,000.00	2,069.23	5,173.08	3,448.72
0.64	234.11	0.54	483	1077	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,519.23	13,117.31	10,700.96	36,000.00	2,071.15	5,177.88	3,451.92
0.64	233.57	0.54	482	1078	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,551.28	13,129.49	10,710.90	36,000.00	2,073.08	5,182.69	3,455.13
0.64	233.03	0.54	481	1079	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,583.33	13,141.67	10,720.83	36,000.00	2,075.00	5,187.50	3,458.33
0.64	232.50	0.54	480	1080	Shafts, slopes	7.56E+07	0.05	37,858.67	-58.67	Wits fractured	70,615.38	13,153.85	10,730.77				

0.82	228.82	0.53	466	1091	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	70.967.95	13.287.82	10.640.06	36.000.00	2.068.08	5.245.19	3.498.79
0.82	228.82	0.53	466	1092	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.000.00	13.300.00	10.650.00	36.000.00	2.100.00	5.250.00	3.500.00
0.82	225.95	0.53	467	1093	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.032.05	13.312.18	10.659.94	36.000.00	2.101.82	5.259.81	3.503.21
0.82	225.95	0.53	468	1094	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.064.10	13.324.35	10.668.87	36.000.00	2.103.85	5.269.82	3.508.41
0.82	224.49	0.53	465	1095	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.096.15	13.336.54	10.678.81	36.000.00	2.105.77	5.284.42	3.509.62
0.81	223.95	0.53	464	1096	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.128.21	13.348.72	10.688.74	36.000.00	2.107.69	5.299.23	3.512.82
0.81	223.43	0.53	463	1097	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.160.26	13.360.90	10.699.68	36.000.00	2.109.62	5.274.04	3.516.03
0.83	222.90	0.53	462	1098	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.192.31	13.373.08	10.709.62	36.000.00	2.111.54	5.278.85	3.519.23
0.81	222.37	0.53	461	1099	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.224.36	13.385.26	10.719.55	36.000.00	2.113.46	5.283.66	3.522.44
0.81	221.84	0.53	460	1100	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.256.41	13.397.44	10.729.48	36.000.00	2.115.38	5.288.46	3.525.64
0.81	221.31	0.53	459	1101	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.288.46	13.409.62	10.739.42	36.000.00	2.117.31	5.293.27	3.528.85
0.80	220.78	0.53	458	1102	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.320.51	13.421.79	10.749.36	36.000.00	2.119.23	5.298.08	3.532.05
0.80	220.25	0.53	457	1103	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.352.56	13.433.97	10.759.29	36.000.00	2.121.15	5.302.88	3.535.26
0.83	219.72	0.53	456	1104	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.384.62	13.446.15	10.769.23	36.000.00	2.123.08	5.307.69	3.538.46
0.80	219.19	0.53	455	1105	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.416.67	13.458.33	10.779.17	36.000.00	2.125.00	5.312.50	3.541.67
0.83	218.66	0.53	454	1106	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.448.72	13.470.51	10.789.10	36.000.00	2.126.92	5.317.31	3.544.87
0.80	218.13	0.53	453	1107	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.480.77	13.482.69	10.799.04	36.000.00	2.128.85	5.322.12	3.548.08
0.83	217.60	0.53	452	1108	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.512.82	13.494.87	10.808.97	36.000.00	2.130.77	5.326.92	3.551.28
0.59	217.07	0.53	451	1109	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.544.87	13.507.05	11.018.91	36.000.00	2.132.69	5.331.73	3.554.49
0.59	216.54	0.53	450	1110	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.576.92	13.519.23	11.028.85	36.000.00	2.134.62	5.336.54	3.557.69
0.59	216.02	0.53	449	1111	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.608.97	13.531.41	11.038.78	36.000.00	2.136.54	5.341.35	3.560.90
0.59	215.49	0.53	448	1112	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.641.03	13.543.59	11.048.72	36.000.00	2.138.46	5.346.10	3.564.10
0.59	214.96	0.53	447	1113	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.673.08	13.555.77	11.058.65	36.000.00	2.140.38	5.350.85	3.567.31
0.59	214.43	0.53	446	1114	Shafts, slopes	7.95E+07	0.05	37.858.67	-58.67 Wts fractured	71.705.13	13.567.95	11.068.58	36.000.00	2.142.31	5.355.77	3.570.51
0.59	213.91	0.53	445	1115	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.737.18	13.580.13	11.078.53	36.000.00	2.144.23	5.360.56	3.573.72
0.53	213.38	0.53	444	1116	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.769.23	13.592.31	11.088.46	36.000.00	2.146.15	5.365.36	3.576.92
0.53	212.85	0.53	443	1117	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.801.28	13.604.49	11.098.40	36.000.00	2.148.08	5.370.19	3.580.13
0.59	212.33	0.53	442	1118	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.833.33	13.616.67	11.108.33	36.000.00	2.150.00	5.375.00	3.583.33
0.53	211.80	0.53	441	1119	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.865.38	13.628.85	11.118.27	36.000.00	2.151.92	5.379.81	3.586.54
0.59	211.27	0.53	440	1120	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.897.44	13.641.03	11.128.21	36.000.00	2.153.85	5.384.62	3.589.74
0.53	210.75	0.53	439	1121	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.929.49	13.653.21	11.138.14	36.000.00	2.155.77	5.389.42	3.592.95
0.58	210.22	0.53	438	1122	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.961.54	13.665.38	11.148.08	36.000.00	2.157.69	5.394.23	3.596.15
0.53	209.70	0.53	437	1123	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	71.993.59	13.677.56	11.158.01	36.000.00	2.159.62	5.399.04	3.599.36
0.57	209.17	0.52	436	1124	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.025.64	13.689.74	11.167.95	36.000.00	2.161.54	5.403.85	3.602.56
0.57	208.65	0.52	435	1125	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.057.69	13.701.92	11.177.88	36.000.00	2.163.46	5.408.65	3.605.77
0.57	208.12	0.52	434	1126	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.089.74	13.714.10	11.187.82	36.000.00	2.165.38	5.413.46	3.608.97
0.52	207.60	0.52	433	1127	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.121.79	13.726.28	11.197.76	36.000.00	2.167.31	5.418.27	3.612.18
0.52	207.07	0.52	432	1128	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.153.85	13.738.46	11.207.69	36.000.00	2.169.23	5.423.06	3.615.38
0.57	206.55	0.52	431	1129	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.185.90	13.750.64	11.217.63	36.000.00	2.171.15	5.427.86	3.618.59
0.59	206.03	0.52	430	1130	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.217.95	13.762.82	11.227.56	36.000.00	2.173.08	5.432.66	3.621.79
0.52	205.50	0.52	429	1131	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.250.00	13.775.00	11.237.50	36.000.00	2.175.00	5.437.50	3.625.00
0.52	204.98	0.52	428	1132	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.282.05	13.787.18	11.247.44	36.000.00	2.176.92	5.442.31	3.628.21
0.52	204.46	0.52	427	1133	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.314.10	13.799.36	11.257.37	36.000.00	2.178.85	5.447.12	3.631.41
0.52	203.94	0.52	426	1134	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.346.15	13.811.54	11.267.31	36.000.00	2.180.77	5.451.92	3.634.62
0.59	203.41	0.52	425	1135	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.378.21	13.823.72	11.277.24	36.000.00	2.182.69	5.456.73	3.637.82
0.56	202.89	0.52	424	1136	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.410.26	13.835.90	11.287.18	36.000.00	2.184.62	5.461.54	3.641.03
0.55	202.37	0.52	423	1137	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.442.31	13.848.08	11.297.12	36.000.00	2.186.54	5.466.35	3.644.23
0.55	201.85	0.52	422	1138	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.474.36	13.860.26	11.307.05	36.000.00	2.188.46	5.471.15	3.647.44
0.55	201.33	0.52	421	1139	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.506.41	13.872.44	11.316.99	36.000.00	2.190.38	5.475.96	3.650.64
0.55	200.80	0.52	420	1140	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.538.46	13.884.62	11.326.92	36.000.00	2.192.31	5.480.77	3.653.85
0.55	200.28	0.52	419	1141	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.570.51	13.896.79	11.336.86	36.000.00	2.194.23	5.485.58	3.657.05
0.55	199.76	0.52	418	1142	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.602.56	13.908.97	11.346.79	36.000.00	2.196.15	5.490.38	3.660.26
0.55	199.24	0.52	417	1143	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.634.62	13.921.15	11.356.73	36.000.00	2.198.08	5.495.19	3.663.46
0.54	198.72	0.52	416	1144	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.666.67	13.933.33	11.366.67	36.000.00	2.200.00	5.500.00	3.666.67
0.54	198.20	0.52	415	1145	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.698.72	13.945.51	11.376.60	36.000.00	2.201.92	5.504.81	3.669.87
0.54	197.68	0.52	414	1146	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.730.77	13.957.69	11.386.54	36.000.00	2.203.85	5.509.62	3.673.08
0.52	197.16	0.52	413	1147	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.762.82	13.969.87	11.396.47	36.000.00	2.205.77	5.514.42	3.676.28
0.54	196.64	0.52	412	1148	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.794.87	13.982.05	11.406.41	36.000.00	2.207.69	5.519.23	3.679.49
0.52	196.12	0.52	411	1149	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.826.92	13.994.23	11.416.35	36.000.00	2.209.62	5.524.04	3.682.69
0.54	195.60	0.52	410	1150	Shafts, slopes	7.95E+07	0.05	35.810.81	1.998.19 Wts fractured	72.859.03	14.006.41	11.426.28	36.000.00	2.211.54	5.528.85	3.685.90
0.5																

0.52	190.43	0.52	400	1160	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,179.49	14,128.21	11,525.64	36,000.00	2,230.77	5,576.92	3,717.95
0.52	189.91	0.52	399	1161	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,211.54	14,140.38	11,535.58	36,000.00	2,232.69	5,581.73	3,721.15
0.52	189.36	0.52	398	1162	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,243.59	14,152.56	11,545.51	36,000.00	2,234.62	5,586.54	3,724.36
0.52	188.88	0.52	397	1163	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,275.64	14,164.74	11,555.45	36,000.00	2,236.54	5,591.35	3,727.56
0.52	188.36	0.52	396	1164	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,307.69	14,176.92	11,565.38	36,000.00	2,238.46	5,596.15	3,730.77
0.51	187.84	0.52	395	1165	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,339.74	14,189.10	11,575.32	36,000.00	2,240.38	5,600.96	3,733.97
0.51	187.33	0.52	394	1166	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,371.79	14,201.28	11,585.26	36,000.00	2,242.31	5,605.77	3,737.18
0.51	186.81	0.51	393	1167	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,403.85	14,213.46	11,595.19	36,000.00	2,244.23	5,610.58	3,740.38
0.51	186.30	0.51	392	1168	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,435.90	14,225.64	11,605.13	36,000.00	2,246.15	5,615.38	3,743.59
0.51	185.78	0.51	391	1169	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,467.95	14,237.82	11,615.06	36,000.00	2,248.08	5,620.19	3,746.79
0.51	185.27	0.51	390	1170	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,500.00	14,250.00	11,625.00	36,000.00	2,250.00	5,625.00	3,750.00
0.51	184.76	0.51	389	1171	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,532.05	14,262.18	11,634.94	36,000.00	2,251.92	5,629.81	3,753.21
0.50	184.24	0.51	388	1172	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,564.10	14,274.36	11,644.87	36,000.00	2,253.85	5,634.62	3,756.41
0.50	183.73	0.51	387	1173	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,596.15	14,286.54	11,654.81	36,000.00	2,255.77	5,639.42	3,759.62
0.50	183.21	0.51	386	1174	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,628.21	14,298.72	11,664.74	36,000.00	2,257.69	5,644.23	3,762.82
0.50	182.70	0.51	385	1175	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,660.26	14,310.90	11,674.68	36,000.00	2,259.62	5,649.04	3,766.03
0.50	182.19	0.51	384	1176	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,692.31	14,323.08	11,684.62	36,000.00	2,261.54	5,653.85	3,769.23
0.50	181.67	0.51	383	1177	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,724.36	14,335.26	11,694.55	36,000.00	2,263.46	5,658.66	3,772.44
0.50	181.16	0.51	382	1178	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,756.41	14,347.44	11,704.49	36,000.00	2,265.38	5,663.46	3,775.64
0.49	180.65	0.51	381	1179	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,788.46	14,359.62	11,714.42	36,000.00	2,267.31	5,668.27	3,778.85
0.49	180.14	0.51	380	1180	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,820.51	14,371.79	11,724.36	36,000.00	2,269.23	5,673.08	3,782.05
0.49	179.63	0.51	379	1181	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,852.56	14,383.97	11,734.29	36,000.00	2,271.15	5,677.88	3,785.26
0.49	179.11	0.51	378	1182	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,884.62	14,396.15	11,744.23	36,000.00	2,273.08	5,682.69	3,788.46
0.49	178.60	0.51	377	1183	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,916.67	14,408.33	11,754.17	36,000.00	2,275.00	5,687.50	3,791.67
0.49	178.09	0.51	376	1184	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,948.72	14,420.51	11,764.10	36,000.00	2,276.92	5,692.31	3,794.87
0.49	177.58	0.51	375	1185	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	73,980.77	14,432.69	11,774.04	36,000.00	2,278.85	5,697.12	3,798.08
0.49	177.07	0.51	374	1186	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,012.82	14,444.87	11,783.97	36,000.00	2,280.77	5,701.92	3,801.28
0.48	176.56	0.51	373	1187	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,044.87	14,457.05	11,793.91	36,000.00	2,282.69	5,706.73	3,804.49
0.48	176.05	0.51	372	1188	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,076.92	14,469.23	11,803.85	36,000.00	2,284.62	5,711.54	3,807.69
0.48	175.54	0.51	371	1189	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,108.97	14,481.41	11,813.78	36,000.00	2,286.54	5,716.35	3,810.90
0.48	175.03	0.51	370	1190	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,141.03	14,493.59	11,823.72	36,000.00	2,288.46	5,721.15	3,814.10
0.48	174.52	0.51	369	1191	Shafts, stopes	7.56E+07	0.05	35,810.81	1,989.19	Wits fractured	74,173.08	14,505.77	11,833.65	36,000.00	2,290.38	5,725.96	3,817.31
0.48	174.01	0.51	368	1192	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,205.13	14,517.95	11,843.59	36,000.00	2,292.31	5,730.77	3,820.51
0.48	173.50	0.51	367	1193	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,237.18	14,530.13	11,853.53	36,000.00	2,294.23	5,735.58	3,823.72
0.47	172.99	0.51	366	1194	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,269.23	14,542.31	11,863.46	36,000.00	2,296.15	5,740.38	3,826.92
0.47	172.48	0.51	365	1195	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,301.28	14,554.49	11,873.40	36,000.00	2,298.08	5,745.19	3,830.13
0.47	171.97	0.51	364	1196	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,333.33	14,566.67	11,883.33	36,000.00	2,300.00	5,750.00	3,833.33
0.47	171.46	0.51	363	1197	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,365.38	14,578.85	11,893.27	36,000.00	2,301.92	5,754.81	3,836.54
0.47	170.95	0.51	362	1198	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,397.44	14,591.03	11,903.21	36,000.00	2,303.85	5,759.62	3,839.74
0.47	170.44	0.51	361	1199	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,429.49	14,603.21	11,913.14	36,000.00	2,305.77	5,764.42	3,842.95
0.47	169.94	0.51	360	1200	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,461.54	14,615.38	11,923.08	36,000.00	2,307.69	5,769.23	3,846.15
0.46	169.43	0.51	359	1201	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,493.59	14,627.56	11,933.01	36,000.00	2,309.62	5,774.04	3,849.36
0.46	168.92	0.51	358	1202	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,525.64	14,639.74	11,942.95	36,000.00	2,311.54	5,778.85	3,852.56
0.46	168.42	0.51	357	1203	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,557.69	14,651.92	11,952.88	36,000.00	2,313.46	5,783.66	3,855.77
0.46	167.91	0.51	356	1204	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,589.74	14,664.10	11,962.82	36,000.00	2,315.38	5,788.46	3,858.97
0.46	167.40	0.51	355	1205	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,621.79	14,676.28	11,972.75	36,000.00	2,317.31	5,793.27	3,862.18
0.46	166.90	0.51	354	1206	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,653.85	14,688.46	11,982.69	36,000.00	2,319.23	5,798.08	3,865.38
0.46	166.39	0.51	353	1207	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,685.90	14,700.64	11,992.63	36,000.00	2,321.15	5,802.88	3,868.59
0.45	165.88	0.51	352	1208	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,717.95	14,712.82	12,002.56	36,000.00	2,323.08	5,807.69	3,871.79
0.45	165.38	0.51	351	1209	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,750.00	14,725.00	12,012.50	36,000.00	2,325.00	5,812.50	3,875.00
0.45	164.87	0.51	350	1210	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,782.05	14,737.18	12,022.44	36,000.00	2,326.92	5,817.31	3,878.21
0.45	164.37	0.51	349	1211	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,814.10	14,749.36	12,032.37	36,000.00	2,328.85	5,822.12	3,881.41
0.45	163.86	0.51	348	1212	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,846.15	14,761.54	12,042.31	36,000.00	2,330.77	5,826.92	3,884.62
0.45	163.36	0.50	347	1213	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,878.21	14,773.72	12,052.24	36,000.00	2,332.69	5,831.73	3,887.82
0.45	162.85	0.50	346	1214	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,910.26	14,785.90	12,062.18	36,000.00	2,334.62	5,836.54	3,891.03
0.44	162.35	0.50	345	1215	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,942.31	14,798.08	12,072.12	36,000.00	2,336.54	5,841.35	3,894.23
0.44	161.84	0.50	344	1216	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	74,974.36	14,810.26	12,082.05	36,000.00	2,338.46	5,846.15	3,897.44
0.44	161.34	0.50	343	1217	Shafts, stopes	7.56E+07	0.05	52,188.51	-14,388.51	Wits fractured	75,006.41	14,822.44	12,091.99	36,000.00	2,340.38	5	

0.43	155.90	0.50	331	1229	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	14.988.59	12.211.22	36.000.00	2.363.46	5.908.65	3.639.10
0.42	154.80	0.50	330	1230	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	14.980.77	12.221.15	36.000.00	2.363.38	5.913.46	3.642.31
0.42	154.30	0.50	329	1231	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	14.982.95	12.231.09	36.000.00	2.367.31	5.918.27	3.645.51
0.42	153.80	0.50	328	1232	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.005.13	12.241.03	36.000.00	2.369.23	5.923.08	3.648.72
0.42	153.30	0.50	327	1233	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.017.31	12.250.96	36.000.00	2.371.15	5.927.86	3.651.92
0.42	152.80	0.50	326	1234	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.029.49	12.260.90	36.000.00	2.373.08	5.932.69	3.655.13
0.42	152.30	0.50	325	1235	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.041.67	12.270.83	36.000.00	2.375.00	5.937.50	3.658.33
0.42	151.80	0.50	324	1236	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.053.85	12.280.77	36.000.00	2.376.92	5.942.31	3.661.54
0.41	151.30	0.50	323	1237	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.066.03	12.290.71	36.000.00	2.378.85	5.947.12	3.664.74
0.41	150.80	0.50	322	1238	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.078.21	12.300.64	36.000.00	2.380.77	5.951.92	3.667.95
0.41	150.30	0.50	321	1239	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.090.39	12.310.58	36.000.00	2.382.69	5.956.73	3.671.15
0.41	149.80	0.50	320	1240	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.102.56	12.320.51	36.000.00	2.384.62	5.961.54	3.674.36
0.41	149.30	0.50	319	1241	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.114.74	12.330.45	36.000.00	2.386.54	5.966.35	3.677.56
0.41	148.80	0.50	318	1242	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.126.92	12.340.38	36.000.00	2.388.46	5.971.15	3.680.77
0.41	148.30	0.50	317	1243	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.139.10	12.350.32	36.000.00	2.390.38	5.975.96	3.683.97
0.40	147.81	0.50	316	1244	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.151.28	12.360.26	36.000.00	2.392.31	5.980.77	3.687.18
0.40	147.31	0.50	315	1245	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.163.46	12.370.19	36.000.00	2.394.23	5.985.56	3.690.38
0.40	146.81	0.50	314	1246	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.175.64	12.380.13	36.000.00	2.396.15	5.990.39	3.693.59
0.40	146.31	0.50	313	1247	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.187.82	12.390.06	36.000.00	2.398.08	5.995.19	3.696.79
0.40	145.81	0.50	312	1248	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.200.00	12.400.00	36.000.00	2.400.00	6.000.00	4.003.01
0.40	145.32	0.50	311	1249	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.212.18	12.409.94	36.000.00	2.401.92	6.004.81	4.005.81
0.40	144.82	0.50	310	1250	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.224.36	12.419.87	36.000.00	2.403.85	6.009.62	4.008.61
0.40	144.32	0.50	309	1251	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.236.54	12.429.81	36.000.00	2.405.77	6.014.42	4.011.42
0.39	143.83	0.50	308	1252	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.248.72	12.439.74	36.000.00	2.407.69	6.019.23	4.014.23
0.39	143.33	0.50	307	1253	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.260.90	12.449.68	36.000.00	2.409.62	6.024.04	4.017.03
0.39	142.83	0.50	306	1254	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.273.08	12.459.62	36.000.00	2.411.54	6.028.85	4.019.83
0.39	142.34	0.50	305	1255	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.285.26	12.469.56	36.000.00	2.413.46	6.033.66	4.022.64
0.39	141.84	0.50	304	1256	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.297.44	12.479.49	36.000.00	2.415.38	6.038.46	4.025.44
0.39	141.35	0.50	303	1257	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.309.62	12.489.42	36.000.00	2.417.31	6.043.27	4.028.25
0.39	140.85	0.50	302	1258	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.321.79	12.499.36	36.000.00	2.419.23	6.048.08	4.031.05
0.38	140.35	0.50	301	1259	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.333.97	12.509.29	36.000.00	2.421.15	6.052.88	4.033.86
0.38	139.86	0.49	300	1260	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.346.15	12.519.23	36.000.00	2.423.08	6.057.69	4.036.66
0.48	139.36	0.49	299	1261	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.358.33	12.529.17	36.000.00	2.425.00	6.062.50	4.039.47
0.48	138.87	0.49	298	1262	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.370.51	12.539.10	36.000.00	2.426.92	6.067.31	4.042.27
0.48	138.38	0.49	297	1263	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.382.69	12.549.04	36.000.00	2.428.85	6.072.12	4.045.08
0.48	137.88	0.49	296	1264	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.394.87	12.558.97	36.000.00	2.430.77	6.076.92	4.047.88
0.48	137.39	0.49	295	1265	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.407.05	12.568.91	36.000.00	2.432.69	6.081.73	4.050.69
0.48	136.89	0.49	294	1266	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.419.23	12.578.85	36.000.00	2.434.62	6.086.54	4.053.49
0.48	136.40	0.49	293	1267	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.431.41	12.588.78	36.000.00	2.436.54	6.091.35	4.056.30
0.48	135.91	0.49	292	1268	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.443.59	12.598.72	36.000.00	2.438.46	6.096.16	4.059.10
0.48	135.41	0.49	291	1269	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.455.77	12.608.65	36.000.00	2.440.38	6.100.96	4.061.91
0.48	134.92	0.49	290	1270	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.467.95	12.618.59	36.000.00	2.442.31	6.105.77	4.064.71
0.48	134.43	0.49	289	1271	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.480.13	12.628.53	36.000.00	2.444.23	6.110.58	4.067.51
0.48	133.93	0.49	288	1272	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.492.31	12.638.46	36.000.00	2.446.15	6.115.38	4.070.32
0.48	133.44	0.49	287	1273	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.504.49	12.648.40	36.000.00	2.448.08	6.120.19	4.073.12
0.48	132.95	0.49	286	1274	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.516.67	12.658.33	36.000.00	2.450.00	6.125.00	4.075.93
0.48	132.46	0.49	285	1275	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.528.85	12.668.27	36.000.00	2.451.92	6.129.81	4.078.74
0.48	131.97	0.49	284	1276	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.541.03	12.678.21	36.000.00	2.453.85	6.134.62	4.081.54
0.48	131.48	0.49	283	1277	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.553.21	12.688.14	36.000.00	2.455.77	6.139.42	4.084.35
0.48	130.99	0.49	282	1278	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.565.39	12.698.08	36.000.00	2.457.69	6.144.23	4.087.15
0.48	130.49	0.49	281	1279	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.577.56	12.708.01	36.000.00	2.459.62	6.149.04	4.089.96
0.48	130.00	0.49	280	1280	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.589.74	12.717.95	36.000.00	2.461.54	6.153.85	4.092.77
0.48	129.51	0.49	279	1281	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.601.92	12.727.88	36.000.00	2.463.46	6.158.65	4.095.58
0.48	129.02	0.49	278	1282	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.614.10	12.737.82	36.000.00	2.465.38	6.163.46	4.098.39
0.48	128.53	0.49	277	1283	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.626.28	12.747.76	36.000.00	2.467.31	6.168.27	4.101.19
0.48	128.04	0.49	276	1284	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.638.46	12.757.69	36.000.00	2.469.23	6.173.08	4.103.99
0.48	127.55	0.49	275	1285	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.650.64	12.767.63	36.000.00	2.471.15	6.177.88	4.106.79
0.48	127.06	0.49	274	1286	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.662.82	12.777.56	36.000.00	2.473.08	6.182.69	4.109.59
0.48	126.57	0.49	273	1287	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.675.00	12.787.50	36.000.00	2.475.00	6.187.50	4.112.39
0.48	126.08	0.49	272	1288	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.687.18	12.797.44	36.000.00	2.476.92	6.192.31	4.115.19
0.48	125.59	0.49	271	1289	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.699.36	12.807.37	36.000.00	2.478.85	6.197.12	4.117.99
0.48	125.10	0.49	270	1290	Sheets, slopes	7.95E+07	0.05	52.168.51	-14.398.51	Wts fractured	15.711.54	12.817.31	36.000.00	2.480.77	6.201.92	4.120.79
0.34	124.															

0.33	121.20	0.49	262	1296	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,602.56	15,608.97	12,898.79	36,000.00	2,496.15	6,240.38	4,160.26
0.33	120.71	0.49	261	1299	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,634.62	15,621.15	12,908.73	36,000.00	2,496.08	6,245.19	4,163.46
0.33	120.23	0.49	260	1300	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,666.67	15,633.33	12,918.67	36,000.00	2,500.00	6,250.00	4,166.67
0.33	119.74	0.49	259	1301	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,698.72	15,645.51	12,928.60	36,000.00	2,501.92	6,254.81	4,169.87
0.33	119.25	0.49	258	1302	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,730.77	15,657.69	12,938.54	36,000.00	2,503.85	6,259.62	4,173.08
0.33	118.77	0.49	257	1303	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,762.82	15,669.87	12,948.47	36,000.00	2,505.77	6,264.42	4,176.28
0.32	118.28	0.49	256	1304	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,794.87	15,682.05	12,958.41	36,000.00	2,507.69	6,269.23	4,179.49
0.32	117.79	0.49	255	1305	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,826.92	15,694.23	12,968.35	36,000.00	2,509.62	6,274.04	4,182.69
0.32	117.31	0.49	254	1306	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,858.97	15,706.41	12,978.28	36,000.00	2,511.54	6,278.85	4,185.90
0.32	116.82	0.49	253	1307	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,891.03	15,718.59	12,988.22	36,000.00	2,513.46	6,283.65	4,189.10
0.32	116.34	0.49	252	1308	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,923.08	15,730.77	12,998.15	36,000.00	2,515.38	6,288.46	4,192.31
0.32	115.85	0.48	251	1309	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,955.13	15,742.95	13,008.09	36,000.00	2,517.31	6,293.27	4,195.51
0.32	115.37	0.48	250	1310	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	77,987.18	15,755.13	13,018.03	36,000.00	2,519.23	6,298.08	4,198.72
0.31	114.88	0.48	249	1311	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,019.23	15,767.31	13,028.06	36,000.00	2,521.15	6,302.88	4,201.92
0.31	114.40	0.48	248	1312	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,051.28	15,779.49	13,038.00	36,000.00	2,523.08	6,307.69	4,205.13
0.31	113.91	0.48	247	1313	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,083.33	15,791.67	13,048.03	36,000.00	2,525.00	6,312.50	4,208.33
0.31	113.43	0.48	246	1314	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,115.38	15,803.85	13,058.77	36,000.00	2,526.92	6,317.31	4,211.54
0.31	112.95	0.48	245	1315	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,147.44	15,816.03	13,068.71	36,000.00	2,528.85	6,322.12	4,214.74
0.31	112.46	0.48	244	1316	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,179.49	15,828.21	13,078.64	36,000.00	2,530.77	6,326.92	4,217.95
0.31	111.98	0.48	243	1317	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,211.54	15,840.38	13,088.58	36,000.00	2,532.69	6,331.73	4,221.15
0.31	111.50	0.48	242	1318	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,243.59	15,852.56	13,098.51	36,000.00	2,534.62	6,336.54	4,224.36
0.30	111.01	0.48	241	1319	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,275.64	15,864.74	13,108.45	36,000.00	2,536.54	6,341.35	4,227.56
0.30	110.53	0.48	240	1320	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,307.69	15,876.92	13,118.38	36,000.00	2,538.46	6,346.15	4,230.77
0.30	110.05	0.48	239	1321	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,339.74	15,889.10	13,128.32	36,000.00	2,540.38	6,350.96	4,233.97
0.30	109.56	0.48	238	1322	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,371.79	15,901.28	13,138.26	36,000.00	2,542.31	6,355.77	4,237.18
0.30	109.08	0.48	237	1323	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,403.85	15,913.46	13,148.19	36,000.00	2,544.23	6,360.58	4,240.38
0.30	108.60	0.48	236	1324	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,435.90	15,925.64	13,158.13	36,000.00	2,546.15	6,365.38	4,243.59
0.30	108.12	0.48	235	1325	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,467.95	15,937.82	13,168.06	36,000.00	2,548.08	6,370.19	4,246.79
0.29	107.64	0.48	234	1326	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,500.00	15,950.00	13,178.00	36,000.00	2,550.00	6,375.00	4,250.00
0.29	107.15	0.48	233	1327	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,532.05	15,962.18	13,188.94	36,000.00	2,551.92	6,379.81	4,253.21
0.29	106.67	0.48	232	1328	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,564.10	15,974.36	13,198.87	36,000.00	2,553.85	6,384.62	4,256.41
0.29	106.19	0.48	231	1329	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,596.15	15,986.54	13,208.81	36,000.00	2,555.77	6,389.42	4,259.62
0.29	105.71	0.48	230	1330	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,628.21	15,998.72	13,218.74	36,000.00	2,557.69	6,394.23	4,262.82
0.29	105.23	0.48	229	1331	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,660.26	16,010.90	13,228.68	36,000.00	2,559.62	6,399.04	4,266.03
0.29	104.75	0.48	228	1332	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,692.31	16,023.08	13,238.62	36,000.00	2,561.54	6,403.85	4,269.23
0.29	104.27	0.48	227	1333	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,724.36	16,035.26	13,248.55	36,000.00	2,563.46	6,408.65	4,272.44
0.28	103.79	0.48	226	1334	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,756.41	16,047.44	13,258.49	36,000.00	2,565.38	6,413.46	4,275.64
0.28	103.31	0.48	225	1335	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,788.46	16,059.62	13,268.42	36,000.00	2,567.31	6,418.27	4,278.85
0.28	102.83	0.48	224	1336	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,820.51	16,071.79	13,278.36	36,000.00	2,569.23	6,423.08	4,282.05
0.28	102.35	0.48	223	1337	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,852.56	16,083.97	13,288.29	36,000.00	2,571.15	6,427.88	4,285.26
0.28	101.87	0.48	222	1338	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,884.62	16,096.15	13,298.23	36,000.00	2,573.08	6,432.69	4,288.46
0.28	101.39	0.48	221	1339	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,916.67	16,108.33	13,308.17	36,000.00	2,575.00	6,437.50	4,291.67
0.28	100.91	0.48	220	1340	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,948.72	16,120.51	13,318.10	36,000.00	2,576.92	6,442.31	4,294.87
0.28	100.43	0.48	219	1341	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	78,980.77	16,132.69	13,328.04	36,000.00	2,578.85	6,447.12	4,298.08
0.27	99.95	0.48	218	1342	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,012.82	16,144.87	13,338.97	36,000.00	2,580.77	6,451.92	4,301.28
0.27	99.46	0.48	217	1343	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,044.87	16,157.05	13,348.91	36,000.00	2,582.69	6,456.73	4,304.49
0.27	99.00	0.48	216	1344	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,076.92	16,169.23	13,358.85	36,000.00	2,584.62	6,461.54	4,307.69
0.27	98.52	0.48	215	1345	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,108.97	16,181.41	13,368.78	36,000.00	2,586.54	6,466.35	4,310.90
0.27	98.04	0.48	214	1346	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,141.03	16,193.59	13,378.72	36,000.00	2,588.46	6,471.15	4,314.10
0.27	97.56	0.48	213	1347	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,173.08	16,205.77	13,388.65	36,000.00	2,590.38	6,475.96	4,317.31
0.27	97.09	0.48	212	1348	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,205.13	16,217.95	13,398.59	36,000.00	2,592.31	6,480.77	4,320.51
0.26	96.61	0.48	211	1349	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,237.18	16,230.13	13,408.53	36,000.00	2,594.23	6,485.58	4,323.72
0.26	96.13	0.48	210	1350	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,269.23	16,242.31	13,418.46	36,000.00	2,596.15	6,490.38	4,326.92
0.26	95.65	0.48	209	1351	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,301.28	16,254.49	13,428.40	36,000.00	2,598.08	6,495.19	4,330.13
0.26	95.18	0.48	208	1352	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,333.33	16,266.67	13,438.33	36,000.00	2,600.00	6,500.00	4,333.33
0.26	94.70	0.48	207	1353	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,365.38	16,278.85	13,448.27	36,000.00	2,601.92	6,504.81	4,336.54
0.26	94.23	0.48	206	1354	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,397.44	16,291.03	13,458.21	36,000.00	2,603.85	6,509.62	4,339.74
0.26	93.75	0.48	205	1355	Shafts, slopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,429.49	16,303.21	13,468.14	36,000.00	2,605.77	6,514.42	4,342.95
0.26	9																

0.24	88.05	0.47	193	1367	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,814.10	16,649.36	13,582.37	36,000.00	2,628.85	6,572.12	4,381.41
0.24	87.58	0.47	192	1368	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,848.15	16,661.54	13,592.31	36,000.00	2,630.77	6,576.92	4,384.82
0.24	87.11	0.47	191	1369	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,878.21	16,673.72	13,602.24	36,000.00	2,632.69	6,581.73	4,387.82
0.24	86.63	0.47	190	1370	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,910.26	16,685.90	13,612.18	36,000.00	2,634.62	6,586.54	4,391.03
0.24	86.16	0.47	189	1371	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,942.31	16,698.08	13,622.12	36,000.00	2,636.54	6,591.35	4,394.23
0.23	85.69	0.47	188	1372	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	79,974.36	16,710.26	13,632.05	36,000.00	2,638.46	6,596.15	4,397.44
0.23	85.21	0.47	187	1373	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,006.41	16,722.44	13,641.99	36,000.00	2,640.38	6,600.96	4,400.64
0.23	84.74	0.47	186	1374	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,038.46	16,734.62	13,651.92	36,000.00	2,642.31	6,605.77	4,403.85
0.23	84.27	0.47	185	1375	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,070.51	16,746.79	13,661.86	36,000.00	2,644.23	6,610.58	4,407.05
0.23	83.80	0.47	184	1376	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,102.56	16,758.97	13,671.79	36,000.00	2,646.15	6,615.39	4,410.26
0.23	83.33	0.47	183	1377	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,134.62	16,771.15	13,681.73	36,000.00	2,648.08	6,620.19	4,413.46
0.23	82.85	0.47	182	1378	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,166.67	16,783.33	13,691.67	36,000.00	2,650.00	6,625.00	4,416.67
0.23	82.38	0.47	181	1379	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,198.72	16,795.51	13,701.60	36,000.00	2,651.92	6,629.81	4,419.87
0.22	81.91	0.47	180	1380	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,230.77	16,807.69	13,711.54	36,000.00	2,653.85	6,634.62	4,423.08
0.22	81.44	0.47	179	1381	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,262.82	16,819.87	13,721.47	36,000.00	2,655.77	6,639.42	4,426.28
0.22	80.97	0.47	178	1382	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,294.87	16,832.05	13,731.41	36,000.00	2,657.69	6,644.23	4,429.49
0.22	80.50	0.47	177	1383	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,326.92	16,844.23	13,741.35	36,000.00	2,659.62	6,649.04	4,432.69
0.22	80.03	0.47	176	1384	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,358.97	16,856.41	13,751.28	36,000.00	2,661.54	6,653.85	4,435.90
0.22	79.56	0.47	175	1385	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,391.03	16,868.59	13,761.22	36,000.00	2,663.46	6,658.65	4,439.10
0.22	79.09	0.47	174	1386	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,423.08	16,880.77	13,771.15	36,000.00	2,665.38	6,663.46	4,442.31
0.22	78.62	0.47	173	1387	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,455.13	16,892.95	13,781.09	36,000.00	2,667.31	6,668.27	4,445.51
0.21	78.15	0.47	172	1388	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,487.18	16,905.13	13,791.03	36,000.00	2,669.23	6,673.08	4,448.72
0.21	77.68	0.47	171	1389	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,519.23	16,917.31	13,800.96	36,000.00	2,671.15	6,677.88	4,451.92
0.21	77.21	0.47	170	1390	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,551.28	16,929.49	13,810.90	36,000.00	2,673.08	6,682.69	4,455.13
0.21	76.74	0.47	169	1391	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,583.33	16,941.67	13,820.83	36,000.00	2,675.00	6,687.50	4,458.33
0.21	76.27	0.47	168	1392	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,615.38	16,953.85	13,830.77	36,000.00	2,676.92	6,692.31	4,461.54
0.21	75.80	0.47	167	1393	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,647.44	16,966.03	13,840.71	36,000.00	2,678.85	6,697.12	4,464.74
0.21	75.33	0.47	166	1394	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,679.49	16,978.21	13,850.64	36,000.00	2,680.77	6,701.92	4,467.95
0.21	74.86	0.47	165	1395	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,711.54	16,990.38	13,860.58	36,000.00	2,682.69	6,706.73	4,471.15
0.20	74.40	0.47	164	1396	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,743.59	17,002.56	13,870.51	36,000.00	2,684.62	6,711.54	4,474.36
0.20	73.93	0.47	163	1397	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,775.64	17,014.74	13,880.45	36,000.00	2,686.54	6,716.35	4,477.56
0.20	73.46	0.47	162	1398	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,807.69	17,026.92	13,890.38	36,000.00	2,688.46	6,721.15	4,480.77
0.20	72.99	0.47	161	1399	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,839.74	17,039.10	13,900.32	36,000.00	2,690.38	6,725.96	4,483.97
0.20	72.52	0.47	160	1400	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,871.79	17,051.28	13,910.26	36,000.00	2,692.31	6,730.77	4,487.18
0.20	72.05	0.47	159	1401	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,903.85	17,063.46	13,920.19	36,000.00	2,694.23	6,735.58	4,490.38
0.20	71.58	0.47	158	1402	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,935.90	17,075.64	13,930.13	36,000.00	2,696.15	6,740.38	4,493.59
0.19	71.12	0.47	157	1403	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	80,967.95	17,087.82	13,940.06	36,000.00	2,698.08	6,745.19	4,496.79
0.19	70.65	0.47	156	1404	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,000.00	17,100.00	13,950.00	36,000.00	2,700.00	6,750.00	4,500.00
0.19	70.19	0.47	155	1405	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,032.05	17,112.18	13,959.94	36,000.00	2,701.92	6,754.81	4,503.21
0.19	69.72	0.47	154	1406	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,064.10	17,124.36	13,969.87	36,000.00	2,703.85	6,759.62	4,506.41
0.19	69.26	0.47	153	1407	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,096.15	17,136.54	13,979.81	36,000.00	2,705.77	6,764.42	4,509.62
0.19	68.79	0.47	152	1408	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,128.21	17,148.72	13,989.74	36,000.00	2,707.69	6,769.23	4,512.82
0.19	68.32	0.47	151	1409	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,160.26	17,160.90	13,999.68	36,000.00	2,709.62	6,774.04	4,516.03
0.19	67.85	0.47	150	1410	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,192.31	17,173.08	14,009.62	36,000.00	2,711.54	6,778.85	4,519.23
0.18	67.39	0.47	149	1411	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,224.36	17,185.26	14,019.55	36,000.00	2,713.46	6,783.65	4,522.44
0.18	66.93	0.47	148	1412	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,256.41	17,197.44	14,029.49	36,000.00	2,715.38	6,788.46	4,525.64
0.18	66.46	0.47	147	1413	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,288.46	17,209.62	14,039.42	36,000.00	2,717.31	6,793.27	4,528.85
0.18	66.00	0.46	146	1414	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,320.51	17,221.79	14,049.36	36,000.00	2,719.23	6,798.08	4,532.05
0.18	65.53	0.46	145	1415	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,352.56	17,233.97	14,059.29	36,000.00	2,721.15	6,802.88	4,535.26
0.18	65.07	0.46	144	1416	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,384.62	17,246.15	14,069.23	36,000.00	2,723.08	6,807.69	4,538.46
0.18	64.60	0.46	143	1417	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,416.67	17,258.33	14,079.17	36,000.00	2,725.00	6,812.50	4,541.67
0.18	64.14	0.46	142	1418	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,448.72	17,270.51	14,089.10	36,000.00	2,726.92	6,817.31	4,544.87
0.17	63.67	0.46	141	1419	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,480.77	17,282.69	14,099.04	36,000.00	2,728.85	6,822.12	4,548.08
0.17	63.21	0.46	140	1420	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,512.82	17,294.87	14,108.97	36,000.00	2,730.77	6,826.92	4,551.28
0.17	62.75	0.46	139	1421	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,544.87	17,307.05	14,118.91	36,000.00	2,732.69	6,831.73	4,554.49
0.17	62.28	0.46	138	1422	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,576.92	17,319.23	14,128.85	36,000.00	2,734.62	6,836.54	4,557.69
0.17	61.82	0.46	137	1423	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,608.97	17,331.41	14,138.78	36,000.00	2,736.54	6,841.35	4,560.90
0.17	61.36	0.46	136	1424	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wits fractured	81,641.03	17,343.59	14,148.72	36,000.00	2,738.46	6,846.15	4,564.10

0.15	55.81	0.46	124	1436	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,025.84	17,489.74	14,267.95	36,000.00	2,781.54	6,903.85	4,602.56
0.15	55.35	0.46	123	1437	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,057.69	17,501.92	14,277.88	36,000.00	2,783.46	6,906.85	4,605.77
0.15	54.99	0.46	122	1438	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,099.74	17,514.10	14,287.82	36,000.00	2,785.38	6,913.46	4,608.97
0.15	54.43	0.46	121	1439	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,121.79	17,526.28	14,297.76	36,000.00	2,787.31	6,918.27	4,612.18
0.15	53.97	0.46	120	1440	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,153.85	17,538.46	14,307.69	36,000.00	2,789.23	6,923.08	4,615.38
0.15	53.51	0.46	119	1441	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,185.90	17,550.64	14,317.63	36,000.00	2,771.15	6,927.89	4,618.59
0.15	53.05	0.46	118	1442	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,217.95	17,562.82	14,327.56	36,000.00	2,773.08	6,932.69	4,621.79
0.14	52.59	0.46	117	1443	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,250.00	17,575.00	14,337.50	36,000.00	2,775.00	6,937.50	4,625.00
0.14	52.13	0.46	116	1444	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,282.05	17,587.18	14,347.44	36,000.00	2,776.92	6,942.31	4,628.21
0.14	51.67	0.46	115	1445	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,314.10	17,599.36	14,357.37	36,000.00	2,778.85	6,947.12	4,631.41
0.14	51.21	0.46	114	1446	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,346.15	17,611.54	14,367.31	36,000.00	2,780.77	6,951.92	4,634.62
0.14	50.75	0.46	113	1447	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,378.21	17,623.72	14,377.24	36,000.00	2,782.69	6,956.73	4,637.82
0.14	50.29	0.46	112	1448	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,410.26	17,635.90	14,387.18	36,000.00	2,784.62	6,961.54	4,641.03
0.14	49.84	0.46	111	1449	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,442.31	17,648.08	14,397.12	36,000.00	2,786.54	6,966.35	4,644.23
0.14	49.38	0.46	110	1450	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,474.36	17,660.26	14,407.05	36,000.00	2,788.46	6,971.15	4,647.44
0.13	48.92	0.46	109	1451	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,506.41	17,672.44	14,416.98	36,000.00	2,790.38	6,975.96	4,650.64
0.13	48.46	0.46	108	1452	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,538.46	17,684.62	14,426.92	36,000.00	2,792.31	6,980.77	4,653.85
0.13	48.00	0.46	107	1453	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,570.51	17,696.79	14,436.85	36,000.00	2,794.23	6,985.58	4,657.05
0.13	47.55	0.46	106	1454	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,602.56	17,708.97	14,446.79	36,000.00	2,796.15	6,990.39	4,660.26
0.13	47.09	0.46	105	1455	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,634.62	17,721.15	14,456.73	36,000.00	2,798.08	6,995.19	4,663.46
0.13	46.63	0.46	104	1456	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,666.67	17,733.33	14,466.67	36,000.00	2,800.00	7,000.00	4,666.67
0.13	46.17	0.46	103	1457	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,698.72	17,745.51	14,476.60	36,000.00	2,801.92	7,004.81	4,669.87
0.13	45.72	0.46	102	1458	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,730.77	17,757.69	14,486.54	36,000.00	2,803.85	7,009.62	4,673.08
0.12	45.26	0.46	101	1459	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,762.82	17,769.87	14,496.47	36,000.00	2,805.77	7,014.42	4,676.28
0.12	44.80	0.46	100	1460	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,794.87	17,782.05	14,506.41	36,000.00	2,807.69	7,019.23	4,679.49
0.12	44.35	0.46	99	1461	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,826.92	17,794.23	14,516.35	36,000.00	2,809.62	7,024.04	4,682.69
0.12	43.89	0.46	98	1462	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,858.97	17,806.41	14,526.28	36,000.00	2,811.54	7,028.85	4,685.90
0.12	43.43	0.46	97	1463	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,891.03	17,818.59	14,536.22	36,000.00	2,813.46	7,033.65	4,689.10
0.12	42.98	0.46	96	1464	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,923.08	17,830.77	14,546.15	36,000.00	2,815.38	7,038.46	4,692.31
0.12	42.52	0.46	95	1465	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,955.13	17,842.95	14,556.09	36,000.00	2,817.31	7,043.27	4,695.51
0.12	42.07	0.46	94	1466	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	82,987.18	17,855.13	14,566.03	36,000.00	2,819.23	7,048.08	4,698.72
0.11	41.61	0.46	93	1467	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,019.23	17,867.31	14,575.96	36,000.00	2,821.15	7,052.89	4,701.92
0.11	41.15	0.46	92	1468	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,051.28	17,879.49	14,585.90	36,000.00	2,823.08	7,057.69	4,705.13
0.11	40.70	0.46	91	1469	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,083.33	17,891.67	14,595.83	36,000.00	2,825.00	7,062.50	4,708.33
0.11	40.24	0.46	90	1470	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,115.38	17,903.85	14,605.77	36,000.00	2,826.92	7,067.31	4,711.54
0.11	39.79	0.46	89	1471	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,147.44	17,916.03	14,615.71	36,000.00	2,828.85	7,072.12	4,714.74
0.11	39.34	0.46	88	1472	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,179.49	17,928.21	14,625.64	36,000.00	2,830.77	7,076.92	4,717.95
0.11	38.88	0.46	87	1473	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,211.54	17,940.39	14,635.58	36,000.00	2,832.69	7,081.73	4,721.15
0.11	38.43	0.46	86	1474	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,243.59	17,952.57	14,645.51	36,000.00	2,834.62	7,086.54	4,724.36
0.10	37.97	0.46	85	1475	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,275.64	17,964.74	14,655.45	36,000.00	2,836.54	7,091.35	4,727.56
0.10	37.52	0.46	84	1476	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,307.69	17,976.92	14,665.38	36,000.00	2,838.46	7,096.15	4,730.77
0.10	37.06	0.46	83	1477	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,339.74	17,989.10	14,675.32	36,000.00	2,840.38	7,100.96	4,733.97
0.10	36.61	0.46	82	1478	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,371.79	18,001.28	14,685.26	36,000.00	2,842.31	7,105.77	4,737.18
0.10	36.16	0.46	81	1479	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,403.85	18,013.46	14,695.19	36,000.00	2,844.23	7,110.58	4,740.38
0.10	35.70	0.46	80	1480	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,435.90	18,025.64	14,705.13	36,000.00	2,846.15	7,115.38	4,743.59
0.10	35.25	0.46	79	1481	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,467.95	18,037.82	14,715.06	36,000.00	2,848.08	7,120.19	4,746.79
0.10	34.80	0.46	78	1482	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,500.00	18,050.00	14,725.00	36,000.00	2,850.00	7,125.00	4,750.00
0.09	34.35	0.46	77	1483	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,532.05	18,062.18	14,734.94	36,000.00	2,851.92	7,129.81	4,753.21
0.09	33.89	0.46	76	1484	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,564.10	18,074.36	14,744.87	36,000.00	2,853.85	7,134.62	4,756.41
0.09	33.44	0.46	75	1485	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,596.15	18,086.54	14,754.81	36,000.00	2,855.77	7,139.42	4,759.62
0.09	32.99	0.46	74	1486	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,628.21	18,098.72	14,764.74	36,000.00	2,857.69	7,144.23	4,762.82
0.09	32.54	0.46	73	1487	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,660.26	18,110.90	14,774.68	36,000.00	2,859.62	7,149.04	4,766.03
0.09	32.08	0.46	72	1488	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,692.31	18,123.08	14,784.62	36,000.00	2,861.54	7,153.85	4,769.23
0.09	31.63	0.46	71	1489	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,724.36	18,135.26	14,794.55	36,000.00	2,863.46	7,158.65	4,772.44
0.09	31.18	0.46	70	1490	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,756.41	18,147.44	14,804.49	36,000.00	2,865.38	7,163.46	4,775.64
0.08	30.73	0.46	69	1491	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,788.46	18,159.62	14,814.42	36,000.00	2,867.31	7,168.27	4,778.85
0.08	30.28	0.46	68	1492	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,820.51	18,171.79	14,824.36	36,000.00	2,869.23	7,173.08	4,782.05
0.08	29.83	0.46	67	1493	Shafts, stopes	7.56E+07	0.05	13,522.59	24,277.41	Wife fractured	83,852.56	18,183.97	14,834.29	36,000.00	2,871.15	7,177.89	4,785.26
0.08	29.38	0.46	6														