

REFERENCES

- Anon. 1998. Health and related indicators. Demography by province. (**In:** Ntuli,A., ed. South African health Review. Durban, Health Systems trust 1998, p.203-215).
- Assmann, G. and Schulte, H. 1993. Results and conclusions of the Prospective Cardiovascular Münster (PROCAM) Study. (**In:** Assmann G., ed. Lipid metabolism disorders and coronary heart disease. 2nd ed. Munich, Germany: MMW-Medizin Verlag, p19-67).
- Baillie, G.M., Sherer, J.T. and Weart, C.W. 1998. Insulin and coronary artery disease: is syndrome X the unifying hypothesis? *Annual of pharmacotherapy* (US), 32(2):233-247.
- Banerji, M.A. and Lebovitz, H.E. 1989. Insulin-sensitive and insulin-resistant variants in NIDDM. *Diabetes*, 38:784-792.
- Banerji, M.A. and Lebovitz, H.E. 1992. Insulin action in black Americans with NIDDM. *Diabetes care*, 15:1295-1302.
- Best and Taylor. 1985. Physiological basis of medical practise. 11th ed. Williams and Wilken, Baltimore. USA.
- Berger, G.M.B. and Marais, A.D. 1987. Guidelines to the diagnosis and management of hyperlipidaemia. *South African journal of continuing medical education*, 5:75-78.
- Bini, A. and Kudryk, B.J. 1992. Fibrin and atherosclerosis: Vascular and systemic effects. (**In:** Ernst, E., Koenig,W., Lowe, G.D.O. and Meade, T.W., ed. Fibrinogen: a “new” cardiovascular risk factor. Wien: Blackwell-MZV, p 41-45).
- Björntorp, P. 1990. Portal adipose tissue as a generator of risk factors for cardiovascular disease and diabetes. *Arteriosclerosis*, 10:493-496.
- Björntorp, P. 1992. Abdominal fat distribution and the metabolic syndrome. *Journal of*

- Boden, G. 1997. Role of fatty acids in the pathogenesis of insulin resistance and NIDDM. *Diabetes*, 46(1):3-10.
- Borgatti, F., Zauli, G., Colamussi, M.L., Gibellini, D., Previati, M., Cantlu, L.L and Capitani, S. 1997. Axtacellular HIV-1 Tat protein activates phosphatidy linositol 3-and Akt/PKB kinases in CD4+ T lymphoblastoid Jurkat cells. *European journal of immunology* (Germany), 27(11):2805-2811.
- Bonora, E., Willeit, J., Kiechl, S. and Oberholzer, F. 1998. U-shaped and J-shaped relationships between serum insulin and CHD in the general population. *Diabetes care*, 21(2):221-230.
- Bourne, L.T., Langenhoven, M.L., Steyn, K., Jooste, P.L., Laubscher, J.A. and Van der Vyver, E. Nutrient intake in the urban African population of the Cape Peninsula, South Africa. The Brisk study. 1993. *The central African journal of medicine*, 39(12):238-247.
- Bradshaw, D. and Buthelezi, G. 1996. Health status. (In: South African health review 1996. Durban: The Health Systems Trust and the Henry J. Kaiser Family Foundation, p. 19-32).
- Bray, G.A. and Popkin, B.M. Dietary fat intake does affect obesity! *American journal of clinical nutrition*, 68:1157-1173.
- Brink, A.J. 1988. Woordboek van Afrikaanse geneeskundeterme. Universiteit van Stellenbosch. Nasou beperk. 790p.
- Brun, J.F., Monnier, J.F., Kabbaj, H. and Orsetti, A. 1996. Blood viscosity is correlated with insulin resistance. *Journal des maladies vasculaires*, 21(3):171-174.
- Carmelli, D., Cardon, L.R. and Fabsitz, R. 1994. Clustering of hypertension, diabetes, and obesity in adult male twins: same genes or same environments? *American journal of human genetics*, 55(3):566-573.

- Central Statistics, 1997. Census 1996: Preliminary estimates of the size of the population of South Africa. Pretoria: Central Statistics. 56p.
- Chaiken, R.L., Banerji, M.A., Huey, H., and Lebovitz, H.E. 1993. Do Blacks with NIDDM have an insulin-resistance syndrome? *Diabetes*, 42:444-449.
- Colagiuri S. and Brand-Miller, J.C. 1997. The metabolic syndrome: from inherited survival trait to a health care problem. *Experimental and clinical endocrinology and diabetes*, 105(suppl.2):54-60.
- Cornwell, R. 1988. "Origins" of the Sotho-Tswana peoples and the history of the Batswana. *Africa insight*, 18(2):96-103.
- De la Serna, Gaspar. 1994. Fibrinogen: A new major risk factor for cardiovascular disease. *The journal of family practice*, 39(5):468-477.
- Donahue, R.P., Orchard, T.J., Becker, D.J., Kuller, L.H. and Drash, A.L. 1988. Physical activity, insulin sensitivity and the lipoprotein profile in young adults: The Beaver County Study. *American journal of epidemiology*, 127(1):95-103.
- Downward, J. 1998. Mechanisms and consequences of activation of protein kinase B/Akt. *Current opinion in cell biology* (US), 10(2):262-267.
- Dudek, H., Datta, S.R., Franke, T.F., Birnbaum, M.J., Yao, R., Cooper, G.M., Segal, R.A., Kapla, D.R. and Greenberg, M.E. 1997. Regulation of neuronal survival by the serine-threonine protein kinase Akt. *Science*, 275:661-664.
- Ekoé, J.M., Thomas, F., Balkau, B., Eswege, E. and Delisle, H. 1996. Effect of maternal diabetes on the pattern of selected insulin resistance syndrome parameters in normal glucose tolerant subjects of two Algonquin Indian communities in Quebec. *Diabetes care* (US), 19(8):822-826.

- Facchini, F., Chen, Y-D.I., Hollenbeck, C.B. and Reaven, G.M. 1991. Relationship between resistance to insulin-mediated glucose uptake, urinary uric acid clearance and plasma uric acid concentration. *Journal of the American medical association*, 226:3008-3011.
- Facchini, F., Chen, Y-D. Ida and Reaven, Gerald M. 1994. Light- to- moderate alcohol intake is associated with enhanced insulin activity. *Diabetes care*, 17(2):115-119.
- Ferrara, A., Barrett-Connor, E. and Wingard, D.L. 1995. Sex differences in insulin levels in older adults and the effect of body size, estrogen replacement therapy, and glucose tolerance status. The Rancho Bernardo Study. *Diabetes care*, 18:220-225.
- Ferrannini, E., Stern, M.P., Galvan, A.Q., Mitchell, B.D. and Haffner, S.M. 1992. Impact of associated conditions on glycemic control of NIDDM patients. *Diabetes care (US)*, 15(4):508-514.
- Ferrannini, E., Haffner, S.M., Mitchell, B.D. and Stern, M.P. 1992. Hyperinsulinaemia: the key feature of a cardiovascular and metabolic syndrome. *Diabetologia*, 34(6): 416-422.
- Flack, J.M. and Sowers, J.R. 1991. Epidemiologic and clinical aspects of insulin resistance and hyperinsulinemia. *The American journal of medicine*, 91(supp.1A):1A-11S-1A-19S.
- Fletcher, R.H., Fletcher, S.W. and Wagner, E.H. 1987. Clinical epidemiology. The essentials. 2nd Edition. Williams & Wilkens, Baltimore. 246p.
- Flier, Jeffrey S. 1983. Insulin receptors and insulin resistance. *Annual review of medicine*, 34:145-160.
- Fontbonne, Annick M. and Eschwège, Eveline M. 1991. Insulin and cardiovascular disease (The Paris Prospective Study). *Diabetes care*, 14(6):461-469.
- Fontbonne, A. and Eschwège, E. 1991. Insulin-resistance, hypertriglyceridaemia and cardiovascular risk: The Paris Prospective Study. *Diabetes metabolism*, 17:93-95.

- Fossati, P. and Romon-Rosseaux, M. 1987. Insulin and HDL-Cholesterol metabolism. *Diabetes metabolism*, 13:390-394.
- Fox, I.H. 1981. Metabolic basis for disorders of purine nucleotide degradation. *Metabolism: Clinical and experimental*, 30:616-634.
- Gaillard, T.R., Schuster, D.P., Bossetti, B.M., Green, P.A. and Osei, K. 1997. The impact of socioeconomic status on cardiovascular risk factors in African-Americans at high risk for type II diabetes. Implications for syndrome X. *Diabetes care*, 20(5):745-752.
- Gelderblom, D. and Kok, P. 1994. Urbanisation: South Africa's challenge. Volume 1: Dynamics, Pretoria: HSRC Publishers. 318p.
- Gordeuk, V., Mukubi, J., Hasstedt, S., Samowitz, W., Edwards, CQ., West, G. et al. 1992. Iron overload in Africa: Interaction between a gene and dietary iron content. *New England medical journal*, 326:95-100.
- Greenspan, F.S. and Baxter, J.D. 1994. Basic and clinical endocrinology. Appleton and Lange, USA. p.571-634.
- Gross, R. and Monteiro, C.A. 1989. Urban nutrition in developing countries: Some lessons to learn. *Food and nutrition bulletin*, 11(2):14-20.
- Guyton, A.C. and Hall, J.E. 1996. Textbook of medical physiology. W.B. Saunders Company, Philadelphia. 1014p.
- Haffner, S.M., Valdez, R.A., Hazuda, H.P., Mitchell, B.D., Morales, P.A. and Stern, M.P. 1992(a). Prospective analysis of the insulin resistance syndrome (syndrome X). *Diabetes*, 41(6):715-722.
- Haffner, S.M., Ferrannini, E., Hazuda, H.P. and Stern, M.P. 1992(b). Clustering of cardiovascular risk factors in confirmed prehypertensive individuals. *Hypertension (US)*, 20(1):38-45.

- Haffner, S.M., D'Agostino, R. and Saad, M.F. 1996. Increased insulin resistance and insulin secretion in nondiabetic African-Americans and Hispanics compared with non-Hispanic whites. The insulin Resistance Atherosclerosis Study. *Diabetes*, 45:742-748.
- Haffner, S.M. 1997. The prediabetic problem: Development of non-insulin-dependant diabetes mellitus and related abnormalities. *Journal of diabetes and its complications*, 11:69-76.
- Haffner, S.M., Lehto, S., Rönnekaa, T., Pyörälä, K. and Laakso, M. 1998. Mortality from coronary heart disease in subjects with Type 2 Diabetes and in nondiabetic subjects with and without prior myocardial infarction. *The New England journal of medicine*, 339:229-234.
- Hales, C.N. and Barker, D.J.P. 1992. Type 2 (non-insulin-dependent) diabetes mellitus: The thrifty phenotype hypothesis. *Diabetologia*, 35:595-601.
- Hanefeld, M. and Temelkova-Kurktschiev, T. 1997. The postprandial state and the risk of atherosclerosis. *Diabetic medicine*, 14:S6-S11.
- Harris, S.B., Gittelsohn, J., Hanley, A., Barnie, A., Wolever, T.M., Gao, J., Logan, A. and Zinman, B. 1997. The prevalence of NIDDM and associated risk factors in native Canadians. *Diabetes care (US)*, 20(2):185-187.
- Herman, J.B., Goldbourt, U. 1982. Uric acid and diabetes: Observations in a population study. *Lancet*, 11:240-243.
- Hjermann, Ingvar. 1992. The metabolic cardiovascular Syndrome: Syndrome X, Reaven's Syndrome, Insulin Resistance Syndrome, Atherothrombogenic Syndrome. *Journal of cardiovascular pharmacology*, 20(suppl.8):S5-S10.
- Hopkins, P.N., Hunt, S.C., Wu, L.L., Williams, G.H. and Williams, R.R. 1996. Hypertension, dyslipidemia, and insulin resistance: links in a chain or spokes on a wheel? *Current opinion in lipidology*, 7(4):241-253.

- Horton, Edward S. 1988. Role and management of exercise in Diabetes Mellitus. *Diabetes care*, 11(2):201-209.
- Housley, M.D. and Siddle, K. 1989. Molecular basis of insulin receptor function. *British medical bulletin*, 45:264-284.
- Howard, G., Manolio, T.A., Burke, G.L., Wolfson, S.K. and O'Leary, D.H. 1997. Does the association of risk factors and atherosclerosis change with age? An analysis of the combined ARIC and CHS cohorts. *Stroke*, 28:1693-1701.
- Humphrey, A.R.G., Zimmet, P.Z. and Hamman, R.F. 1995. The epidemiology of diabetes mellitus. *Diabetes annual*, 9:1-31.
- Imamura, M., Kishitani, Y., Saika, T., Ilio, K., Ikami, H., Kagita, A., Nishimura, A., Masuda, K., Ohno, Y. and Aoki, N. 1995. Epidemiological investigation of insulin resistance syndrome (Syndrome X) in a city in Japan. *Clinical and experimental pharmacology and physiology*, Suppl. 1:S30-S31.
- Imperatore, G., Riccardi, G., Iovine, C., Rivellese, A.A. and Vaccaro, O. 1998. Plasma fibrinogen: a new factor of the metabolic syndrome. A population-based study. *Diabetes care*, 21(4):649-654.
- Jackson, A.S., Pollock, M.L. and Ward, A. 1980. Generalised equations for predicting body density in women. *Medicine and science in sports medicine*, 12:75 & 82.
- James, S. 2000. Changes in levels of plasma fibrinogen and macro molecular protein complex among Africans in transition in the Northwest Province of South Africa. Potchefstroom: Pu vir CHO. (Unpublished Ph.D. thesis).
- Janse van Rensburg, H. Eds. 1995. South African yearbook 1995. 2nd ed. Pretoria: Government Printers. 446p.

- Joffe, B.I. and Seftel, H.C. 1994. Diabetes Mellitus in the black communities of Southern Africa. *Journal of internal medicine*, 235:137-142.
- Juhan-Vague, I., Thompson, S.G. and Jespersen, J. 1993. Involvement of the hemostatic system in the insulin resistance syndrome. *Arteriosclerosis and thrombosis*, 13(12): 1865-1873.
- Kahn, C.R. 1978. Insulin resistance, insulin sensitivity and insulin unresponsiveness: a necessary distinction. *Metabolism*, 27:189-1902.
- Kahn, C.R. and White, M.F. 1988. The insulin receptor and the molecular mechanism of insulin action. *Journal of clinical investigation*, 82:1151-1156.
- Kahn, Barbara B. 1992. Facilitative glucose transporters: Regulatory mechanisms and dysregulation in diabetes. *Journal of clinical investigation*, 89:1367-1374.
- Kannel, W.B., Wolf, P.A., Castelli, W.P. and D'Agostino, R.B. 1987. Fibrinogen and risk of cardiovascular disease: The Framingham Study. *Journal of the American medical association*, 258:1183-1186.
- Kaplan, N.M. 1989. The deadly quartet: Upper body obesity, glucose intolerance, hypertriglyceridemia and hypertension. *Archives of internal medicine*, 149:1514-1520.
- Karter, A.J., Mayer-Davis, E.J. and Selby, J.V. 1996. Insulin sensitivity and abdominal obesity in African-American, Hispanic and non-Hispanic white men and women. The Insulin Resistance Atherosclerosis Study. *Diabetes*, 45:1547-1555.
- Kelly, W.N. 1983. Gout. (In: Stanbury, J.B., Wyngaarden J.B., Fredrickson, D.S., Goldstein, J.L., Brown, M.S. (eds). The metabolic basis of inherited disease. McGraw-Hill, New York, p1043-1114).
- Kiechl, S., Willeit, J., Poewe, W., Egger, G., Oberhollenzer, F., Muggeo, M. and Bonora, E. 1996. Insulin sensitivity and regular alcohol consumption: Large, prospective, cross

- sectional population study (Bruneck Study). *British medical journal*, 313:140-144.
- Kohrt, W.M. 2000. Overview: What is insulin resistance. Effect of aging. *Nutrition reviews*, 58(3):S19-S21.
- Kruger, H.S. 2000. The puzzle of obesity in African women. Potchefstroom: PU vir CHO. (Unpublished Ph.D.thesis).
- Laws, A., Reaven, G.M. 1993. Insulin resistance and risk factors for coronary heart disease. *Baillière's clinical endocrinology and metabolism*, 7(4):1063-1078.
- Levitt, N.S., Katzenellenbogen, J.M., Bradshaw, D., Hoffman, M.N. and Bonnici, F. 1993. The prevalence and identification of risk factors for NIDDM in urban Africans in Cape Town, South Africa. *Diabetes care*, 16(4):601-607.
- Levitt, N.S., Steyn, K., Hoffman, M., Lombard, C., Lambert, V., Daniels, A. and Fourie, J. 1999. Is insulin resistance associated with a clustering of risk factors of the Metabolic Syndrome? Abstract for the 35th SEMDSA congress, 17 April 1999-22 April 1999, Drakensberg, South Africa.
- Liese, A.D., Mayer-Davis, E.J., Tyroler, H.A., Davis, C.E., Keil, U., Duncan, B.B. and Heiss, G. 1997. Development of the multiple metabolic syndrome in the ARIC cohort: joint contribution of insulin, BMI and WHR. Atherosclerosis risk in communities. *Annual of epidemiology*, 7(6):407-416.
- Liese, A.D., Mayer-Davis, E.J. and Haffner, S.M. 1998. Development of the Metabolic Syndrome: An epidemiologic perspective. *Epidemiologic reviews*, 20(2):157-172.
- Lindahl, B., Asplund, K. and Hallmans, G. 1993. High serum insulin, insulin resistance and their associations with cardiovascular risk factors (The Northern Sweden MONICA population study). *Journal of internal medicine*, 234:263-270.

- Lindhahl, B., Asplund, K., Eliasson, M. and Evrin, P-E. 1996. Insulin resistance syndrome and fibrinolytic activity: The northern Sweden MONICA study. *International journal of epidemiology*, 25(2):291-299.
- Lye, W.F. 1980. Early history and upheaval. (In: Lye, W.F. and Murray, C., eds. Transformations on the Highveld: the Tswana and Southern Sotho. Cape Town, South Africa: David Philip. p. 24-73).
- MacIntyre, U.E. 1998. Dietary intakes of Africans in transition in the North West Province. Potchefstroom: PU vir CHO. (Unpublished PH.D. thesis).
- Malan, N.T., van der Merwe, J.S., Huisman, H.W., Kruger, A., Eloff, F.C., Pretorius, P.J. and Laubscher, P.J. 1992. A comparison of cardiovascular reactivity of rural blacks, urban blacks and whites. *Stress medicine*, 8:0001-0005.
- Maling, T., van Wissen, K., Toomath, R. and Siebers, R. 1995. Metabolic markers of hyperinsulinaemia in normotensive Maori and Caucasian New Zealanders. *Asia Pacific journal of clinical nutrition*, 4:369-370.
- Margetts, B.M. and Nelson, M. 1998. Design concepts in nutritional epidemiology. 2nd Edition Oxford university press. Oxford. 439p.
- Märin, P., Andersson, B., Ottosson, M. et al. 1992. The morphology and metabolism of intra abdominal adipose tissue in men. *Metabolism*, 41(11):1242-8.
- Matthews, D.R., Hosker, J.P., Rudenski, A.S., Naylor, B.A., Treacher, D.F. and Turner, R.C. 1985. Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia*, 28(7):412-419.
- May, J. 1989. The push/pull dynamic. Rural poverty and urban migration. *Indicator South Africa*, 6:59-63.

- Maylam, P. 1986. A history of African people of South Africa: from the Early iron Age to the 1970s. Johannesburg: David Philip. 259p.
- Mayor, P., Maianu, L. and Garvey, W.T. 1992. Effects on glucose transporter gene expression. *Diabetes*, 41:274-285.
- McArdle, W.D., Katch, F.I. and Katch, V.L. 1994. Essentials of exercise physiology. Lea & Febiger, Philadelphia. 562p.
- McLeod, W.T. and Hanks, P. Eds. 1985. The new Collins concise dictionary of the English language. London: Guild publishing. 1388p.
- Meehan, W.P., Darwin, C.H., Maalouf, N.B., Buchanan, T.A. and Saad, M.F. 1993. Insulin and hypertension: are they related? *Steroids*, 58:621-634.
- Mitchell, B.D., Haffner, S.M., Hazuda, H.P., Valdez, R. and Stern, M.P. 1992. The relation between serum insulin levels and 8-year changes in lipid, lipoprotein, and blood pressure levels. *American journal of epidemiology*., 136(1):12-22.
- Modan, M., Halkin, H. and Almeg, S. 1985. Hyperinsulinaemia: a link between hypertension, obesity, and glucose intolerance. *Journal of clinical investment*, 75:809-817.
- Modan, M., Halkin, H., Karasik, A. and Lusky, A. 1987. Elevated serum uric acid - a facet of hyperinsulinaemia. *Diabetologia*, 30:713-718.
- Mollentze, W.F., Moore, A.J., Steyn, A.F., Joubert, G., Steyn, K., Oosthuizen, G.M. and Weich, D.J.V. 1995. Coronary heart disease risk factors in a rural and urban orange free State black population. *South African medical journal*, 85(2):90-96.
- Moodie, D. 1991. Social existence and the practise of personal integrity. Narratives of resistance on the South African gold mines. (In: Spiegel, A.D. and McAllister, P.A. eds. Tradition and transition in Southern Africa. Festschrift for Philip and Iona Meyer. Johannesburg:

- Mondon, C.E., Reaven, G.M., Lee, C.M., Lopez, E. and Rabkin, R. 1988. Abnormal insulin metabolism by specific organs in rats with spontaneous hypertension. *Clinical research*, 36:186A.
- Murray, J.L. and Lopez, A.D. 1996. Global health statistics: a compendium of incidence, prevalence and mortality estimates for over 200 conditions. Havard School of Public Health, World Health Organization and the World Bank. Havard University Press, p.1-906.
- Must, A., Dallal, G.E. and Dietz, W.H. 1991. Reference data for obsity: 85th and 95th percentiles of body mass index (weight/height²) and triceps skinfold thickness. *American journal of clinical nutrition*, 53:839-846.
- Mykkänen, L., Haffner, S.M., Rönnemaa, T., Bergman, R.N. and Laakso, M. 1997. Low insulin sensitivity is associated with clustering of cardiovascular disease risk factors. *American journal of epidemiology*, 146(4):315-321.
- National Heart, Lung and Blood Institute Growth and Health Study Research Group, The. 1992. Obesity and cardiovascular disease risk factors in black and white girls: The NHLBI Growth and Health Study. *American journal of public health*, 82(12):1613-1620.
- O'Dea, K. 1991. Westernization and non-insulin-dependant diabetes in Australian Aborigines. *Ethnicity and disease (US)*, 1(2):171-187.
- Palinkas, L.A. and Pickwell, S.M. 1995. Acculturation as a risk factor for chronic disease among Cambodian refugees in the United States. *Social science and medicine*, 40(12): 1643-1653.
- Pillay, T.S. and Makgoba, M.W. 1991. Molecular mechanisms of insulin resistance. *South African medical journal*, 79:607-612.
- Popkin, Barry M. 1994. The nutrition transition in low-income countries: An emerging crisis.

- Potter van Loon, B.J., Kluft, C., Radder, J.K., Blankenstein, M.A. and Meinders, A.E. 1993. The cardiovascular risk factor plasminogen activator inhibitor type 1 is related to insulin resistance. *Metabolism*, 42:945-949.
- Ratzmann, K.P., Witt, S., Heinke, P. and Schulz, B. 1992. The effect of aging on insulin sensitivity and insulin secretion in non-obese healthy subjects. *Acta endocrinologica*, 100:543-549.
- Raynaud, E., Brun, J.F., Perez-Martin, A., Orsetti, A. and Solere, M. 1998. Negative correlation between plasma fibrinogen and insulin sensitivity measured with minimal model technique. *Clinical and hemorheological microcirculation*, 18(4):323-330.
- Reaven, G.M. 1988. Role of insulin resistance in human disease. *Diabetes*, 37:1595-1607.
- Reaven, G.M. 1997. The kidney: an unwilling accomplice in syndrome X. *American journal of kidney disease*, 30(6):928-931.
- Resnick, L.M. 1993. Ionic basis of hypertension, insulin resistance, vascular disease, and related disorders. The mechanism of "syndrome X". *American journal of hypertension*, 6:123S-134S.
- Rodriguez, B.L. and Sharp, D.S. 1996. Impaired glucose tolerance, diabetes, and cardiovascular disease risk factor profiles in the elderly. *Diabetes care*, 19(6):587-590.
- Rosen, O.M. 1987. After insulin binds. *Science*, 237:1452-1458.
- Rossouw, J.E., Steyn, K., Berger, G.M.B., Vermaak, W.J.H., Kock, J., Seftel, H.C. and Gevers, W. 1988. Action limits for serum total cholesterol. *South African medical journal*, 73:693-700.

- Saad, M.F., Lillioja, S., Nyomba, B.L., Castillo, C., Ferraro, R., De Gregorio, M., Ravussin, E., Knowler, W.C., Bennet, P.H. and Howard, B.V. 1991. Racial differences in the relation between blood pressure and insulin resistance. *New England journal of medicine*, 324(11): 733-739.
- Schapera, I. and Comaroff, J.L. 1991. The Tswana. Rev. ed. London: Kegan Paul International. 99p.
- Schmidt, M.I., Duncan, B.B., Watson, R.L., Sharrett, A.R., Brancati, F.L and Heiss, G. 1996. A metabolic syndrome in whites and African-Americans. The Atherosclerosis Risk in Communities baseline study. *Diabetes care*. 19(5):414-418.
- Seedat, Y.K. and Mayet, F.G.H. 1999. Coronary heart disease in South African Indians. *Cardiovascular journal of South Africa*. 89:C76-C80.
- Seftel, H.C., Keeley, K.J., Isaacson, C. and Bothwell, T.H. 1961. Siderosis in the Bantu: The clinical evidence of hemochromatosis in diabetic subjects. *Journal of laboratory and clinical medicine*. 58:837-844.
- Selby, J.V., Austin, M.A., Newman, B., Zhang, D., Quesenberry, C.P.jr., Mayer, E.J. and Krauss, R.M. 1993. LDL subclass phenotypes and the insulin resistance syndrome in women. *Circulation*. 88(2):381-387.
- Setiloane, G.M. 1976. The image of God among the Sotho-Tswana. Rotterdam: A.A. Balkema. 298p.
- Shetty, P.S. and McPherson, K. Eds. 1997. Diet, nutrition and chronic disease: lessons from contrasting worlds. Chichester, Wiley and sons, p.1-292.
- Simmons, D. 1995. Ethnic comparisons in diabetes and insulin levels. *Asia Pacific journal of clinical nutrition*. 4:346-348.

- Sloan, A.W. 1967. Estimation of body fat in young men. *Journal of applied physiology*, 23:311-315.
- Steele, T.H. 1978. Urate excretion in man, normal and gouty. [In: Kelley, W.N., Weiner, I.M. (eds). *Uric acid (Handbook of Experimental Pharmacology, vol 51)*. Springer, Berlin Heidelberg New York, p.266-269].
- Stevens, J.S., Keil, J.E., Tyroler, H.A., Davis, C.E. and Gazes, P.C. 1992. Body mass index and body girths as predictors of mortality in Black and White women. *Archives of internal medicine*, 152:1257-1262.
- Steyn, K., Jooste, P.L., Bourne, L., Fourie, J., Badenhorst, C.J., Bourne, D.E., Langenhoven, M.L., Lombard, C.J., Truter, H., Katzenellenbogen, J., Marais, M. and Oelofse, A. 1991. Risk factors for coronary heart disease in the black population of the Cape Peninsula. The BRISK study. *South African medical journal*, 79:480-485.
- Study Group of the European Atherosclerosis Society. 1987. Strategies for the prevention of coronary heart disease: a policy statement of the European Atherosclerosis Society. *European heart journal*, 8:77-88.
- Swislocki, Arthur. 1990. Insulin resistance and hypertension. *The American journal of the medical sciences*, 300(2):104-115.
- Tobey, T.A., Greenfield, M., Kreamer, F., Reaven, G.M. 1991. Relationship between insulin resistance, insulin secretion, very low density lipoprotein kinetics and plasma triglyceride levels in normotriglyceridemic man. *Metabolism*, 30:165-171.
- Van der Wateren, H. en Immelmann, J.L. 1988. Handleiding vir 'n kultuurstudie van die Tswana. Potchefstroom : H.van der Wateren. 196p.
- Van Warmelo, N.J. 1974. The classification of cultural groups. (In: Hammond-Tooke, W.D. ed. *The Bantu-speaking peoples of Southern Africa*. 2nd ed. London: Routledge and Kegan

Paul, p. 56-84).

- Vague, P. and Raccach, D. 1992. The syndrome of insulin resistance. *Hormone research*, 38:28-32.
- Von Braun, J., McComb, J., Fred-Mensah, B.K. and Pandya-Lorch, R. 1993. Urban food insecurity and malnutrition in developing countries: trend, policies and research implications. IFPRI. Washington.
- Von Schirmding, Y.E.R. and Yach, D. 1992. Availability of environmental health services among blacks in urban and peri-urban areas of South Africa. *South African medical journal*, 81(6):569-571.
- Vorster, H.H., Wissing, M.P., Venter, C.S., Kruger, H.S., Kruger, A., Malan, N.T., de Ridder, J.H., Veldman, F.J., Steyn, H.S., Margetts, B.M. and MacIntyre, U. 2000. The impact of urbanisation on physical, physiological and mental health of Africans in the Northwest Province of South Africa: The THUSA study. *South African journal of sciences*. In press.
- Walker, A.R.P., Walker B.F., Manetsi, B., Tsotetsi, N.G. and Walker, A.J. 1990. Obesity in black women in Soweto, South Africa: Minimal effects on hypertension, hyperlipidaemia and hyperglycaemia. *Journal of the royal society of health*, 3:101-103.
- Walker, A.R.P., Walker, B.F., Manetsi, B., Molefe, O., Walker A.J. and Vorster, H.H. 1991. Obesity in indigent elderly rural African women: Effects on hypertension, hyperlipidaemia and hyperglycaemia. *International journal of vitamins and nutrition research*, 61:244-250.
- Walker, A.R.P. 1995. Nutrition-related diseases in Southern Africa: with special reference to urban African populations in transition. *Nutrition research*, 15(7):1053-1094.
- Walker, A.R.P. 1999. The epidemiology of coronary heart disease in South Africa. *Cardiovascular journal of South Africa*, Supplement 1:C12-C13.

- Wattigney, W.A., Harsha, D.W., Srinivasan, S.R., Webber, L.S., Berenson, G.S. 1991. Increasing impact of obesity on serum lipids and lipoproteins in young adults. *Archives of internal medicine*, 151:2017-2022.
- Winkler, U.H. 1997. Obesity and haemostasis. *Archives of gynaecology and obstetry*, 261:25-29.
- Wirth, A. 1995. Non-pharmacological therapy of metabolic syndrome. *Herz*, 20(1):56-69.
- Wolever, T.M.S. 2000. Dietary carbohydrates and insulin action in humans. *British Journal of nutrition*, 83(suppl.1):S97-S102.
- World Health organisation (WHO). 1995. Physical status: the use and interpretation of anthropometry. Report of a WHO Expert Committee. Technical report series 854. Geneva:WHO. 452p.
- World Health organisation (WHO). 1997. The world health report 1997. Geneva. Switzerland:WHO.
- World Health Organisation (WHO). 1999. International Society of Hypertension guidelines for the management of hypertension. *Journal of hypertension*, 17:157-183.
- Yach, D. 1988. Urbanisation in South Africa- consequences for health. *South African medical journal*, 74:479-480.
- Yach, D., Matthews, C. and Buch, E. 1995. Urbanisation and health: methodological difficulties in undertaking epidemiological research in developing countries. *Social science and medicine*, 31(4):507-514.
- Yudkin, J.S. 1997. The Deidesheimer meeting: Significance of classical and new risk factors in NIDDM. *Journal of diabetes and its complications*, 11:100-103.
- Yudkin, J.S. 2000. The aetiology of type 2 diabetes and its link with vascular disease- the role of

proinflammatory cytokines. Abstract for the 36th SEMDSA congress, 4 April -7 April 2000, Durban, South Africa.

Zick, Y. 1989. The insulin receptor: structure and function. *Critical reviews on biochemical molecular biology*, 24:217-269.

Zimmet, P. 1993. Hyperinsulinaemia-How innocent a by-stander. *Diabetes care*, 16:56-70.

Zimmet, P.Z., Collins, V.R., Dowse, G.K., Alberti, K.G., Tumomilehto, J., Knight, L.T., Gareeboo, H., Chitson, P. and Fareed, D. 1994. Is hyperinsulinaemia a central characteristic of a chronic cardiovascular risk factor clustering syndrome? Mixed findings in Asian Indian, Creole and Chinese Mauritians. *Diabetes medicine* (England), 11(4):388-396.

Zimmet, P.Z. 1997. The global epidemiology of non-insulin-dependent diabetes mellitus and the Metabolic Syndrome. *Journal of diabetes and its complications*, 11:60-68.