

Bibliography

- Achterberg, A., and K. M. Schure, A more accurate numerical scheme for diffusive shock acceleration, *Mon. Not. Royal Astron. Soc.*, 411, 2628–2636, 2011.
- Adriani, O., et al., PAMELA results on the cosmic-ray antiproton flux from 60 MeV to 180 GeV in kinetic energy, *Phys. Rev. Lett.*, 105(12), 121101, 2010.
- Adriani, O., et al., PAMELA measurements of cosmic-ray proton and helium spectra, *Science*, 332, 69–72, 2011.
- Alanko-Huotari, K., I. G. Usoskin, K. Mursula, and G. A. Kovaltsov, Stochastic simulation of cosmic ray modulation including a wavy heliospheric current sheet, *J. Geophys. Res.*, 112, A08,101, 2007.
- Baker, D. N., and J. A. Van Allen, Energetic electrons in the jovian magnetosphere, *J. Geophys. Res.*, 81, 617–632, 1976.
- Ball, B., M. Zhang, H. Rassoul, and T. Linde, Galactic cosmic-ray modulation using a solar minimum MHD heliosphere: A stochastic particle approach, *Astrophys. J.*, 634, 1116–1125, 2005.
- Balogh, A. B., R. G. Marsden, and E. J. Smith (Eds.), *The heliosphere near solar minimum: The Ulysses perspective*, Springer-Praxis, Chichester, UK, 2001.
- Balogh, A. B., L. J. Lanzerotti, and S. T. Suess (Eds.), *The heliosphere through the solar activity cycle*, Springer-Praxis, Chichester, UK, 2008.
- Bieber, J. W., W. H. Matthaeus, C. W. Smith, W. Wanner, M.-B. Kallenrode, and G. Wibberenz, Proton and electron mean free paths: The Palmer consensus revisited, *Astrophys. J.*, 420, 294–306, 1994.
- Bobik, P., et al., Systematic investigation of solar modulation of galactic protons for solar cycle 23 using a monte carlo approach with particle drift effects and latitudinal dependence, *Astrophys. J.*, 745, 986–996, doi:10.1016/j.asr.2012.06.010, 2012.
- Box, G. E. P., and M. E. Muller, A note in the generation of normal deviates, *Ann. Math. Stat.*, 21, 455–456, 1958.
- Brackbill, J. U., and D. C. Barnes, The effect of nonzero $\nabla \cdot \vec{B}$ on the numerical solution of the magnetohydrodynamic equations, *J. Comp. Phys.*, 35, 426–430, 1980.

- Burger, R. A., The effect of large heliospheric current sheet tilt angles in numerical modulation models: A theoretical assessment, in *International Cosmic Ray Conference Proceedings, International Cosmic Ray Conference*, vol. 7, pp. 13–17, 1999.
- Burger, R. A., Modeling drift along the heliospheric wavy neutral sheet, *Astrophys. J.*, 760, 60, 2012.
- Burger, R. A., and M. S. Potgieter, The calculation of neutral sheet drift in two-dimensional cosmic-ray modulation models, *Astrophys. J.*, 339, 501–511, 1989.
- Burger, R. A., H. Moraal, and G. M. Webb, Drift theory of charged particles in electric and magnetic fields, *Astrophys. Space Sci.*, 116, 107–129, 1985.
- Burger, R. A., M. S. Potgieter, and B. Heber, Rigidity dependence of cosmic ray proton latitudinal gradients measured by the Ulysses spacecraft: Implications for the diffusion tensor, *J. Geophys. Res.*, 105, 27,447–27,456, 2000.
- Burger, R. A., T. P. J. Krüger, M. Hitge, and N. E. Engelbrecht, A Fisk-Parker hybrid heliospheric magnetic field with a solar-cycle dependence, *Astrophys. J.*, 674, 511–519, 2008.
- Büsching, I., and M. S. Potgieter, The variability of the proton cosmic ray flux on the Sun’s way around the galactic center, *Adv. Space Res.*, 42, 504–509, 2008.
- Caballero-Lopez, R. A., and H. Moraal, The numerical description of neutral sheet drift effects, in *International Cosmic Ray Conference Proceedings, International Cosmic Ray Conference*, vol. 7, pp. 3871–3874, 2003.
- Chenette, D. L., The propagation of Jovian electrons to Earth, *J. Geophys. Res.*, 85, 2243–2256, 1980.
- Choudhuri, A. R., *The physics of fluid and plasmas: An introduction for astrophysicists*, Cambridge University Press, UK, 1998.
- Cline, T. L., G. H. Ludwig, and F. B. McDonald, Detection of interplanetary 3- to 12-mev electrons, *Phys. Rev. Lett.*, 13, 786–789, 1964.
- Courant, R., K. Friedrichs, and H. Lewy, Über die partiellen differenzengleichungen der mathematischen physik, *Mathematische Annalen*, 100, 32–74, 1928.
- De Hoffmann, F., and E. Teller, Magneto-hydrodynamic shocks, *Phys. Rev.*, 80, 692–703, 1950.
- Decker, R. B., S. M. Krimigis, E. C. Roelof, and M. E. Hill, No meridional plasma flow in the heliosheath transition region, *Nature*, 489, 124–127, 2012.
- Drell, S. D., H. M. Foley, and M. A. Ruderman, Drag and propulsion of large satellites in the ionosphere: An Alfvén propulsion engine, *J. Geophys. Res.*, 70, 3131–3145, 1965.
- Dröge, W., The rigidity dependence of solar particle scattering mean free paths, *Astrophys. J.*, 537, 1073–1079, 2000.

- Effenberger, F., H. Fichtner, K. Scherer, S. Barra, J. Kleimann, and R. D. Strauss, A generalized diffusion tensor for fully anisotropic diffusion of energetic particles in the heliospheric magnetic field, *Astrophys. J.*, 750, 108, 2012.
- Engelbrecht, N. E., On the heliospheric diffusion tensor and its effect on 26-day recurrent cosmic ray variations, Master's thesis, North-West University, South Africa, 2008.
- Engelbrecht, N. E., On the development of a three-dimensional *ab initio* cosmic-ray modulation model, Ph.D. thesis, North-West University, South Africa, 2013.
- Eraker, J. H., Origins of low-energy relativistic interplanetary electrons, *Astrophys. J.*, 257, 862–880, 1982.
- Evans, C. R., and J. F. Hawley, Simulation of magnetohydrodynamic flows - a constrained transport method, *Astrophys. J.*, 332, 659–677, 1988.
- Evenson, P., and J. Clem, Cosmic ray electron spectrum in 2009, 11, 54–59, 2011.
- Evenson, P., M. Garcia-Munoz, P. Meyer, K. R. Pyle, and J. A. Simpson, A quantitative test of solar modulation theory: The proton, helium and electron spectra from 1965 through 1979, *Astrophys. J. Lett.*, 275, L15–L18, 1983.
- Fahr, H. J., T. Kausch, and H. Scherer, A 5-fluid hydrodynamic approach to model the solar system-interstellar medium interaction, *Astron. Astrophys.*, 357, 268–282, 2000.
- Ferreira, S. E. S., The heliospheric transport of galactic cosmic rays and Jovian electrons, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 2002.
- Ferreira, S. E. S., and M. S. Potgieter, Long-term cosmic-ray modulation in the heliosphere, *Astrophys. J.*, 603, 744–752, 2004.
- Ferreira, S. E. S., M. S. Potgieter, R. A. Burger, B. Heber, H. Fichtner, and C. Lopate, Modulation of Jovian and galactic electrons in the heliosphere: 2. Radial transport of a few MeV electrons, *J. Geophys. Res.*, 106, 29,313–29,322, 2001a.
- Ferreira, S. E. S., M. S. Potgieter, R. A. Burger, B. Heber, and H. Fichtner, Modulation of Jovian and galactic electrons in the heliosphere: 1. Latitudinal transport of a few MeV electrons, *J. Geophys. Res.*, 106, 24,979–24,988, 2001b.
- Ferreira, S. E. S., M. S. Potgieter, B. Heber, H. Fichtner, and G. Wibberenz, Latitudinal transport effects on the modulation of a few-MeV cosmic ray electrons from solar minimum to solar maximum, *J. Geophys. Res.*, 109, A02115, 2004.
- Ferreira, S. E. S., M. S. Potgieter, and K. Scherer, Transport and acceleration of anomalous cosmic rays in the inner heliosheath, *J. Geophys. Res.*, 112, A11,101:1–11, 2007a.
- Fichtner, H., J. A. le Roux, U. Mall, and D. Rucinski, On the transport of pick-up ions in the heliosphere., *Astron. Astrophys.*, 314, 650–662, 1996.

- Fisk, L. A., The interactions of energetic particles with the solar wind, in *Solar System Plasma Physics*, edited by E. N. Parker, C. F. Kennel, and L. J. Lanzerotti, 1979.
- Fisk, L. A., Motion of the footpoints of heliospheric magnetic field lines at the Sun: Implications for recurrent energetic particle events at high heliographic latitudes, *J. Geophys. Res.*, 101, 15,547–15,554, 1996.
- Florinski, V., On the transport of cosmic rays in the distant heliosheath, *Adv. Space Res.*, 48, 308–313, 2011.
- Florinski, V., and N. V. Pogorelov, Four-dimensional transport of galactic cosmic rays in the outer heliosphere and heliosheath, *Astrophys. J.*, 701, 642–651, 2009.
- Forman, M., The Compton-Getting effect for cosmic-ray particles and photons and the Lorentz-invariance of distribution functions, *Planet. Space Sci.*, 18, 25–31, 1970.
- Garcia-Munoz, M., G. M. Mason, and J. A. Simpson, New aspects of cosmic-ray modulation in 1974-1975 near solar minimum, *Astrophys. J.*, 213, 263–268, 1977.
- Gardiner, C. W., *Handbook of Stochastic Methods*, Springer, Berlin, 1983.
- Gervasi, M., P. G. Rancoita, I. G. Usoskin, and G. A. Kovaltsov, Monte-carlo approach to galactic cosmic ray propagation in the heliosphere, *Nuclear Physics*, 78, 26–31, 1999.
- Giacalone, J., and J. R. Jokipii, The transport of cosmic rays across a turbulent magnetic field, *Astrophys. J.*, 520, 204–214, 1999.
- Giacalone, J., J. F. Drake, and J. R. Jokipii, The acceleration mechanism of anomalous cosmic rays, *Space Sci. Rev.*, 173, 283–307, 2012.
- Gleeson, L. J., and W. I. Axford, The Compton-Getting effect, *Astrophys. Space Sci.*, 2, 431–437, 1968.
- Gleeson, L. J., and I. D. Palmer, On the direct observation of cosmic-ray energy losses, *Astrophys. Space Sci.*, 12, 137–146, 1971.
- Goldstein, M. L., L. A. Fisk, and R. Ramaty, Energy loss of cosmic rays in the interplanetary medium, *Phys. Rev. Lett.*, 25, 832–835, 1970.
- Hathaway, D. H., The solar cycle, *Living Rev. Solar Phys.*, 7, 1, 2010.
- Heber, B., and M. S. Potgieter, Cosmic rays at high heliolatitudes, *Space Sci. Rev.*, 127, 117–194, 2006.
- Heber, B., et al., Modulation of galactic cosmic ray protons and electrons during an unusual solar minimum, *Astrophys. J.*, 699, 1956–1963, 2009.
- Heerikhuisen, J., and N. V. Pogorelov, An estimate of the nearby interstellar magnetic field using neutral atoms, *Astrophys. J.*, 738, 29, 2011.

- Herbst, K., B. Heber, A. Kopp, O. Sternal, and F. Steinhilber, The local interstellar spectrum beyond the heliopause: What can be learned from Voyager in the inner heliosheath?, *Astrophys. J.*, 761, 17, 2012.
- Hillas, A. M., Cosmic rays: Recent progress and some current questions, *ArXiv e-prints*, 2006.
- Jin, S., and Z. Xin, The relaxation schemes for systems of conservation laws in arbitrary space dimensions, *Comm. Pure and Applied Math*, 48, 235–277, 1995.
- Johnson, L. W., R. D. Riess, and J. T. Arnold, *Introduction to linear algebra*, 5th ed., Addison Wesley, USA, 2002.
- Jokipii, J. R., Cosmic-ray propagation. I. Charged particles in a random magnetic field, *Astrophys. J.*, 146, 480–487, 1966.
- Jokipii, J. R., Acceleration of galactic and anomalous cosmic rays in the heliosheath, in *The outer heliosphere: The next frontiers, COSPAR colloquia series*, vol. 11, edited by K. Scherer, H. Fichtner, H. J. Fahr, and E. Marsch, p. 227, 2001.
- Jokipii, J. R., and D. A. Kopriva, Effects of particle drift on the transport of cosmic rays. III - Numerical models of galactic cosmic-ray modulation, *Astrophys. J.*, 234, 384–392, 1979.
- Jokipii, J. R., and E. N. Parker, Energy changes of cosmic rays in the solar system, *Planet. Space Sci.*, 15, 1375–1386, 1965.
- Jokipii, J. R., and E. N. Parker, On the convection, diffusion, and adiabatic deceleration of cosmic rays in the solar wind, *Astrophys. J.*, 160, 735–744, 1970.
- Jokipii, J. R., and B. Thomas, Effects of drift on the transport of cosmic rays. IV - Modulation by a wavy interplanetary current sheet, *Astrophys. J.*, 243, 1115–1122, 1981.
- Jokipii, J. R., E. H. Levy, and W. B. Hubbard, Effects of particle drift on cosmic-ray transport. I - General properties, application to solar modulation, *Astrophys. J.*, 213, 861–868, 1977.
- Jones, F. C., and D. C. Ellison, The plasma physics of shock acceleration, *Space Sci. Rev.*, 58, 259–346, 1991.
- Kane, R. P., Scale size of the cosmic ray modulating region, *Astrophys. J.*, 246, 1010–1013, 1981.
- Kane, R. P., Relationship between the geomagnetic $dst(min)$ and the interplanetary $bz(min)$ during cycle 23, *Planet. Space Sci.*, 58, 392–400, 2010.
- Kissmann, R., H. Fichtner, and S. E. S. Ferreira, The influence of CIRs on the energetic electron flux at 1 AU, *Astron. Astrophys.*, 419, 357–363, 2004.
- Kleimann, J., MHD modelling of solar coronal dynamics, Ph.D. thesis, Ruhr-Universität Bochum, 2005.
- Kloeden, P. E., and E. Platen, *Numerical solution of stochastic differential equations*, Springer, Berlin, 1999.

- Kloeden, P. E., E. Platen, and H. Schurz, *Numerical Solution of SDE Through Computer Experiments*, Springer, Berlin, 1994.
- Kopp, A., and A. Schröder, MHD simulations of large conducting bodies moving through a planetary magnetosphere, *Physica Scripta*, 74, 71–76, 1998.
- Kopp, A., I. Büsching, R. D. Strauss, and M. S. Potgieter, A stochastic differential equation code for multidimensional Fokker-Planck type problems, *Comp. Phys. Comm.*, 183, 530–542, 2012.
- Kóta, J., Theory and modelling of galactic cosmic rays: Trends and prospects, *Space Sci. Rev.*, *In press*, 2012.
- Kóta, J., and J. R. Jokipii, Effects of drift on the transport of cosmic rays. VI. A three-dimensional model including diffusion, *Astrophys. J.*, 265, 573–581, 1983.
- Krüger, H., A calibration neutron monitor for long-term cosmic ray modulation studies, Ph.D. thesis, North-West University, South Africa, 2006.
- Krülls, W. M., and A. Achterberg, Computation of cosmic-ray acceleration by Ito's stochastic differential equations, *Astron. Astrophys.*, 286, 314–327, 1994.
- Landau, L. D., and E. M. Lifshitz, *Electrodynamics of continuous media*, Pergamon Press, Sao Paulo, 1984.
- Langner, U., and M. S. Potgieter, Effects of the solar wind termination shock and heliosheath on the heliospheric modulation of galactic and anomalous helium, *Ann. Geophys.*, 22, 3063–3072, 2004a.
- Langner, U. W., Effects of termination shock acceleration on cosmic rays in the heliosphere, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 2004.
- Langner, U. W., and M. S. Potgieter, Solar wind termination shock and heliosheath effects on the modulation of protons and antiprotons, *J. Geophys. Res.*, 109, A01103, 2004b.
- Langner, U. W., O. C. de Jager, and M. S. Potgieter, On the local interstellar spectrum for cosmic ray electrons, *Adv. Space Res.*, 27, 517–522, 2001.
- Langner, U. W., M. S. Potgieter, H. Fichtner, and T. Borrmann, Modulation of anomalous protons: Effects of different solar wind speed profiles in the heliosheath, *J. Geophys. Res.*, 111, A01106, 2006.
- le Roux, J. A., and M. S. Potgieter, A time-dependent drift model for the long-term modulation of cosmic rays with special reference to asymmetries with respect to the solar minimum of 1987, *Astrophys. J.*, 391, 275–282, 1990.
- le Roux, J. A., and M. S. Potgieter, The simulation of complete 11 and 12 year modulation cycles for cosmic rays in the heliosphere using a drift model with global merged interaction regions, *Astrophys. J.*, 442, 847–851, 1995.

- le Roux, J. A., and G. M. Webb, Time-dependent acceleration of interstellar pickup ions at the heliospheric termination shock using a focused transport approach, *Astrophys. J.*, 693, 534–551, 2009.
- Le Veque, R. J., *Finite volume methods for hyperbolic problems*, Cambridge University Press, USA, 2002.
- L’Heureux, J., and P. Meyer, Quiet-time increases of low-energy electrons - The Jovian origin, *Astrophys. J.*, 209, 955–960, 1976.
- Luo, X., M. Zhang, H. K. Rassoul, N. V. Pogorelov, and J. Heerikhuisen, Galactic cosmic-ray modulation in a realistic global magnetohydrodynamic heliosphere, *Astrophys. J.*, 764, 85, 2013.
- Manuel, R., S. E. S. Ferreira, and M. S. Potgieter, Cosmic ray modulation in the outer heliosphere: Predictions for cosmic ray intensities up to the heliopause along Voyager 1 and 2 trajectories, *Adv. Space Res.*, 48, 874–883, 2011.
- Marsden, R. G., (Ed.), The high latitude heliosphere., *Space Sci. Rev.*, 72, 1995.
- Marsden, R. G. (Ed.), *The 3-D heliosphere at solar maximum*, Kluwer Academic Publishers, Dordrecht, The Netherlands, 2001.
- Maruyama, G., Continuous Markov processes and stochastic equations, *Rend. Circ. Mat. Palermo*, 4, 48–90, 1955.
- Matsumoto, M., and T. Nishimura, Mersenne twister: A 623-dimensionally equidistributed uniform pseudorandom number generator, *ACM Trans. Model. and Comp. Sims.*, 31, 1192–1201, 1988.
- Matthaeus, W. H., G. Qin, J. W. Bieber, and G. P. Zank, Nonlinear collisionless perpendicular diffusion of charged particles, *Astrophys. J. Lett.*, 590, L53–L56, 2003.
- McComas, D. J., et al., Global observations of the interstellar interaction from the interstellar boundary explorer (IBEX), *Science*, 326, 959–962, 2009.
- McComas, D. J., et al., The heliosphere’s interstellar interaction: No bow shock, *Science*, 336, 1291–1293, 2012.
- McDonald, F. B., T. L. Cline, and G. M. Simnett, Multifarious temporal variations of low-energy relativistic cosmic-ray electrons, *J. Geophys. Res.*, 77, 2213–2231, 1972.
- McDonald, F. B., W. R. Webber, and D. V. Reames, Unusual time histories of galactic and anomalous cosmic rays at 1 AU over the deep solar minimum of cycle 23/24, *Geophys. Res. Lett.*, 37, L18,101, 2010.
- Mewaldt, R. A., et al., Record-setting cosmic-ray intensities in 2009 and 2010, *Astrophys. J. Lett.*, 723, L1–L6, 2010.

- Minnie, J., J. W. Bieber, W. H. Matthaeus, and R. A. Burger, Suppression of particle drifts by turbulence, *Astrophys. J.*, 670, 1149–1158, 2007.
- Miyake, S., and S. Yanagita, Effects of the tilted and wavy current sheet on the solar modulation of galactic cosmic rays, in *International Cosmic Ray Conference Proceedings*, vol. 2, pp. 203–207, 2005.
- Moraal, H., and M. S. Potgieter, Solutions of the spherically-symmetric cosmic-ray transport equation in interplanetary space, *Astrophys. Space Sci.*, 84, 519–533, 1982.
- Moraal, H., and P. H. Stoker, Long-term neutron monitor observations and the 2009 cosmic ray maximum, *J. Geophys. Res.*, 115, A12,109, 2010.
- Moses, D., Jovian electrons at 1 AU - 1978-1984, *Astrophys. J.*, 313, 471–486, 1987.
- Moskalenko, I. V., A. W. Strong, J. F. Ormes, and M. S. Potgieter, Secondary antiprotons and propagation of cosmic rays in the galaxy and heliosphere, *Astrophys. J.*, 565, 280–296, 2002.
- Müller, H. R., V. Florinski, J. Heerikhuisen, V. V. Izmodenov, K. Scherer, D. Alexahov, and H. J. Fahr, Comparing various multi-component global heliospheric models, *Astron. Astrophys.*, 491, 43–51, 2008.
- Nelder, J. A., and R. Mead, A simplex method for function minimization, *Comp. J.*, 7, 308–313, 1965.
- Neubauer, F. M., Nonlinear standing Alfvén wave current system at Io - Theory, *J. Geophys. Res.*, 85, 1171–1178, 1980.
- Nkosi, G. S., M. S. Potgieter, and S. E. S. Ferreira, Electron anisotropies in the inner heliosphere, *Planet. Space Sci.*, 56, 501–509, 2008.
- O’Gallagher, J. J., A time-dependent diffusion-convection model for the long-term modulation of cosmic rays, *Astrophys. J.*, 197, 495–507, 1975.
- Øksendal, B., *Stochastic Differential Equations: An Introduction with Applications*, Springer, Berlin, 2003.
- Opher, M., E. C. Stone, and P. C. Liewer, The effects of a local interstellar magnetic field on Voyager 1 and 2 observations, *Astrophys. J. Lett.*, 640, L71–L74, 2006.
- Opher, M., J. D. Richardson, G. Toth, and T. I. Gombosi, Confronting observations and modeling: The role of the interstellar magnetic field in Voyager 1 and 2 asymmetries, *Space Sci. Rev.*, 143, 43–55, 2009.
- Oughton, S., W. H. Matthaeus, C. W. Smith, B. Breech, and P. A. Isenberg, Transport of solar wind fluctuations: A two-component model, *J. Geophys. Res.*, 116, A08,105, 2011.
- Parker, E. N., Dynamics of the interplanetary gas and magnetic fields., *Astrophys. J.*, 128, 664–676, 1958.

- Parker, E. N., The passage of energetic charged particles through interplanetary space, *Planet Space Sci.*, 13, 9–49, 1965.
- Parker, E. N., The effect of adiabatic deceleration on the cosmic ray spectrum in the solar system, *Planet. Space Sci.*, 14, 371–380, 1966.
- Pauls, H. L., and G. P. Zank, Interaction of a nonuniform solar wind with the local interstellar medium 2. A two-fluid model, *J. Geophys. Res.*, 102, 19,779–19,788, 1997.
- Pauls, H. L., G. P. Zank, and L. L. Williams, Interaction of the solar wind with the local interstellar medium, *J. Geophys. Res.*, 100, 21,595–21,604, 1995.
- Pei, C., J. Bieber, R. A. Burger, and J. Clem, A general time dependent stochastic method for solving Parker’s equation in spherical coordinates, *J. Geophys. Res.*, 115, A12,107, 2010.
- Pei, C., J. W. Bieber, and R. A. Burger, Three-dimensional wavy current sheet drifts, *Astrophys. J.*, pp. 170–175, 2012.
- Pen, U.-L., P. Arras, and S. Wong, A free, fast, simple, and efficient total variation diminishing magnetohydrodynamic code, *Astrophys. J. Suppl. Series*, 149, 447–455, 2003.
- Pesses, M. E., D. Eichler, and J. R. Jokipii, Cosmic ray drift, shock wave acceleration, and the anomalous component of cosmic rays, *Astrophys. J. Lett.*, 246, L85–L88, 1981.
- Phillips, J. L., et al., Ulysses solar wind plasma observations from pole to pole, *Geophys. Res. Lett.*, 22, 3301–3304, 1995.
- Pogorelov, N. V., E. C. Stone, V. Florinski, and G. P. Zank, Termination shock asymmetries as seen by the Voyager spacecraft: The role of the interstellar magnetic field and neutral hydrogen, *Astrophys. J.*, 668, 611–624, 2007.
- Pogorelov, N. V., J. Heerikhuisen, and G. P. Zank, Probing heliospheric asymmetries with an MHD-kinetic model, *Astrophys. J. Lett.*, 675, L41–L44, 2008.
- Pogorelov, N. V., J. Heerikhuisen, G. P. Zank, and S. N. Borovikov, Influence of the interstellar magnetic field and neutrals on the shape of the outer heliosphere, *Space Sci. Rev.*, 143, 31–42, 2009.
- Pogorelov, N. V., J. Heerikhuisen, G. P. Zank, S. N. Borovikov, P. C. Frisch, and D. J. McComas, Interstellar boundary explorer measurements and magnetic field in the vicinity of the heliopause, *Astrophys. J.*, 742, 104, 2011.
- Pogorelov, N. V., S. N. Borovikov, G. P. Zank, L. F. Burlaga, R. A. Decker, and E. C. Stone, Radial velocity along the Voyager 1 trajectory: The effect of solar cycle, *Astrophys. J. Lett.*, 750, L4, 2012.
- Potgieter, M. S., The modulation of galactic cosmic rays as described by a three-dimensional drift model, Ph.D. thesis, Potchefstroom University for CHE, South Africa, 1984.

- Potgieter, M. S., The long-term modulation of galactic cosmic rays in the heliosphere, *Adv. Space Res.*, 16, 191–203, 1995.
- Potgieter, M. S., Challenges to cosmic ray modeling: From beyond the solar wind termination shock, *Adv. Space Res.*, 41, 245–258, 2008a.
- Potgieter, M. S., Solar cycle variations and cosmic rays, *J. Atmos. Terr. Phys.*, 70, 207–218, 2008b.
- Potgieter, M. S., and S. E. S. Ferreira, Effects of the solar wind termination shock on the modulation of Jovian and galactic electrons in the heliosphere, *J. Geophys. Res.*, 107, 1089, 2002.
- Potgieter, M. S., and H. Moraal, A drift model for the modulation of galactic cosmic rays, *Astrophys. J.*, 294, 425–440, 1985.
- Potgieter, M. S., and R. R. Nndanganeni, The solar modulation of electrons in the heliosphere, *Astrophys. Space Sci.*, 345, 33–40, 2013.
- Potgieter, M. S., S. E. S. Ferreira, B. Heber, P. Ferrando, and A. Raviart, Implications of the heliospheric modulation of cosmic ray electrons observed by Ulysses, *Adv. Space Res.*, 23, 467–470, 1999.
- Potgieter, M. S., E. E. Vos, M. Boezio, N. De Simone, V. Di Felice, and V. Formato, Modulation of galactic protons in the heliosphere during the unusual solar minimum of 2006 to 2009, *ArXiv e-prints*, 2013.
- Reinecke, J. P. L., and M. S. Potgieter, An explanation for the difference in cosmic ray modulation at low and neutron monitor energies during consecutive solar minimum periods, *J. Geophys. Res.*, 99, 14,761–14,767, 1994.
- Richardson, J. D., J. C. Kasper, C. Wang, J. W. Belcher, and A. J. Lazarus, Cool heliosheath plasma and deceleration of the upstream solar wind at the termination shock, *Nature*, 454, 63–66, 2008.
- Robert, J. P., Pamela though a magnetic lens, *J. Cosmol. Astropart. Phys.*, 2, 29–42, 2011.
- Scherer, K., H. Fichtner, and E. Marsch (Eds.), *The outer heliosphere: Beyond the planets*, Copernicus-Gesellschaft, 2000.
- Scherer, K., H. Fichtner, R. D. Strauss, S. E. S. Ferreira, M. S. Potgieter, and H.-J. Fahr, On cosmic ray modulation beyond the heliopause: Where is the modulation boundary?, *Astrophys. J.*, 735, 128, 2011.
- Schlickeiser, R., *Cosmic Ray Astrophysics*, Springer, Germany, 2002.
- Shalchi, A., and I. Büsching, Influence of turbulence dissipation effects on the propagation of low-energy cosmic rays in the galaxy, *Astrophys. J.*, 725, 2110–2116, 2010.
- Shalchi, A., J. W. Bieber, and W. H. Matthaeus, Analytic Forms of the Perpendicular Diffusion Coefficient in Magnetostatic Turbulence, *Astrophys. J.*, 604, 675–686, 2004.

- Smith, C. W., and J. W. Bieber, Solar cycle variation of the interplanetary magnetic field spiral, *Astrophys. J.*, 370, 435–441, 1991.
- Smith, E. J., The heliospheric current sheet, *J. Geophys. Res.*, 106, 15,819–15,832, 2001.
- Smith, E. J., R. W. Fillius, and J. H. Wolfe, Compression of Jupiter’s magnetosphere by the solar wind, *J. Geophys. Res.*, 83, 4733–4742, 1978.
- Snyman, J. L., Modelling of the heliosphere and cosmic rays transport, Master’s thesis, North-West University, South Africa, 2007.
- Stawicki, O., On solar wind magnetic fluctuations on their influence on the transport of charged particles in the heliosphere, Ph.D. thesis, Ruhr Universität, Bochum, Germany, 2003.
- Sternal, O., Transport of galactic cosmic rays in different heliospheric magnetic field configurations, Ph.D. thesis, Christian-Albrechts-Universität, Kiel, Germany, 2010.
- Stone, E. C., A. C. Cummings, F. B. McDonald, B. C. Heikkila, N. Lal, and W. R. Webber, Voyager 1 explores the termination shock region and the heliosheath beyond, *Science*, 309, 2017–2020, 2005.
- Stone, E. C., A. C. Cummings, F. B. McDonald, B. C. Heikkila, N. Lal, and W. R. Webber, An asymmetric solar wind termination shock, *Nature*, 454, 71–74, 2008.
- Strauss, R. D., Modelling of anomalous cosmic rays, Master’s thesis, North-West University, South Africa, 2010.
- Strauss, R. D., and M. S. Potgieter, Modeling anomalous cosmic ray oxygen gradients over successive solar cycles, *J. Geophys. Res.*, 115, A12111, 2010.
- Strauss, R. D., M. S. Potgieter, I. Büsching, and A. Kopp, Modeling the modulation of galactic and Jovian electrons by stochastic processes, *Astrophys. J.*, 735, 83–96, 2011a.
- Strauss, R. D., M. S. Potgieter, A. Kopp, and I. Büsching, On the propagation times and energy losses of cosmic rays in the heliosphere, *J. Geophys. Res.*, 116, A12,105, 2011b.
- Strauss, R. D., M. S. Potgieter, I. Büsching, and A. Kopp, Modelling heliospheric current sheet drift in stochastic transport models, *Astrophys. Space Sci.*, 339, 223–236, 2012a.
- Strauss, R. D., M. S. Potgieter, M. Boezio, N. De Simone, V. Di Felice, A. Kopp, and I. Büsching, The heliospheric transport of protons and anti-protons: A stochastic modelling approach to PAMELA observations, in *Astroparticle, particle, space physics and detectors for physics applications*, vol. 7, edited by S. Giani, C. Leroy, L. Price, P.-G. Rancoita, and R. Ruchti, pp. 288–294, 2012b.
- Strauss, R. D., M. S. Potgieter, and S. E. S. Ferreira, Modeling ground and space based cosmic ray observations, *Adv. Space Res.*, 49, 392, 2012c.

- Strauss, R. D., M. S. Potgieter, and S. E. S. Ferreira, Modelling and observing Jovian electron propagation times in the inner heliosphere, *Adv. Space Res.*, 51, 339–349, 2013a.
- Strauss, R. D., M. S. Potgieter, S. E. S. Ferreira, H. Fichtner, and K. Scherer, Cosmic ray modulation beyond the heliopause: A hybrid modelling approach, *Astrophys. J. Lett.*, *In press*, 2013b.
- Strong, A. W., E. Orlando, and T. R. Jaffe, The interstellar cosmic-ray electron spectrum from synchrotron radiation and direct measurements, *Astron. Astrophys.*, 534, A54, 2011.
- Teufel, A., and R. Schlickeiser, Analytic calculation of the parallel mean free path of heliospheric cosmic rays. II. Dynamical magnetic slab turbulence and random sweeping slab turbulence with finite wave power at small wavenumbers, *Astron. Astrophys.*, 397, 15–25, 2003.
- Tóth, G., The $\nabla \cdot \vec{B} = 0$ constraint in shock-capturing magnetohydrodynamics codes, *J. Comp. Phys.*, 161, 605–652, 2000.
- Urch, I. H., and L. J. Gleeson, Energy losses of galactic cosmic rays in the interplanetary medium, *Astrophys. Space Sci.*, 20, 177–185, 1973.
- Vos, E. E., Cosmic ray modulation processes in the heliosphere, Master's thesis, North-West University, South Africa, 2011.
- Webb, G. M., and L. J. Gleeson, Green's theorem and Green's function for the steady-state cosmic-ray equation of transport, *Astrophys. Space Sci.*, 50, 205–223, 1977.
- Webb, G. M., and L. J. Gleeson, On the equation of transport for cosmic-ray particles in the interplanetary region, *Astrophys. Space Sci.*, 60, 335–351, 1979.
- Webb, G. M., and L. J. Gleeson, Cosmic-ray flow lines and energy changes, *Astrophys. Space Sci.*, 70, 3–31, 1980.
- Webber, W. R., and M. S. Potgieter, A new calculation of the cosmic-ray antiproton spectrum in the Galaxy and heliospheric modulation effects on this spectrum using a drift plus wavy current sheet model, *Astrophys. J.*, 344, 779–785, 1989.
- Webber, W. R., M. S. Potgieter, and R. A. Burger, A comparison of predictions of a wavy neutral sheet drift model with cosmic-ray data over a whole modulation cycle - 1976-1987, *Astrophys. J.*, 349, 634–640, 1990.
- Webber, W. R., F. B. McDonald, A. C. Cummings, E. C. Stone, B. Heikkila, and N. Lal, At Voyager 1 starting on about August 25, 2012 at a distance of 121.7 AU from the Sun, a sudden disappearance of anomalous cosmic rays and an unusually large sudden increase of galactic cosmic ray H and He nuclei and electron occurred, *ArXiv e-prints*, 2012a.
- Webber, W. R., F. B. McDonald, A. C. Cummings, E. C. Stone, B. Heikkila, and N. Lal, Sudden intensity increases and radial gradient changes of cosmic ray MeV electrons and protons

- observed at Voyager 1 beyond 111 AU in the heliosheath, *Geophys. Res. Lett.*, 39, L06107, 2012b.
- Webber, W. R., A. C. Cummings, E. C. Stone, F. B. McDonald, R. A. Mewaldt, R. Leske, M. Wiedenbeck, P. R. Higbie, and B. Heikkila, 20-125 MeV/nuc cosmic ray carbon nuclei intensities between 2004-2010 in solar cycle 23 as measured near the earth, at Voyager 2 and also in the heliosheath at Voyager 1 - Modulation in a two zone heliosphere, *ArXiv e-prints*, 2012c.
- Wibberenz, G., S. E. S. Ferreira, and M. S. Potgieter, Time-dependent 2d model compared with observations during the 1974 mini cycle, *Space Sci. Rev.*, 97, 373–376, 2001.
- Williams, T., and M. S. Potgieter, The length of the wavy heliospheric neutral sheet as a modulation parameter, in *International Cosmic Ray Conference Proceedings*, vol. 3, pp. 545–549, 1991.
- Yamada, Y., S. Yanagita, and T. Yoshida, A stochastic view of the solar modulation phenomena of cosmic rays, *Geophys. Res. Lett.*, 25, 2353–2356, 1998.
- Zank, G. P., A. Dosch, P. Hunana, V. Florinski, W. H. Matthaeus, and G. M. Webb, The transport of low-frequency turbulence in astrophysical flows. I. Governing equations, *Astrophys. J.*, 745, 35, 2012.
- Zank, G. P., J. Heerikhuisen, B. E. Wood, N. V. Pogorelov, E. Zirnststein, and D. J. McComas, Heliospheric structure: The bow wave and the hydrogen wall, *Astrophys. J.*, 763, 20, 2013.
- Zhang, M., A Markov stochastic process theory of cosmic-ray modulation, *Astrophys. J.*, 513, 409–420, 1999.
- Zhang, M., G. Qin, H. Rassoul, B. McKibber, C. Lopate, and B. Heber, Ulysses observations of Jovian relativistic electrons in the interplanetary space near Jupiter: Determination of perpendicular particle transport coefficients and their energy dependence, *Planet. Space Sci.*, 55, 12–20, 2007.
- Zhang, M., G. Qin, and H. Rassoul, Propagation of solar energetic particles in three-dimensional interplanetary magnetic fields, *Astrophys. J.*, 692, 109–132, 2009.

Acknowledgements

I would like to thank the following persons and institutions for support:

- Prof. M. S. Potgieter, my supervisor, for his excellent guidance throughout this study. This included frequent and long research discussions regarding topics relevant, and not so relevant, to this study.
- Prof. S. E. S. Ferreira, my co-supervisor, for useful discussions and handling an array of frequent questions.
- Dr A. Kopp for various stimulating research discussions.
- Mrs M. S. Sieberhagen and Mrs L. van Wyk for handling all of my administrative queries.
- Friends and colleagues for useful formal and informal research discussions.
- The National Research Foundation, the Centre for Space Research and the NWU, for financial support throughout my studies.
- The Centre for High Performance Computing (CHPC), and especially Dr D. M. Moeketsi, for access to their parallel computing platforms.
- My parents and parents-in-law for all their support.
- My wife, Zannelize, for her constant love, support and motivation.

Roelf Du Toit Strauss
Centre for Space Research, North-West University,
May 2013.