

KNO_3 en Pre-c

Germination test

No: C-NWU2	Days: 14	% Normal 28	% Hard 0	% Fresh 15	% Abnorm														
Seed kind: Rhodes grass			Botanical name: <i>Chloris gayana</i> (non-																
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4															
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																			
Evaluation intervals: 7,14			Date planted: 31-05-2006																
Evaluation dates:																			
	A																		
	B																		
	C																		
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L	M
07-06-2006	16		0	0	0		15		0	0	0		21		0	0	0		3
14-06-2006	5		23	7	49		11		14	12	48		4		9	9	57		2
Total	21		23	7	49		26		14	12	48		25		9	9	57		3
Abnormal seedlings (describe): A-----SG : 4; SS : 0; SR : 3																			
B----- SG : 0; SS : 0; SR : 3; twist 1																			
C----- SG : 3; SS : 0; SR : 7																			
D----- SG : 0; SS : 0; SR : 8; twist 1																			
Remarks:																			
Planted by: Yvette Brits						Date: 31-05-2006						Evaluated by: Yvette Brits						Date:	

N 27.75
 H 0.00
 F 14.75
 A 8.00
 D 49.50#49
 T 100

Germination test

No: D-NWU2	Days: 14	% Normal 12	% Hard 0	% Fresh 14	% Abnormal 0													
Seed kind: Rhodes grass			Botanical name: <i>Chloris gayana</i> (enh)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 7, 14			Date planted: 31-05-2006															
Evaluation dates:	A					B					C							
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	10		0	0	0		9		0	0	0		8		0	0	0	
14-06-2006	4		17	9	60		1		12	10	68		1		12	11	68	
Total	14		17	9	60		10		12	10	68		9		12	11	68	
Abnormal seedlings (describe): A-----SG : 3; SS : 0; SR : 3																		
B----- SG : 4; SS : 0; SR : 5; twist 1																		
C----- SG : 1; SS : 0; SR : 9; twist 1																		
D----- SG : 2; SS : 2; SR : 10;																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	12.25
H	0.00
F	14.00
A	11.00
D	62.75
T	100

Germination test

No: F-NWU2	Days: 21	% Normal 17	% Hard 0	% Fresh 68	% Abnorm													
Seed kind: Couch grass				Botanical name: <i>Cynodon dactylon</i> (n														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 7, 14, 21			Date planted: 31-05-2006															
Evaluation dates:	A					B					C							
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	17		0	0	2		14		0	0	0		14		0	0	0	
14-06-2006	0		0	0	0		3		0	0	0		2		0	0	0	
21-06-2006	0		71	2	8		0		64	4	15		0		70	5	9	
Total	17		71	2	10		17		64	4	15		16		70	5	9	
Abnormal seedlings (describe): A-----SG : 0; SS : 0; SR : 2																		
B----- SG : 1; SS : 1; SR : 1; ROS 1																		
C----- SG : 0; SS : 3; SR : 2																		
D----- SG : 3; SS : 0; SR : 1; ROS 1																		
Remarks:																		
Planted by: Yvette Brits		Date: 31-05-2006		Evaluated by: Yvette Brits		Date:												

N 17.25
 H 0.00
 F 67.75
 A 4.00
 D 11.00
 T 100

Germination test

No: E-NWU2	Days: 21	% Normal 7	% Hard 0	% Fresh 65	% Abnorm													
Seed kind: Couch grass				Botanical name: <i>Cynodon dactylon</i> (er														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 7, 14, 21				Date planted: 31-05-2006														
Evaluation dates:																		
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	11		0	0	0		2		0	0	0		4		0	0	0	
14-06-2006	1		0	1	0		2		0	0	0		1		0	0	0	
21-06-2006	0		51	1	35		0		77	3	16		0		73	6	16	
Total	12		51	2	35		4		77	3	16		5		73	6	16	
Abnormal seedlings (describe): A-----SG : 0; SS : 1; SR : 0; ROS 1																		
B----- SG : 0; SS : 1; SR : 0; ROS 2																		
C----- SG : 3; SS : 1; SR : 1; ROS 1																		
D----- SG : 3; SS : 1; SR : 0																		
Remarks:																		
Planted by: Yvette Brits						Date: 31-05-2006						Evaluated by: Yvette Brits						Date:

N 6.50
 H 0.00
 F 65.25
 A 3.75
 D 24.50#24
 T 100

Germination test

No: A-NWU2	Days: 10	% Normal 24	% Hard 0	% Fresh 6	% Abnormal													
Seed kind: Common Finger grass				Botanical name: <i>Digitaria eriantha</i> (no														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 4, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
05-06-2006	21		0	0	2		21		0	0	11		16		0	0	0	
10-06-2006	7		7	1	62		6		0	5	57		5		4	8	67	
Total	28		7	1	64		27		0	5	68		21		4	8	67	
Abnormal seedlings (describe): A-----SG : 0; SS : 0; SR : 1;																		
B----- SG : 0; SS : 1; SR : 3; Stem abnormal 1																		
C----- SG : 0; SS : ; SR 2: ; primary root infected 2;primary shoot																		
D----- SG : 0; SS : 1; SR : 1;																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	24.00
H	0.00
F	6.00
A	4.00
D	66.00
T	100

Germination test

No: I-NWU2	Days: 10	% Normal 27	% Hard 0	% Fresh 1	% Abnormal													
Seed kind: Common Finger Grass			Botanical name: <i>Digitaria eriantha</i> (en)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 4, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
05-06-2006	21		0	0	0		16		0	0	0		16		0	0	0	
10-06-2006	8		0	10	61		3		2	9	70		4		0	7	73	
Total	29		0	10	61		19		2	9	70		20		0	7	73	
Abnormal seedlings (describe): A-----SG : 5; SS : 0; SR : 2; ROS 1; twist 2																		
B----- SG : ; SS : ; SR : 6; F :																		
C----- SG : 1; SS : 2; SR : 2; twist 1; multi unit 1																		
D----- SG : 0; SS 0: ; SR : 4; twist 1																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	26.5
H	0.00
F	1.25
A	7.75
D	64.5#64
T	100

Germination test

No: J-NWU2	Days: 10	% Normal 55	% Hard 0	% Fresh 1	% Abnorm													
Seed kind: Weeping Love Grass				Botanical name: <i>Eragrostis curvula</i> (no														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 6, 10				Date planted: 31-05-2006														
Evaluation dates:																		
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	55		0	2	7		57		0	0	5		50		0	0	4	
10-06-2006	1		2	2	31		1		0	5	32		0		0	3	43	
Total	56		2	4	38		58		0	5	37		50		0	3	47	
Abnormal seedlings (describe): A-----SG : 1; SS : 0; SR : 1; double seedling 2																		
B----- SG : 3; SS : 0; SR : 1; twist 1																		
C----- SG : 0; SS : 0; SR : 0; double seedling 3																		
D----- SG : 1; SS : 0; SR :3; double seedling 1																		
Remarks:																		
Planted by: Yvette Brits						Date: 31-05-2006						Evaluated by: Yvette Brits						Date:

N 55.00
 H 0.00
 F 0.50
 A 4.25
 D 40.25
 T 100

Germination test

No: B-NWU2	Days: 10	% Normal 7	% Hard 0	% Fresh 29	% Abnormal 64													
Seed kind: Weeping Love Grass				Botanical name: <i>Eragrostis curvula</i> (pl)														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	5		0	0	0		6		0	0	0		7		0	0	0	
10-06-2006	2		21	3	69		2		35	9	48		0		22	8	63	
Total	7		21	3	69		8		35	9	48		7		22	8	63	
Abnormal seedlings (describe): A-----SG : 1; SS : 1; SR : 1																		
B----- SG : 3; SS : 3; SR : 3																		
C----- SG : 4; SS : 3; SR : 1;																		
D----- SG : 2; SS : 0; SR : 4																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	7.25
H	0.00
F	28.75
A	6.50
D	57.50#57
T	100

Germination test

No: G-NWU2	Days: 10	% Normal 47	% Hard 0	% Fresh 6	% Abnormal 47													
Seed kind: Weeping Love Grass			Botanical name: <i>Eragrostis curvula</i> (or)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 6,10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	42		0	0	1		41		0	0	0		51		0	0	0	
10-06-2006	0		8	2	47		0		5	2	52		3		3	1	42	
Total	42		8	2	48		41		5	2	52		54		3	1	42	
Abnormal seedlings (describe): A-----SG : 1; SS : 0; SR : 1																		
B----- SG : 1; SS : 1; SR : 1																		
C----- SG : 1; SS : 0; SR : 0																		
D----- SG : 0; SS : 1; SR : 1																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	46.75
H	0.00
F	5.50
A	2.00
D	45.75#45
T	100

Germination test

No: H-NWU2	Days: 10	% Normal 57	% Hard 0	% Fresh 0	% Abnormal 0													
Seed kind: Weeping Love Grass			Botanical name: <i>Eragrostis curvula</i> (as)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations: Pre-chill, 5 days at 5°C; KNO ₃																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
26-05-2006(PC)	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	55		0	0	0		64		0	0	0		51		0	2	0	
10-06-2006	0		0	4	41		0		0	3	33		1		0	5	41	
Total	55		0	4	41		64		0	3	33		52		0	7	41	
Abnormal seedlings (describe): A-----SG : 3; SS : 0; SR : 0; twist 1																		
B----- SG : 3; SS : 0; SR : 0																		
C----- SG : 2; SS : 1; SR : 2; double seedlings 1																		
D----- SG : 1; SS : 0; SR : 1; twist 1																		
Remarks:																		
Planted by: Yvette Brits			Date: 31-05-2006			Evaluated by: Yvette Brits			Date:									

N	56.75
H	0.00
F	0.00
A	4.25
D	39.00
T	100

**No dormanc
breaking**

Germination test

No: C-NWU3	Days: 14	% Normal 34	% Hard 0	% Fresh 12	% Abnormal													
Seed kind: Rhodes grass			Botanical name: <i>Chloris gayana</i> (non-															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 7, 14			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	23		0	0	1		23		0	0	0		39		0	2	0	
14-06-2006	0		14	7	55		2		12	4	59		0		10	6	43	
Total	23		14	7	56		25		12	4	59		39		10	8	43	
Abnormal seedlings (describe): A-----SG : 3; SS : 0; SR : 3; twist 1																		
B----- SG : 0; SS : 0; SR : 4																		
C----- SG : 2; SS : 0; SR : 6																		
D----- SG : 1; SS : 0; SR : 4; twist 1																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	34.00
H	0.00
F	12.25
A	6.25
D	47.50
T	100

Germination test

No: D-NWU3	Days: 14	% Normal 30	% Hard 0	% Fresh 11	% Abnorm																																																																																																												
Seed kind: Rhodes grass			Botanical name: <i>Chloris gayana</i> (enha																																																																																																														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4																																																																																																													
Additional recommendations:																																																																																																																	
Evaluation intervals: 7, 14			Date planted: 31-05-2006																																																																																																														
Evaluation dates:	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th colspan="6">A</th> <th colspan="6">B</th> <th colspan="6">C</th> </tr> <tr> <th>N</th><th>H</th><th>F</th><th>A</th><th>D</th><th>L</th> <th>N</th><th>H</th><th>F</th><th>A</th><th>D</th><th>L</th> <th>N</th><th>H</th><th>F</th><th>A</th><th>D</th><th>L</th> </tr> </thead> <tbody> <tr> <td>07-06-2006</td><td>25</td><td></td><td>0</td><td>0</td><td>0</td> <td>24</td><td></td><td>0</td><td>0</td><td>0</td><td></td> <td>28</td><td></td><td>0</td><td>0</td><td>0</td><td></td> </tr> <tr> <td>14-06-2006</td><td>4</td><td></td><td>11</td><td>7</td><td>53</td> <td>4</td><td></td><td>10</td><td>7</td><td>55</td><td></td> <td>2</td><td></td><td>12</td><td>6</td><td>52</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> <td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Total</td><td>29</td><td></td><td>11</td><td>7</td><td>53</td> <td>28</td><td></td><td>10</td><td>7</td><td>55</td><td></td> <td>30</td><td></td><td>12</td><td>6</td><td>52</td><td></td> </tr> </tbody> </table>					A						B						C						N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L	07-06-2006	25		0	0	0	24		0	0	0		28		0	0	0		14-06-2006	4		11	7	53	4		10	7	55		2		12	6	52																				Total	29		11	7	53	28		10	7	55		30		12	6	52	
A						B						C																																																																																																					
N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L																																																																																																
07-06-2006	25		0	0	0	24		0	0	0		28		0	0	0																																																																																																	
14-06-2006	4		11	7	53	4		10	7	55		2		12	6	52																																																																																																	
Total	29		11	7	53	28		10	7	55		30		12	6	52																																																																																																	
Abnormal seedlings (describe): A-----SG : 2; SS : 0; SR : 4; twist 1																																																																																																																	
B----- SG : 1; SS : 1; SR : 5; twist 1																																																																																																																	
C----- SG : 1; SS : 0; SR : 4; twist 1																																																																																																																	
D----- SG : 2; SS : 0; SR : 5;																																																																																																																	
Remarks:																																																																																																																	
Planted by: Yvette Brits Date: 31-05-2006 Evaluated by: Yvette Brits Date:																																																																																																																	

N	29.50
H	0.00
F	11.00
A	6.75
D	52.75#52
T	100

Germination test

No: F-NWU3	Days: 21	% Normal 15	% Hard 0	% Fresh 61	% Abnormal													
Seed kind: Couch grass			Botanical name: <i>Cynodon dactylon</i> (n)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 7, 14, 21			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	14		0	0	2		10		0	0	1		17		0	0	0	
14-06-2006	4		0	0	0		5		0	0	0		1		0	0	0	
21-06-2006	0		57	5	18		0		58	13	13		0		57	8	17	
Total	18		57	5	20		15		58	13	14		18		57	8	17	
Abnormal seedlings (describe): A-----SG : 0; SS : 1; SR : 0; twist : 2; ROS : 2																		
B----- SG : 2; SS :2; SR : 2; twist : 4; more than one root : 3																		
C----- SG : 2; SS : 1; SR : 2; twist : 2; ROS : 1																		
D----- SG : 4; SS : 1; SR : 1; ROS : 1; more than one root : 1																		
Remarks:																		
Planted by: Yvette Brits			Date: 31-05-2006			Evaluated by: Yvette Brits			Date:									

N 15.75
H 0.00
F 60.50
A 8.50
D 15.25
T 100

Germination test

No: E-NWU3	Days: 21	% Normal 5	% Hard 0	% Fresh 61	% Abnormal 14													
Seed kind: Couch grass				Botanical name: <i>Cynodon dactylon</i> (en)														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 7, 14, 21				Date planted: 31-05-2006														
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
07-06-2006	2		0	0	0		5		0	0	0		2		0	0	0	
14-06-2006	0		0	2	0		2		0	0	0		2		0	0	0	
21-06-2006	0		61	3	32		0		58	5	30		2		77	5	12	
Total	2		61	5	32		7		58	5	30		6		77	5	12	
Abnormal seedlings (describe): A-----SG : 0; SS : 1; SR : 0; twist 2; ROS: 2																		
B----- SG : 2 SS : 0; SR : 0; twist 3																		
C----- SG : 2; SS : 0; SR : 1; ROS : 2																		
D----- SG : 1; SS : 2; SR : 2; ROS: 1																		
Remarks:																		
Planted by: Yvette Brits				Date: 31-05-2006				Evaluated by: Yvette Brits				Date:						

N	5.25
H	0.00
F	60.50
A	5.25
D	29.00
T	100

Germination test

No: A-NWU3	Days: 10	% Normal 24	% Hard 0	% Fresh 3	% Abnormal 3													
Seed kind: Common Finger Grass				Botanical name: Digitaria eriantha (no)														
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 4, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
05-06-2006	20		0	0	0		20		0	0	8		13		0	0	0	
10-06-2006	8		3	4	72		7		2	9	64		7		5	6	67	
Total	28		3	4	72		27		2	9	72		20		5	6	67	
Abnormal seedlings (describe): A-----SG : 1; SS : 0; ; SR : 3																		
B----- SG : 2; SS : 0; SR : 7																		
C----- SG : 3; SS : 3; SR : 0																		
D----- SG : 0; SS : 0; SR : 4																		
Remarks:																		
Planted by: Yvette Brits			Date: 31-05-2006			Evaluated by: Yvette Brits			Date:									

N	24.00
H	0.00
F	3.25
A	5.75
D	67.00
T	100

Germination test

No: I-NWU3	Days: 10	% Normal 32	% Hard 0	% Fresh 4	% Abnormal 64													
Seed kind: Common finger grass			Botanical name: <i>Digitaria eriantha</i> (en)															
Germination Method	Substratum: TP	Temperature:°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 4, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
04-06-2006	8		0	0	0		9		0	0	0		13		0	0	0	
10-06-2006	20		3	12	57		19		3	13	56		18		0	11	58	
Total	28		3	12	57		28		3	13	56		31		0	11	58	
Abnormal seedlings (describe): A-----SG : 3; SS : 3; SR : 0; twist : 6																		
B----- SG : 3; SS : 0; SR : 3; twist : 8; double seedling : 1																		
C----- SG : 1; SS : 1; SR : 2; twist : 7																		
D----- SG : 9; SS : 2; SR : 0; twist : 4																		
Remarks:																		
Planted by: Yvette Brits				Date: 31-05-2006				Evaluated by: Yvette Brits				Date:						

N	31.75
H	0.00
F	3.50
A	12.75#12
D	52.00
T	100

Germination test

No: J-NWU3	Days: 10	% Normal 45	% Hard 0	% Fresh 10	% Abnormal													
Seed kind: Weeping Love grass			Botanical name: <i>Eragrostis curvula</i> (no															
Germination Method	Substratum: TP	Temperature:°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	42		0	0	0		36		0	0	0		44		0	0	0	
10-06-2006	0		8	6	44		0		18	7	39		1		8	5	42	
Total	42		8	6	44		36		18	7	39		45		8	5	42	
Abnormal seedlings (describe): A-----SG : 6; SS : 0; SR : 0																		
B----- SG : 2; SS : 0; SR : 4; double seedling : 1																		
C----- SG : 2; SS : 0; SR : 3																		
D----- SG : 7; SS : 0; SR : 0; double seedling : 3																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	44.50
H	0.00
F	10.00
A	7.00
D	38.50#38
T	100

Germination test

No: B-NWU3	Days: 10	% Normal 9	% Hard 0	% Fresh 12	% Abnormal 0													
Seed kind: Weeping Love grass (plain coat)			Botanical name: <i>Eragrostis curvula</i> (pl)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	7		0	0	0		4		0	0	0		8		0	0	0	
10-06-2006	0		12	8	73		0		20	4	72		0		9	8	75	
Total	7		12	8	73		4		20	4	72		8		9	8	75	
Abnormal seedlings (describe): A-----SG : 6; SS : 0; SR : 2																		
B----- SG : 2; SS : 2; SR : 0																		
C----- SG : 2; SS : 3; SR : 3																		
D----- SG : 0; SS : 1; SR : 2																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	8.50
H	0.00
F	12.00
A	5.75
D	73.75#73
T	100

Germination test

No: G-NWU3	Days: 10	% Normal 48	% Hard 0	% Fresh 8	% Abnormal 44													
Seed kind: Weeping Love Grass			Botanical name: <i>Eragrostis curvula</i> (or)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	49		0	0	0		48		0	0	0		45		0	0	2	
10-06-2006	1		4	5	41		0		3	4	45		0		19	0	34	
Total	50		4	5	41		48		3	4	45		45		19	0	34	
Abnormal seedlings (describe): A-----SG : 0; SS : 1; SR : 3; twist : 1																		
B----- SG : 1; SS : 0; SR : 2; double seedling : 2																		
C----- SG : 0; SS : 0; SR : 0																		
D----- SG : 4; SS : 0; SR : 2; twist : 1																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	47.50
H	0.00
F	8.50#8
A	4
D	40
T	100

Germination test

No: H-NWU3	Days: 10	% Normal 63	% Hard 0	% Fresh 5	% Abnormal 32													
Seed kind: Weeping Love Grass			Botanical name: <i>Eragrostis curvula</i> (as)															
Germination Method	Substratum: TP	Temperature: 25°C	Container: Tupperware	Number of Replicates: 4														
Additional recommendations:																		
Evaluation intervals: 6, 10			Date planted: 31-05-2006															
Evaluation dates:	A			B			C											
	N	H	F	A	D	L	N	H	F	A	D	L	N	H	F	A	D	L
06-06-2006	61		0	0	0		58		0	0	0		60		0	0	0	
10-06-2006	2		6	8	23		7		4	4	27		3		4	8	25	
Total	63		6	8	23		65		4	4	27		63		4	8	25	
Abnormal seedlings (describe): A-----SG : 5; SS : 0; SR : 3																		
B----- SG : 2; SS : 0; SR : 2																		
C----- SG : 3; SS : 0; SR : 2; double seedling : 2																		
D----- SG : 5; SS : 0; SR : 2																		
Remarks:																		
Planted by: Yvette Brits					Date: 31-05-2006					Evaluated by: Yvette Brits					Date:			

N	63.25
H	0.00
F	5.00
A	6.75
D	25
T	100