

Mobile User Experience for Voice Services: A Theoretical Framework

A. Botha; K. Caltreux; M. Herselman; A. Sharma and E. Barnard.

Abstract: The purpose of this paper is to provide a “Mobile User Experience Framework for Voice services.” The rapid spread of mobile cellular technology within Africa has made it a prime vehicle for accessing services and content. The challenge remains to provide these services and information on the technology that the user already owns and is proficient in using. To this end voice as service and distribution mechanism for information is, ahead of SMS and USSD, the most ubiquitous channel of access as it is available on all mobile phone handsets. User experience has been linked to the uptake and engagement with technology and services. As such it becomes imperative to acknowledge mobile user experiences for voice services in order to provide an optimal engagement opportunity that would facilitate participation by end users.

Keywords: Mobile User Experience, Voice services, Theoretical Framework

1 Introduction

The focus of this article is to provide a theoretical framework for mobile user experience (MEX) for the application of voice services. Before the framework can be presented it is imperative that we unpack a few concepts which are applied in this framework. Therefore an explanation of user experience (UX) will be followed by an explanation of mobile user experience with its specific components, as well as an explanation of what is meant by voice services in this context. The uniqueness of this framework is that it was adopted from a previously developed mobile UX framework and then applied to voice services specifically. This framework also forms part of an EU FP7 project (VOICES), initiated at the end of 2010.

User experience (UX), as a trans-discipline and emerging concept, has a multitude of definitions that are sympathetic to its origins, indicating its complexity and richness. Dix [1] observes that with the growth of the web, much software that traditionally sold as products have become services. He argues that where products allowed for one infrequent point of choice, services allow near continuous choice. As such, user experience becomes imperative to success. Pine and Gilmore [2] position experience as a unique offering of the emerging experience economy and argue that an experience occurs when an organisation intentionally uses services and goods to engage individuals in such a way as to create a memorable event.

With more consideration being paid to finding ways to reach the “bottom of the pyramid” [3] improved mobile access presents a unique opportunity for new voice services and voice service models. These are increasingly being facilitated by access to mobile cellular technology for individuals lacking large or predictable incomes [4]. User experience (UX) is an acknowledged factor in the successful uptake and use of technology [5-7], though it has received less attention for individuals in this category. Although user experience research informs practice on not only functional, but also hedonistic needs [8], limited empirical research is available to reflect this [9]. This is exaggerated when considering mobile user experience and even more so for voice services [10]. However, with the greater involvement of enterprises in developing countries in the provision of ICT related innovations [11] it becomes imperative to provide guidelines or frameworks that would, if not enable, increase the likelihood of uptake.

Practitioners and interaction designers cannot design, and much less control, a successful user experience. They can, however, design *for* one. As such, a framework for the mobile user experience for, in this case specifically voice services, becomes a 360° view of the mobile end user’s interaction with the mobile technology and the voice service.

2 Toward a Mobile User Experience

2.1 Focussing the User Experience

In order to understand user experience, Roto [8] argues that the term ‘experience’ encompasses many variables and that a focus on the interaction and experiences of the user with an interactive system is desirable. She states that: “[m]aking this distinction would help us to understand what is

meant by experience or UX, to identify the factors affecting user experience, and also to evaluate user experience in a systematic way [8]. She views user experience as a special case of experience that involves a service or product, relating to an interaction with the system, where the system does not need to be interactive. This paper will build on this understanding, and focus on a *user experience* as opposed to an *experience*.

Hassenzahl [12], referring to the end user mode of interaction with mobile technology, distinguishes between goal mode and action mode. Goal mode is characterised by the user wanting to achieve a goal. Action mode, on the other hand, is where the user is focused on entertainment. Entertainment activities include such interaction as browsing or gaming. The interactions that were considered for this paper are limited to goal-orientated interactions as opposed to general browsing or recreational interactions [12-15], mainly because a user will interact with a voice service on a mobile device to reach a specific goal.

2.2 *The User Experience*

There is little consensus in literature on either the definition or characteristics of a ‘user experience’. Literature does, however, generally agree that a UX would include subjective attributes and social aspects. These subjective attributes and social aspects would be additional considerations in a space that has previously concerned itself mainly with ease-of-use and implies considerations that are beyond the task-related [1, 9, 16, 17]. Preece et al. shape the HCI concern and state that: “The dominant framework that has characterized HCI has been cognitive. In general, cognition refers to the processes by which we become acquainted with things or, in other words, how we gain knowledge. These include understanding, remembering, reasoning, attending, being aware, acquiring skills and creating new ideas” [18]. Hassenzahl and Tractinsky reiterate this stating: “Since its early days, HCI research focused almost exclusively on the achievement of behavioural goals in work settings. The task became the pivotal point of user-centred analysis and evaluation techniques (e.g. usability testing). To ensure the interactive product’s instrumental value became the major endeavour of the field” [9].

There are several reasons for the illusiveness of a universal definition of UX. The first can be ascribed to the broad range of vague and dynamic concepts on which there is little consensus regarding the inclusion or exclusion of attributes. The second reason concerns the unit of analysis for UX, which ranges from a single aspect of an individual user with a standalone application, to all aspects of multiple users with many and diverse services and applications across domains. The third has to do with the fragmented research focus [19]. The various definitions articulated in literature [8, 20-27] all directly or indirectly reflect the findings of the review done by Hassenzahl and Tractinsky [9]. They identify three high-level components that affect the user experience, namely the *user*, the *system*, and the *context*.

Although the identified elements of the UX remain for mobile interactions, there are added complications and dimensions due to the mobility of the interaction and the personal nature of the technology [25]. These are reflected on in the following section.

2.3 *The Mobile User Experience (MEX)*

The literature that reflects on the mobile user experience is mostly limited to expert opinions and insights gained from solution-driven interventions. Ledfort [28] argues that the mobile user experience is not monolithic as it is dependent on a number of factors. Elements of context, networks, and the business-related issues such as cost, and unique affordances of mobile users and use have been suggested as additional considerations [15, 29-35]. Planning for a mobile user experience would imply the optimal consideration of additional components that impact on the MEX from the MHCI considerations and from the voice interaction considerations. The components that would frame the MHCI are identified as [36] *mobile users*, *mobile devices*, *mobile networks*, *mobile business processes* and *mobile use*.

An overview of each of these focus areas is beyond the scope of this paper and limits the outline to conclude that there are many challenges and potential solutions for effective interaction with mobile devices and services. However, these solutions are underpinned by common components that make up the interaction as outlined in the structure for MHCI.

The components of a user experience, outlined in section 2.2 as *the user*, *the system* and *the context* can now be expanded on to include additional considerations towards a Mobile User Experience as:

User: The mobile user; Mobile use.

System: Mobile device; Mobile business practices; Network affordances; Mobile Applications; Mobile Interaction

Context: Mobile Context

From these considerations a comprehensive Framework was presented by Botha to outline the factors of each of the components and their impact. These were adapted to incorporate specifics related to voice services. The next section investigates voice services focussing on goal driven interactions towards presenting a framework for mobile user experience for voice services specifically.

3 Voice Services

In recent years there has been a significant body of work generated in the voice-based services area such as [37-42] to name a few, which covers various domains such as education, health, agriculture, finance, etc. Voice-based services are often referred to as spoken dialogue systems (SDS) or interactive voice response (IVR) systems in literature. Both allow a user to access information or a service via the voice channel of their mobile phone, by navigating through voice menus where input by the user is through speech (for SDS) or dual tone multi frequency (DTMF) (for IVR). The user typically interacts with the service through the means of a simple telephone call to the service's phone number or more recently as proposed by Google [43] through a voice-based search using the data channel of their mobile phone.

Numerous communities in developing world regions face barriers to information/service access, including infrastructure, distance, language and literacy. Many government entities and non-profit institutions need to deliver services and provide timely, accurate and relevant information to their communities of interest, which can be a challenging task due to these barriers. Voice-based services can play an important role in addressing these barriers and bridging the information gap as mobile phones are by far the most widespread form of ICTs in developing world regions [11], [10]. Being independent of mobile phone device type and operator is an added advantage of voice-based services [10]. Barriers of language and literacy are also addressed as the service's content can easily be made available in local languages and most users are comfortable with the concept of making a telephone call as opposed to operating a PC or interacting with a mobile interface. Voice-based services also have the further advantage that they do not require any computer infrastructure from the user end and can be used from anywhere, alleviating transport-related costs and delays.

Plauche *et al.* [44] developed one of the first voice-based services for low literacy users in the agriculture domain. It was found that low literacy users were able to navigate a SDS but with differences in task completion for low literate and illiterate users. The topic of input modality in voice-based services has also been explored by Grover *et al.* [37], Sherwani *et al.* [38], Patel *et al.* [39, 45], and Lerer *et al.* [46]. Results have varied in terms of user performance (task success) and user preference for any particular modality. Sherwani *et al.* and Lerer *et al.* [46], found speech input provided a significantly higher task success rate than DTMF. Conversely Patel *et al.* [45] found that user performance was better with DTMF input, whilst Grover *et al.* [37], report no significant difference in user performance between speech and DTMF input. For user preference, both Grover *et al.* [37] and Patel *et al.* [45] [45] report that users preferred DTMF over speech input, whilst Sherwani *et al.* [38] report no significant difference in user preference, and Lerer *et al.* [46] although not explicitly reporting user preference suggest that users did not like the DTMF aspects of the system. Its noteworthy to mention that though all these studies targeted developing world users, they were conducted in different domains and contexts with different types of users; HIV info (Grover *et al.*), agriculture info (Patel *et al.*), general health info (Sherwani *et al.*) and an audio survey (Lerer *et al.*).

A language learning service by the BBC, termed "BBC Janala" [47] provides English language lessons via an IVR in Bangladesh. The user "dial[s] up a series of three-minute-long English lessons for 3 taka (2.5 pence) [USD 0.04] each, which is less than the cost of a cup of tea at a roadside stall in Dhaka" [47]. The service received over 750 000 calls in the first month [47] and to our knowledge is one of the rare successful examples of a 'user-paid' voice-based service in the developing world. Another notable example of a 'user-paid' voice-based service is that of "Lifelines India" [42] which provides a question-answering service in the agriculture and education domains. Through the assistance of a community field worker, the user calls the IVR, records their query and obtains a unique query ID number. On the back-end, within 24 hours a knowledge worker posts the

response to the query using expert opinion and a knowledge database of similar FAQs. Later, the user retrieves the query’s response by dialling into the IVR again, with the cost of the call being 5 rupees (USD 0.11).




Patnaik *et al.* [48], Medhi *et al.* [49], and Kote *et al.* [50] compare a range of mobile user interfaces (UI) which include voice-based services. In [48], it was found that error rates for data collection through a live operator (voice) were significantly lower as compared to SMS, and electronic forms (via mobile phone). Medhi *et al.* [49], compare text-based interfaces such as electronic forms, SMS and USSD with text-free interfaces such as an SDS, graphical UI and a live operator. They report that “textual interfaces were unusable by low literacy users and difficult to use by novice users”. In the case of text-free interfaces, the live operator (voice) was found to be the most effective, with varying results for voice and graphical UIs respectively. In particular for voice UIs, Medhi *et al.* suggest that users, who are somewhat familiar with the concept and the general terminology (prompts) of the voice UI, were faster and more independent in their task execution. However, overall, graphical UIs had a higher task completion rate but users took significantly more time to complete the task and required more prompting and encouragement during the study. In a similar vein, Kote *et al.* found that users preferred an IVR over SMS for a service that crowd sources water availability information India.

Agarwal *et al.* [41] discuss the adoption of four different pilot deployments of voice-based services for general community information and agriculture in India. The authors highlight that, choosing a local partner organisation within the user community to act as an intermediary and ensuring content is relevant and moderated where required, are important factors that play a role in the adoption of voice-based services. Similar findings on content and adoption were reported by Grover *et al.* [51] for “Lwazi” which piloted a voice-based community information service for managers of government community centres, in six areas across South Africa. In [51] it is reported that the availability of information sources which provide content for the service was a crucial factor, and in terms of multilingualism in developing world environments, a dominant language or two usually prevails in an area with most users tending to be multilingual and conversant in the dominant language(s).

Across the various studies described above, numerous significant findings have been reported and several recommendations on design and deployment have been made. However, to date an overarching framework that explicates the space of user experience for voice-based services in the context of a mobile phone user has not emerged. Some noteworthy studies that provide an overview of a number of salient factors to be considered and recommendations for the development of voice-based services include those of Barnard *et al.* [52] and Grover *et al.* [40, 53]. In this paper we further expound on these recommendations and those of the numerous voice-based based services mentioned above and present a consolidated framework on mobile user experience for voice-based services.

4 Framework for Mobile User Experience in Voice Services

This framework, which was adapted from Botha [36-38], consists of components of mobile UX or MEX which were outlined in section 2.3 as well as MEX factors and how these impact on mobile and voice contexts of use. Colour is used to reflect the following contexts:

 Impact mainly in mobile context  Impact mainly in voice context  Impact in mobile and voice contexts

Evidence of relevant literature for each impact factor is then provided to develop the theoretical framework and a discussion or interpretation of the influences of mobile, voice and both mobile and voice is then provided.

Table 1: Theoretical framework for MEX for voice-based services

| Component | Mobile user experience factor | Impact in mobile and voice contexts of use |
|-------------|------------------------------------------------------|----------------------------------------------------------------------------------------|
| Mobile User | Mobile Users have unique characteristics [8, 15, 35] | The user occupies multiple social spaces simultaneously. [33, 54-60] |
| | | The user is distracted (short attention span) [34, 35, 55, 56] |
| | | The user multitasks [35, 54, 55, 61] |
| | | The user is available or considered as connected [55, 56] |
| | | The user is contextual and the environment affects device use. [33, 34, 54-56, 58, 59] |
| | | The user personalises the device [34, 55, 56, 61] |

| Component | Mobile user experience factor | Impact in mobile and voice contexts of use |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| | | The users has previous experience with mobile technology and considers the mobile device as familiar [34, 35, 55, 56, 61] |
| | | The users skill level [34, 35, 55, 56] |
| | | The user's experience with voice-based services [37, 40, 46, 51, 52] |
| | | The user's literacy (functional and/or numerical) level(s) affects the interaction with the technology [37, 40, 42, 43, 49, 52, 53, 62, 63] |
| | | Openness of the user community; membership to the user community with concomitant implications for user training [40, 52] |
| | | Personal characteristics of user. The users internal state, motivation, mood and expectations [8, 25, 35, 40, 47, 51, 55] |
| Mobile Use | User appropriation of the technology-in-use is facilitated [61] | The technology is convenient to use (available) [61] |
| | | The user is in control of the mobile device (shared and multiple usage) and the speech application [52, 61, 62] |
| | | The user considers the device fashionable [25, 53, 61, 62] |
| | | The user considers the technology fashionable/as a status symbol [39] |
| | | The user can identify with the technology-in-use as "our stuff" [61] |
| | The user is exposed to long-term engagement with the application [40, 51] | |
| | Hedonic experience of use is facilitated [9, 32-34, 64] | The user enjoys using the mobile device, [9, 55, 56] |
| The user will use the mobile device again. [9, 22] | | |
| The user does not experience frustration [64] | | |
| Mobile Device | Device capabilities support the interaction adequately performance issues (Hardware) [10, 65-67] | The display is clear and visible and accessible during the interaction (e.g. sunlight) [66-68] |
| | | Display is capable of rendering content for interaction [69] |
| | | Battery life is adequate to support the required mobility [66-68] |
| | | The memory capacity is sufficient. There is sufficient capability to extend the memory if needed [66-68] |
| | | The device processing power supports the interaction sufficiently [66-68] |
| | The imbedded software support the interaction adequately (Software) [10, 55, 68] | Functionalities adequately enable the interaction [68, 70] |
| | | Functionalities of the device are usable for the interaction. [56, 68] |
| | | Operating system supports installation of application used in the interaction [56, 68, 71] |
| | Software is usable in use [14, 64, 72] | Functionality feedback is understood [56] |
| | | The software embedded in the device is error free [64, 72] |
| | | The interaction with the software embedded in the device is easy to remember [62, 64, 72] |
| | | The software embedded in the device is easy to learn [62, 64, 73] |
| Mobile Business Practices | Mobile Business Practices [10, 15, 35, 55, 56, 74-76] | The pricing structure of the service provider is understood [64, 77] |
| | | The cost of the interaction is disclosed [64] |
| | | The interaction provides value for money [37, 39, 40, 42, 47, 51, 52, 62, 64] |
| | Deployment of voice-based services [37, 40, 47, 51, 52] | Stakeholders understand practical roles they play in success of application [40, 51] |
| | | Application is aligned with/supplements existing information/services channels [37, 40, 42, 51, 52, 62] |
| | | Deployment of application is sustainable [40, 47] |
| Mobile Networks Mobile Interaction Mobile Application | Network is available [10, 15, 35, 55, 56, 78-82] | There is network coverage [36, 62] |
| | | The interaction does not need network coverage [34, 55, 56] |
| | Network is reliable [10, 55, 56] | Can perform the expected service dependably, accurately and consistently [35, 75, 83] |
| | | Network facilitates interaction [35, 75] |
| | | Network services are sufficient to support interaction [35, 55, 56, 75] |
| | Mobile Interaction supported by usability of application. [15, 55, 56, 64, 84] | (usability of application) [55, 56] |
| | | Service or product is simple and easy to use (ease of use) [15, 62] |
| | | Important functionalities are easy to find (fluency of navigation) [15] |
| | | Interaction needed in application is learnable [62, 64] |
| | | Interaction is safe and secure [64, 84] |
| | | Interactions are suited to mobility e.g. One hand information input on the move [77, 85] |
| | The Mobile Application supports the interaction [10, 34, 55, 56, 86, 87] | Mobile Application accesses the interactions that are native to the phone [10, 34] |
| | | Provides service and content to user when needed [15, 34, 55, 56] |
| | | Provide services and content to user where needed [15, 34, 40, 55, 56] |
| | | Mobile Application makes task easier [15, 34, 40, 62] |
| | | Application provides only useful information during interaction [15, 56] |
| | | Application provides appropriate functions for interaction [34, 40, 56, 62, 64] |
| Application is reliable and performs service dependable, accurately and consistently [34, 55, 56] | | |

| Component | Mobile user experience factor | Impact in mobile and voice contexts of use |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | Application provides timeous responses [15, 34, 55, 56] |
| | | Application supports multiple users [36, 42, 51, 62] |
| | | Application provides appropriately generated content (user vs designer-generated) [40, 62] |
| | | Application provides up-to-date content [40] |
| | | Application provides content in local language/accnt [37, 40, 42, 46, 52, 62] |
| | | Content source is reliable and trustworthy [39, 40, 62, 85] |
| | | Application's content source is sustainable [51] |
| | | Application content source matches sensitivity of content [37, 40] |
| | | Speech technology is ready to cope with the complexity of the application (NLP vs human-in-the-loop) [40, 46, 51] |
| | | Application complexity (technology readiness) |
| | | Speech technology is able to cater for the nature of the task (restrictiveness of the task domain, linearity of the interaction, range of choices available) [46, 52] |
| | | Speech technology appropriately caters for code-switching, -mixing and dialectal variation [53, 62] |
| | Technology capability (accuracy, speed, robustness) | Speech technology can cope with the environment (noise, non-standard speech) [46, 52, 53, 62] |
| | | Speech technology is usable [40] |
| | Voice user interface design [37-39, 52, 53] | Application dialog strategy matches the nature of the task domain [46, 52, 53, 62] |
| | | Application's input modality matches the task required [46, 52] |
| | | Application's input modality takes into account user preference [37-39] |
| | | Input modality matches user's privacy needs [37, 53] |
| | | Modality matches user's skill level/experience with speech services [46, 49] |
| | | Input modality has an impact on task completion rate [37-39, 46] |
| | User interface metaphors and persona match the user's mental model [37, 38, 46, 53] | |
| | Prompt design makes the application easy to use [46, 47] | |
| | Translated prompts convey the same message as the original prompts [53] | |
| | Application employs robust and clear error recovery strategy[53] | |
| Mobile Context | The interaction is possible when the user is mobile [34, 55, 56, 88] | Information in small units that are accessible when mobile [34, 55, 56, 88] |
| | | Interaction allows for distraction [34, 55, 56, 88] |

The critical reflection on the impact factors is provided in the next section.

5 Critical impact factors

Based on the overview of impact factors relating to mobile user experience for voice-based applications presented in Table 1, this section discusses selected impact factors we deem to be critical to this user experience.

The first of these relate to the *mobile user*. The *user's experience with mobile and voice technology*, as well as varying degrees of *literacy* pose challenges for user interface designs and deployment strategies for mobile voice services, particularly in developing world contexts. Medhi *et al.* [49] discuss these issues in detail and indicate that human mediation by means of a live operator can dramatically improve task completion rates in applications in such contexts. The *user's motivation to use the service and his/her expectation relating to potential benefit* also impact the user experience and have implications for the sustainability of the service. The BBC Janala service discussed in section 3 is a good example of this. The fact that the calls to the system cost 3 taka each (albeit a minimal amount) and 750 000 calls were received during the first month after the launch, indicates the users' level of interest in improving their English language skills.

The differentiating factors for UX in any *mobile speech application* are its *voice user interface design* as well as the *capability and readiness of the speech technology*. Barnard *et al.* [52] indicate that application complexity and user ability are major determinants of spoken dialog systems in the developing world. Lerer *et al.* [46] describe variation in task success rates based on careful VUI design choices involving changes in modality of input (touch-tone vs speech), changes in the structuring of the prompts, and changes to the accent of the recorded voice used in the prompts. The mobile speech application must also provide a *service and content* to the user that is *relevant, reliable, timely* and *trustworthy* for a positive user experience to occur. A critical success factor in developing world contexts is the provision of content in the *local language* (and accent), as well as *involvement of local users* in the design of the application [62].

As mentioned in section 3, developments in deploying voice-based services such as voice search on mobile devices are resulting in the data channel on the mobile device becoming an impact factor in voice services. *Functionalities* and *operating systems* on the **mobile device** which *enable interaction* with the application and are *usable for the interaction*, are therefore becoming critical to the success of such services and the user's experience of such services. Barnard *et al.* [43] discuss voice-search systems for development in more detail.

Mobile network infrastructure is also a critical impact factor for mobile voice services UX, with the emphasis on a *reliable network with sufficient network services to support the interaction*.

Finally, particularly in developing world contexts, the *costs* relating to voice services and the implications for **mobile business practices** have an impact on UX of mobile voice services, with *value for money* being critical. The charges (five Rupees) described in section 3 for the LifeLines India Agriculture service, serve a dual purpose: the users value and respect the information because it is not totally free; and it enables the creation of a sustainable business model. Lall [42] reports caller satisfaction levels of 96%, profit increases of between 25% and 150% and a rise in call volumes from "1 100 calls per month at launch, to an average of 350 calls daily". A sustainable business model further relies on *stakeholders understanding their roles* in the deployment of the service, and the service being *aligned with or supplementing existing information or services channels* [42].

Acknowledging the above factors as being critical to mobile user experience for voice-based services, enables their use as a starting point for developing a set of metrics to measure user experience of these services.

6 Conclusions

In this paper we give an overview of user experience in using mobile technology to interact with voice-based services. We indicate that a theoretical framework developed for mobile user experience can be adapted and applied to voice-based services. This adaptation indicates that in most instances, there is an overlap in factors that impact on user experience of mobile technologies and of speech technologies. The framework is expanded when impact factors pertaining specifically to speech-driven services are added.

Our future research will involve applying this theoretical framework to real-world applications. First, using the critical factors described above, we will distil from the theoretical framework, metrics for measuring mobile user experience for voice services. These metrics will then be used to measure user experience in two speech applications as case studies. We will report on the findings of this research in future papers.

7 Acknowledgements

This research is partially funded by the European Union through the 7th Framework Programme (FP7) under grant agreement Num. 269954



The authors would further like to acknowledge CSIR Meraka and Department of Science and Technology.

8 References

1. Dix, A., *Human-computer interaction: A stable discipline, a nascent science, and the growth of the long tail*. Interacting with Computers, 2009. **In Press, Corrected Proof**.
2. Pine, J.B. and J.H. Gilmore, *Welcome to the Experience Economy*. Harvard Business Review, 1998. **July-August**.
3. Prahalad, C.K., *The fortune at the bottom of the pyramid : eradicating poverty through profits*. 2010, Upper Saddle River, N.J.: Wharton School Pub.
4. *Information Economy Report 2010: ICT's Enterprises and Poverty Alleviation*. 2010, United Nations: Geneva.
5. Dix, A., *Human-computer interaction: A stable discipline, a nascent science, and the growth of the long tail*. Interacting with Computers, 2010. **In Press, Corrected Proof**.
6. McCarthy, J. and P. Wright, *Technology as Experience 2004*: The MIT Press.
7. McCarthy, J., et al. *The Experience of Enchantment in Human Computer Interaction*. 2004.
8. Roto, V., *Web Browsing on Mobile Phones - Characteristics of User Experiences*, in *Department of Computer Science and Engineering*. 2006, Helsinki University of Technology: Helsinki.
9. Hassenzahl, M. and N. Tractinsky, *User experience – a research agenda*. Behaviour & Information Technology, 2006. **25(2)**: p. 91 - 97.

10. Boyera, S., *Mobile Web for Social Development Roadmap*, in *W3C Interest Group Note 16 November 2009*. 2009, W3C.
11. Heeks, R., *The ICT4D Manifesto: Where next for ICTs and international development?*, in *Development Informatics working paper no. 42*. 2009, Centre for Development Informatics: University of Manchester: Manchester, United Kingdom.
12. Hassenzahl, M., *The Thing and I: Understanding the Relationship Between User and Product*. 2005. p. 31-42.
13. Oinas-Kukkonen, H., *Balancing the vendor and consumer requirements for electronic shopping systems*. Information Technology and Management, 2000. **1**(1): p. 73-84.
14. Oinas-Kukkonen, H. *Mobile Electronic Commerce through the Web*. in *Second International Conference on Telecommunication and Electronic Commerce (ICTEC '99)*. 1999. Nashville, TN, USA.
15. Oinas-Kukkonen, H. and V. Kurkela, *Developing Successful Mobile Applications*, in *International Conference on Computer Science and Technology (IASTED)*. 2003. p. 50-54.
16. Ardito, C., et al. *Towards the Evaluation of UX*. in *HCL 2007: COST294-MAUSE affiliated workshop*. 2007. Lancaster, UK: COST.
17. Law, E., et al. *Towards a UX Manifesto*. in *HCL 2007: COST294-MAUSE affiliated workshop*. 2007. Lancaster, UK: COST.
18. Preece, J., et al., *Human-Computer Interaction*. 1994, Wokingham, UK: Addison Wesley.
19. Law, E., et al. *Towards a Shared Definition of User Experience*. in *CHI 2008: Special Interest Groups*. 2008. Florence, Italy: ACM.
20. Morville, P. (2004) *Facets of the user experience*.
21. Maassen, H., *UX Design-Planning Not One-man Show. Do we need more UX planning teams?*, in *boxesandarrows*. 2008.
22. Roto, V. *User Experience from Product Creation Perspective*. in *HCL 2007: COST294-MAUSE affiliated workshop*. 2007. Lancaster, UK: COST.
23. Garrett, J.J., *The Elements of User Experience : User-Centered Design for the Web*. 2003, Indianapolis, Ind. [u.a.]: New Riders [u.a.].
24. Garrett, J.J. (2000) *The elements of user experience*.
25. Arhippainen, L. and M. Tähti. *Empirical Evaluation of User Experience in Two Adaptive Mobile Application Prototypes*. in *2nd International Conference on Mobile and Ubiquitous Multimedia*. 2003. Norrköping, Sweden.
26. Mäkelä, A. and J. Fulton Suri. *Supporting Users' Creativity: Design to Induce Pleasurable Experiences*. in *International Conference on Affective Human Factors Design*. 2001.
27. Alben, L., *Quality of Experience: Defining the Criteria for Effective Interaction Design*. Interactions 3.3, 1996. **May+June**: p. 11.
28. Ledford, J.L., *Mobile Search Engine Optimization*. 2009, John Wiley & Sons.
29. Bevan, N. *Extending quality in use to provide a framework for usability measurement*. in *HCI International*. 2009. San Diego, California, USA.
30. Subramanya, S.R. and K.L. Byung. *Enhancing the User Experience in Mobile Phones*. in *IEEE 5th International Conference on Advanced Video and Signal Based Surveillance*. 2009. Santa Fe, New Mexico, USA: IEEE.
31. Nielsen, J., *Mobile Usability*, in *Alertbox*, J. Nielsen, Editor. 2009.
32. Ramsay, M. and J. Nielsen. *WAP Usability. Déjà Vu: 1994 All Over Again: Report from a Field Study in London, Fall 2000*. 2000 [cited 2009 November]; Available from: <http://www.nngroup.com>.
33. Palen, L. and M. Salzman, *Welcome to the Wireless World: Problems Using and Understanding Mobile Telephony*, in *The Wireless World*, R. Harper and B. Brown, Editors. 2001, Springer-Verlag: New York. p. 135-153.
34. Jones, M. and G. Marsden, *Mobile Interaction Design*. 2006, Chichester, UK: John Wiley & Sons, Ltd.
35. Hiltunen, M., M. Laukka, and J. Luomala, *Mobile user experience*. Professional. 2002, Edita, Finland: IT Press.
36. Botha, A., *Framework to Enhance the Mobile User Experience in an Mlearning Interaction*, in *School of IT*. 2011, Nelson Mandela Metropolitan University: Port Elizabeth.
37. Grover, A.S., et al., *HIV health information access using spoken dialogue systems: touchtone vs. speech*, in *Proceedings of the 3rd international conference on Information and communication technologies and development*. 2009, IEEE Press: Doha, Qatar. p. 95-107.
38. Sherwani, J., et al., *Speech vs. touch-tone: telephony interfaces for information access by low literate users*, in *Proceedings of the 3rd international conference on Information and communication technologies and development*. 2009, IEEE Press: Doha, Qatar. p. 447-457.

39. Patel, N., et al., *Avaaj Otalo: a field study of an interactive voice forum for small farmers in rural India*, in *Proceedings of the 28th international conference on Human factors in computing systems*. 2010, ACM: Atlanta, Georgia, USA. p. 733-742.
40. Grover, A.S. and E. Barnard, *Comparing Two Developmental Applications of Speech Technology in Conference on Human Language Technology for Development 2011*. 2011: Alexandria, Egypt. p. 81-86.
41. Agarwal, S., et al., *Organizational, Social and Operational Implications in Delivering ICT Solutions: A Telecom Web Case-study*, in *International Conference on Information and Technologies and Development (ICTD 2010)*. 2010: London, UK.
42. Lall, A. and S. Sahi (2009) *Taking ICTs to the Grassroots: A Case Study of the LifeLines India Initiative*. *Information Technology in Developing Countries* **19**.
43. Barnard, E., et al., *Voice Search for Development in INTERSPEECH 2010*. 2010, ISCA: Makuhari, Chiba, Japan. p. 282-285.
44. Plauche, M. and M. Prabaker, *Tamil market: a spoken dialog system for rural India*, in *CHI '06 extended abstracts on Human factors in computing systems*. 2006, ACM: Montreal, Quebec, Canada. p. 1619-1624.
45. Patel, N., et al., *A comparative study of speech and dialed input voice interfaces in rural India*, in *Proceedings of the 27th international conference on Human factors in computing systems*. 2009, ACM: Boston, MA, USA. p. 51-54.
46. Lerer, A., M. Ward, and S. Amarasinghe, *Evaluation of IVR data collection UIs for untrained rural users*, in *Proceedings of the First ACM Symposium on Computing for Development*. 2010, ACM: London, United Kingdom. p. 1-8.
47. Walsh, C.S., P. Shrestha, and C. Hedges, *Leveraging Low-Cost Mobile Technologies in Bangladesh: A Case Study of Innovative Practices for Teacher Professional Development and Communicative English Language Teaching*, in *Enhancing Learning Through Technology. Education Unplugged: Mobile Technologies and Web 2.0*, R. Kwan, et al., Editors. 2011, Springer Berlin Heidelberg. p. 152-166.
48. Patnaik, S., E. Brunskill, and W. Thies, *Evaluating the accuracy of data collection on mobile phones: a study of forms, sms, and voice*, in *Proceedings of the 3rd international conference on Information and communication technologies and development*. 2009, IEEE Press: Doha, Qatar. p. 74-84.
49. Medhi, I., et al., *Designing mobile interfaces for novice and low-literacy users*. *ACM Trans. Comput.-Hum. Interact.*, 2011. **18**(1): p. 1-28.
50. Kote, T. and S. Barman, *A Comparative Study of SMS and IVR Interfaces for Crowdsourcing Water Availability Information*, in *CHI 2011*. 2011, ACM: Vancouver, BC, Canada.
51. Grover, A.S. and E. Barnard, *The Lwazi community communication service: design and piloting of a voice-based information service*, in *Proceedings of the 20th international conference companion on World wide web*. 2011, ACM: Hyderabad, India. p. 433-442.
52. Barnard, E., M. Plauche, and M. Davel, *THE Utility of Spoken Dialog Systems in Spoken Language Technology 2008*. 2008, IEEE: Goa, India. p. 13-16.
53. Grover, A.S., O. Stewart, and D. Lubensky, *Designing interactive voice response (IVR) interfaces: localisation for low literacy users*, in *Conference on Computers and Advanced Technology in Education (CATE 2009)*. 2009: St Thomas, US Virgin Islands. p. 8-15.
54. Cartman, J. and R. Ting, *Strategic mobile design : creating engaging experiences*. 2009, Berkeley, CA: New Riders.
55. Love, S., *Understanding Mobile Human-Computer Interaction (Information Systems Series (ISS))*. 2005: Butterworth-Heinemann.
56. Ballard, B., *Designing the Mobile User Experience*. 2007, Chichester, England: John Wiley & Sons.
57. Khalil, A. and K. Connelly, *Context-Aware Configuration: A Study on Improving Cell Phone Awareness*, in *Lecture Notes in Computer Science: Modeling and Using Context*. 2005, Springer Berlin / Heidelberg. p. 197-209.
58. Wellman, B., *Physical Place and Cyberplace: The Rise of Personalized Networking*. *International Journal of Urban and Regional Research*. "Networks, Class and Place," 2001. **25**(2): p. 227-252.
59. Van Biljon, J.A., *A Model for Representing the Motivational and Cultural Factors that Influence Mobile Phone Usage Variety*, in *Computer Science*. 2006, University of South Africa: Pretoria.
60. McMahan, M. and R. Pospisil. *Laptops for a digital lifestyle: Millennial students and wireless mobile technologies*. 2005 [cited 2010 January]; Available from: <http://www.ascilite.org.au/conferences/brisbane05/proceedings.shtml>.
61. Carroll, J., et al., *Just What Do the Youth of Today Want? Technology Appropriation by Young People*, in *Proceedings of the 35th Annual Hawaii International Conference on System Sciences (HICSS'02)-Volume 5 - Volume 5*. 2002, IEEE Computer Society. p. 131.2.
62. Plauché, M. and U. Nallasamy, *Speech Interfaces for Equitable Access to Information Technology*. *Information Technologies & International Development*, 2007. **4**(1): p. 69-86.

63. Medhi, I., A. Sagar, and K. Toyama, *Text-free user interfaces for illiterate and semiliterate users*. Inf. Technol. Int. Dev., 2007. **4**(1): p. 37-50.
64. Bevan, N. *Classifying and Selecting UX and Usability Measures*. in *International Workshop on Meaningful Measures. Valid Useful User Experience Measurement*. 2008. Reykjavik, Iceland: COST.
65. Abowd, G., *Is that a PDA in your pocket, or are you just glad to see me?* ACM SIGCHI Bulletin - a supplement to interactions, 2001. **2001**: p. 9-9.
66. Jansen, W. and R. Ayers, *Guidelines on Cell Phone Forensics: Recommendations of the National Institute of Standards and Technology*, U.S. Department of Commerce, Editor. 2007, Information Technology Laboratory, National Institute of Standards and Technology, Gaithersburg.
67. Pulli, K., et al., *Mobile 3D graphics with OpenGL ES and M3G*. Morgan Kaufmann series in computer graphics. 2008, Amsterdam [u.a.]: Elsevier/Morgan Kaufmann.
68. Ketola, P., *Integrating usability with concurrent engineering in mobile phone development*, in *Department of Computer and Information Sciences*. 2002, University of Tampere: Tampere.
69. Da Silva, F.S.C. *Knowledge-based Modality Selection for Information Presentation in a Mobile System for Primary Homecare*. in *AISB 2008 Convention: Communication, Interaction and Social Intelligence*. 2008. Aberdeen, Scotland: AISB.
70. B'Far, R., *Mobile computing principles : designing and developing mobile applications with UML and XML*. 2004, New York: Cambridge University Press.
71. Coulton, P., et al., *Creating entertainment applications for cellular phones*. Computers in Entertainment, 2005. **3**(3): p. 3-3.
72. Nielsen, J. and V. Phillips. *Estimating the relative usability of two interfaces: heuristic, formal and empirical methods compared*. in *Human Factors in Computing System (CHI 93)*. 1993. Amsterdam.
73. Nielsen, J., *Usability Engineering*. 1993, San Diego: Academic Press, Inc.
74. Quelcomm, *The economics of the mobile wireless data*, in *Wireless Developer Network Library*. 2007, Quelcomm.
75. Riilke, A., A. Iyer, and G. Chiasson, *The Ecology of Mobile Commerce: Charting a course for Success Using Value Chain Analysis.*, in *Mobile commerce : technology, theory, and applications*, B.E. Mennecke and T.J. Strader, Editors. 2003, IRM Press: Hershey, Pa. [u.a.].
76. Donner, J., *Research Approaches to Mobile Use in the Developing World: A Review of the Literature*. The Information Society, 2008. **24**(3): p. 140 - 159.
77. Vuolle, M., et al., *Developing a questionnaire for measuring mobile business service experience*, in *Proceedings of the 10th international conference on Human computer interaction with mobile devices and services*. 2008, ACM: Amsterdam, The Netherlands. p. 53-62.
78. Garg, V.K., *Wireless network evolution : 2G to 3G*. Prentice Hall communications engineering and emerging technologies series. 2002, Upper Saddle River, NJ: Prentice Hall PTR.
79. ITU Report, *Measuring the Information Society - The ICT Development Index*. 2009, International Telecommunication Union: Geneva, Switzerland.
80. ITU Report, *Measuring the Information Society*. 2010, International Telecommunication Union: Geneva, Switzerland.
81. ITU. *Introduction - Evolution of the Mobile Market* About mobile technology and IMT-2000 2005 [cited 2009 December]; Available from: <http://www.itu.int/osg/spu/imt-2000/technology.html>.
82. ITU. *What really is a Third Generation (3G) Mobile Technology*. 2009 [cited 2009 December]; Available from: <http://www.itu.int/ITU-D/imt-2000/Documents/IMT2000/>.
83. Audin, C. and A. Barba, *Wireless and Mobile Solutions*, in *ITU Regional Workshop on "Universal Service Funding"*. 2008: Damascus: Syria.
84. El-Kiki, T. and E. Lawrence. *Mobile User Needs: Efficient Transactions*. in *Information Technology: New Generations, 2008. ITNG 2008. Fifth International Conference on*. 2008.
85. Barnard, E., L. Cloete, and H. Patel, *Language and Technology Literacy Barriers to Accessing Government Services*, in *Electronic Government*. 2003, Springer Berlin / Heidelberg. p. 37-42.
86. Ruuska-Kalliokulju, S., et al. in *Mobile HCI 2001: Third International Workshop on Human Computer Interaction with Mobile Devices*. 2001. Lille, France.
87. Van Biljon, J. and P. Kotze, *Modelling the factors that influence mobile phone adoption*, in *Proceedings of the 2007 annual research conference of the South African institute of computer scientists and information technologists on IT research in developing countries*. 2007, ACM: Port Elizabeth, South Africa.
88. Traxler, J., *Learning in a Mobile Age*. International Journal of Mobile and Blended Learning, 2009. **1**(1): p. 1-12.