

References

- ACHENBACH, E. 1991. Heat transfer from smooth and rough inline tube banks at high Reynolds number. *International journal of heat and mass transfer*, 34(1):199-207.
- ANDERSON, J.D. 1996. Governing equations of fluid dynamics. (*In* Wendt, J.F., ed. Computational fluid dynamics: an introduction. 2nd ed. Berlin: Springer-Verlag. p. 15-33.)
- ASLAM BHUTTA, M.M., HAYAT, N., BASHIR, M.H., KHAN, A.R., AHMAD, K.N. & KHAN, S. 2012. CFD applications in various heat exchangers design: a review. *Applied thermal engineering*, 32:1-12.
- ASME BOILER AND PRESSURE VESSEL COMMITTEE ON PRESSURE VESSELS. 2011. Rules for shell-and-tube heat exchangers. (*In* ASME boiler and pressure vessel code viii, division 1: rules for construction of pressure vessels. 2011 ed. New York: The American Society for Mechanical Engineers. p. 1-297.)
- BARTOSIEWICZ, Y., AIDOUN, Z., DESEVAUX, P. & MERCADIER, Y. 2005. Numerical and experimental investigations on supersonic ejectors. *International journal of heat and fluid flow*, 26(1):56-70.
- BELL, K.J., REAY, D., CHISHOLM, D., SCHLUNDER, E.U., COOPER, A., SINGHAM, J.R., GUY, A.R., SMITH, R.A., MUELLER, A.C., TABOREK, J., PAIKERT, P., TRUELOVE, J.S., PALEN, J.W., USHER, J.D., PENNEY, W.R. & WEBB, R.L. 1983. Book 3: thermal and hydraulic design of heat exchangers. (*In* Heat exchanger design handbook.) Washington, DC: Hemisphere Publishing Corporation.
- BELL, K.J., REAY, D., CHISHOLM, D., SCHLUNDER, E.U., COOPER, A., SINGHAM, J.R., GUY, A.R., SMITH, R.A., MUELLER, A.C., TABOREK, J., PAIKERT, P., TRUELOVE, J.S., PALEN, J.W., USHER, J.D., PENNEY, W.R. & WEBB, R.L. 1983. Book 4: mechanical design of heat exchangers. (*In* Heat exchanger design handbook.) Washington, DC: Hemisphere Publishing Corporation.
- BRENNAN, M.S. 2003. CFD simulations of gravity sluices. (*In* Proceedings of the Third International Conference on CFD in the Minerals and Process Industries held in Melbourne, Australia from 10 to 12 December 2003. Commonwealth Scientific and Industrial Research Organisation. Melbourne. p. 275-280.)
- CABLE, M., OOSTHUIZEN, P.H. & LIGHTSTONE, M. 2007. An evaluation of turbulent models for the numerical study of mixed and natural forced convective flow in atria. (*In* Proceedings of the Second Canadian Solar Buildings Conference held in Calgary, Canada from 10 to 14 June 2007. Calgary. p. 1-8.)
- CANTERO, M.I., BALACHANDAR, S. & PARKER, G. 2009. Direct numerical simulation of stratification effects in a sediment-laden turbulent channel flow. *Journal of turbulence*, 10(27):1-28.
- CEBRUCEAN, V., IONEL, I. & CEBRUCEAN, D. 2009. Numerical investigation of heat transfer and pressure drop in the shell-side of a shell-and-tube heat exchanger. *Scientific bulletin of the Politehnica University of Timisoara, Romania*, 54(68):23-28.

CFDOnline. 2011. Turbulence modelling. [Web:] http://www.cfd-online.com/Wiki/Turbulence_modeling [Date of access: 16 Oct. 2011].

CHAMOLI, S., CHAUHAN, R. & THAKUR, N.S. 2011. Numerical analysis of heat transfer and thermal performance analysis of surface with circular profile fins. *International journal of energy science*, 1(1):11-18.

CHANEY, R. and VAN BIBBER, L. 2006. Beluga coal gasification feasibility study: phase 1, final report. DOE/NETL-2006/1248. United States of America: National Energy Technology Laboratory. p. 1-187.

CHUNG, T.J. 2002. Computational fluid dynamics. 1st ed. Cambridge: Cambridge University Press. p. 1012-1683.

COSTA, J.J., OLIVEIRA, L.A. & BLAY, D. 1999. Test of several versions for the K- ϵ type turbulence modelling of internal mixed convection flows. *International journal of heat and mass transfer*, 42:4391-4409.

DANG, C. & HIHARA, E. 2004. In-tube cooling heat transfer of supercritical carbon dioxide. Part 2. Comparison of numerical calculation with different turbulence models. *International journal of refrigeration*, 27:748-760.

DATE, A.W. 2005. Introduction to computational fluid dynamics. 1st ed. Bombay: Cambridge University Press. p. 377-128.

DA VEIGA, W. 2012. Verbal communication with author, 10 Oct. Sasolburg.

DE BELLIS, F. & CATALANO, L.A. 2012. CFD optimization of an immersed particle heat exchanger. *Applied energy*, 97:841-848.

DE WET, C. 2011. Verbal communication with author, 15 and 17 December. Pretoria.

DE WET, C. 2012. Verbal communication with author, 10 December. Pretoria.

DONG, Q.W., WANG, Y.Q. & LIU, M.S. 2008. Numerical and experimental investigation of shellside characteristics for RODbaffle heat exchangers. *Applied thermal engineering*, 28:651-660.

DONOHUE, D.A. 1949. Heat transfer and pressure drop in heat exchangers. *Industrial and engineering chemistry*, 41(11):2499-2511.

EMERSON, W.H. 1963. Shell-side pressure drop and heat transfer with turbulent flow in segmentally baffled shell-and-tube heat exchangers. *International journal of heat and mass transfer*, 6:649-668.

FAGHRI, M. & RAO, N. 1987. Numerical computation of flow and heat transfer in finned and unfinned tube banks. *International journal of heat and mass transfer*, 30(2):363-372.

FERNANDES, C.S., DIAS, R.P., NÓBREGAC, J.M. & MAIA, J.M. 2007. Laminar flow in chevron-type plate heat exchangers: CFD analysis of tortuosity, shape factor and friction factor. *Chemical engineering and processing: process intensification*, 46(9):825-833.

- FRANK, T., SHI, J. & BURNS, A.D. 2004. Validation of eulerian multiphase flow models for nuclear safety applications. (*In* Celata, G.P., Marco, P.D., Mariani, A. & Shah, R.K., eds. Third International Symposium on Two-phase Flow Modelling and Experimentation held in Pisa from 22 to 24 September 2004. Edizioni ETS. p. 2291.)
- GADDIS, E.S. & GNIELINSKI, V. 1997. Pressure drop on the shell side of shell-and-tube heat exchangers with segmental baffles. *Chemical engineering and processing*, 36:149-159.
- GHERASIM, I., TAWS, M., GALANIS, N. & NGUYEN, C.T. 2011. Heat transfer and fluid flow in a plate heat exchanger, part I: experimental investigation. *International journal of thermal sciences*, 50(8):1492-1498.
- HALLBACK, M., JOHANSSON, A.V. & BURDEN, A.D. 1996. The basics of turbulence modelling. (*In* Hallback, M., Johansson, A.V., Henningson, D.S. & Alfredsson, P.H., eds. Turbulence and transition modelling. Dordrecht: Kluwer Academic Publishers. p. 81-154.) (Ercofactseries, 1996.)
- HAN, Z., REITZ, R.D., CORCIONE, F.E. & VALENTINO, G. 1996. Interpretation of K- ϵ computed turbulence length scale predictions for engine flows. (*In* Proceedings of the Twenty-sixth International Symposium on Combustion. The Combustion Institute. p. 2717-2723.)
- HANSEN, A.M. 2008. CFD simulation of a fin-and-tube heat exchanger: heat transfer, fluid flow, and turbulence model analysis using 3D open-source CFD code. Esbjerg: Aalborg University. (Dissertation – M.Sc.) p. 1-90.
- HARRISON, J. 1999. Standards of the Tubular Exchangers Manufacturers Association. 8th ed. New York: TEMA Inc.
- HASAN, A. & SIREN, K. 2011. Comparison of external surface heat transfer coefficients for circular and oval tubes. *Heat transfer engineering*, 28(7):640-644.
- HOSSEINI, R., HOSSEINI-GHAFFAR, A. & SOLTANI, M. 2007. Experimental determination of shell side heat transfer coefficient and pressure drop for an oil cooler shell-and-tube heat exchanger with three different tube bundles. *Applied thermal engineering*, 27(5-6):1001-1008.
- IBRAHIM, T.A. & GOMAA, A. 2009. Thermal performance criteria of elliptic tube bundle in cross-flow. *International journal of thermal science*, 48(11):2148-2158.
- IBSEN, C.H., SOLBERG, T. & HJERTAGER, B.H. 2000. The influence of the number of phases in eulerian multiphase simulations. (*In* Proceedings of the Fourteenth International Congress of Chemical and Process Engineering held in Aug. 2000 in Prague, Czech Republic. CHISA. p. 1-11.)
- IWAKI, C., CHEONG, K.H., MONJI, H. & MATSUI, G. 2004. PIV measurement of the vertical cross-flow structure over tube bundles. *Experiments in fluids*, 37:350-363.
- JAFARI NASR, M.R. & SHAFEGHAT, A. 2008. Fluid flow analysis and extension of rapid design algorithm for helical baffle heat exchangers. *Applied thermal engineering*, 28(11-12):1324-1332.

- JAYAKUMAR, J.S., MAHAJANI, S., MANDAL, J.C., VIJAYAN, P.K. & BHOI, R. 2008. Experimental and CFD estimation of heat transfer in helically coiled heat exchangers. *Chemical engineering research and design*, 86(3):221-232.
- KANARIS, A.G., MOUZA, A.A. & PARAS, S.V. 2006. Designing novel compact heat exchangers for improved efficiency using a CFD code. (*In Proceedings of the First International Conference on "From Scientific Computing to Computational Engineering" held from 8 to 10 Sept. 2004 in Athens. IC-SCCE. p. 1-8.*)
- KAPALE, U.C. & CHAND, S. 2006. Modelling for shell side pressure drop for liquid flow in shell-and-tube heat exchangers. *International journal of heat and mass transfer*, 49(3-4):601-610.
- KARLSSON, T. & VAMLING, L. 2005. Flow fields in shell-and-tube condensers: comparison of a pure refrigerant and a binary mixture. *International journal of refrigeration*, 28(5):706-713.
- KHAN, W.A., CULHAM, J.R. & YOVANOVICH, M.M. 2006. Convection heat transfer from tube banks in cross-flow: analytical approach. *International journal of heat and mass transfer*, 49(25-26):4831-4838.
- KIM, J.Y., GHAJAR, A.J., TANG, C. & FOUTCH, G.L. 2005. Comparison of near-wall treatment methods for high Reynolds number backward facing step flow. *International journal of computational fluid dynamics*, 19(7):493-500.
- KIM, W.S., HE, S. & JACKSON, J.D. 2008. Assessment by comparison with DNS data of turbulence models used in simulations of mixed convection. *International journal of heat and mass transfer*, 51(5-6):1293-1312.
- KRISHNAN, S. & KUMAR, S. 1994. Analysis of improved disc-and-doughnut configuration in shell-and-tube heat exchangers: heat and mass transfer. *Chemical engineering research & design*, 72(A5):621-624.
- KUMAR, V., SAINI, S., SHARMA, M. & NIGAM, K.D.P. 2006. Pressure drop and heat transfer study in tube-in-tube helical heat exchangers. *Chemical engineering science*, 61(13):4403-4416.
- LAI, J.C.S. & YANG, C.Y. 1997. Numerical simulation of turbulence suppression: comparisons of the performance of four K- ϵ turbulence models. *International journal of heat and fluid flow*, 18(6):575-584.
- LAKEHAL, D. & RODI, W. 1997. Calculation of the flow past a surface-mounted cube with two-layer turbulence models. *Journal of wind engineering and industrial aerodynamics*, 8(67-68):65-78.
- LEI, Y.G., HE, Y.L., CHU, P. & LI, R. 2008. Design and optimization of heat exchangers with helical baffles. *Chemical engineering science*, 63(17):4386-4395.
- LEMMER, T.N. 2012. Verbal communication with author, 12 October. Potchefstroom.
- LEMMER, T.N. & DU TOIT, C.G.D.K. 2004. Modelling of rectangular sedimentation tanks. (*In Report to the Water Research Commission: WRC Report No.998/1/04. p. 96.*)

- LEW, A.J., BUSCAGLIA, G.C. & CARRICA, P.M. 2001. A note on the numerical treatment of the K-epsilon turbulence model. *International journal of computational fluid dynamics*, 14(3):201-209.
- LI, H & KOTTKE, V. 1998. Local heat transfer in the first baffle compartment of the shell-and-tube heat exchangers for staggered tube arrangement. *Experimental thermal and fluid science*, 16(4):342-348.
- LI, H. & KOTTKE, V. 1998. Effect of the leakage on pressure drop and local heat transfer in shell-and-tube heat exchangers for staggered tube arrangement. *International journal of heat and mass transfer*, 41(2):425-433.
- LI, H. & KOTTKE, V. 1998. Effect of baffle spacing on pressure drop and local heat transfer in shell-and-tube heat exchangers for staggered tube arrangement. *International journal of heat and mass transfer*, 41(10):1303-1311.
- LI, H. & KOTTKE, V. 1999. Analysis of local shell side heat and mass transfer in the shell-and-tube heat exchangers with disc-and-doughnut baffles. *International journal of heat and mass transfer*, 42(18):3509-3521.
- LOMBAARD, F. 2010. Verbal communication with author, 17 July. Potchefstroom.
- LOMBAARD, F. 2011. Verbal communication with author, 17 March. Potchefstroom.
- MARZOUK, O.A. & HUCKABY, E.D. 2010. Simulation of a swirling gas-particle flow using different K-epsilon models and particle-parcel relationships. *Engineering letters*, 18(1):1-12.
- MCILWAIN, S.R. 2010. A CFD comparison of heat transfer and pressure drop across inline arrangement serrated finned tube heat exchangers with an increasing number of rows. *International journal of research and reviews in applied sciences*, 4(2):162-169.
- MOHAMMADI, K. 2011. Investigation of the effects of baffle orientation, baffle cut and fluid viscosity on shell side pressure drop and heat transfer coefficient in an E-type shell-and-tube heat exchanger. Germany: University of Stuttgart.(Thesis – Ph.D.)
- MOHAMMADI, K., HEIDEMANN, W. & MULLER-STEINHAGEN, H. 2009. Numerical investigation of the effect of baffle orientation on heat transfer and pressure drop in a shell-and-tube heat exchanger with leakage flows. *Heat transfer engineering*, 30(14):1123-1135.
- MUKHERJEE, R. 1998. Effectively design shell-and-tube heat exchangers. *Chemical engineering progress*, 94(2):21-37.
- MURAKAMI, S. 1997. Overview of turbulence models applied in CWE. (In Solari, G., ed. Proceedings of the Second European and African Conference on Wind Engineering held on 22 June 1997 in Genova, Italy. p. 1-23.) 1998. *Journal of wind engineering and industrial aerodynamics*, 74-76:1-24.
- NISHIMURA, T., ITOH, H. & MIYASHITA, H. 1993. The influence of tube layout on flow and mass transfer characteristics in tube banks in the transitional flow regime. *International journal of heat and mass transfer*, 36(3):553-563.

- OZDEN, E. & TARI, I. 2010. Shell side CFD analysis of a small shell-and-tube heat exchanger. *Energy conversion and management*, 51(5):1004-1014.
- RAJAGOPALAN, G. 2001. Chapter 4: Conservation equations. (In Anon. p. 21-28.)
- PASCUAL, M.R., DERKSEN, J.J., VAN ROSMALEN, G.M. & WITKAMP, G.J. 2009. Flow and particle motion in scraped heat exchanger crystallizers. *Chemical engineering science*, 64(24):5153-5161.
- PATEL, V.K. & RAO, R.V. 2010. Design optimization of shell-and-tube heat exchanger using particle swarm optimization technique. *Applied thermal engineering*, 30(11-12):1417-1425.
- PEKDEMIR, T., DAVIES, T.W., HASELER, L.E. & DIAPER, A.D. 1993. Flow distribution on a shell side of a cylindrical shell-and-tube heat exchanger. *International journal of heat and fluid flow*, 14(1):76-85.
- PERIC, M., FERGUSON, S. 2005. The advantage of polyhedral meshes. CD-adapco. p. 2.
- ROETZEL, W. & LEE, D.W. 1993. Experimental investigation of leakage in shell-and-tube heat exchangers with segmental baffles. *International journal of heat and mass transfer*, 36(15):3765-3771.
- ROETZEL, W. & BALZEREIT, F. 2000. Axial dispersion in shell-and-tube heat exchangers. *International journal of thermal sciences*, 39(9-11):1028-1038.
- ROHDIN, P. & MOSHFEGH, B. 2007. Numerical predictions of indoor climate in large industrial premises. A comparison between different k- ϵ models supported by field measurements. *Building and environment*, 42(11):3872-3882.
- ROZELLE, P. & TENNANT, J. 2011. Gasification technology R&D. [Web:] <http://fossil.energy.gov/programs/powersystems/gasification/index.html> [Date of access: 22 Sep. 2011].
- PRITHIVIRAJ, M. & ANDREWS, M.J. 1998. Three-dimensional numerical simulation of shell-and-tube heat exchangers, part 1: foundation and fluid mechanics. *Numerical heat transfer*, 33(8):799-816.
- PRITHIVIRAJ, M. & ANDREWS, M.J. 1998. Three-dimensional numerical simulation of shell-and-tube heat exchangers, part 2: heat transfer. *Numerical heat transfer*, 33(8):817-828.
- PRITHIVIRAJ, M. & ANDREWS, M.J. 2010. Comparison of a three-dimensional numerical model with existing methods for prediction of flow in shell-and-tube heat exchangers. *Heat transfer engineering*, 20(2):15-19.
- SABER, M. H., ASHTIANI, H.M., SOHRAB, S., CATRAKIS, H. & KOBASKO, N. 2010. Simulation and CFD analysis of heat pipe heat exchanger using fluent to increase of the thermal efficiency. (In Proceedings of the Seventh International Conference on Heat and Mass Transfer held from 23 to 25 Feb. 2010 at the University of Cambridge, UK. WSEAS.) (Mechanical Engineering Series, 2010:183-189.)

- SAFFAR-AVVAL, M. & DAMANGIR, E. 1995. A general correlation for determining optimum baffle spacing for all types of shell-and-tube exchangers. *International journal of heat and mass transfer*, 38(13):2501-2506.
- SERNA, M. & JIMÉNEZ, A. 2005. A compact formulation of the Bell-Delaware method for heat exchanger design and optimization. *Chemical engineering research and design*, 83(A5):539-550.
- SHAH, R.K., SEKULIĆ, D.P. & KNOVEL (FIRM). 2003. Fundamentals of heat exchanger design. Hoboken, NJ: Wiley-Blackwell (Wiley Online Library). p. 931.
- SHIH, T., LIOU, W.W., SHABBIR, A., YANG, Z. & ZHU, J. 1995. A new $K-\epsilon$ eddy viscosity model for high Reynolds number turbulent flows. *Computers and fluids*, 24(3):227-238.
- SHILLING, R.L., BELL, K.J., BERNHAGEN, P.M., FLYNN, T.M., GOLDSCHMIDT, V.M., HRNJAK, P.S., STANDIFORD, F.C. & TIMMERHAUS, K.D. 1997. Section 11: Heat transfer equipment. (In Perry, R.H., Green, D.W. & Maloney, J.O., eds. Perry's chemical engineers' handbook. 7th ed. New York: McGraw-Hill. p. 33-46.)
- SHYY, W., THAKUR, S.S., OUYANG, H., LIU, J. & BLOSCH, E. 1997. Computational techniques for complex transport phenomena. 1st ed. Cambridge: Cambridge University Press. p. 321-163.
- SOLTAN, B.K., SAFFAR-AVVAL, M. & DAMANGIR, E. 2004. Minimizing capital and operating costs of shell-and-tube condensers using optimum baffle spacing. *Applied thermal engineering*, 24(17-18):2801-2810.
- SONG, X., WOOD, H.G., DAY, S.W. & OLSEN, D.B. 2003. Studies of turbulence models in a computational fluid dynamics model of a blood pump. *Artificial organs*, 27(10):935-937.
- SPARROW, E.M. & KANG, S.S. 1985. Longitudinally finned cross-flow tube banks and their heat transfer and pressure drop characteristics. *International journal of heat and mass transfer*, 28(2):339-350.
- SPARROW, E.M. & REIFSCHNEIDER, L.G. 1986. Effect of inter baffle spacing on heat transfer and pressure drop in a shell-and-tube heat exchanger. *International journal of heat and mass transfer*, 29(11):1617-1628.
- SPEZIALE, C.G. & THANGAM, S. 1992. Analysis of an RNG based turbulence model for separated flows. *International journal of engineering science*, 30(10):1379-1388.
- SPIEGEL, M., REDEL, T., ZHANG, Y.J., STRUFFERT, T., HORNEGGER, J., GROSSMAN, R.G., DOERFLER, A. & KARMONIK, C. 2011. Tetrahedral vs. polyhedral mesh size evaluation on flow velocity and wall shear stress for cerebral hemodynamic simulation. *Computer methods in biomechanics and biomedical engineering*, 14(1):9-22.
- SRIDHARA, S.N., SHANKAPAL, S.R. & BABU, V.U. 2005. CFD analysis of fluid flow and heat transfer in a single tube-fin arrangement of an automotive radiator. (In Proceedings of the International Conference on Mechanical Engineering held from 28 to 30 Dec. 2005 in Dhaka, Bangladesh. p. 1-5.)
- STAR-CCM+ User Guide, version 6.06. 2011. New York: CD-adapco. p. 678-4930.

- STEVANOVIĆ, Ž., ILIĆ, G., RADOJKOVIĆ, N., VUKIĆ, M., STEFANOVIĆ, V. & VUČKOVIĆ, G. 2001. Design of shell-and-tube heat exchangers using CFD technique, part 1: Thermo-hydraulic calculations. *Mechanical engineering*, 1(8):1091-1105.
- THOME, J.R. 2004. Chapter 3: Single-phase shell-side flows and heat transfer. (*In* Wolverine engineering data book iii. Decatur, AL: Wolverine Tube, Inc.
- TSAI, Y.C., LIU, F.B. & SHEN, P.T. 2009. Investigations of the pressure drop and flow distribution in a chevron-type plate heat exchanger. *International communications in heat and mass transfer*, 36(6):574-578.
- TU, J.Y., FLETCHER, C.A.J., MORSI, Y.S., YANG, W. & BEHNIA, M. 1998. Numerical and experimental studies of turbulent particle-laden gas flow in an in-line tube bank. *Chemical engineering science*, 53(2):225-238.
- UNITED STATES OF AMERICA. Department of Energy. 2011. Washington, D.C.
- VAN ANTWERPEN, W.J. 2000. Modelling of rectangular sedimentation tanks using computational fluid dynamics. (Report as partial fulfilment of the requirements for the degree Bachelor of Engineering. North-West University, Potchefstroom.)
- VAN MAELE, K. & MERCI, B. 2006. Application of two buoyancy-modified K- ϵ turbulence models to different types of buoyant plumes. *Fire safety journal*, 41(2):122-138.
- VELASCO, F.J.S., LOPEZ DEL PRA, C. & HERRANZ, L.E. 2008. Expansion of a radial jet from a guillotine tube breach in a shell-and-tube heat exchanger. *Experimental thermal and fluid science*, 32(4):947-961.
- WANG, Q., CHEN, Q., CHEN, G. & ZENG, M. 2009. Numerical investigation on combined multiple shell-pass shell-and-tube heat exchanger with continuous helical baffles. *International journal of heat and mass transfer*, 52(5-6):1214-1222.
- WANG, S., WEN, J. & LI, Y. 2009. An experimental investigation of heat transfer enhancement for a shell-and-tube heat exchanger. *Applied thermal engineering*, 29(11-12):2433-2438.
- WILSON, A.S. & BASSIOUNY, M.K. 2000. Modelling of heat transfer for flow across tube banks. *Chemical engineering and processing*, 39:1-14.
- WITRY, A., AL-HAJERI, M.H. & BONDOK, A.A. 2003. CFD analysis of fluid flow and heat transfer in patterned roll-bonded aluminium plate radiators. (*In* Proceedings of the Third International Conference on CFD in the Minerals and Process Industries held from 10 to 12 Dec. 2003 in Melbourne, Australia. The Commonwealth Scientific and Industrial Research Organisation (CSIRO). p. 253-258.)
- YANEZ-MORENO, A.A. & SPARROW, E.M. 1987. Heat transfer, pressure drop and fluid flow patterns in yawed tube banks. *International journal of heat and mass transfer*, 30(10):1979-1995.
- YE, Q. & GUI, X. 2006. Numerical simulation of turbulent boundary for stagnation flow in spray painting processes. (*In* Proceedings of the International Conference on Boundary and Interior Layers held from 24 to 28 Jul. 2006 in Goettingen, Germany. Goettingen. p. 1-10.)

YONGQING, W., XIN, G., KE, W. & QIWU, D. 2011. Numerical investigation of shell-side characteristics of H-shape baffle heat exchanger. *Procedia engineering*, 18:53-58.

YUN, J.Y. & LEE, K.S. 2000. Influence of design parameters on the heat transfer and flow friction characteristics of the heat exchanger with slit fins. *International journal of heat and mass transfer*, 43(14):2529-2539.

ZHANG, J.F., HE, Y.L. & TAO, W.Q. 2009. 3D numerical simulation on shell-and-tube heat exchangers with middle-overlapped helical baffles and continuous baffles, part ii: simulation results of periodic model and comparison between continuous and non-continuous helical baffles. *International journal of heat and mass transfer*, 52(23-24):5381-5389.

ZHAO, Z. & FERNANDO, J.H.S. 2008. Numerical modelling of a sagging pipeline using an eulerian two-phase model. *Journal of turbulence*, 9(9):1-20.